



Version 7.1 User Guide

Enterprise Architect is an intuitive, flexible and powerful UML analysis and design tool for building robust and maintainable software. From requirements gathering, through analysis, modeling, implementation and testing to deployment and maintenance, Enterprise Architect is a fast, feature-rich, multi-user UML modeling tool, driving the long-term success of your software project.



© Copyright 1998-2008 Sparx Systems Pty Ltd

Enterprise Architect

Introduction

by Geoffrey Sparks

Enterprise Architect 7.1 is a complete UML-based solution for analysing, designing, managing, sharing and building software systems.

Enterprise Architect 7.1 User Guide

© 1998-2008 Sparx Systems Pty Ltd

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Printed: April 2008

Publisher

Sparx Systems

Managing Editor

Geoffrey Sparks

Technical Editors

Geoffrey Sparks

Dermot O'Bryan

John Redfern

Neil Capey

Evan Sparks

Simon McNeilly

Special thanks to:

All the people who have contributed suggestions, examples, bug reports and assistance in the development of Enterprise Architect. The task of developing and maintaining this tool has been greatly enhanced by their contribution.

Table of Contents

Foreword	1
Part I Introduction	3
1 What is Enterprise Architect?	4
Enterprise Architect Key Features	4
What Can I Do With Enterprise Architect?	5
Differences Between Corporate, Professional and Desktop Editions	7
2 Help and Support	9
Available Helpfile Formats	10
Support	10
3 Formal Statements	10
Copyright Notice	11
Enterprise Architect Software Product License Agreement	11
Acknowledgement of Trademarks	14
Acknowledgements	15
4 If You Have An Enterprise Architect Trial Version	15
Order Enterprise Architect	15
Installation	16
Register a Full License	17
Part II Getting Started	20
1 Work With Enterprise Architect	20
Modeling With UML	22
Manage Models	22
Code Engineering With Enterprise Architect	23
2 Quick Start - Create a Project	24
Add a View to a Model	25
Add a Package To a Model	26
Add a Diagram to a Package	27
Add Elements to a Diagram and Package	27
Add Connectors Between Elements	28
Move Components	28
Delete Components	30
Save Changes	31
3 Quick Start - Define Element and Relationship Properties	31
4 Quick Start - Project Tasks	32
Part III Using Enterprise Architect	36
1 Start Enterprise Architect	36
2 The User Interface	37
3 The Start Page	39
Remove Recent Projects	40
4 Model Templates	41
Business Process Model Template	42

Requirements Model Template	42
Use Case Model Template	43
Domain Model Template	44
Class Model Template	45
Database Model Template	45
Component Model Template	46
Deployment Model Template	47
Testing Model Template	49
Maintenance Model Template	50
Project Model Template	50
5 The Project Browser	51
Order Package Contents	53
Set Default Project Browser Behavior	53
Project Browser Icon Overlays	56
Model Context Menu	56
Root Node Package Control Sub-Menu.....	57
Package Context Menu	58
Add Sub-Menu.....	59
Documentation Sub-Menu.....	59
Code Engineering Sub-Menu.....	60
Build and Run Sub-Menu.....	60
Import/Export Sub-Menu.....	61
Contents Sub-Menu.....	61
Element Context Menu - Project Browser	61
Add Sub Menu.....	62
Diagram Context Menu - Project Browser	63
Method Context Menu	63
6 The Main Menu	64
The File Menu	64
Print Preview.....	65
Save Model Copy or Shortcut.....	66
Create Copy Or Shortcut.....	66
Encrypt Repository Password.....	69
The Edit Menu	69
Paste Elements Submenu.....	70
The View Menu	70
View Submenus.....	71
The Project Menu	73
Documentation Submenu.....	74
Source Code Engineering Submenu.....	74
Build and Run Submenu.....	75
Database Engineering Submenu.....	76
Model Transformations Submenu.....	76
Model Validation Submenu.....	76
Web Services Submenu.....	77
XML Schema Submenu.....	77
Security Submenu.....	77
Version Control Submenu.....	78
Import/Export Submenu.....	78
The Diagram Menu	79
The Element Menu	80
Inline Features Submenu.....	81
Element Advanced Submenu.....	81

Element Source Code Engineering Submenu.....	82
Element Appearance Submenu.....	82
Element Position Submenus.....	82
The Tools Menu	83
Data Management Submenu.....	84
Manage .EAP File Submenu.....	84
The Customize Dialog.....	85
Customize Commands.....	86
Customize Toolbars	87
Custom Tools	89
Open External Tools.....	91
Pass Parameters to External Applications.....	92
Customize Keyboard.....	93
Customize Menu.....	96
Customize Options.....	97
The Add-Ins Menu	97
The Settings Menu	98
The Window Menu	99
The Help Menu	100
7 The Enterprise Architect UML Toolbox	100
UML Toolbox Appearance Options	103
UML Toolbox Shortcut Menu	105
Common Group	107
Use Case Group	108
Class Group	108
Object Group	109
Composite Group	110
Communication Group	111
Interaction Group	112
Timing Group	112
State Group	113
Activity Group	114
Component Group	114
Deployment Group	115
Profile Group	116
Metamodel Group	117
Analysis Group	118
Custom Group	119
Requirement Group	120
Maintenance Group	121
User Interface Group	121
WSDL Group	124
XML Schema Group	125
Data Modeling Group	125
8 Workspace Toolbars	126
Default Tools Toolbar	127
Project Toolbar	127
Code Generation Toolbar	128
UML Elements Toolbar	129
Diagram Toolbar	130
Current Element Toolbar	130
Current Connector Toolbar	131
Format Toolbar	131

Workspace Views	132
Other Views Toolbar	133
Status Bar	133
Rich Text Notes Toolbar	134
9 Diagram Tabs	135
10 View Options	136
Diagram View	136
Element List	137
Element List Options.....	139
Model Views	140
Model Views Toolbar.....	141
Model Views Context Menus.....	142
Model Views Operations.....	143
Model Search	144
Use the Model Search.....	147
Search a Model.....	149
Search Definitions.....	149
Create Search Definitions.....	153
Pre-defined Search Definitions.....	155
Add Filters	156
Fields and Conditions.....	158
11 The Web Browser	158
12 Arrange Windows and Menus	159
Dock Windows	160
Autohide Windows	162
Tear Off Menus	163
13 Dockable Windows	164
The Properties Window	165
The Resources Window	166
Favorites.....	168
The Notes Window	168
The System Window	169
The Source Code Viewer	170
The Element Browser	171
The Relationships Window	172
The Rules & Scenarios Window	173
The Hierarchy Window	173
The Tagged Values Window	174
Assign a Defined Tagged Value to an Item.....	177
Assign Information to a Tagged Value.....	178
Show Duplicate Tags.....	179
The Project Management Window	180
The Output Window	181
The Tasks Pane Window	182
The Pan & Zoom Window	183
14 The Quick Linker	184
Create New Elements	184
Create Connections Between Elements	186
15 Defaults and User Settings	187
Configure Local Options	187
General	189
Standard Colors.....	191

Diagram.....	192
Behavior	194
Sequence	196
Objects	197
Set Default Fonts.....	199
Element Visibility.....	200
Links	201
Communication Colors.....	202
XML Specifications.....	204
Custom Layouts	205
Visual Styles	206
16 Keyboard Shortcuts	206
17 Project Discussion Forum	210
Categories, Topics and Posts	211
Add a New Category.....	212
Add a New Topic.....	213
Add a New Post.....	214
Reply to a Post.....	215
Edit an Item.....	215
Delete an Item.....	216
Message Dialog.....	217
Add Element Links.....	218
Context Menu	218
Copy Path to Clipboard	219
Forum Options	219
Forum Connections	220
18 Spell Checking	221
Using the Spell Checker	221
Correcting Words	223
Select a Different Language	223
Part IV Project Roles and Enterprise Architect	226
1 Business Analysts	226
2 Software Architects	228
3 Software Engineers	229
4 Developers	230
5 Project Managers	231
6 Testers	232
7 Implementation Manager	233
8 Technology Developers	234
9 Database Administrators	235
Part V Modeling with Enterprise Architect	238
1 Work With Packages	239
Open a Package From The Project Browser	240
Add a Package	240
Rename a Package	241
Drag a Package onto a Diagram	241
Show or Hide Package Contents	242

Delete a Package	242
2 Work With Diagrams	243
Diagram Context Menu	246
Diagram Tasks	248
Add New Diagrams	248
Lay Out a Diagram.....	250
Delete a Diagram.....	253
Rename a Diagram.....	254
Copy Diagram Element.....	254
Diagram Navigation Hotkeys.....	254
Z Order Elements.....	255
Copy Image to Disk.....	255
Copy Image to Clipboard.....	255
Change Diagram Type.....	256
Open a Package From a Diagram.....	256
Copy a Diagram.....	257
Feature Visibility.....	257
Insert Diagram Properties Note.....	260
Autosize Elements	261
Paste from the Project Browser.....	261
Paste Multiple Items From The Project Browser.....	262
Paste Composite Elements.....	263
Paste Activities.....	263
Drop Elements from the Project Browser.....	264
Place Related Elements on Current Diagram.....	265
Swimlanes.....	266
Swimlanes Matrix.....	269
Using the Image Manager.....	272
Create Custom Diagram Background.....	274
Import Image Library.....	274
Show Realized Interfaces for a Class.....	276
Label Menu Section.....	276
Lock Diagram.....	277
Undo Last Action.....	278
Redo Last Action.....	278
View Last and Next Diagram.....	278
Set Appearance Options.....	278
Diagram Properties Dialog - General Tab.....	279
Diagram Properties Dialog - Diagram Tab.....	281
Diagram Properties Dialog - Elements Tab.....	282
Diagram Properties Dialog - Features Tab.....	284
Diagram Properties Dialog - Connectors Tab.....	285
Visible Class Members.....	286
Set the Default Diagram.....	286
Create Legends.....	287
Scale Image to Page Size.....	289
Set Diagram Page Size.....	290
Pan and Zoom a Diagram.....	291
3 Work With Elements	292
Element Context Menu	294
Properties Menu Section.....	296
Advanced Submenu.....	296
Custom Properties Dialog.....	297

Add Submenu	298
Insert Related Elements.....	298
Find Submenu.....	299
Embedded Elements Submenu.....	300
Embedded Elements Window.....	300
Features Menu Section.....	302
Code Engineering Menu Section.....	302
Appearance Menu Section.....	302
Set Element Font.....	304
Element Context Menu - Multiple Selection.....	304
Element Tasks	306
Create Elements.....	306
Add Elements Directly To Packages.....	307
Use Auto Naming and Auto Counters.....	308
Set Element Parent.....	309
Show Element Usage.....	310
Set Up Cross References.....	310
Move Elements Within Diagrams.....	312
Move Elements Between Packages.....	313
Change Element Type.....	314
Align Elements.....	315
Resize Elements.....	316
Delete Elements.....	317
Customize Visible Elements.....	318
Create Notes and Text.....	319
Set an Element's Default Appearance.....	320
Get/Set Project Custom Colors.....	322
Use Element Templates.....	325
Highlight Context Element.....	326
Convert Linked Element to Local Copy.....	327
Copy Attributes and Operations Between Elements.....	327
Move Attributes and Operations Between Elements.....	328
Attributes	330
Attributes General tab.....	333
Attributes Detail.....	335
Attributes Constraints.....	336
Attribute Tagged Values.....	337
Create Properties.....	338
Display Inherited Attributes.....	339
Create Object From Attribute.....	341
Operations	341
Operations Dialog - General.....	343
Operation Parameters.....	346
Operation Parameter Tagged Values.....	347
Operation Parameters by Reference.....	348
Operations Dialog - Behavior.....	349
Initial Code	351
Operations Dialog - Constraints.....	352
Operation Tagged Values.....	352
Override Parent Operations.....	353
Display Inherited Operations.....	354
Element In-place Editing Options	356
Inplace Element Item Tasks.....	356
Edit Element Item Name.....	357

Edit Attribute or Operation Stereotype.....	358
Edit Attribute and Operation Scope.....	359
Edit Attribute Keyword.....	359
Edit Operation Parameter Keyword.....	360
Edit Parameter Kind.....	361
Insert New Attribute or Operation.....	362
Insert Operation Parameter.....	363
Insert Maintenance Feature.....	364
Insert Testing Features.....	366
Properties	368
General Settings.....	369
Advanced Settings.....	370
Details	371
Requirements.....	372
External Requirements.....	373
Constraints.....	374
Links	376
Scenarios.....	377
Associated Files.....	378
Tagged Values.....	379
Advanced Tag Management.....	380
Quick Add of Tagged Values.....	382
Object Classifiers.....	383
Using Classifiers.....	383
Set Element Classifier Dialog.....	384
Boundary Element Settings.....	385
Compartments	386
Link a Note to Internal Documentation	388
Linked Documents	389
Create Document Artifact.....	391
Link Document to UML Element (Corporate Edition Only).....	392
Edit Linked Documents.....	392
Hyperlink From Linked Document.....	393
Create Elements From Linked Documents.....	394
Delete and Replace Linked Documents.....	394
Create Linked Document Templates.....	395
Edit Linked Document Templates.....	396
4 Work With Connectors	398
Connector Context Menu	398
Properties Menu Section.....	399
Type-Specific Menu Section.....	400
Advanced Menu Section	400
Style Menu Section.....	401
Appearance Menu Section.....	401
Connector Tasks	402
Connect Elements.....	402
Add a Note to a Link.....	403
Arrange Connectors.....	404
Change Connector Type.....	405
Change the Source or Target Element.....	405
Connector Styles.....	406
Create Link.....	409
Delete Connectors.....	409
Generalization Sets.....	410

Hide/Show Connectors.....	411
Hide/Show Labels.....	412
Connector In-place Editing Options.....	413
Reverse Connector.....	413
Set Association Specializations.....	413
Show Uses Arrow Head.....	414
Relationship Visibility.....	414
Tree Style Hierarchy.....	415
Connector Properties	416
Connector Constraints.....	418
Source Role.....	419
Target Role.....	421
Role Tagged Values	422
Message Scope	422
5 Requirements Management	423
Create Requirements	424
Requirement Elements	424
Color Code External Requirements	426
Internal Requirements	427
Move Internal Requirement to External Requirement	428
Requirement Properties	430
Implementation	431
Composition	431
Requirements Hierarchy	431
Dependency Report	432
6 Relationship Matrix	432
Set Source and Target Package	433
Open the Relationship Matrix.....	434
Set Element Type	435
Set the Link Type and Direction	435
Relationship Matrix Options	436
Modify Relationships in Matrix	436
Export to CSV	437
Print the Matrix	437
Matrix Profiles	438
7 UML Profiles	438
Use Profiles	440
Import a UML Profile.....	440
Tagged Values in Profiles.....	441
Add Profile Connector to Diagram.....	442
Synchronize Tags and Constraints.....	443
Profile References	444
Supported Types.....	444
Profile Structure.....	445
Supported Attributes.....	446
Example Profile.....	447
8 UML Stereotypes	448
Apply Stereotypes	450
Stereotype Selector	451
Stereotype Visibility	452
Standard Stereotypes	453
Stereotypes with Alternative Images	454

9 UML Patterns	455
Create a Pattern	456
Import a Pattern	458
Use a Pattern	458
10 MDG Technologies	460
Import MDG Technologies	461
Manage MDG Technologies	462
Access Remote MDG Technologies.....	463
Work with MDG Technologies	464
Mind Mapping	467
Data Flow Diagrams	468
ICONIX Process	470
BPMN 1.4	473
11 Business Modeling	475
Process Modeling Notation	476
Inputs, Resources and Information	477
Events	478
Outputs	478
Goals	478
A Complete Business Process	479
Traceability	479

Part VI Model Management 482

1 Enterprise Architect Project Files	484
What is an Enterprise Architect Project?	485
Open a Project	486
Create a New Project	488
Model Wizard.....	488
Set Up a Database Repository	489
Upsize to Sybase Adaptive Server Anywhere (ASA).....	491
Upsize to Progress OpenEdge.....	492
Upsize to SQL Server Desktop Engine (MSDE).....	494
Upsize to PostgreSQL.....	495
Upsize to Oracle 9i, 10g or 11g.....	496
Upsize to SQL Server.....	498
Upsize to MySQL.....	500
Set Up an ODBC Driver	502
Set up a MySQL ODBC Driver.....	503
Set up a PostgreSQL ODBC Driver.....	506
Set up an Adaptive Server Anywhere ODBC Driver.....	509
Set up a Progress OpenEdge ODBC Driver.....	514
Create a Repository	516
Create a MySQL Repository.....	516
Create a SQL Server Repository.....	519
Create an Oracle Server Repository	521
Create a PostgreSQL Repository.....	522
Create an Adaptive Server Anywhere Repository.....	524
Create an MSDE Server Repository.....	527
Create a Progress OpenEdge Repository.....	528
Connect to a Data Repository.....	528
Connect to a MySQL Data Repository	529
Connect to a SQL Server Data Repository.....	531

Connect to an Oracle Data Repository.....	534
Connect to a PostgreSQL Data Repository.....	536
Connect to an Adaptive Server Anywhere Data Repository.....	538
Connect to an MSDE Server Data Repository.....	540
Connect to a Progress OpenEdge Repository.....	540
Create and Open Model Files Discussion	542
Copy a Base Project	543
2 Upgrade Models	544
The Upgrade Wizard	544
Upgrade Replicas	545
3 Project Data Integrity	546
Check Project Data Integrity	546
Run SQL Patches	548
4 Project Data Transfer	548
Perform a Project Data Transfer	549
Why Compare Projects?	550
Compare Projects	550
Copy Packages from One Project to Another	551
5 Model Maintenance	553
Rename a Project	553
Compact a Project	553
Repair a Project	554
Manage Views	555
Add Views	555
Rename Views.....	556
Delete Views.....	557
6 Model Validation	558
Configure Model Validation	560
Rules Reference	561
Well-Formedness (Element, Relationship, Feature, Diagram).....	561
Element Composition.....	562
Property Validity (Element, Relationship, Feature).....	562
OCL Conformance (Element, Relationship, Feature).....	562
7 Model Sharing and Team Deployment	565
Share an Enterprise Architect Project	566
Share a Project on Shared Network Drive	567
Distributed Development	567
Replication	568
Design Masters.....	569
Create Replicas.....	569
Synchronize Replicas.....	570
Remove Replication.....	570
Upgrade Replicas.....	571
Resolve Conflicts	571
8 XMI Import and Export	572
Export to XMI	573
Import from XMI	575
Import EMX/UML2 Files	576
Limitations of XMI	578
The UML DTD	578
Controlled Packages	578
Controlled Package Menu.....	579

Configure Packages.....	580
Remove Package from Control.....	581
Save a Package.....	582
Load a Package.....	583
Batch XMI Export.....	583
Batch XMI Import.....	584
Manual Version Control with XMI.....	585
9 CSV Import and Export	585
CSV Specifications	585
CSV Export	587
CSV Import	589
10 Version Control	590
Version Control Setup	591
Use Version Control	592
Version Control Reference	593
Version Control Setup Menu.....	593
Version Control Settings Dialog.....	593
Version Control Menu.....	595
Version Control Options SCC.....	597
SCC Version Control Upgrade at Enterprise Architect Release 4.5.....	600
Version Control with CVS.....	601
CVS with Remote Repositories.....	602
CVS with Local Repositories.....	605
Version Control with Subversion.....	608
Set up Subversion.....	608
Create a new Repository Sub-tree.....	609
Create a Local Working Copy.....	610
Using Subversion with Enterprise Architect Under Linux-Crossover.....	610
Configure Version Control with Subversion.....	611
TortoiseSVN	613
Version Control with TFS.....	614
Offline Version Control	617
Use Nested Version Control Packages	618
Specify Private or Shared Models	619
Apply Version Control To Branches	619
Export Version Controlled Model Branch	620
Import Version Controlled Model Branch	621
Include Other Users' Packages	622
Add Previously Defined Version Control Configurations	623
Review Package History	624
Check In and Check out Packages.	625
11 MOF	627
Getting Started	629
Export MOF to XMI	631
12 User Security	631
Enable Security	632
Security Policy	633
Maintain Users	634
Assign User To Groups	636
Set Up Single Permissions	637
View All User Permissions	637
Maintain Groups	638
Set Group Permissions	639

List of Available Permissions	640
View and Manage Locks	642
Password Encryption	643
Change Password	644
Lock Model Elements	646
Add Connectors Between Locked Elements	646
Lock Packages	647
Apply a User Lock	648
Locked Element Indicators	649
Identify Who Has Locked An Object	650
Manage Your Own Locks	650
13 Auditing	651
Auditing Quickstart	652
Auditing Settings	652
Audit Scope.....	653
Audit Logs.....	653
Auditing Level.....	654
Audit Options.....	654
The Audit View	655
Audit View Controls.....	657
Audit History Tab	660
Auditing Performance Issues	661
Audit View Performance Issues	661
14 Baselines, Differencing and Merges	662
Baselines	662
Manage Baselines.....	663
Create Baselines.....	665
The Compare Utility (Diff)	665
Compare Options	666
Example Comparison	667
Compare Utility Tab Options.....	669
15 Reference Data	671
People	672
Project Authors.....	673
Project Roles.....	676
Project Resources.....	678
Project Clients.....	679
General Types	681
Status Types.....	682
Constraint Types.....	683
Constraint Status Types.....	684
Requirement Types.....	685
Scenario Types.....	686
Maintenance	688
Problem Types.....	688
Testing Types.....	690
Metrics and Estimation	691
UML Types	691
Stereotype Settings.....	691
Shape Editor	692
Tagged Value Types.....	693
Cardinality.....	694
Data Types	695

Import and Export Reference Data	696
Export Reference Data.....	697
Import Reference Data.....	698

Part VII License Management 701

1 Finding Your License Information	702
2 Add License Key	702
3 Keystore Troubleshooting	704
4 Upgrade an Existing License	705
5 Register Add-In	707

Part VIII Project Management 710

1 Estimation	711
Technical Complexity Factors	711
Environment Complexity Factors	713
Estimating Project Size	714
Default Hours	716
2 Resource Management	716
Resource Allocation	717
Effort Management	718
Risk Management	719
Metrics	720
Resource Report	720
Effort Types	722
Metric Types	723
Risk Types	724
3 Testing	726
The Testing Workspace	726
The Test Details Dialog	727
Unit Testing	728
Integration Testing	729
System Testing	730
Acceptance Testing	731
Scenario Testing	731
Import Scenario as Test	732
Import Test From Other Elements	734
Testing Details Report	735
Show Test Scripts in Compartments	736
Test Documentation	737
4 Maintenance	738
The Maintenance Workspace	738
Maintenance Element Properties	739
Show Maintenance Scripts in Compartments	740
5 Changes and Defects	742
Defects (Issues)	742
Changes	743
Element Properties	744
Assign People to Defects or Changes	745
6 Project Tasks List	746

Add, Modify and Delete Tasks	747
7 Project and Model Issues	748
Project Issues Dialog	749
Project Issues Tab	749
Add, Delete and Modify Issues	751
Reports - Using the Project Issues Dialog	751
Reports - Using the Project Issues Tab	752
Report Output Sample	752
8 Project Glossary	753
The Glossary Dialog	754
Project Glossary Tab	755
Generate a Report	757
Glossary Report Output Sample	758
9 Update Package Status	759
10 Manage Bookmarks	760
Part IX Code Engineering	763
1 Reverse Engineering and Synchronizing	764
Import Source Code	765
Import a Directory Structure	766
Import ActionScript	767
Import C	768
Import C++	768
Import C#	768
Import Delphi	768
Import Java	768
Import PHP	769
Import Python	769
Import Visual Basic	769
Import VB.Net	770
Import Binary Module	770
MDG Link and Code Engineering	771
Handling of Classes Not Found During Import	771
Synchronize Model and Code	771
2 Generate Source Code	773
Generate a Single Class	774
Generate a Group of Classes	775
Generate a Package	776
Update Package Contents	777
Namespaces	778
3 Code Engineering Settings	779
Source Code Engineering	779
Source Code Options.....	780
Import Component Types.....	781
Options - Code Editors.....	781
Options - Object Lifetimes.....	782
Options - Attribute/Operations.....	783
Code Page for Source Editing.....	784
Local Paths	785
Local Paths Dialog	786
Language Macros	786

Set Collection Classes	788
Language Options	790
Options - ActionScript.....	790
Options - C.....	791
Options - C#.....	792
Options - C++.....	793
Options - Delphi.....	794
Delphi Properties.....	795
Options - Java.....	798
Options - PHP.....	798
Options - Python.....	799
Options - Visual Basic.....	800
Options - VB.Net.....	801
Reset Options.....	802
4 Code Template Framework	803
Code Templates	803
Base Templates.....	804
The Code Template Editor	807
Synchronize Code	808
Synchronize Existing Sections.....	809
Add New Sections to Existing Features.....	809
Add New Features and Elements.....	809
5 Modeling Conventions	809
ActionScript Conventions	810
C Conventions	811
Object Oriented Programming Using C.....	812
C# Conventions	813
C++ Conventions	814
Managed C++ Conventions.....	816
C++/CLI Conventions.....	816
Delphi Conventions	817
Java Conventions	818
AspectJ Conventions.....	819
PHP Conventions	820
Python Conventions	820
VB.Net Conventions	821
Visual Basic Conventions	822
Part X Debug and Profile	825
1 Setup for Build and Run	826
Managing Scripts	828
Build Script	828
Build Command.....	829
Test Command.....	830
Run Command.....	832
Debug Command.....	834
Java	835
Attach to Virtual Machine.....	836
.NET	837
Debug Assemblies.....	837
Debug - CLR Versions.....	838
Microsoft Native.....	839
Recursive Builds.....	839

Deploy Command.....	840
Sequence Options.....	840
Enable Filter	841
Record Arguments To Function Calls.....	843
Record Calls To External Modules.....	843
2 Profiling and Debugging	844
System Requirements	844
Debug ASP .NET	845
Debug COM interop	848
Debug Another Process	850
Debug Java Web Servers	850
JBoss Server Configuration.....	853
Apache Tomcat Server Configuration.....	854
Apache Tomcat Service Configuration (Windows Service).....	855
Use the Debugger	855
The Debug Toolbar.....	857
Runtime Inspection.....	859
The Debug Workbench Window.....	859
Breakpoints	860
Add Breakpoints.....	861
Delete, Disable and Enable Breakpoints.....	862
Local Variables.....	862
Stack	863
Output	864
Recording History.....	864
Workbench	865
Workbench Variables.....	865
Create Workbench Variables.....	867
Delete Workbench Variables.....	869
Invoke Methods.....	870
Generate Sequence Diagrams	871
Record Debug Session For a Method.....	873
Record a Debug Session Using Breakpoints.....	873
Record For a Thread Manually.....	875
Record For a Thread Automatically.....	876
Recording Markers.....	876
Generate the Sequence Diagram.....	877
Include State Transitions.....	879
Enable Capture of State Transactions.....	881
Create a State Machine and States	882
Add Constraints.....	883
3 Unit Testing	885
Set Up Unit Testing	885
Run Unit Tests	886
RecordTest Results	887
Part XI Data Modeling	890
1 A Data Model Diagram	891
2 Create a Table	892
3 Set Table Properties	893
Set Table Owner	895
Set MySQL Options	895

Set Oracle Table Properties	896
4 Create Columns	898
5 Create Oracle Packages	900
6 Primary Key	901
SQL Server Non Clustered Primary Keys	902
7 Foreign Key	903
Create a Foreign Key	903
Define a Foreign Key Name Template	907
8 Stored Procedures	908
Create Stored Procedure As Container Class	909
Create Stored Procedure As Individual Class	911
9 Views	913
10 Indexes, Triggers and Check Constraints	915
11 Generate DDL	917
12 Generate DDL for a Package	919
13 Data Type Conversion Procedure	922
14 Data Type Conversion for a Package	923
15 DBMS Datatypes	925
16 Import Database Schema from ODBC	926
Select a Data Source	929
Select Tables	930
The Imported Class Elements	930
 Part XII MDA Transforms	 933
1 Transform Elements	935
Chaining Transformations	936
2 Import Transforms	936
3 Transformation Templates	937
4 Built-in Transformations	939
C# Transformation	939
DDL Transformation	941
EJB Transformations	946
Java Transformation	949
JUnit Transformation	950
JUnit Transformation	952
WSDL Transformation	954
XSD Transformation	955
5 Write Transformations	958
Default Transformation Templates	959
Intermediary Language	959
Objects	959
Connectors	964
Duplicate Information	966
Convert Types	966
Convert Names	966
Cross References	967

Part XIII XML Technologies	970
1 XML Schema (XSD)	970
Model XSD	970
UML Profile for XSD	972
XSD Datatypes Package	978
Abstract XSD models	979
Default UML to XSD Mappings	980
Generate XSD	981
Generate Global Element	983
Import XSD	984
Global Element and ComplexType	986
2 Web Services (WSDL)	987
Model WSDL	987
WSDL Namespace	988
WSDL Document	990
WSDL Service	991
WSDL Port Type	993
WSDL Message	993
WSDL Binding	994
WSDL Port Type Operation	995
WSDL Message Part	996
Generate WSDL	997
Import WSDL	997
Part XIV Creating Documents	1000
1 RTF Documents	1001
Generate RTF Documents	1002
Diagram Options	1003
Generate RTF Documentation Dialog	1004
RTF Templates Tab	1006
RTF Style Template Editor	1008
Select Model Elements for Documentation	1009
RTF Style Template Editor - Add Content	1011
RTF Style Template Editor Tabular Sections	1011
RTF Style Template Editor Child Sections	1013
RTF Style Template Editor Commands	1015
Scroll Through Text	1016
File and Print Options	1017
Cut and Paste Options	1018
View Options	1019
Image and Object Inserts	1020
Character Formatting	1020
Paragraph Formatting	1022
Tab Support	1023
Page Breaks and Repagination	1023
Headers, Footers, Hyperlinks and Bookmarks	1024
Table Commands	1025
Sections and Columns	1028
Stylesheets, Special Text and Table of Contents	1029
Text/Picture Frame and Drawing Objects	1030
Search and Replace Commands	1031

Resource Documents.....	1031
Document Options.....	1033
Word Substitution.....	1035
Language Substitution.....	1036
The Legacy RTF Report Generator	1037
Document a Single Element.....	1039
The RTF Report Dialog.....	1039
Set the Main RTF Properties.....	1040
Apply a Filter.....	1041
Exclude Elements.....	1041
RTF Diagram Format.....	1042
Project Include.....	1043
RTF Report Options.....	1043
RTF Report Selections.....	1044
Generate the Report.....	1045
Legacy RTF Style Templates.....	1045
Report Templates.....	1047
Include or Exclude a Package from Report.....	1047
Save as Document.....	1048
Custom Language Settings.....	1048
Use MS Word	1050
Open a Report in Microsoft Word.....	1050
Change Linked Images to Embedded Images.....	1050
RTF Bookmarks.....	1051
Other Features of Word.....	1053
Add Table of Contents.....	1053
Add Table of Figures.....	1054
Add Headers and Footers.....	1055
Manipulate Tables in Word.....	1056
Refresh Links	1058
Other Documents	1059
Dependency Report.....	1059
Diagram Only Report.....	1060
Implementation Report.....	1061
Set Target Types Dialog.....	1062
Testing Report.....	1063
2 Virtual Documents	1064
Create a Master Document	1065
Create a Model Document	1067
Add Packages to Your Model Document	1068
Delete a Package From Your Model Document	1069
Document Order	1069
Generate the Document	1071
3 HTML Reports	1072
Create an HTML Report	1072
The Generate HTML Report Dialog	1073
Web Style Templates	1074
Part XV The UML Dictionary	1078
1 UML Diagrams	1079
Behavioral Diagrams	1080
Activity Diagram.....	1080
Use Case Diagram.....	1082

State Machine Diagram.....	1084
Regions	1086
Pseudo-States.....	1087
State Machine Table.....	1088
State Machine Table Options.....	1089
State Machine Table Operations - Overview.....	1091
Change State Machine Table Position.....	1092
Change State Machine Table Size.....	1092
Insert New State.....	1092
Insert Trigger.....	1093
Insert/ChangeTransition.....	1093
Reposition State or Trigger Cells.....	1094
Add Legend	1094
Locate Cell in State Machine Diagram.....	1095
State Machine Table Conventions.....	1095
Export State Table To CSV File.....	1096
Interaction Diagrams.....	1096
Timing Diagram.....	1096
Create a Timing Diagram.....	1098
Set a Time Range.....	1098
Edit a Timing Diagram.....	1099
Add and Edit a State Lifeline Element.....	1099
Edit States In a State Lifeline Element.....	1100
Edit Transitions In a State Lifeline Element.....	1101
Add and Edit a Value Lifeline Element.....	1103
Add States In a Value Lifeline Element.....	1103
Edit Transitions In Value Lifeline Element.....	1103
Configure Timeline Dialog - States Tab.....	1105
Configure Timeline Dialog - Transitions Tab.....	1106
Time Intervals.....	1108
Time Interval Operations on Transitions.....	1112
Sequence Diagram.....	1115
Denote Lifecycle of an Element.....	1117
Layout of Sequence Diagrams.....	1118
Sequence Elements.....	1119
Sequence Element Activation.....	1120
Lifeline Activation Levels.....	1121
Sequence Message Label Visibility.....	1123
Change the Top Margin.....	1124
Inline Sequence Elements.....	1124
Communication Diagram (formerly Collaboration Diagram).....	1124
Communication Diagrams in Color.....	1126
Interaction Overview Diagram.....	1127
Structural Diagrams	1129
Package Diagram.....	1130
Class Diagram.....	1131
Object Diagram.....	1133
Composite Structure Diagram.....	1134
Properties	1136
Component Diagram.....	1137
Deployment Diagram.....	1139
Extended Diagrams	1141
Analysis Diagram.....	1141
Custom Diagram.....	1143

Requirements Diagram.....	1145
Maintenance Diagram.....	1146
User Interface Diagram.....	1148
Database Schema.....	1149
Robustness Diagram.....	1150
2 UML Elements	1150
Behavioral Diagram Elements	1151
Structural Diagram Elements	1152
Basic Elements	1154
Action	1154
Action Notation.....	1155
Set Feature Dialog.....	1156
Action Expansion Node.....	1157
Action Pin	1158
Local Pre/Post Conditions.....	1159
Activity.....	1160
Activity Notation.....	1161
Activity Parameter Nodes.....	1162
Activity Partition.....	1163
Actor	1164
Artifact.....	1165
Central Buffer Node.....	1166
Choice.....	1166
Class	1167
Active Classes.....	1169
Parameterized Classes (Templates).....	1169
Collaboration.....	1171
Collaboration Occurrence.....	1172
Combined Fragment.....	1173
Create a Combined Fragment.....	1175
Interaction Operators.....	1176
Component.....	1179
Datastore.....	1180
Decision.....	1180
Deployment Spec.....	1182
Device.....	1183
Diagram Gate.....	1183
Document Artifact.....	1184
Endpoint.....	1185
Entry Point.....	1186
Enumeration.....	1186
Exception.....	1187
Execution Environment.....	1187
Expansion Region.....	1188
Add Expansion Region.....	1190
Exit Point.....	1190
Expose Interface.....	1191
Final	1191
Flow Final.....	1192
Fork/Join.....	1193
Fork	1195
Join	1196
History.....	1197
Information Item.....	1199

Initial	1199
Interaction Occurrence.....	1200
Interface.....	1200
Interruptible Activity Region.....	1201
Add Interruptible Activity Region.....	1202
Junction.....	1203
Lifeline.....	1204
Merge	1204
Message Endpoint.....	1205
Message Label.....	1205
Node	1206
Note	1207
Object	1208
Run-time State.....	1208
Define a Run-time Variable.....	1209
Remove a Defined Variable	1209
Define an Object State.....	1209
Package.....	1210
Part	1211
Partition.....	1211
Port	1212
Add a Port to an Element.....	1213
Manage Inherited and Redefined Ports.....	1213
Primitive.....	1214
Qualifiers.....	1215
Receive.....	1217
Region.....	1218
Send	1218
Signal	1219
State	1219
Composite State.....	1220
State Lifeline.....	1222
State/Continuation.....	1223
Continuation	1223
State Invariant.....	1225
Structured Activity.....	1226
State Machine.....	1228
Synch	1229
System Boundary.....	1229
Terminate.....	1230
Trigger.....	1231
Use Case.....	1231
Use Case Extension Points.....	1232
Rectangle Notation.....	1233
Value Lifeline.....	1234
Inbuilt and Extended Stereotypes	1235
Analysis Stereotypes.....	1236
Boundary.....	1237
Create a Boundary	1237
Business Modeling Stereotypes.....	1238
Composite Elements.....	1239
Control.....	1240
Create a Control Element.....	1240
Entity	1241

Create an Entity.....	1241
Event	1242
Feature.....	1242
Hyperlinks.....	1243
N-Ary Association.....	1246
Process.....	1247
Requirements.....	1248
Screen.....	1249
Table	1251
UI Control Element.....	1251
Create A UI Control Element.....	1252
Web Stereotypes.....	1253
Worker Stereotypes.....	1254
3 UML Connectors	1255
Aggregate	1257
Change Aggregation Link Form.....	1257
Assembly	1258
Associate	1258
Association Class	1259
Link a New Class to an Existing Association.....	1260
Communication Path	1261
Compose	1261
Connector	1262
Control Flow	1263
Delegate	1264
Dependency	1265
Apply a Stereotype.....	1265
Deployment	1266
Extend	1266
Generalize	1267
Include	1267
Information Flow	1268
Convey Information on a Flow.....	1269
Realize an Information Flow.....	1270
Interrupt Flow	1271
Manifest	1271
Message	1272
Message (Sequence Diagram).....	1273
Self-Message	1276
Call	1277
Change the Timing Details.....	1277
General Ordering.....	1279
Message Examples.....	1280
Message (Communication Diagram).....	1281
Create a Communication Message.....	1281
Re-Order Messages.....	1282
Message (Timing Diagram).....	1284
Create a Timing Message.....	1285
Nesting	1287
Notelink	1288
Object Flow	1288
Object Flows in Activity Diagrams.....	1289
Occurrence	1290
Package Import	1290

Package Merge	1291
Realize	1292
Recursion	1293
Role Binding	1293
Represents	1294
Representation	1294
Trace	1295
Transition	1295
Use	1297

Part XVI Extend Enterprise Architect - Software Developers Kit 1299

1 Developing Profiles	1299
Custom Stereotypes	1300
Create Profiles	1302
Create a Profile Package.....	1302
Add Stereotypes and Metaclasses to UML Profiles.....	1303
Define Stereotype Tags.....	1305
Define Stereotype Tags with Predefined Tag Types.....	1306
Define Stereotype Tags with Supported Attributes.....	1306
Use the Tagged Value Connector.....	1307
Define Stereotype Constraints.....	1308
Add Enumeration Elements to UML Profiles.....	1310
Add Shape Scripts to UML Profiles.....	1311
Export a UML Profile.....	1313
Save Profile Options.....	1315
Supported Attributes.....	1316
Define a Stereotype as a Metatype.....	1317
Restrict Application of Multiple Stereotypes.....	1318
Define Behavior on Creating an Instance.....	1318
Define Child Diagram Types.....	1319
Create Composite Elements.....	1320
Stereotypes Profiles.....	1320
Quick Linker	1321
Quick Linker Definition Format.....	1321
Quick Linker Example.....	1323
Hide Default Quick Linker Settings.....	1325
Quick Linker Object Names.....	1325
Customize Toolbox Profiles	1326
Create Toolbox Profiles.....	1327
Toolbox Page Attributes.....	1327
Create Hidden Sub-Menus.....	1327
Override Default Toolboxes.....	1328
Assign Icons To Toolbox Items.....	1328
List of Enterprise Architect Toolboxes.....	1329
Elements Used in Toolboxes.....	1329
Connectors Used In Toolboxes.....	1330
Diagram Profiles	1331
Built-In Diagram Types.....	1332
Create Tasks Pane Profiles	1332
Define Tasks Pane Toolboxes.....	1333
Built-In Tasks Pane Commands.....	1334
Run Add-In Functions From Tasks Pane.....	1334

Define Tasks Pane Contexts.....	1335
Allocate Tasks Pane Contexts.....	1336
Save a Tasks Pane Profile.....	1337
2 Shape Scripts	1338
Getting Started	1338
Write Scripts	1341
Syntax Grammar.....	1341
Shape Attributes.....	1342
Drawing Methods.....	1343
Color Queries.....	1346
Conditional Branching.....	1346
Query Methods.....	1347
Display Element and Connector Properties	1347
Sub-Shapes.....	1349
Reserved Names.....	1349
Miscellaneous.....	1350
Example Scripts	1351
Shape Editor	1354
3 Tagged Value Types	1354
Create Structured Tags	1355
Predefined Tagged Value Types	1356
Predefined Reference Data	1357
Create Predefined Reference Data Tagged Value Types	1358
Create a CustomTagged Value Type	1360
4 Code Template Framework in SDK	1361
Code Template Syntax	1361
Literal Text.....	1362
Macros.....	1362
Template Substitution Macros.....	1362
Field Substitution Macros.....	1363
Tagged Value Macros.....	1373
Function Macros.....	1374
Control Macros.....	1377
Variables.....	1380
Variable Definitions.....	1380
Variable References.....	1381
The Code Template Editor in SDK	1381
Custom Templates.....	1382
Override Default Templates.....	1383
Add New Stereotyped Templates.....	1384
Create Templates For Custom Languages.....	1384
Import and Export Code Templates.....	1385
5 Enterprise Architect Add-In Model	1385
Add-In Tasks	1386
Create Add-Ins.....	1386
Define Menu Items.....	1387
Deploy Add-Ins.....	1388
Tricks and Traps.....	1389
The Add-In Manager	1390
Add-In Search	1391
XML Format (Search Data).....	1392
Add-In Events	1392
EA_Connect.....	1393

EA_Disconnect.....	1393
EA_GetMenuItems.....	1394
EA_GetMenuState.....	1394
EA_MenuClick.....	1395
EA_OnOutputItemClicked.....	1396
EA_OnOutputItemDoubleClicked.....	1397
EA_ShowHelp.....	1397
Broadcast Events	1398
EA_FileOpen.....	1398
EA_FileClose.....	1399
Pre-Deletion Events.....	1399
EA_OnPreDeleteElement.....	1400
EA_OnPreDeleteConnector.....	1400
EA_OnPreDeleteDiagram.....	1401
EA_OnPreDeletePackage.....	1401
Pre-New Events.....	1402
EA_OnPreNewElement.....	1402
EA_OnPreNewConnector.....	1403
EA_OnPreNewAttribute.....	1404
EA_OnPreNewMethod.....	1404
EA_OnPreNewPackage.....	1405
Post-New Events.....	1406
EA_OnPostNewElement.....	1406
EA_OnPostNewConnector.....	1407
EA_OnPostNewAttribute.....	1407
EA_OnPostNewMethod.....	1408
EA_OnPostNewPackage.....	1409
Technology Events.....	1409
EA_OnPreDeleteTechnology.....	1409
EA_OnDeleteTechnology.....	1410
EA_OnImportTechnology.....	1411
Context Item Events.....	1411
EA_OnContextItemChanged.....	1411
EA_OnContextItemDoubleClicked.....	1412
EA_OnNotifyContextItemModified.....	1413
EA_OnPostTransform.....	1414
Compartment Events.....	1415
EA_QueryAvailableCompartments.....	1415
EA_GetCompartmentData.....	1415
Model Validation Broadcasts.....	1417
EA_OnInitializeUserRules.....	1417
EA_OnStartValidation.....	1418
EA_OnEndValidation.....	1418
EA_OnRunElementRule.....	1419
EA_OnRunPackageRule.....	1419
EA_OnRunDiagramRule.....	1419
EA_OnRunConnectorRule.....	1420
EA_OnRunAttributeRule.....	1420
EA_OnRunMethodRule.....	1421
EA_OnRunParameterRule.....	1421
Model Validation Example.....	1422
EA_OnRetrieveModelTemplate.....	1426
EA_OnInitialize_Technologies.....	1427
Custom Views	1427

Create a Custom View.....	1427
MDG Add-Ins	1428
MDG Events.....	1428
MDGBuild Project.....	1429
MDGConnect.....	1429
MDGDisconnect.....	1430
MDGGetConnectedPackages.....	1431
MDGGetProperty.....	1431
MDGMerge	1432
MDGNewClass.....	1433
MDGPostGenerate.....	1434
MDGPostMerge.....	1435
MDGPreGenerate.....	1436
MDGPreMerge.....	1436
MDGPreReverse.....	1437
MDGRunExe.....	1437
MDGView	1438
6 Enterprise Architect Object Model	1439
Using the Automation Interface	1439
Connect to the Interface.....	1439
Set References In Visual Basic.....	1441
Examples and Tips.....	1442
Call from Enterprise Architect.....	1443
Available Resources.....	1445
Reference	1445
Interface Overview.....	1445
App	1448
Enumerations.....	1449
ConstLayoutStyles Enum.....	1449
EnumRelationSetType Enum.....	1449
MDGMenus Enum.....	1450
ObjectType Enum.....	1450
PropType Enum.....	1451
ReloadType Enum.....	1451
XMIType Enum.....	1451
Repository.....	1452
Repository	1453
Author	1465
Client	1465
Collection	1466
Datatype	1467
EventProperties.....	1468
EventProperty.....	1469
ModelWatcher.....	1469
Package	1470
ProjectIssues.....	1473
ProjectResource.....	1474
PropertyType.....	1475
Reference	1475
Stereotype	1476
Task	1477
Term	1478
Element.....	1479
Constraint	1481

Effort	1481
Element	1482
File	1488
Issue (Maintenance)	1489
Metric	1489
Requirement	1490
Resource	1491
Risk	1492
Scenario	1492
TaggedValue	1493
Test	1494
Element Features	1495
Attribute	1496
AttributeConstraint	1497
AttributeTag	1498
CustomProperties	1499
EmbeddedElements	1499
Method	1500
MethodConstraint	1502
MethodTag	1502
Parameter	1503
Partitions	1504
Properties	1505
Transitions	1505
Connector Package	1506
ConnectorConstraint	1507
ConnectorEnd	1508
ConnectorObject	1509
ConnectorTag	1511
RoleTag	1512
Diagram Package	1513
Diagram	1514
DiagramLinks	1517
DiagramObjects	1517
SwimlaneDef	1519
Swimlanes	1519
Swimlane	1520
Project Interface	1520
Project	1521
Code Samples	1531
Open the Repository	1531
Iterate Through a .EAP File	1532
Add and Manage Packages	1532
Add and Manage Elements	1533
Add a Connector	1534
Add and Manage Diagrams	1535
Add and Delete Attributes and Methods	1535
Element Extras	1536
Repository Extras	1538
Stereotypes	1540
Work with Attributes	1540
Work with Methods	1541
7 MDG Technologies in SDK	1543
Create MDG Technologies	1543

Add a Profile in the MDG Technology Wizard.....	1547
Add a Pattern in the MDG Technology Wizard.....	1548
Add Tagged Values in MDG Technology Wizard.....	1549
Add Code Modules in MDG Technology Wizard.....	1550
Add MDA Transforms in MDG Technology Wizard.....	1552
Add Images in MDG Technology Wizard.....	1552
Working with MTS Files	1553
Deploy An MDG Technology	1554
Icons and Logos for Technology	1555
Define Model Validation Configuration	1555
Incorporate Model Templates in a Technology	1555

Part XVII Glossary of Terms 1558

1 A	1558
2 B	1560
3 C	1561
4 D	1563
5 E	1565
6 F	1566
7 G	1567
8 H	1567
9 I	1567
10 J	1568
11 L	1569
12 M	1569
13 N	1571
14 O	1571
15 P	1572
16 Q	1574
17 R	1574
18 S	1576
19 T	1579
20 U	1580
21 V	1581

Index 1582


Foreword

This user guide provides an introduction to the features contained in Enterprise Architect 7.1 - a UML CASE tool for developing and building software systems with UML.

Part

1

1 Introduction



Welcome to the Sparx Systems *Enterprise Architect User Guide*. This guide helps you use Enterprise Architect, a UML-based CASE tool, to perform software modeling, construction and management.

Recommended Use of This Guide

Firstly, see [What is Enterprise Architect?](#)^[4] to find out what Enterprise Architect can do and what you can use it for.

If you are new to modeling and UML as well as Enterprise Architect, or otherwise want a rapid review of the process of modeling with Enterprise Architect, go to [Getting Started](#)^[20]. This is not just a theoretical description - the first things you do are start Enterprise Architect and immediately create a project!

Enterprise Architect is very flexible and has lots of features. When working through *Getting Started*, you will see many links to more extensive descriptions of features, functions, tasks and procedures, in the [Using Enterprise Architect](#)^[36] section. You can follow any of these immediately if you require more information.

The *Using Enterprise Architect* section is the first of the main references for working with Enterprise Architect. Other sections include:

- [Model Management](#)^[482]
- [Project Management](#)^[710]
- [Code Engineering](#)^[763]
- [Debug and Profile](#)^[825]
- [Data Modeling](#)^[890]
- [MDA Transforms](#)^[933]
- [XML Technologies](#)^[970]
- [Extend Enterprise Architect](#)^[1299]

Enterprise Architect makes extensive use of UML, so this guide includes a dictionary of [UML Definitions](#)^[1078] for diagrams, elements and connectors. You can also check the [Glossary](#)^[1558] for definitions of various terms and concepts used in the *Enterprise Architect User Guide*.

You should read the Sparx Systems [Formal Statements](#)^[10], including the Copyright Notice and our End User Licensing Agreement.

Your Feedback

Sparx Systems likes to stay in touch with what Enterprise Architect users require in order to accomplish their tasks efficiently and effectively. We value any suggestions, feedback and comments you might have regarding this product, documentation or install process.

You can access our online feedback pages at:

- www.sparxsystems.com/bug_report.htm and
- www.sparxsystems.com/feature_request.htm.

Alternatively, you can contact Sparx Systems by email at: support@sparxsystems.com.

1.1 What is Enterprise Architect?



Sparx Systems' *Enterprise Architect* is a Computer Aided Software Engineering (CASE) tool for designing and constructing software systems, for business process modeling, and for generalized modeling purposes.

Powerful UML Analysis and Design Tool

Enterprise Architect is a comprehensive [UML](#)^[1078] analysis and design tool, covering software development from requirements gathering, through analysis, model design, testing, change control and maintenance to implementation, with full traceability. Enterprise Architect combines the power of the latest UML 2.1 specification with a high performance, intuitive interface, to bring advanced modeling to the whole development team. It is a multi-user, visual tool with a great feature set (see below), helping analysts, testers, project managers, quality control staff and deployment staff around the world to build and document robust, maintainable software.

The UML Modeling Tool of Choice, Globally

With well over 100,000 licenses sold, Enterprise Architect has proven highly popular across a wide range of industries and is used by thousands of companies world-wide. From large, well-known, multi-national organizations to smaller independent companies and consultants, Enterprise Architect has become the UML modeling tool of choice for developers, consultants and analysts in over 60 countries.

Sparx Systems software is used in the development of many kinds of application and system in a wide range of industries, including: aerospace, banking, web development, engineering, finance, medicine, military, research, academia, transport, retail, utilities (such as gas and electricity) and electrical engineering. It is also used effectively for UML and enterprise architecture training in many prominent colleges, training companies and universities around the world.

Click here for:

- [Enterprise Architect Key Features](#)^[4]
- [What can I do with Enterprise Architect?](#)^[5]

1.1.1 Enterprise Architect Key Features

Enterprise Architect is renowned for its rich feature set. Some of the key features are highlighted in the following list:

- Comprehensive UML 2.1 support for all 13 UML diagrams
- **Extended** modeling for Requirements, User Interface Design, Mind Mapping, Data Modeling and more
- **Speed:** Enterprise Architect is quick to load and a spectacularly fast performer, even with large models
- **Scalability:** Enterprise Architect supports single users and the development of small models, or many concurrent users developing extremely large models, with equal ease
- **Usability:** many of our users agree, Enterprise Architect gets you started and productive quickly, with a rich user interface and the ability to create **patterns, templates, model views** and 'favorites' collections of commonly-used elements and diagrams
- Built-in **Requirements Management** lets you specify, trace and verify requirements directly against the design
- Extensive **project management** support, including resource, metric and test definition, tracking and management

- Project Auditing, Baselines and Compare Utility enable you to **record and monitor changes** and (with Compare) roll back selected changes to a previous state
- **Version control** using any Common Source Code Control (SCC)-compliant tool
- Inbuilt user and group **security** and access control management
- **Testing support** for test cases, JUnit and NUnit
- Integrated **Debug Workbench** for profiling executable Java and .Net applications, instantiating run-time model objects and generating Sequence diagrams from a stack trace
- Comprehensive and flexible **documentation** options: MS Word compatible HTML and RTF report writers
- Support in forward and reverse engineering for many **languages** 'out of the box': ActionScript 3.0, Java, C#, C++, VB.Net, Delphi, Visual Basic , Python and PHP
- **Distributed development** through shareable files, use of shared repositories in a range of major Database Management Systems, file replication, data transfer, and import and export of reference data
- Ability to perform **database modeling**, to reverse engineer from a range of DBMSs, and to forward generate DDL scripts to create database structures
- Ability to import models from and export models to **XMI 2.1** files
- Built-in Model Driven Architecture (**MDA Transformations**), and facilities to import or create others
- Facilities to **import** database schema, XSD and WSDL source, .NET and Java binaries
- **Software Developers' Kit** for scripting and customizing Enterprise Architect
- **Read-only Viewer** enables stakeholders to view but not change milestone deliverables
- A range of internal and external **commercial MDG Add-Ins** to integrate the facilities of Enterprise Architect with IDEs and other technologies, and templates to write your own
- Project **spell-checker**
- Price: Enterprise Architect is priced to outfit the entire team, making collaboration and team development a real possibility.

For a complete list of the new features of the latest version of Enterprise Architect, click on the **Help | Read Me** menu option.

Enterprise Architect is available in three editions: **Corporate**, **Professional** and **Desktop**, each of which offers a different range of features. For a comparison of the Enterprise Architect editions, see the [Differences Between Corporate, Professional and Desktop Editions](#)^[74] topic.

Click here for information on:

- [What can I do with Enterprise Architect?](#)^[51]

1.1.2 What Can I Do With Enterprise Architect?

Enterprise Architect is a powerful tool for specifying, documenting and building your software projects. Using Enterprise Architect's support for UML and its related standards, you can model new complex software and business systems, or visualize and maintain existing systems.

Manage Complexity

Enterprise Architect helps you manage complexity with tools to track dependencies, support for very large models, [version control](#)^[50] with CVS or SCC providers, [Baselines](#)^[62] for point-in-time snapshots, the [Compare](#)^[65] (Diff) utility to track changes to the model, and an intuitive and high performance [user interface](#)^[37] with an 'Explorer-like' project view.

Share Models

Enterprise Architect enables you to share complete models or specific aspects of a model between members of a team, including (through the ['Lite', read-only](#) edition) stakeholders who can study a model but not change

or manage it. You can make the project .EAP file available on a [shared network drive](#)^[567], or [replicate](#)^[568] the .EAP file for complex distributed development. Alternatively, you can develop the project in one of several [shared DBMS repositories](#)^[489], such as SQL Server; My SQL; PostgreSQL; Oracle 9i, 10g or 11g; and Sybase ASA. You can import and export data as [XML files](#)^[572] to distribute and update frameworks and other package-based model structures. You control changes through the [version control](#)^[590] repository. Enterprise Architect provides a [data transfer wizard](#)^[549] that enables you to upsize or downsize the complete model for maximum flexibility, and it enables you to export and import [reference data](#)^[696] so that you do not have to recreate it for related projects.

Develop Personal Views and Extracts of the Model

Enterprise Architect enables you to develop any number of different [views](#)^[140] of your model, or parts of it, either for your personal use or for the use of your team. These Model Views are generated by reports, so they can be set up to always show the current status of the selected view. The facility also enables you to create Favorites folders of links to frequently-used data structures.

Audit Project Development

Enterprise Architect provides an [auditing facility](#)^[651] that enables you to monitor details of model changes, such as who made the change and when, what the change is and what the previous value was, and what changes have been made by a specific person. The facility can be turned off and on as required, and can be tailored to present particular sets of information. You can save the information in archive files and recover it as necessary.

Generate Documentation

Enterprise Architect provides powerful document generation and reporting tools with a full WYSIWYG template editor for [RTF](#)^[1001] or [HTML](#)^[1072] output. You can generate complex and detailed reports from Enterprise Architect with the information you require in the format your company or client demands.

Generate and Reverse Engineer Source Code

Enterprise Architect supports [generation](#)^[773] and [reverse engineering](#)^[764] of source code for many popular languages, including C++, C#, Java, Delphi, VB.Net, Visual Basic, ActionScript, Python and PHP. With a built in 'syntax highlighting' [source code editor](#)^[170], Enterprise Architect enables you to quickly navigate and explore your model source code in the same environment. [Code generation templates](#)^[803] enable you to customize the generated source code to your company specifications.

Visualize Your Applications

Enterprise Architect helps you visualize your applications by supporting [reverse engineering](#)^[764] of a wide range of software development languages and database repository schema. Bring in complete frameworks from [source code](#)^[765] or Java .jar files - or even [.Net binary](#)^[770] assemblies! By importing frameworks and library code, you can maximize re-use and understanding of your existing investment.

Perform MDA Transformations

Enterprise Architect supports advanced Model Driven Architecture ([MDA transformations](#)^[933]) using easy to edit and develop transformation templates. With [built-in transformations](#)^[939] for DDL, C#, Java, EJB and XSD, you can quickly develop complex solutions from simple platform independent models (PIMs) that are targeted at platform specific models (PSMs). One PIM can be used to generate and synchronize multiple PSMs, providing a significant productivity boost.

Model Databases

Enterprise Architect enables you to reverse engineer from many popular DBMS systems, including Oracle 9i, 10g or 11g; SQL Server; My SQL; Access and PostgreSQL. You can [model database](#)^[890] tables, columns, keys, foreign keys and complex relationships using UML and an inbuilt data modeling profile, and forward generate DDL scripts to create target database structures.

Customize Enterprise Architect

Enterprise Architect also includes a [Software Developers' Kit](#) [1299] that enables experienced tool developers to customize and extend Enterprise Architect to suit the specific requirements of their organization with, for example, in-house [UML Profiles](#) [1295], [Add-Ins](#) [1385] and [Code Templates](#) [1361]. The very detailed [Automation Interface](#) [1439] gives you access to most element features, major functions such as XMI import/export, and attached information. Most properties are fully writable from the automation client. The Automation Interface provides great support for plug-ins, with the ability to embed automation client windows in the main diagram view. The Interface is accessible from any automation-aware client language, such as VB, C#, C++ and Delphi.

Link Enterprise Architect to IDEs

Using Sparx Systems Model Driven Generation (MDG) Link plug-ins, you can develop source code in your preferred Integrated Development Environment such as [Visual Studio .NET](#) or [Eclipse](#), and use Enterprise Architect to locate the source code for Classes, attributes and operations, and to model, navigate, track, reverse engineer, build and run your project.

The MDG Integration products for [Eclipse](#) and [Visual Studio 2005](#) provide an even closer, seamless integration of Enterprise Architect and UML 2.1 with your IDE, bringing the functionality required of a fully fledged modeling platform right inside the IDE.

Extend Enterprise Architect to Integrate With Niche Tools

Enterprise Architect is the core for a range of [MDG Technology Add-Ins](#) that enable you to extend its modeling capabilities to use more specialized, niche frameworks, profiles such as DDS, Zachman Framework and SysML. Some of these, such as [ICONIX](#) [470], [BPMN](#) [473], [Data Flow Diagrams](#) [468] and [Mind Mapping](#) [467], are already provided with the Enterprise Architect installer. Enterprise Architect also provides support for [downloading MDG Technologies](#) [463] from external system files or websites, or for creating your own easily with the Enterprise Architect [MDG Technology Wizard](#) [1543].

1.1.3 Differences Between Corporate, Professional and Desktop Editions

Enterprise Architect is available in three editions: **Corporate**, **Professional** and **Desktop**. Functionality for each version is described below:

Functionality	Corporate Edition	Professional Edition	Desktop Edition
.EAP Files	✓	✓	✓
Shared Models	✓	✓	✗
Source Code Engineering	✓	✓	✗
Database Engineering	✓	✓	✗
Microsoft Access Repository	✓	✓	✓
SQL Server; MySQL; Oracle 9i, 10g and 11g; PostgreSQL; MSDE; Adaptive Server Anywhere Database Repositories	✓	✗	✗
Version control	✓	✓	✓
Replication	✓	✓	✗
MDG Technologies	✓	✓	✗

Functionality	Corporate Edition	Professional Edition	Desktop Edition
MDG Link for Eclipse and MDG Link for Visual Studio.NET	✓	✓	✗
Security	✓	✗	✗
Auditing	✓	✗	✗
Baselines	✓	✗	✗
Compare (Diff) Utility	✓	✓	✗
Project Data Transfer	✓	✗	✗
MDA-Style Transformations	✓	✓	✗
Debug and Profile	✓	✓	✗
Link RTF Documents To UML Elements	✓	✗	✗

Enterprise Architect Corporate Edition

Aimed at larger development teams, the Corporate edition supports everything in the Desktop and Professional versions, plus the ability to connect to MySQL, SQL Server, PostgreSQL, Sybase Adaptive Server Anywhere and Oracle 9i, 10g or 11g DBMS back ends as the shared repository. This provides additional scalability and improved concurrency over the shared .EAP file approach to model sharing. User security, user logins, user groups and user level locking of elements, user/group based security (with locking at diagram and element levels) are also supported. Security comes in two modes: in the first mode, all elements are considered 'writeable' until explicitly locked by a user or group; in the second mode, all elements are considered locked until checked out with a user lock.

The Corporate edition is available in either standalone (fixed license) or Floating License form. The Corporate Floating License arrangement is particularly useful for companies that manage a central store of license keys. Floating license keys can be used by different employees over time, temporarily or permanently.

Enterprise Architect Professional Edition

Aimed at work groups and developers, the Professional edition supports shared projects through replication and shared network files. This edition has an ActiveX interface for interrogating Enterprise Architect projects and extracting information in XMI format. The Professional edition fully supports code import/export and synchronization of model elements with source code. It enables reverse engineering SQL Server, MS Access and Oracle 9i, 10g or 11g databases. Support for MDG Technologies and MDG Link (sold separately) is included with the Professional version of Enterprise Architect. The shared repository available in the Professional edition is restricted to the .EAP file format (JET database).

Enterprise Architect Desktop Edition

The Desktop edition is targeted at single developers producing UML analysis and design models.


Tip:

In order to help you understand the differences between these editions and the advantages and limitations of each, the Trial version of Enterprise Architect can be opened in any required configuration. When Enterprise Architect starts, select the mode to trial; you can close down Enterprise Architect and restart it in another mode for comparison.

The fully functional 30 day trial version of Enterprise Architect is available free of charge at www.sparxsystems.com/bin/easetup.exe.

More information about Enterprise Architect editions is available on the [Sparx Systems website](http://www.sparxsystems.com).

1.2 Help and Support



Enterprise Architect has three main help and information systems to assist you in using the product:

- **Tasks Pane**
- Enterprise Architect Help
- The Sparx Systems website.

In addition Sparx Systems recommend that you fully explore the sample project supplied with Enterprise Architect. It assists you in learning to use Enterprise Architect, and offers tips on getting the most out of Enterprise Architect's features. Click on the **EAExample** option on the Enterprise Architect [Start Page](#)^[39].

If you have purchased Enterprise Architect and are a registered user, you can also contact [Sparx Support](#)^[10] to answer any queries or problems

Tasks Pane

The Enterprise Architect [Tasks Pane](#)^[182] provides context-sensitive guidance, tools, demonstrations and other online resources to help you understand any area of Enterprise Architect that you are interested in. The **Tasks Pane** automatically displays on the right of the screen when you first open Enterprise Architect, showing the **Getting Started** topics. You can select other task areas by clicking on the **More tasks** option in the toolbar.

Enterprise Architect Help

Enterprise Architect Help provides comprehensive documentation of Enterprise Architect and covers every aspect and facility of the product. To access Help within Enterprise Architect:

- Click on the Help icon (🔍) in the various toolbars
- Select the **Help | Help Contents** menu option
- Click on the **Help** button on a dialog (for Help specific to that dialog).

Enterprise Architect Help is extensive; if you cannot quickly locate the topic you require in the online contents list, you can use one of two search facilities:

- Click on the **Index** tab, type in a keyword or key phrase appropriate to the task you require help for, and press **[Enter]**; double-click on the appropriate index item
- Click on the **Search** tab, type in a word or phrase to search for, and click on the **List Topics** button; double-click on the required topic.

The Enterprise Architect Help is also available separately from the product, in different formats. See the

[Available Helpfile Formats](#) ¹⁰ topic.

Sparx Systems Website

The Sparx Systems website is also extensive, and provides information and announcements concerning the company and its full range of products, as well as tutorials, white papers, templates and solutions. It also provides a user forum and support network; Sparx Systems are highly responsive to user feedback and requirements, and the web site enables rapid communication concerning problems, solutions and enhancements.

You can access the web page and user forum within Enterprise Architect from the **View | More Windows | Web Browser** menu option, and through the **Tasks Pane Online Resources** topics.

If you do not have Enterprise Architect open, the Sparx Systems website address is <http://www.sparxsystems.com/>.

The user forum address is www.sparxsystems.com/cgi-bin/yabb/YaBB.cgi.

1.2.1 Available Helpfile Formats

You can access the latest Enterprise Architect help files from the following locations:

- **.CHM** format: www.sparxsystems.com/bin/EA.chm
- **.CHM** format inside a **.ZIP** file: www.sparxsystems.com/bin/EAHelp.zip
- **.PDF** format: www.sparxsystems.com/bin/EAUserGuide.pdf
- **.HTML** format: www.sparxsystems.com/EAUserGuide/index.html

Version and release date information for the help files can be found at

- www.sparxsystems.com/ea_downloads.htm#Helpfiles, or
- www.sparxsystems.com/registered/reg_ea_down.htm#Helpfiles (registered users).

1.2.2 Support

Technical support for Enterprise Architect is available to registered users. Responses to support queries are sent by email. Sparx Systems endeavors to provide a rapid response to all product-related questions or concerns.

Registered users can lodge a support request, by visiting: http://www.sparxsystems.com/registered/reg_support.html.

Trial users can contact Sparx Systems with questions regarding their evaluation at: support@sparxsystems.com.

An online user forum is also available for your questions and perusal, at <http://www.sparxsystems.com/cgi-bin/yabb/YaBB.cgi>.

1.3 Formal Statements



Please take the time to read the following legal statements concerning Sparx Systems Enterprise Architect:

- [Software Copyright Notice](#)^[11]
- [Enterprise Architect Software Product Licensing Agreement](#)^[11]
- [Acknowledgement of Trademarks](#)^[14]

Spark Systems would also like to gratefully [acknowledge contributions](#)^[15] to the development of Enterprise Architect.

1.3.1 Copyright Notice

Copyright © 1998 - 2008 Sparx Systems Pty. Ltd. All rights reserved.

The software contains proprietary information of Sparx Systems Pty Ltd. It is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited. Please read the [license agreement](#)^[11] for full details.

Due to continued product development, this information can change without notice. The information and intellectual property contained herein is confidential between Sparx Systems and the client and remains the exclusive property of Sparx Systems. If you find any problems in the documentation, please report them to us in writing. Sparx Systems does not warrant that this document is error-free. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of Sparx Systems. Licensed users are granted the right to print a single hardcopy of the user manual per licensed copy of the software, but may not sell, distribute or otherwise dispose of the hardcopy without written consent of Sparx Systems.

Sparx Systems Pty. Ltd.

7 Curtis St,
Creswick, Victoria 3363,
AUSTRALIA

Phone: +61 (3) 5345 1140

Fax: +61 (3) 5345 1104

Support Email: support@sparxsystems.com

Sales Email: sales@sparxsystems.com

Website: www.sparxsystems.com

1.3.2 Enterprise Architect Software Product License Agreement

Enterprise Architect - UML CASE Tool - Desktop, Professional and Corporate editions, Version 7.1

Copyright (C) 1998-2008 Sparx Systems Pty Ltd. All Rights Reserved

IMPORTANT- READ CAREFULLY: This End User License Agreement ("EULA") is a legal agreement between YOU as Licensee and SPARX for the SOFTWARE PRODUCT identified above. By installing, copying, or otherwise using the SOFTWARE PRODUCT, YOU agree to be bound by the terms of this EULA. If YOU do not agree to the terms of this EULA, promptly return the unused SOFTWARE PRODUCT to the place of purchase for a full refund.

The copyright in the SOFTWARE PRODUCT and its documentation is owned by Sparx Systems Pty Ltd A.B.N 38 085 034 546. Subject to the terms of this EULA, YOU are granted a non-exclusive right for the duration of the EULA to use the SOFTWARE PRODUCT. YOU do not acquire ownership of copyright or other intellectual property rights in any part of the SOFTWARE PRODUCT by virtue of this EULA.

Your use of this software indicates your acceptance of this EULA and warranty.

DEFINITIONS

In this End User License Agreement, unless the contrary intention appears:

- "ACADEMIC EDITION" means an edition of the Software Product purchased for educational purposes at an academic discount price.

- "EULA" means this End User License Agreement
- "SPARX" means Sparx Systems Pty Ltd A.B.N 38 085 034 546
- "Licensee" means YOU, or the organization (if any) on whose behalf YOU are taking the EULA.
- "Registered Edition of Enterprise Architect" means the edition of the SOFTWARE PRODUCT which is available for purchase from the web site: http://www.sparxsystems.com/ea_purchase.htm. following the thirty day free evaluation period.
- "SOFTWARE PRODUCT" or "SOFTWARE" means Enterprise Architect, UML Case Tool, Desk top, Professional and Corporate editions, which includes computer software and associated media and printed materials, and may include online or electronic documentation.
- "Support Services" means email based support provided by SPARX, including advice on usage of Enterprise Architect, investigation of bugs, fixes, repairs of models if and when appropriate and general product support.
- "SPARX support engineers" means employees of SPARX who provide on-line support services.
- "Trial edition of Enterprise Architect" means the edition of the SOFTWARE PRODUCT which is available free of charge for evaluation purposes for a period of 30 days.
- "EA LITE" means the LITE version of Enterprise Architect that is distributed free of charge as a read-only viewer of .EAP files.

GRANT OF LICENSE

In accordance with the terms of this EULA YOU are granted the following rights:

- a) To install and use one copy of the SOFTWARE PRODUCT or, in its place, any prior version for the same operating system, on a single computer. As the primary user of the computer on which the SOFTWARE PRODUCT is installed, YOU may make a second copy for your exclusive use on either a home or portable computer.
- b) To store or install a copy of the SOFTWARE PRODUCT on a storage device, such as a network server, used only to install or run the SOFTWARE PRODUCT over an internal network. If YOU want to increase the number of users entitled to concurrently access the SOFTWARE PRODUCT, YOU must notify SPARX and agree to pay an additional fee.
- c) To make copies of the SOFTWARE PRODUCT for backup and archival purposes.

EVALUATION LICENSE

The Trial version of Enterprise Architect is not free software. Subject to the terms of this agreement, YOU are hereby licensed to use this software for evaluation purposes without charge for a period of 30 days.

Upon expiration of the 30 days, the Software Product must be removed from the computer. Unregistered use of Enterprise Architect after the 30-day evaluation period is in violation of Australian, U.S. and international copyright laws.

SPARX may extend the evaluation period on request and at their discretion.

If YOU choose to use this software after the 30 day evaluation period a license must be purchased (as described at http://www.sparxsystems.com/ea_purchase.htm). Upon payment of the license fee, YOU will be sent details on where to download the registered edition of Enterprise Architect and will be provided with a suitable software 'key' by email.

EA LITE

Subject to the terms of this Agreement EA LITE may be installed on any machine indefinitely and free of charge. There are no fees or Sparx support services in relation to EA LITE.

ADDITIONAL RIGHTS AND LIMITATIONS

YOU hereby undertake not to sell, rent, lease, translate, adapt, vary, modify, decompile, disassemble, reverse engineer, create derivative works of, modify, sub-license, loan or distribute the SOFTWARE PRODUCT other than as expressly authorized by this EULA.

YOU further undertake not to reproduce or distribute license key-codes except under the express and written permission of SPARX.

If the Software Product purchased is an Academic Edition, YOU ACKNOWLEDGE THAT the license is limited to use in an educational context, either for self-education or use in a registered teaching institution. The Academic Edition may not be used to produce commercial software products or be used in a commercial environment, without the express written permission of SPARX.

ASSIGNMENT

YOU may only assign all your rights and obligations under this EULA to another party if YOU supply to the transferee a copy of this EULA and all other documentation including proof of ownership. Your license is then terminated.

TERMINATION

Without prejudice to any other rights, SPARX may terminate this EULA if YOU fail to comply with the terms and conditions. Upon termination YOU or YOUR representative shall destroy all copies of the SOFTWARE PRODUCT and all of its component parts or otherwise return or dispose of such material in the manner directed by SPARX.

WARRANTIES AND LIABILITY

WARRANTIES

SPARX warrants that the SOFTWARE PRODUCT will perform substantially in accordance with the accompanying written materials for a period of ninety (90) days from the date of receipt, and any Support Services provided by SPARX shall be substantially as described in applicable written materials provided to YOU by SPARX, and SPARX support engineers will make commercially reasonable efforts to solve any problems associated with the SOFTWARE PRODUCT.

EXCLUSIONS

To the maximum extent permitted by law, SPARX excludes, for itself and for any supplier of software incorporated in the SOFTWARE PRODUCT, all liability for all claims, expenses, losses, damages and costs made against or incurred or suffered by YOU directly or indirectly (including without limitation lost costs, profits and data) arising out of:

- YOUR use or misuse of the SOFTWARE PRODUCT
- YOUR inability to use or obtain access to the SOFTWARE PRODUCT
- Negligence of SPARX or its employees, contractors or agents, or of any supplier of software incorporated in the SOFTWARE PRODUCT, in connection with the performance of SPARX' obligations under this EULA, or
- Termination of this EULA by either party for any reason.

LIMITATION

The SOFTWARE PRODUCT and any documentation are provided "AS IS" and all warranties whether express, implied, statutory or otherwise, relating in any way to the subject matter of this EULA or to this EULA generally, including without limitation, warranties as to: quality, fitness; merchantability; correctness; accuracy; reliability; correspondence with any description or sample, meeting your or any other requirements; uninterrupted use; compliance with any relevant legislation and being error or virus free are excluded. Where any legislation implies in this EULA any term, and that legislation avoids or prohibits provisions in a contract excluding or modifying such a term, such term shall be deemed to be included in this EULA. However, the liability of SPARX for any breach of such term shall if permitted by legislation be limited, at SPARX's option to any one or more of the following upon return of the SOFTWARE PRODUCT and a copy of the receipt:

- If the breach relates to the SOFTWARE PRODUCT:
 - the replacement of the SOFTWARE PRODUCT or the supply of an equivalent SOFTWARE PRODUCT
 - the repair of such SOFTWARE PRODUCT
 - the payment of the cost of replacing the SOFTWARE PRODUCT or of acquiring an equivalent SOFTWARE PRODUCT, or
 - the payment of the cost of having the SOFTWARE PRODUCT repaired.
- If the breach relates to services in relation to the SOFTWARE PRODUCT:

- the supplying of the services again, or
- the payment of the cost of having the services supplied again.

TRADEMARKS

All names of products and companies used in this EULA, the SOFTWARE PRODUCT, or the enclosed documentation may be trademarks of their corresponding owners. Their use in this EULA is intended to be in compliance with the respective guidelines and licenses.

Windows, Windows NT®, Windows ME, Windows XP, Windows Vista, Windows 2000 and Windows 2003 are trademarks of Microsoft®.

GOVERNING LAW

This agreement shall be construed in accordance with the laws of the Commonwealth of AUSTRALIA.

1.3.3 Acknowledgement of Trademarks

Trademarks of Microsoft

- Microsoft Word
- Microsoft Office
- Windows®
- ActiveX

Registered Trademarks of The OMG

- CORBA®
- the OMG Object Management Group logo
- The Information Brokerage®
- CORBA Academy®
- IIOF®
- XMI®

Trademarks of The OMG

- OMG™
- Object Management Group™
- The CORBA logo
- ORB™
- Object Request Broker™
- The CORBA Academy design
- OMG Interface Definition Language™
- IDL™
- CORBAservices™
- CORBAfacilities™
- CORBAmed™
- CORBAnet™
- Unified Modeling Language™
- UML™
- The UML Cube logo
- MOF™
- CWM™
- Model Driven Architecture™

- MDA™
- OMG Model Driven Architecture™
- OMG MDA™

1.3.4 Acknowledgements

Some parts of this application include code originally written by various authors and modified for use in Enterprise Architect.

Marquet Mike

Print listview contents
mike.marquet@altavista.net

Daive Pizzolato

CXImage Library
© 7-Aug-2001
ing.davide.pizzolato@libero.it

Also, many thanks to all those who have made suggestions, reported bugs, offered feedback and helped with the beta-testing of Enterprise Architect. Your help has been invaluable.

1.4 If You Have An Enterprise Architect Trial Version



If you are exploring one of the trial versions of Enterprise Architect, note that the software functions for a limited period. To continue using Enterprise Architect when the trial period expires, you can purchase and register a full license as explained in the following topics:

- [Order Enterprise Architect](#) ¹⁵
- [Installation](#) ¹⁶
- [Register a Full License](#) ¹⁷.

If you already have a full license edition of Enterprise Architect and want to register Add-Ins or upgrade to the Professional or Corporate editions, see [License Management](#) ⁷⁰.

1.4.1 Order Enterprise Architect

Enterprise Architect is designed, built and published by Sparx Systems and available from [Sparx Systems](#).

The trial version of Enterprise Architect is identical to the registered edition with the exception that all diagrams are output to files with an embedded watermark. The trial software stops working after the trial period has elapsed. On purchase of a suitable license or licenses, the registered version is made available for download.

The latest information on pricing and purchasing is available at: [Sparx Systems Purchase/Pricing Website](#).

Purchase Options

- On-line using a secure credit-card transaction; see: [Pricing and Purchase Options](#).

- Fax
- Check or equivalent
- Bank transfer.

For more information, contact sales@sparxsystems.com.

1.4.2 Installation

Enterprise Architect is distributed as a single executable setup file (.exe). The Corporate edition requires additional files and supplementary installation processes if you plan to use the SQL Server, MySQL, PostgreSQL, Sybase Adaptive Server Anywhere or Oracle 9i, 10g or 11g options (see below). Please note that installation and maintenance of these DBMS systems is not covered under the support agreement.

The latest evaluation and registered versions of Enterprise Architect are always available from the [Sparx Systems](http://SparxSystems.com) website. The registered version is available through the registered user area of the web site, which requires a username and password to access. These are provided upon purchase of a license.

System Requirements

The system requirements for installing Enterprise Architect are defined on the [Enterprise Architect | System Requirements](#) page of the Sparx Systems website.

Windows Vista

Under Windows Vista (with User Account Control turned on) an application starts with only Standard permissions, regardless of what level of authority the current user has. As a result, an installer run normally with an Admin account under Vista only has Standard privileges and either is not able to write to certain critical areas of the registry/file system, or redirects the write requests to a per-user virtualized registry/file system.

Sparx Systems recommend that if you are installing on Windows Vista, always run the Enterprise Architect installer with Administrator privileges (right-click on the downloaded installer icon and select the **Run as administrator** menu option).

Install Enterprise Architect

Run the Enterprise Architect setup program. Generally you can accept all the default options without change.

To place Enterprise Architect in a directory other than the default, enter the name of the destination when prompted.

You might be prompted to restart your computer when the installation completes. Although this is not always necessary (if you already have the components Enterprise Architect requires installed on your computer), you should restart just to be certain.

If you intend to run Enterprise Architect on Linux, refer to the [Installation and Use](#) page on the Sparx Systems website.

Corporate edition users planning to use SQL Server, MySQL, PostgreSQL, Sybase Adaptive Server Anywhere or Oracle 9i, 10g or 11g as their model repository can access scripts that create the required data structures for the choice of DBMS. You can find these at one of the following pages:

- The Corporate edition [Resources](#) page
- The Trial Corporate edition [Resources](#) page.

Note:

Enterprise Architect requires *Read/Write* access to the program files directory where Enterprise Architect has been installed.

1.4.3 Register a Full License

The trial version of Enterprise Architect available for download is an evaluation version only. For the full version you must first purchase one or more licenses. The license code supplied determines which edition (Desktop, Professional or Corporate) is activated on installation.

Register Enterprise Architect

To obtain the full version and complete the registration process, follow the steps below:

1. Purchase one or more licenses.
Once you have paid for a licensed version of Enterprise Architect, you receive (via email or other suitable means):
 - a license key or keys
 - the address of a web site from which to download the full version.
2. Save the license key and download the latest full install package from the address supplied.
3. Run the setup program to install the full version.
4. Open Enterprise Architect from the **Start Menu** or desktop icon.
5. Select the **Help | Register and Manage License Key(s)** menu option. The **License Management** dialog displays.



6. Click on the **Add Key** button. The **Enter Registration** dialog displays.
7. In the **Copy registration key...** field, copy the license key, including the { and } bracket characters (use Copy and Paste from an email to avoid typing mistakes).

Enter Private Key Get Shared Key

Name: Sparx

Company: Sparx Systems

Copy registration key into space below, then press OK button

{F2222220-022D-11d5-A76F-DODO-DODO-SVDO-DODO-YDO-A0}

OK Cancel Help

8. Click on the **OK** button. The full version is now activated on your PC, and Enterprise Architect displays the message: *Registration succeeded! Thank you for purchasing Enterprise Architect <type> Edition.*


See Also

- [Add License Key](#) ^[702]
- [Upgrade an Existing License](#) ^[705]
- [Register Add-In](#) ^[707]

Part

2

2 Getting Started



We provide two avenues into understanding and using Enterprise Architect.

Working With Enterprise Architect

The first avenue is a brief outline of the types of work and tasks that Enterprise Architect supports, so that you can quickly locate the higher-level explanations of subjects that interest you.

See Also

- [Work With Enterprise Architect](#) ^[20]

Quick Start With Enterprise Architect

The second avenue is a Quick Start guide to Enterprise Architect that illustrates how to open and create new projects, navigate Enterprise Architect, and use Enterprise Architect to perform various tasks in system and process modeling. It leads on to examining the [Enterprise Architect User Interface](#) ^[36] and work areas applicable to certain [Project Roles](#) ^[32].

As you read through the Quick Start sections, have Enterprise Architect open so that you can explore and try out the functions described. By the end of the Quick Start guide you should be able to begin modeling your own software projects with Enterprise Architect and UML.

See Also

- [Quick Start - Create a Project](#) ^[24]
- [Quick Start - Define Element and Relationship Properties](#) ^[31]

At various points throughout the Enterprise Architect Help, there are further Quick Start topics and sections to help you use the system immediately to experiment with a feature of Enterprise Architect. Use the Help [Index](#) tab and search for *Quick Start* to locate these topics.

2.1 Work With Enterprise Architect

Enterprise Architect is a powerful tool for specifying, documenting and building your software projects. Using Enterprise Architect's support for UML and its related standards, you can model new complex software and business systems, or visualize and maintain existing systems. This topic introduces the fundamental processes that Enterprise Architect supports.

Modeling with UML

Enterprise Architect is a comprehensive UML analysis and design tool. To create models with Enterprise Architect, you therefore should become familiar with:

- how Enterprise Architect **implements** the UML standards and
- how you apply UML in Enterprise Architect to **develop your models**.

For more information, see [Modeling With UML](#) ^[22].

Managing Models

To manage the models in your projects, you both protect and manage the **model data** itself, and communicate information on the data in the form of RTF and HTML **documentation and reports**.

For more information, see [Manage Models](#) ^[22].

Code Engineering

In Enterprise architect, modeling both depends on and supports code engineering - you generate and update code from a model, and you create and update models from code. In this broad sense, Enterprise Architect enables you to:

- **Forward engineer, reverse engineer**, round-trip and **synchronize** code in a **range of programming languages**
- **Debug and profile** code
- Model and generate code for **XML Technologies**
- Perform **database modeling** and database design for a **range of database management systems**
- Convert model components from one **domain** to another using **Model Driven Architecture (MDA) transforms**.

For more information, see [Code Engineering With Enterprise Architect](#) ^[23].

Managing Projects

Enterprise Architect provides strong support for Project Management, particularly in the following areas:

- **Project estimation** - working out how much time and effort is required to build and deploy a solution, using the **Use Case metrics** facility and carefully-calibrated **metrics**
- Defining, assigning and **managing resources**
- Monitoring and managing **problems, changes, issues and tasks** that affect both individual **elements** and the **project** as a whole
- Managing the development, execution and results of **testing**, from Integration through to User Acceptance, and
- Maintaining a **project glossary** of terms, procedures and policies applied to the project.

For more information, see [Project Management](#) ^[710].

Project management discussions and decisions can be communicated to the project through the [Project Discussion Forum](#) ^[210].

The scope of your project management might include upgrades to Enterprise Architect and installation of related technologies. In this case, also see [License Management](#) ^[70].

Extending the Enterprise Architect Facilities

Experienced Technology Developers can **develop customized additions** to the functionality already present within Enterprise Architect. These additions include:

- **UML Profiles and Stereotypes**
- **UML Patterns**
- **Code Templates**
- **Tagged Value Types**
- **MDG Technologies** and
- Enterprise Architect **Add-Ins**.

By creating these extensions the Technology Developer can customize the Enterprise Architect modeling process to specific tasks and speed up development.

For more information, see [Extend Enterprise Architect - Software Developers Kit](#) ^[1298].

2.1.1 Modeling With UML

Enterprise Architect is a comprehensive UML analysis and design tool. Enterprise Architect has a library of UML data structures that you can use and extend to develop your models.

Dictionary of UML Structures

To explain how Enterprise Architect interprets the UML standards and specifications, Sparx Systems provides a dictionary of UML diagrams, elements and connectors.

For more information, see the [UML Dictionary](#)^[1078] topic.

- You **create your projects** and **models** using the [Start Page](#)^[39] or [File](#)^[64] [Menu](#)^[64], which provide [templates](#)^[41] on which to base your models
- You initially create your **packages** and **diagrams** using the [Toolbars](#)^[126] and [Menus](#)^[64], and the **elements** and **connectors** using the Enterprise Architect UML [Toolbox](#)^[100].
- You can also create new structures through the [Project Browser](#)^[51], and **re-use existing structures** using the [Project Browser](#), [Model Views](#)^[140], [Element List](#)^[137] and [Model Search](#)^[144].

Modeling With Enterprise Architecture

Modeling in Enterprise Architect is the process of graphically representing a business process or software system. The resulting model can be used to emphasize a certain aspect of the system being represented and to record and communicate its detail.

Building models requires the use of various UML data structures and Enterprise Architect tools, as above. A further extremely useful tool is the

- **Relationship Matrix**, which enables you to visualize and amend the relationships and hence organization of structures within the model.

Enterprise Architect also provides particular support for:

- **Requirements Management** and
- **Modeling the business process**, an essential part of any software development process

You can extend the scope of your models by **using**:

- **UML Stereotypes, Profiles and Patterns**, and
- **MDG Technologies**.

For more information, see [Modeling With Enterprise Architect](#)^[238].

2.1.2 Manage Models

To manage the models in your projects, you both protect and manage the model data itself, and communicate information on the data in the form of documentation and reports.

Model Management

In managing models, you manage:

- The **model files** in a Microsoft JET database or (Corporate edition) in one of a range of DBMS repositories
- Model **data integrity**
- Development of the models in a **shared**, team environment
- **Versions** of the model, ensuring that work on different areas of the model is coordinated and synchronous rather than conflicting
- **User security**
- **Transfer** of **value data** and **reference data** between projects and models
- Changes to model data, using model **auditing**, **Baselines** and a **differencing** utility that enables you to roll back changes to a previous state

- Model **upgrades**
- **Replication** of models for parallel development (.EAP repositories only)
- Extensions of development with **Add-Ins** and the Enterprise Architect **Automation Interface**

You can also have recorded discussion and communication of decisions using the **Project Discussion Forum**.

For further information, see [Model Management](#)^[482].

Generating Model Documentation

You can generate documentation from the components of your model, in RTF or HTML format. You can also generate a range of RTF reports on your model.

For more information, see [Creating Documents](#)^[1000].

2.1.3 Code Engineering With Enterprise Architect

Code Engineering in Enterprise Architect broadly encompasses various processes for generating or transforming code from your model and importing code into the model, to support model development in several coding languages, database development and SOA development.

Code Engineering

Enterprise Architect supports:

- **Generation and reverse engineering** of source code for many popular languages, including **C++**, **C#**, **Java**, **Delphi**, **VB.Net**, **Visual Basic**, **ActionScript**, **Python** and **PHP**.

Enterprise Architect also provides:

- A built in 'syntax highlighting' **source code editor**
- **Code generation templates**, which enable you to **customize** the generated source code to your company specifications.

For more information, see [Code Engineering](#)^[763].

MDA Transforms

Enterprise Architect provides:

- Advanced Model Driven Architecture (**MDA**) **transformations** using **transformation templates**
- **Built-in transformations** for **DDL**, **C#**, **Java**, **EJB** and **XSD**.

One PIM can be used to generate and synchronize **multiple PSMs**, providing a **significant productivity boost**.

For more information, see [MDA Transforms](#)^[933].

Debug And Profile

Enterprise Architect enables you to:

- **Build, test, debug, run and execute deployment scripts**
- **Integrate** UML development and modeling with source development and compilation
- Generate **NUnit** and **JUnit** test Classes from source Classes using **MDA Transformations**
- Integrate the **test process** directly into the Enterprise Architect IDE
- **Debug .NET, Java** and **Microsoft Native** (C, C++ and Visual Basic) applications.

For more information, see [Debug and Profile](#)^[825].

Database Modeling

Enterprise Architect enables you to:

- **Reverse engineer** from many popular **DBMSs**, including **SQL Server, My SQL, Access, PostgreSQL** and **Oracle 9i, 10g or 11g**
- **Model database tables, columns, keys, foreign keys** and **complex relationships** using UML and an **inbuilt data modeling profile**
- **Forward generate DDL scripts** to create target database structures.

For more information, see [Data Modeling](#)^[890].

XML Technology Engineering

Enterprise Architect enables rapid **modeling, forward engineering** and **reverse engineering** of two key **W3C XML** technologies:

- **XML Schema (XSD)**
- **Web Service Definition Language (WSDL)**

XSD and WSDL support is critical for the development of a complete **Service Oriented Architecture (SOA)**, and the coupling of UML 2.1 and XML provides the natural mechanism for implementing XML-based SOA artifacts within an organization.

For more information, see [XML Technologies](#)^[970].

2.2 Quick Start - Create a Project




Welcome to Enterprise Architect! This quick-start guide helps you begin modeling with Enterprise Architect.

This set of topics guides you through creating a simple project. Throughout the descriptions there are links to more detailed information on a range of topics. Follow these links if you would like more information, or ignore them if you want to just follow the steps.

Your task is to create a new [project](#)^[485] and then add a View, package, diagram, elements and connectors.

Create a Project

When you start Enterprise Architect it opens at the [Start Page](#)^[39]:



1. Click on the **Create a New Project...** option. The **New Project** dialog displays.
2. In the **File name** field, type a meaningful name for the project and click on the **Save** button to create the project file. The **Model Wizard** displays.
3. You now select one or more **model templates** (these provide you with the basic structures - packages and diagrams - for your project, as well as references to useful help files to get you started). Select the checkbox of each model that interests you.
4. Click on the **OK** button. Enterprise Architect creates your project and displays it in the **Project Browser** window, on the right-hand side of the screen.

Note:

You could also quickly create a project by copying an existing base project provided with Enterprise Architect; see the **Copy a Base Project** topic.

Expand The Project

To navigate through your project, in the **Project Browser** click on the 'plus' icon against each folder or *package* to expand it.

Double-click on the *diagram* icon displayed underneath a package name. Enterprise Architect displays the sample diagram for that model in the **Diagram View**, which is in the middle of the screen.

Add a View To Your Model


Now that you have created a project containing at least one model, you can add another **View** to a model, and then add a package and diagram, elements and connectors (relationships).

2.2.1 Add a View to a Model

A **View** is the highest-level container, or package, within a model. There are six types of View, five of which represent conventional ways of categorizing the structures or purposes of a model, and one (*Simple View*) for developing your own categorization.

To create a View, follow the steps below:

1. Right-click on your model name in the **Project Browser** window. The context menu displays.
2. Select the **New View** menu option. The **Create New View** dialog displays.




3. In the **Name** field, type the name of the View.
4. In the **Set View Icon Style** panel, click on the radio button for the type of View to create.
5. If the model root node had been under [version control](#)^[590], the **Add to Version Control** checkbox would display, defaulted to selected. Ignore this for now.
6. Click on the **OK** button.

Add a Package To Your Model

Now that you have created a View in the model, you can add a [package](#)^[26] and diagram to that View or any other in the model, and then add elements and connectors (relationships).

2.2.2 Add a Package To a Model

A [Package](#)^[240] is a container of model elements, and is displayed in the **Project Browser** window as the 'folder' icon familiar to Windows users. Package contents are arranged alphabetically.

In the **Project Browser** window click on a package and, in the **Project Browser** window toolbar, click on the **New Package** icon .

Enterprise Architect displays a prompt for the package name.

Note:

This prompt also contains the **Automatically add new diagram** option for automatically creating a diagram for the package, which defaults to selected. This is very a useful feature, but for the purposes of this introduction deselect the checkbox against the option.

Type in a name and click on the **OK** button. Enterprise Architect adds the new package subordinate to the package you selected.

Add a Diagram To a Package

Now [add a diagram](#)^[27].

Additional Information

Click on the links for additional information on adding [packages](#)^[240] and [views](#)^[553] (top-level packages).

2.2.3 Add a Diagram to a Package

A [diagram](#)^[243] is a representation of the components or elements of your model and, depending on the type of diagram, how those elements are linked or how they interact.

When you first create a project, Enterprise Architect provides simple examples of diagrams appropriate to your selected model patterns, with annotations. You can edit these diagrams, but here we create an additional one.

Click on your new package and, in the **Project Browser** window toolbar, click on the **New Diagram** icon .

The **New Diagram** dialog displays.

Note:

When you create a package, if you leave the **Automatically add new diagram** option selected, the **New Diagram** dialog displays automatically.

Click on a diagram category in the **Select From** panel, and a diagram type in the **Diagram Types** panel, then click on the **OK** button. Enterprise Architect adds a diagram object to the package, with the same name as the package. It also opens the **Diagram View** for your diagram, in the center of the screen.

Add Elements to a Diagram and a Package

Now [add some elements](#)^[27].

Additional Information

Click on the link for additional information on [adding diagrams](#)^[248] to a project.

2.2.4 Add Elements to a Diagram and Package

You have several options for adding [elements](#)^[1150] to the package and/or diagram. The simplest method is to use the Enterprise Architect UML **Toolbox** to the left of the diagram, which automatically lists the elements applicable to the type of diagram you have created. Just click on the required element and drag it onto your diagram.

Two things might occur before the element displays on the diagram:

- If you have selected an *Object* element, Enterprise Architect prompts you to define what stereotype the object is based on (an object can represent a wide range of things, and a stereotype helps you define what the object or element is); for now, select any value
- The element [Properties](#)^[31] dialog displays. If it does not display, double-click on the element on the diagram.

You can use the **Properties** dialog to define the characteristics of the element, such as its name. Type a name in the **Name** field, and click on the **OK** button. Look at the **Project Browser** window, underneath the package in which you created the diagram. The element is listed.

Tip:

Enterprise Architect has two very useful features:

- To find out more about the type of element you have dragged on to a diagram, right-click on the element and select the **UML Help** menu option. This displays a Help page on the element type.
- If you are creating several elements of one type, after creating the first just press **[Shift]+[F3]** or **[Ctrl]+click** to create the next element of that type.

Add Connectors Between Elements

Now [connect the elements](#)^[28] with relationships.

Additional Information

Click on the links for additional information on [adding elements](#)^[306] to a project including via the [Quick Linker](#)^[184].

2.2.5 Add Connectors Between Elements

[Connectors](#)^[1255] define specific relationships between specific elements, so you usually [create them](#)^[402] directly on the diagram by dragging the required relationship type from the Enterprise Architect UML **Toolbox**. As for elements, the **Toolbox** automatically presents the connector or relationship types appropriate to the type of diagram.

Create two elements on the diagram. Click on a connector in the **Toolbox**, click on the source element in the relationship, then drag across to the target element. This creates the selected connection between the two elements. If you double-click on the connector, the connector [Properties](#)^[31] dialog displays, and you can define the characteristics of the relationship.

Tip:

Enterprise Architect has two very useful features:

- To find out more about the type of connector you have dragged on to a diagram, right-click on the connector and select the **UML Help** menu option. This displays a Help page on the connector type.
- If you are creating several connectors of one type, after creating the first just click on the appropriate source element and press **[F3]** to create the next connector of that type.

Moving and Deleting Elements and Connectors

Having created a model with some components, you can [move](#)^[28] those components around and [delete](#)^[30] them. You should also know how to [save](#)^[31] your work.

Additional Information

Click on the link for additional information on [creating a link through the Project Browser](#)^[409], or with the [Quick Linker](#)^[186].


2.2.6 Move Components

You have created a project containing packages, diagrams and elements, and you have connected the elements. You might have arranged your components in the wrong project structure. How do you change where things are?

Note:

Changing [names and properties](#)^[31] is discussed a little later.



In this topic, the explanations refer to the following example:



Notes:

- You display and work on your model in the **Project Browser** window, and display and work on a diagram in the **Diagram View**.
- In the **Project Browser**, the contents of a package are listed in the order *diagrams | child packages | elements*. Elements are further arranged in type order. Within their types, components are initially listed in alphabetical or numerical order.
- Moving an element or package has no effect on any relationships that the element, package, or elements within the package have. You have to specifically create, delete or move the relationships themselves.

Move Components Within a Package in the Project Browser

To move a diagram, child package or element within its parent package, click on it in the **Project Browser** window and click on  or  at the top of the window.

You could move *Class3* in the **Project Browser** above *Class1*, or move the *Actors* package underneath *Classes A*.

To revert to listing components in alphabetical order, right-click on the package and select the **Contents | Reset Sort Order** menu option.

Move Components Between Packages in the Project Browser

You might have created a diagram, child package or element in the wrong place in the **Project Browser**. To move a model component to another package, click on the component and drag it to the new package. This can be at either a higher level, or a lower level.

You might, for example, drag *Class1* from the *Primary Use Cases* package into the *Classes A* package. *Class1* then is listed in the *Classes A* package in the **Project Browser**. As a similar example, you could drag *Class Diagram* into the *Business Process Model* package.

Moving elements in the **Project Browser** does not affect the use of elements in diagrams (and vice versa). In our example, *Class1* is initially in a diagram in the *Primary Use Cases* package. When you move *Class1* in the **Project Browser** from *Primary Use Cases* to *Classes A*, it still shows in the diagram in *Primary Use Cases*, and does not display in any diagram in *Classes A*.

To remove *Class1* from the *Primary Use Cases* diagram, click on it on the diagram and **delete** ^[30] it. Nothing happens to the element in the **Project Browser**. To put *Class1* into a diagram in the *Classes A* package, open the diagram in that package and drag the element from the *Classes A* package in the **Project Browser** onto the diagram.

Move Elements in a Diagram

If an element is not in the right position in the diagram, just click on the middle of it and drag it to the correct place. In the diagram above, you might move *Class2* below *Class 3*, and move *Class3* to the left. The element brings its connectors with it.

Move Connectors in a Diagram

You might have connected the wrong pair of elements. To move the end of a connector to a different element (for example, *Class2* instead of *Class3*), click on the end to display a black 'handle' box and drag the end to its new position. Be aware that the connector does not break from the original target element until the cursor is on the new target.

You can also tidy up a connection by dragging the end of the connector to a better position on the edge of the element, or move both ends at once by dragging the middle of the connector.

Additional Information

Click on the links for additional information on moving [connectors](#)^[404] and [elements](#)^[53], and [saving changes](#)^[31].

2.2.7 Delete Components

You can delete the components of a model from a diagram or from the **Project Browser**.

Delete From a Diagram

A diagram can contain elements, packages and other diagrams. To delete any of these from the diagram, click on it and press **[Delete]** on the keyboard.

Notes:

- Remember that the contents of the model are listed in the **Project Browser**. If you delete something from a diagram, it is not deleted from the **Project Browser**. This is because you can use the same component in several diagrams at once, so you only remove the representation of the component from a diagram.
- To delete a connector from a diagram, click on it and press **[Delete]**. This time, Enterprise Architect prompts you to select whether to delete the connector or just hide it. Unlike elements, the same connector is not reapplied in several places, so if you delete one it is removed completely from the model.
- Connectors can get confusing on a complex diagram, so it is useful to hide some of them to clarify a specific aspect of a more complex picture. To identify and reveal hidden connectors, see the [Links](#)^[376] topic. However, first you should become more familiar with element and connector properties, through the [Quick Start - Define Elements and Relationship Properties](#)^[31] topic.

Delete From Project Browser

To delete a package, diagram or element from the **Project Browser**, right-click on the component and select the **Delete <name>** menu option.

For a package, this completely removes the package and all its contents - diagrams, child packages and elements - from the model.

For an element, this completely removes the element and its properties, connectors, child elements and child diagrams from the model, and from every diagram that contains it.

For a diagram, this completely removes the diagram and connectors from the model, but **not** the diagram's component elements. They remain in the parent package.

Additional Information

Click on the links for additional information on deleting [elements](#) ^[317] and [model views](#) ^[557] in Enterprise Architect, and [saving your changes](#) ^[317].

2.2.8 Save Changes

Throughout much of your work in Enterprise Architect, any changes you make are automatically saved when you close the *dialog* (data entry window) on which you made the changes. In some cases the dialog contains a **Save** button, which enables you to save your changes and then keep working on the dialog.

If there is no specific dialog, such as when you create a diagram, you can save your work by pressing the **[Ctrl]+[S]** keyboard keys, or by selecting the **Diagram | Save** menu option.

Often, Enterprise Architect does not let you close a screen without confirming that you want to save or discard your changes.

2.3 Quick Start - Define Element and Relationship Properties

When you create an element and connect it to another element, you usually have to define various characteristics of both the element and the connector to identify the purpose and function they represent. You do this using a **Properties** dialog.

Enterprise Architect is initially configured to display the **Properties** dialog automatically when you create an element or connector, but it is easy (and often convenient) to [turn the dialog display off](#) ^[368]. If the default display has been turned off, you can display the dialog by:

- double-clicking on the element or connector in the diagram or
- right-clicking on it in the **Project Browser** and selecting the **Properties** menu option.

Properties dialogs vary between element types and between elements and connectors but, as you saw when you created your first element, they look something like this:

When you create elements, Enterprise Architect automatically names and numbers them by type - for example, Class1, Class2 - so you should at least change the **Name** field to more easily identify each element.

See the [Element Properties](#)^[368] topic for a full description of the element **Properties** dialog.

Enterprise Architect does not automatically name connectors, but for many connector types you should provide a name that describes the purpose of the connection.

See the [Connector Properties](#)^[416] topic for a full description of the connector **Properties** dialog.

Explore User Interface

So far you have been using the **Project Browser** and **Diagram View** to develop your project. At this point you should find out a bit more about the other facilities of the Enterprise Architect [User Interface](#)^[37].

When you have finished exploring the User Interface topics, go to [Quick Start - Project Tasks](#)^[32] to identify areas of Enterprise Architect that provide particular support for your job role.

2.4 Quick Start - Project Tasks

Throughout a design and development project there are many different tasks to be performed, which could be carried out either by one person or - more probably - by members of a team with different responsibilities. In either case, Enterprise Architect supports most - if not all - of the responsibilities you might have on your

project.

Therefore, the next topics to explore depend on the work you normally do on a project.

The descriptions below cover a number of job roles that Enterprise Architect supports. For those that most resemble your role on a project, click on the title link to display a description of how that role might use Enterprise Architect, then click on links within those topics to explore some of the Enterprise Architect features of importance to the role.

Another area of responsibility that Enterprise Architect supports is System Administration - see [Model Management](#)^[482].

Most of these roles work with specific types of diagram, so you might want to learn more about diagram types in general and specific types of diagram in particular. See the [Diagrams](#)^[1079] section of the UML Dictionary.

Several types of project team member might want to generate documentation on their work and reports on how the project is developing and changing. Enterprise Architect enables you to generate project documentation in either RTF or HTML format - see [Creating Documents](#)^[1000].

Note:

The Corporate edition of Enterprise Architect has a user security feature that can be applied or turned off. If security is turned on, you require the appropriate access permissions to use many of the Enterprise Architect facilities listed above. For further information, see [User Security](#)^[631] and [List of Available Permissions](#)^[640].

Business Analyst

A [Business Analyst](#)^[226] might be responsible for modeling:

- Requirements
- High-level business processes
- Business activities
- Work flows
- System behavior

Software Architect

A [Software Architect](#)^[228] might be responsible for:

- Mapping functional requirements of the system
- Mapping objects in real time
- Mapping the deployment of objects
- Defining deliverable components.

Software Engineer

A [Software Engineer](#)^[229] might be responsible for:

- Mapping Use Cases into detailed Classes
- Defining the interaction between Classes
- Defining system deployment
- Defining software packages and the software architecture

Developer

A [Developer](#)^[230] might be responsible for:

Tester

A [Tester](#)^[232] might be responsible for:

- Developing test cases
- Importing requirements, constraints and scenarios
- Creating Quality Test documentation
- Tracking element defects and changes

Implementation manager

An [Implementation Manager](#)^[233] might be responsible for:

- Modeling the tasks in rolling-out a project, including network and hardware deployment
- Assigning and tracking maintenance items on elements (issues, changes, defects and tasks)

Technology Developer

A [Technology Developer](#)^[234] might be responsible for creating or customizing:

- UML Profiles
- UML Patterns
- Code Templates
- Tagged Value types
- MDG Technologies
- Add-Ins

Database Administrator

A [Database Administrator](#)^[235] might be responsible for:

- Developing databases
- Modeling database structures

- Forward, reverse and round-trip engineering
- Visualizing the system states
- Visualizing package arrangements
- Mapping the flow of code
- Creating logical data models
- Generating schema
- Reverse engineering databases

Project Manager

A [Project Manager](#)^[23] might be responsible for:

- Providing project estimates
- Resource Management
- Risk Management
- Maintenance Management

Part



3 Using Enterprise Architect



This topic provides a detailed exploration of the Enterprise Architect tools and features, including:

- [The User Interface](#) ^[37]
- [The Start Page](#) ^[39]
- [Model Templates](#) ^[41]
- [The Project Browser](#) ^[51]
- [The Enterprise Architect UML Toolbox](#) ^[100]
- [The Main Menu](#) ^[64]
- [Arrange Windows and Menus](#) ^[159]
- [Dockable Windows](#) ^[164]
- [The Web Browser](#) ^[158]
- [View Options](#) ^[136]
- [Search a Project](#) ^[149]
- [Workspace Toolbars](#) ^[126]
- [Diagram Tabs](#) ^[135]
- [The Quick Linker](#) ^[184]
- [Keyboard Shortcuts](#) ^[206]
- [Defaults and User Settings](#) ^[187]
- [Register Add-In](#) ^[70]
- [The Project Discussion Forum](#) ^[210]
- [The Spell Checker](#) ^[221]

3.1 Start Enterprise Architect

When you install Enterprise Architect on your computer, a new program folder called *Enterprise Architect* is created in your **Start** menu (unless you changed the default name during installation).

Start Enterprise Architect

You can start Enterprise Architect from the icon created on your Windows desktop during installation, or alternatively:

1. Open the Windows **Start** menu.
2. Locate the Enterprise Architect program folder.
3. Select **Enterprise Architect**.

After a short pause, the [Start Page](#) ^[39] displays. From this dialog you can:

- [Open a project file](#) ^[486] (.EAP file)
- [Create a new project](#) ^[488] (.EAP file)
- [Connect to a DBMS repository](#) ^[528] (Corporate edition only)

Note:

By default, when you install Enterprise Architect, an empty 'starter' project called 'EABase.EAP' is installed, as well as an example project named 'EAExample.EAP'. We recommend that new users select the 'EAExample' file and explore it in some detail while you become familiar with UML and software engineering using Enterprise Architect.

To begin a guided exploration of Enterprise Architect immediately, go to [Quick Start - Create a Project](#)^[24].

See Also

(For users of the Corporate edition)

- [Connect to a MySQL Repository](#)^[529]
- [Connect to an SQL Server Repository](#)^[531]
- [Connect to an Oracle Repository](#)^[534]
- [Connect to a PostgreSQL Repository](#)^[536]
- [Connect to an Adaptive Server Anywhere Repository](#)^[538]
- [Connect to an MSDE Server Repository](#)^[540]

3.2 The User Interface

The *Enterprise Architect Application Workspace* consists of a number of windows, menus and toolbars as described below. Together these elements provide a simple and flexible software engineering environment. In concept the Application Workspace is similar to programs such as Microsoft Outlook and the Microsoft Visual Studio application suite; if you have used these applications you should find the Enterprise Architect interface quite familiar.

Enterprise Architect in Action

A demonstration of Enterprise Architect in use is provided on the Sparx Systems website. To run this demonstration, click on this link:

http://sparxsystems.com/resources/demos/eaoverview/TO_20070111%20EA%20Overview.htm

Workspace Components

This section outlines the components of the Enterprise Architect Application Workspace. To obtain further information on specific features, follow the links in each description.

Main Menu and Toolbars

At the top of the workspace are the [Main Menu](#)^[64] and [Toolbars](#)^[126]. The **Main Menu** provides access to further submenus. There are several toolbars, which you can hide or display as necessary.

Context Menus

Throughout Enterprise Architect, if you right-click on work areas, lists and objects, Enterprise Architect displays a menu of options specific to the work context. For examples, see:

- [Package Context Menu \(Project Browser\)](#)^[58]
- [Diagram Context Menu \(Project Browser\)](#)^[63]
- [Diagram Context Menu \(Diagram\)](#)^[246]
- [Element Context menu \(Project Browser\)](#)^[61]
- [Element Context Menu \(Diagram\)](#)^[294]

Key Combinations

Many main menu and context menu options have alternative key combinations to perform the same operation. Instead of displaying a menu and selecting the required option, you can press the key combination. See

[Keyboard Shortcuts](#)^[206] for a full list of key combinations and their functions, or display the [Help Keyboard](#)^[210] dialog (select the **Help | Keyboard Accelerator Map** menu option). You can also [customize](#)^[93] these function keys.

Enterprise Architect UML Toolbox

The Enterprise Architect UML [Toolbox](#)^[100] is an Outlook-style toolbar from which you can select model elements and relationships to add to your modeling diagrams. This is an important feature of Enterprise Architect, as it provides all the components and links that you use to create your models in whatever diagrams are appropriate.

Diagram View

The large central area of the Enterprise Architect display is the [Diagram View](#)^[136]. This is where you can arrange new model elements and set their characteristics in a model diagram. Note that when you first open Enterprise Architect there is no active diagram; you must create and/or open the required diagram.

Project Browser Window

The [Project Browser window](#)^[51] is used to navigate your project. Double-click on package icons to open them and display the diagrams and elements they contain. Similarly, double-click on elements to open them, and on diagrams to display them in the **Diagram View**. You can drag elements from the **Project Browser** to add them to diagrams.

Model Views

You can set up tailored views of your model, containing sections or organizations of your model that are of particular relevance to you or your team. [Model Views](#)^[140] are stored in the model and are visible to all users. You can set up Favorites folders to give you easy access (links) to commonly-used packages and elements. You also have a My Views model stored locally on your machine and only visible to you, and Technology-defined views that are read only and stored with MDG technologies. You can associate each view with a query-built search that you can run by either double-clicking or expanding it.

Visual Style

You can [configure the look and feel](#)^[206] of Enterprise Architect to suit your working environment. Options range from a classic windows application to an enhanced XP appearance.


Arranging Windows

You can rearrange windows and some menus to adapt the screen space to your work habits. You can:

- Fix, or [dock](#)^[160] windows against any edge of the workspace, or move them freely (float them) as you work; for a list of dockable windows, see [Dockable Windows](#)^[164]
- [Autohide](#)^[162] windows so that they display only when you are actually using them
- [Tear off](#)^[163] submenus so that they stay open in a convenient (docked) location.

3.3 The Start Page

When you start Enterprise Architect, the first page displayed is the **Start Page**.



This page offers the following options:

Option	Use to
Search	Locate an object in Enterprise Architect. Type the name of the object in this field and click on the [...] button. Enterprise Architect displays the results of the search on the Model Search ^[144] screen. Click on an item in the search results to highlight it in the Project Browser ^[51] .
Getting Started	Opens the Tasks Pane ^[182] , to display useful topics and guides for various areas of work in Enterprise Architect.
Online Resources & Tutorials	Open the Resources page of the Sparx Systems website, which provides access to a wide range of Enterprise Architect and UML tutorials, demonstrations, examples, Add-Ins and discussions.
Configure Options	Display the Options ^[187] dialog ^[187] , which enables you to define how Enterprise Architect displays and processes information.
Open a Project File	Display the Open Project ^[486] dialog, which you use to open an existing project (where you have more project files than can be listed in the Recent panel).
Create a New Project ^[488]	Save a new project and open the Model Wizard ^[488] dialog.
Copy a Base Project	Select a different Base Project ^[543] to generate a new project from.
Connect to Server ^[528]	Specify a Data Source name to connect to. MySQL ^[516] , SQL Server ^[519] , Oracle 9i, 10g and 11g ^[521] , PostgreSQL ^[522] , MSDE ^[527] , Adaptive Server Anywhere ^[524] and Progress OpenEdge ^[528] repositories are supported. Note: This feature is available in the Corporate edition only.
Recent	Select from a list of the most recently used Enterprise Architect projects (both .


Option	Use to
	<p>EAP files and DBMS connections). Click on the required project to open it.</p> <p>If you have created and used shortcuts^[66] to your models, a model might have two entries - one for the model accessed through Enterprise Architect and one for the model accessed through the desktop shortcut. These open the same model, although the shortcut entry also enacts any view profile you have defined.</p> <p>To remove a link to a project from this list, see Remove Recent Projects^[40].</p>

If your model has a [default diagram](#)^[286] set, the default diagram opens immediately over the top of the **Start Page**. You can still access the **Start Page** from the [diagram tabs](#)^[135] below the diagram. However, if you have set a shortcut view profile, that overrides the default diagram setting.

3.3.1 Remove Recent Projects

To remove a project *link* from the **Recent** list on the **Start Page**^[39], follow the steps below:

1. Select **File | Open Project** from the menu bar or press **[Ctrl]+[O]**. The **Open Project** dialog displays.




2. In the **Recent Projects** panel click on the project to remove.
3. Click on the **Remove Selection from List** button.

Note:

Removing the link to a project from the **Start Page** only removes the link to the project and does not remove the .EAP file from the file system.


3.4 Model Templates



The model templates contained in Enterprise Architect are designed to assist in the creation of projects and models for both new and experienced users. Each template provides a framework on which you can create your model.

Template Format

All the model templates provided with Enterprise Architect follow the format described below.



Note

The note introduces you to the model template and outlines its purpose.

Help Links

Help links provide further information on how to use the model. Depending on the model template, links to examples and other useful information are also provided.

Template


The Template section in the model template provides a framework for creating your own model.

The topics listed below provide an introduction to the terminology and icons used in the model templates, and give you a quick guide to the UML concepts important to the templates and how they are applied in Enterprise Architect.

- [Business Process Model Template](#) ⁴²
- [Requirements Model Template](#) ⁴²
- [Use Case Model Template](#) ⁴³
- [Domain Model Template](#) ⁴⁴
- [Class Model Template](#) ⁴⁵
- [Database Model Template](#) ⁴⁵
- [Component Model Template](#) ⁴⁶
- [Deployment Model Template](#) ⁴⁷
- [Testing Model Template](#) ⁴⁹

3.4.1 Business Process Model Template

The *Business Process Model* describes both the behavior and the information flows within an organization or system. As a model of business activity, it captures the significant events, inputs, resources, processing and outputs associated with relevant business processes.



Online Resources


- [The Business Process Model](#)

See Also

- [Business Modeling](#)^[475]
- [Analysis Diagram](#)^[1147]

3.4.2 Requirements Model Template

The *Requirements Model* is a structured catalogue of end-user requirements and the relationships between them. The [Requirements Management](#)^[423] built into Enterprise Architect can be used to define requirement elements, link requirements to model elements, link requirements together into a hierarchy and report on requirements.



Online Resources


- [Requirements Management in Enterprise Architect](#)

See Also

- [Packages](#) ^[239]

3.4.3 Use Case Model Template

The *Use Case Model* describes a system's functionality in terms of Use Cases. Each Use Case represents a single repeatable interaction that a user or 'actor' experiences when using the system, emphasizing the user's perspective of the system and interactions. See [Use Case](#) ^[1231] and [Use Case Diagram](#) ^[1082] for more information.




Online Resources

- [The Use Case Model](#)

3.4.4 Domain Model Template

A *Domain Model* is a high-level conceptual model, defining physical and abstract objects in an area of interest to the Project. It can be used to document relationships between and responsibilities of conceptual classes (that is, classes that represent the concept of a group of things rather than Classes that define a programming object). It is also useful for defining the terms of a domain.




A Domain Model shows:

- The physical and organizational units of the domain; for example, *Employee* and *Flight*
- The relationships between these units; for example, *Employee* is *assigned to* *Flight*
- The [multiplicity](#)^[419] of those relationships; for example, *one* employee can be assigned to *no* flights, *one* flight or *many* flights (represented by the 1 and the * at the ends of that relationship).

3.4.5 Class Model Template

The *Class Model* is a rigorous, logical model of the software system under construction. [Classes](#)^[1167] generally have a direct relationship to source code or other software artifacts that can be grouped together into executable components.



Online Resources


- [The Logical Model](#)

See Also

- [Class Diagram](#)^[1137]

3.4.6 Database Model Template

The *Database Model* describes the data that must be stored and retrieved as part of the overall system design. Typically this means relational database models that describe the tables and data in detail and enable generation of DDL scripts to create and set up databases.



Online Resources


- [UML Database Modeling](#)

See Also

- [Database Modeling](#)^[890]

3.4.7 Component Model Template

The *Component Model* defines how Classes, Artifacts and other low level elements are collected into high level [components](#)^[1178], and describes the interfaces and connections between them. Components are compiled software artifacts that work together to provide the required behavior within the operating constraints defined in the [Requirements model](#)^[42].



Online Resources


- [The Component Model](#)

See Also

- [Component Diagram](#) ¹¹³⁷

3.4.8 Deployment Model Template

The *Deployment Model* describes how and where a system is to be deployed. Physical machines and processors are represented by Nodes, and the internal construction can be depicted by embedding Nodes or Artifacts. As Artifacts are allocated to Nodes to model the system's [deployment and rollout](#) ²³³, the allocation is guided by the use of deployment specifications.



Online Resources



- [The Physical Model](#)

See Also

- [Deployment Diagram](#) ^[1139]
- [Display Tagged Values](#) ^[257]

3.4.9 Testing Model Template

The Test Model describes and maintains a catalogue of tests, test plans and results that are executed against the current model.



Online Resources


- [Testing Support in Enterprise Architect](#)

See Also

- [Testing](#) ^[726]
- [Show Test Scripts](#) ^[736]

3.4.10 Maintenance Model Template

The *Maintenance Model* enables visual representation of issues arising during and after [development](#)^[736] of a software product. The Model can be enhanced with the integration of change elements and testing.




See Also

- [Color Coding](#)^[426]

3.4.11 Project Model Template

The *Project Model* details the overall project plan, phases, milestones and resourcing requirements for the current project. Project Managers can use Enterprise Architect to assign resources to elements, measure risk and effort and to estimate project size. Change control and maintenance are also supported.



Online Resources

- [Project Manager](#)

See Also

- [Project Management](#) 


3.5 The Project Browser



The **Project Browser** window enables you to navigate through the Enterprise Architect project space. It displays packages, diagrams, elements and element properties.

You can drag and drop elements between folders, or even drop elements from the **Project Browser** window directly into the current diagram.

If you right-click on an item in the **Project Browser** window, you can perform additional actions such as adding new packages, creating diagrams, renaming items, creating documentation and other reports, and deleting model elements. You can also edit the name of any item in the **Project Browser** window by selecting the item and pressing **[F2]**.

**Tip:**

The **Project Browser** window is the main view of all model elements in your model; use the mouse to navigate the project.

Views

The **Project Browser** window can be divided into [Views](#)^[555], each of which contains diagrams, packages and other elements. A default View hierarchy is described below, but you can create different Views to suit your requirements:

View	Description
Use Case View	The functional and early analysis View. Contains Business Process and Use Case models.
Dynamic View	Contains State Charts, Activity and Interaction diagrams. The dynamics of your system.
Logical View	The Class Model and Domain Model View.

View	Description
Component View	A View for your system components. The high level view of what software is to be built (such as executables, DLLs and components).
Deployment View	The physical model; what hardware is to be deployed and what software is to run on it.
Custom View	A work area for other Views, such as formal requirements, recycle bin, interview notes and non-functional requirements.

Note:

You can hide and show the **Project Browser** window by pressing **[Alt]+[0]**.

Selective Collapse

When you are working on an expanded project in the **Project Browser** window, you might want to locate the parent element or package of an item, and/or collapse the structure under that parent element or package. To do this, follow the steps below:

1. Position the cursor on an item within the element or package.
2. Press **[←]** on the keyboard to highlight the parent.
3. Press the key again to collapse the structure under that parent element or package.

See Also

- [Project Browser Icon Overlays](#) ⁵⁶

3.5.1 Order Package Contents

Enterprise Architect enables you to change the order of elements listed in the **Project Browser** window.

Elements by default are first listed in order of type, then of set position, then alphabetically. You can use the context menu options to move an element up or down within its type, but not outside its type. This means you can resequence Packages or Diagrams or Use Cases, but you cannot mix elements up. However, you can [change this default behavior](#) ⁵³ to allow elements to be re-ordered regardless of type.

Ordering elements is very important when it comes to structuring your model, especially packages. RTF documents honor any custom ordering when printing documentation.

3.5.2 Set Default Project Browser Behavior

The **General** page of the **Options** dialog provides several options for altering the look and behavior of the **Project Browser** window.

To access the **General** page, select the **Tools | Options | General** menu option.

Double-click Behavior

1. In the **Double click on browser** panel, select the appropriate radio button.



- **Shows Properties** - double-clicking an item in the **Project Browser** window opens a **Property** dialog

(if available) for that element


- **Opens Branch** - double-clicking an item in the **Project Browser** window expands the tree to show the item's children. If there are no children, nothing happens.
- **Opens Branch & Diagram** - as above, but also opens the first diagram beneath the item, if applicable.

Enable Free Sorting

1. On the **General** page, in the **Project Browser** panel, select the **Allow Free Sorting** checkbox.

Free sorting of elements in the **Project Browser** window, regardless of element type, is now enabled.

For example, in the illustration below the element *Object1* has been moved from its original position with the other Object elements, to a point amongst the Class elements. You move elements using the **Up-arrow** and **Down-arrow** icons at the end of the **Project Browser** toolbar.



The **Down-arrow** icon moves the element further down the tree, and the **Up-arrow** icon moves the element further up the tree.

Show Stereotypes


1. On the **General** page, in the **Project Browser** panel, select the **Show Stereotypes** checkbox.
2. As prompted, shut down and restart Enterprise Architect to enable this change to take effect.

Element and feature stereotypes are now shown in the **Project Browser** window.


Note:

In the screen illustration above, the **Show Stereotypes** option has already been selected. See, for example, *Artifact1*, *Class R* or *Object2*.

You set the stereotype of an element such as *Object1* in its **Properties** dialog



The stereotype then displays in front of the element name in the **Project Browser** window, as below.



3.5.3 Project Browser Icon Overlays

The **Project Browser** window displays the status of each package in the model by overlaying status icons on the package icon. The following table describes what each overlaid icon means.

Icon	Indicates that...
	This package is controlled ^[578] and is represented by an XMI file on disk. Version control either is not being used or is not available. You can edit the package.
	This package is version controlled and checked out ^[625] to you, therefore you can edit the package.
	This package is version controlled and not checked out to you, therefore you cannot edit the package (unless you check the package out).
	This package is version controlled, but you checked it out whilst not connected to the version control ^[617] server. You can edit the package but there could be version conflicts when you check the package in again.
	This package is a namespace root. It denotes where the namespace structure starts; packages below this point are generated as namespaces ^[778] to code.
<MDG Add-In icon>	MDG Add-Ins ^[1428] specify their own icon to denote that this branch of the model belongs to that Add-In. All packages connected to an MDG Add-In correspond to a namespace root, so the namespace root icon is not displayed.

Similarly, the **Project Browser** window indicates attribute and operation scope status with icons. The following table describes what each indicator icon means.

Icon	Indicates that...
	The attribute or operation is scoped as protected.
	The attribute or operation is scoped as private.

In the Corporate edition, if [Project User Security](#)^[631] is on, the **Project Browser** also has element locking indicators (red and green exclamation marks) that indicate the lock status of individual elements and packages. The availability of these elements for editing depends on whether user locks are required or not. For further information, see the [Locked Element Indicators](#)^[649] topic.

3.5.4 Model Context Menu


The *Root Node* in the **Project Browser** window is the *Model* element. You can have more than one model element. The first level packages beneath the Model node are sometimes referred to as *Views* as they commonly divide a model into categories such as Use Case Model and Logical Model. Right-click on the Root Node to display the **Model** context menu.

Menu Option & Function Keys	Use to
Package Control	Display the Package Control ^[57] submenu.
Rename Model	Rename the current model.
New Model (root node)	Create a new model root.
New View	Create a new View (package).
Add Model using Wizard	Add further models using the Model Wizard ^[488]

Menu Option & Function Keys	Use to
Search in Project Browser [Ctrl]+[Shift]+[F]	Search the Project Browser window.
Expand Branch	Expand all items.
Collapse Branch	Collapse all items.
Import Model from XMI [Ctrl]+[Alt]+[I]	Import a model from an XMI file.
Export Model to XMI [Ctrl]+[Alt]+[E]	Export a model to XMI.
Rich Text Format (RTF) Report [F8]	Produce RTF documentation for the model.
HTML Report [Shift]+[F8]	Produce HTML documentation for the model.
Diagrams Only Report [Ctrl]+[Shift]+[F8]	Produce a diagrams only report (in RTF) for the model.
Delete Project Root	Delete the Model node and all subordinate Views and packages.
Help	Display the Enterprise Architect Help topic for the Project Browser .

3.5.4.1 Root Node Package Control Sub-Menu

To display the root node **Package Control** sub-menu, right click on the Model node in the **Project Browser** window and click on the **Package Control** menu option.



From this menu you can:

- Configure various settings for the package
- [Manage Baselines](#) [663] and compare them with the current package
- Create and work with the package XMI file
- Add [model branches](#) [619] (package hierarchies) to version control, and export and import the file that manages changes to branches under version control
- Retrieve the latest version of the package from the repository. Available only for packages that are checked in. **Get All Latest** is not intended for sharing .EAP files and should only be used when people have their own individual databases.
- Display the [Version Control Options](#) [593] [dialog](#) [593].
- Provide a bulk update on the status of a package, this includes status options such as Proposed, Validate and Mandatory.
- Set the namespace root for languages that support namespaces; for more information see the [Namespaces](#) [778] topic.

3.5.5 Package Context Menu

Right-click on a View or Package in the **Project Browser** window. The following context menu displays.

Menu Option & Function Keys	Use to
Add-In	Connect to external Add-Ins and external projects.
Properties	Add new packages to the model.
Package Control	Enables you to submit packages to package control [58] and version control [595].
Add	Add [59] a new diagram, element or another package to the current package.
Linked Document [Ctrl]+[Alt]+[D]	Create or display a linked document [389] for the package or view.
Paste Diagram	If you have copied a diagram from another package, paste the diagram into the currently-selected package.
Documentation	Produce a variety of reports and documentation [59] in RTF format.
Code Engineering	Perform Code Engineering [60] functions.
Build and Run	Build, run [60] and debug functions.
Import/Export	Import and export [61] using XML text files.
Transform Current Package [Ctrl]+[Shift]+[H]	Perform a model transformation [935] on the selected package.
Show Level Numbering	Add a sequence number to each element in the package, based on the element's position in the package hierarchy. For nested elements, the numbering indicates level; that is: 3.2 3.2.1 3.2.1.1. This option is only available for packages, and the numbering only applies to the elements in the package, not diagrams.
Show Element List	Display the Element List [137], showing the elements contained in the selected package.

Menu Option & Function Keys	Use to
Contents	Reorganize the package contents [61] after making changes.
Bookmarks	Bookmark [760] all elements in the selected folder.
Find in Project Browser [Ctrl]+[Shift]+[F]	Search the View for specific elements.
Copy Node Path to Clipboard	Copy the selected package hierarchy structure to the clipboard.
Save Package as UML Profile	Save the selected package as a Profile [438].
Set View Icon	Change the display icon for the selected package.
Move up	Move the package up in the list.
Move down	Move the package down the list.
Delete <packagename>	Delete the selected package and its contents.
Help	Display the Enterprise Architect Help topic for the Project Browser .

3.5.5.1 Add Sub-Menu

In the **Project Browser** window, select the **Package | Add** context menu option.

Menu Option & Function Keys
Add Diagram [248]
Add Element [1150] [Ctrl]+[M]
Add Package [1210] [Ctrl]+[W]
Add Model using Wizard [488]

3.5.5.2 Documentation Sub-Menu

In the **Project Browser** window, select the **Package | Documentation** context menu option.

Menu Option & Function Keys
Rich Text Format (RTF) Report [1001] [F8]
HTML Report [1072] [Shift]+[F8]
Diagrams Only Report [1060] [Ctrl]+[Shift] +[F8]
Testing Report [737]
Open in Relationship Matrix [432]
RTF Report Options [1047]
Copy RTF Bookmark [1051]
Implementation Report [1061]

Menu Option & Function Keys
Dependency Report ^[432]
Testing Details ^[735]
Resource Allocation ^[720]
Package Metrics ^[714]

3.5.5.3 Code Engineering Sub-Menu

In the **Project Browser** window, select the **Package | Code Engineering** context menu option.

Menu Option & Function Keys
Generate Source Code ^[773] [Ctrl]+[Alt]+[K]
Import Source Directory ^[766] [Ctrl]+[Shift]+[U]
Import Binary Module ^[770]
Synchronize Package With Code ^[771] [Ctrl]+[Alt]+[M]
Generate DDL ^[919]
Import DB schema from ODBC ^[926]
Generate XML Schema ^[981]
Import XML Schema ^[984]
Generate WSDL ^[997]
Import WSDL ^[997]
Reset Options for this Package ^[802]
Reset DBMS Options ^[923]
Set as Namespace Root/ ^[778] Clear Namespace Root

3.5.5.4 Build and Run Sub-Menu

In the **Project Browser** window, select the **Package | Build and Run** ^[825] context menu option.

Menu Option & Function Keys
Package Build Scripts ^[828] [Shift]+[F12]
Build ^[825] [Ctrl]+[Shift]+[F12]
Test ^[825] [Ctrl]+[Alt]+[T]
Run ^[844] [Ctrl]+[Alt]+[N]
Deploy ^[844] [Ctrl]+[Shift]+[Alt]+[F12]
Debug Run ^[844] [F6]

Menu Option & Function Keys
Step Into ^[844] [Shift]+[F6]
Step Over ^[844] [Alt]+[F6]
Step Out ^[844] [Ctrl]+[F6]
Debug Stop ^[844] [Ctrl]+[Alt]+[F6]
Start Debug Recording ^[873]
Stop Debug Recording ^[873]
Create Sequence Diagram ^[873]

3.5.5.5 Import/Export Sub-Menu

In the **Project Browser** window, select the **Package | Import/Export** context menu option.

Menu Option & Function Keys
Import package ^[575] from XMI file [Ctrl]+[Alt]+[I]
Export package ^[573] to XMI file [Ctrl]+[Alt]+[E]
CSV Import ^[589] / Export ^[587]

3.5.5.6 Contents Sub-Menu

In the **Project Browser** window, select the **Package | Contents** context menu option.

Menu Option	Use to
Expand Branch	Expand all of the items in the Project Browser .
Collapse Branch	Collapse all of the items in the Project Browser .
Reset Sort Order	Return sorting of package contents to list in alphabetical order.
Reload current package	Refresh the current package in the Project Browser .

3.5.6 Element Context Menu - Project Browser

Right-click on an *element* (such as Class, Object, Activity, State) in the **Project Browser** window to open the element's context menu.

Menu Option & Function Keys	Use to
Properties	View and modify the element properties.
Custom Properties [Ctrl]+[Shift]+[Enter]	Customize the properties.
Add	Create ^[298] a diagram.
Attributes	Display the Attribute dialog ready to create a new attribute.

Menu Option & Function Keys	Use to
Operations	Display the Operations dialog ready to create a new operation.
Generate Code [F11]	Generate the source code for this element. See Generate Source Code ^[773] .
Synchronize with Code [F7]	Synchronize the element in the diagram with the source code. See Reverse Engineer and Synchronizing ^[764] .
View Source Code [F12]	View the source code files.
Open Source Directory [Ctrl]+[Alt]+[Y]	Open the source directory.
In Diagrams [Ctrl]+[U]	Locate the element in all open diagrams.
Locate in Current Diagram	Select the element in the current visible diagram.
Copy RTF Bookmark	Copy a bookmark ^[1057] in RTF format to the clipboard.
Linked Document [Ctrl]+[Alt]+[D]	Create a Linked Document (Corporate edition only). See Linked Documents ^[389] .
Add Custom Reference [Ctrl]+[J]	Set up cross references ^[310] between elements in a diagram and the selected element in the Project Browser .
Move Up	Move the element up in the list of elements within this package.
Move Down	Move the element down in the list of elements within this package.
Delete '<element Name>'	Delete the element.
Help	Display the Enterprise Architect Help topic for the Project Browser .

3.5.6.1 Add Sub Menu

The **Add** sub-menu enables you to create a diagram to explain or expand on the selected element, or to [create a link](#) ^[409] to another element.

Elements such as Actors, Classes and Activities can define a large amount of information that can be conveniently represented by or expanded in a child diagram. The **Add** sub-menu lists options for creating child diagrams of appropriate types. The types listed as options depend on the type of element selected.

Other elements, such as Timing, Exit and History have much more specific functions that do not require expansion. Therefore, the **Add** sub-menu for these elements only provides the option to create a link to another element, and does not offer options for creating diagrams.

Although the **Add** sub-menu lists options to create diagrams of specific types, when you select an option the [New Diagram](#) ^[248] dialog displays and you can select another type of diagram if necessary. Therefore, from the **Add** sub-menu you can actually create a wide range of diagrams including:

- A [Use Case diagram](#) ^[1082]
- An [Activity diagram](#) ^[1080]
- A [State Machine diagram](#) ^[1084]
- A [Timing diagram](#) ^[1096]
- A [Sequence diagram](#) ^[1115]
- An [Interaction Overview diagram](#) ^[1127]
- A [Communication diagram](#) ^[1124]
- An [Analysis diagram](#) ^[1141]
- A [Package diagram](#) ^[1130]

- A [Class diagram](#) ^[1131]
- An [Object diagram](#) ^[1133]
- A [Composite Structure diagram](#) ^[1134]
- A [Component diagram](#) ^[1137]
- A [Deployment diagram](#) ^[1139]
- A [Custom diagram](#) ^[1143].

3.5.7 Diagram Context Menu - Project Browser

Right-click on a diagram in the **Project Browser** window to open the **Diagram** context menu. The example below illustrates the functions available from this menu:

Menu Option & Function Keys	Use to
Properties [F5]	View and modify a diagram's properties.
Open	Open the diagram in the Diagram View .
Show Element List	Display the Element List ^[137] , listing the elements in the selected diagram.
Copy Diagram	Copy the diagram for pasting into another location (see Duplicate a Diagram ^[257]).
Copy RTF Bookmark	Copy a bookmark ^[1051] in RTF format to the clipboard.
Add Custom Reference	Add this diagram as a cross reference ^[310] to other elements.
Move up	Move the diagram up in the list of diagrams within this package.
Move down	Move the diagram down in the list of diagrams within this package.
Delete '<diagram name>'	Delete the diagram.
Help	Display the Enterprise Architect Help topic for the Project Browser .

3.5.8 Method Context Menu

To display the **Method** context menu, right-click on a method in the **Project Browser** window.

Menu Option & Function Keys	Use to
Generate Code [F11]	Generate code for the method.
Synchronize With Code [F7]	Synchronize the method with the code.
View Source Code [F12]	Open the Source Code Viewer and display the method.
Operation Properties	Display the Properties dialog for the method.
Delete Operation	Delete the method.
Generate Sequence Diagram [Ctrl]+[Shift]+[F6]	See Record Debug Session For Method . ^[873]
Help	Display the Enterprise Architect Help topic for the Project Browser .

3.6 The Main Menu



The **Main Menu** provides mouse-driven access to many high-level functions related to the project life cycle, along with administration functions.



In order, the menus available are:

- The [File](#) ^[64] menu
- The [Edit](#) ^[69] menu
- The [View](#) ^[70] menu
- The [Project](#) ^[73] menu
- The [Diagram](#) ^[79] menu
- The [Element](#) ^[80] menu
- The [Tools](#) ^[83] menu
- The [Add-Ins](#) ^[97] menu
- The [Settings](#) ^[98] menu
- The [Window](#) ^[99] menu
- The [Help](#) ^[100] menu.

The above topics provide an overview of the functions available from the main menu and their general purposes.


3.6.1 The File Menu

The **File** menu provides options to create, open, close and save projects, and also to perform print tasks.


Menu Option & Function Keys	Use to
New Project [Ctrl]+[N]	Create a new Enterprise Architect project ^[488] .
Open Project [Ctrl]+[O]	Open a project ^[486] .
Open Source File [Ctrl]+[Alt]+[O]	Open a source file.
Close Project	Close the current project.
Save Project As	Save the current model ^[66] with a new name, or create a desktop shortcut to the current model. (This option is also active in the 'Lite', read-only version of Enterprise Architect.)
Reload Current Project [Ctrl]+[Shift]+[F11]	Reload the current project (use in a multi-user environment to refresh the Project Browser window).

Menu Option & Function Keys	Use to
Print Setup	Configure your printer's settings.
Page Setup	Configure the page settings for printing.
Print Preview	Preview ^[65] how the currently displayed diagram prints.
Print [Ctrl]+[P]	Print the currently displayed diagram. Enterprise Architect provides facilities to change the scale ^[289] of the printed diagram (the number of pages it takes up) and to print or omit page headers and footers ^[287] on the diagram.
Recent Files List	Select from a list of the most recently opened projects.
Exit	Exit Enterprise Architect.

3.6.1.1 Print Preview

When you select the **File | Print Preview** menu option, the display initially shows the first two pages on one screen, with no scroll bar. To toggle between this two-page display and a single-page display, click on the  icon in the preview screen toolbar. In either mode, you can use the forward and back arrows to scroll through the pages of the diagram.

To display more than two pages on one screen, up to a maximum of ten pages, click on the **Zoom Out** button in the preview screen toolbar. The screen now includes the horizontal and vertical scroll bars, which you can also use to scroll through the pages of the diagram.



3.6.1.2 Save Model Copy or Shortcut

Enterprise Architect enables you to [create a desktop shortcut](#)^[66] (or *Proxy* file) to your model or (for a .EAP file) a direct copy of your model (you cannot create a copy of a DBMS model).

If you are using database repository other than MS Access, you can configure the shortcut to [encrypt the password](#)^[69] used to set up the connection between Enterprise Architect and the repository. The Enterprise Architect user does not have the real password, thereby preventing them from accessing the repository using other tools such as Query Analyzer or SQLPlus.

Each shortcut is a file containing the connection string for the model. However, the shortcut also defines *views* that Enterprise Architect should open as it opens the model, such as:

- The [Model Search](#)^[144] with a specific text string and search type

Note:

For searches operating on the current tree selection, a diagram in the target package must be opened first.

- A specific diagram
- The [Relationship Matrix](#)^[432] with a saved profile
- The default [Discussion Forum](#)^[210].

You can define more than one diagram to open (but not more than one search, [Discussion Forum](#) or [Relationship Matrix](#) profile). Enterprise Architect opens the appropriate windows in the sequence in which you list the options, displaying the last view in the list. For example, you might create your shortcut to open, in sequence:

- A Development module
- The Module Search for a *simple* search on the term *Issue*
- The module Issues diagram
- The module Changes diagram.

The project would then open with the Enterprise Architect work area showing the two diagram tabs and the [Module Search](#) tab, and with the Changes diagram displayed in the [Diagram View](#)^[136].


Notes:

- These options are not valid for a copy of the model.
- If specified, the shortcut views override any [default diagram](#)^[79] defined for the model or current user.

3.6.1.2.1 Create Copy Or Shortcut

To create a copy of your model, or a shortcut to your model, follow the steps below:

1. On the [Start Page](#), open the required project.
2. Select the **File | Save Project As** menu option. The [Save As](#) dialog displays.



3. Click on the [...] (Browse) button at the end of the **Target File** field. The **Save Project As** dialog displays.
4. Browse for the appropriate file location (such as C:\Documents and Settings\\Desktop) and, in the **File name** field, type an appropriate filename. All shortcuts are .EAP files, regardless of whether the model itself is a .EAP file or a DBMS model.
5. Click on the **Save** button to return to the **Save As** dialog.
6. Click on one of the following:
 - The **Copy** radio button to create a direct copy of the model, and click on the **OK** button to save the copy and end the procedure
 - The **Shortcut** radio button to create a desktop shortcut for the model

Note:

These radio buttons display only if the model is a .EAP file. If the model is a DBMS file, the target file can only be a shortcut. See the [Encrypt Repository Password](#) topic.

7. Click on the **Add Other** button and select the required option to define:
 - A diagram to open
 - A **Relationship Matrix** profile to open
 - The **Project Discussion Forum**
 - A Model Search to perform.

The appropriate browser or dialog displays to define the view to display. Enter the details and click on the **OK** button.
8. Repeat step 7 for as many views as you require. Each entry is automatically selected, with a tick in the checkbox.

To delete an entry, click on the checkbox to remove the tick. The entry is deleted when you save the shortcut.



9. To change the sequence and/or make a different view display first in the **Diagram View**, click on the appropriate entry and click on the 'Up Hand' or 'Down Hand' buttons.
10. Click on the **OK** button to save the shortcut. Check your Desktop - the model should now be represented there by an icon.


When you subsequently open the **Save As** dialog, it lists the views in the order in which they were opened. You can add further views, or remove them from the shortcut.

Note:

When you use a shortcut to access a project that you have recently opened in Enterprise Architect, the **Recent** list on the Enterprise Architect **Start Page** has two entries for the project - one created when you opened the project in Enterprise Architect and one created when you used the desktop shortcut.

3.6.1.2.2 Encrypt Repository Password

If the model is developed on a DBMS repository, the **Save As** dialog has an **Encrypt Connection String** check box instead of the radio buttons, as shown below:



You can create the shortcut actions as described above and, if necessary, select the checkbox to encrypt the database connection string. You can then distribute the shortcut file to the database users who are to access the model. The users then have an encrypted string such as:

```
EAConnectString: ora10_db --- DBType=3;ConnectEx=+wkIE;B?e
52+H`"e?r-pb_ZyAl3a]Vsfh8p];Co/d/bnX$5<(:'US'^GxvbbRsK{**%AwL4y1{P<je.%R1
?AY;y!7pw$X%)_EwLXWpKg7tzLF=T
```

3.6.2 The Edit Menu

The **Edit** menu shown below provides a range of functions, which apply to diagram elements for the currently open diagram.

Menu Option & Function Keys	Use to
Undo [Ctrl]+[Z]	Undo [278] the last action performed. (Note that some actions cannot be undone.)
Redo [Ctrl]+[Y]	Re-apply the last undone action.
Copy [Ctrl]+[C]	<p>1) Copy the selected elements to the MS Windows clipboard. To paste the selected elements, see the Paste Elements [70] submenu [70].</p> <p>2) Copy an image of the selected elements to the clipboard. If no elements are selected, the entire diagram is copied.</p> <p>The image can be saved as a bitmap or a metafile; you set the format on the Options [189] dialog.</p>
Add to Project Clipboard [Ctrl]+[Space]	Add the current element to the Enterprise Architect clipboard.
Clear Project Clipboard	Clear any elements from the Enterprise Architect clipboard.
Paste Element(s)	Paste clipboard elements into current diagram. See the Paste Elements [70] submenu [70].

Menu Option & Function Keys	Use to
Select All	Select all elements concurrently on the current diagram.
Select By Type	Specify a particular type of element to select.
Clear Selection	Deselect all elements.
Find in Model [Ctrl]+[F]	Search the entire project ^[149] for particular phrases or words.
Bookmark Selected [Shift]+[Space]	Bookmark ^[760] the selected element(s). If the selected element is already bookmarked, this option removes the bookmark.
Clear All Bookmarks	Clear bookmarks ^[760] from any bookmarked elements in the current diagram.
Delete Selected Element(s) [Ctrl]+[D]	Delete the selected element from the diagram..

3.6.2.1 Paste Elements Submenu

Select the **Edit | Paste Element(s)** menu option to paste what is in the buffer as either a new element or as a link to the element.

Note:

You can paste images from the Enterprise Architect Clipboard or the MS Windows clipboard. The Enterprise Architect clipboard takes precedence, so you must clear that clipboard before you can paste from the MS Windows clipboard.

Menu Option & Function Keys	Use to
as Link [Shift]+[Insert]	Paste the element in the buffer as a link ^[267] (ie. a reference) to the element. If there are images in the MS Windows clipboard and none in the Enterprise Architect clipboard, you can: <ul style="list-style-type: none"> • Paste an image from the MS Windows clipboard into a new element as the appearance of the new element or • Paste an image from the MS Windows clipboard into the diagram as a new boundary's appearance.
as New [Ctrl]+[Shift]+[V]	Paste the element in the buffer as a completely new ^[267] element.
Paste Image from Clipboard [Ctrl]+[Shift]+[Insert]	Paste the element in the Enterprise Architect Clipboard into the same diagram or a different diagram, as a metafile (that is, a definition of the element) as many times as is necessary. If you paste the element into a different diagram, the classifier identifies the source diagram for the element.

3.6.3 The View Menu

From the **View** menu you can set local user preferences, including which toolbars or windows are hidden or visible.

Menu Option & Function Keys	Use to
Project Browser [Alt]+[0]	Show the Project Browser ^[517] window, or hide it.

Menu Option & Function Keys	Use to
Properties [Alt]+[1]	Show the Properties window, or hide it.
System [Alt]+[2]	Show the System window , or hide it.
Testing [Alt]+[3]	Show the Testing window , or hide it.
Maintenance [Alt]+[4]	Show the Maintenance window , or hide it.
Toolbox [Alt]+[5]	Show the Enterprise Architect UML Toolbox window, or hide it.
Resources [Alt]+[6]	Show the Resources window, or hide it.
Source Code [Alt]+[7]	Show the Source Code Viewer window, or hide it.
Debug Workbench [Alt]+[8]	Show the Debug Workbench , or hide it.
Tasks Pane [Ctrl]+[Shift]+[9]	Show the Tasks Pane , or hide it.
Notes [Ctrl]+[Shift]+[1]	Show the Notes window, or hide it.
Hierarchy [Ctrl]+[Shift]+[4]	Show the Hierarchy window , or hide it.
Tagged Values [Ctrl]+[Shift]+[6]	Show the Tagged Values window , or hide it.
Project Management [Ctrl]+[Shift]+[7]	Show the Project Management window , or hide it.
Output [Ctrl]+[Shift]+[8]	Show the Output window , or hide it.
Model Views	Show the Model Views window, or hide it.
More Windows	Show or hide the Pan and Zoom window, Element Browser window, Relationships window, Rules and Scenarios window and web browser. See View Submenus .
Toolbars	Show or hide individual toolbars. See View Submenus .
Element List [Ctrl]+[Alt]+[R]	Display the current diagram or package in a context-sensitive, editable table, the Element List .
Model Search [Ctrl]+[Alt]+[A]	Open the Enterprise Architect Model Search window and its facilities.
Relationship Matrix	Open the Relationship Matrix to cross reference elements to each other by connector type.
Discussion Forum [Ctrl]+[Alt]+[U]	Open the Project Discussion Forum .
Audit View	Display the Audit View , which shows the information that has been recorded by auditing.
Show Grid	Show the diagram grid, or hide it.
Snap to Grid	See View Submenus .
Visual Style	See View Submenus .
Visual Layouts	See View Submenus .

3.6.3.1 View Submenus

The More Windows Sub-Menu

Select the windows to be visible and deselect those to be hidden. You can select from:

- [Element Browser](#)^[171] [Alt]+[9]
- [Relationships](#)^[172] [Ctrl]+[Shift]+[2]
- [Rules and Scenarios](#)^[173] [Ctrl]+[Shift]+[3]
- **Web Browser** [Ctrl]+[Alt]+[W] - Open the web browser page at the site you have specified on the [Options](#)^[189] dialog, in the **Web Home** field.
- [Pan and Zoom](#)^[183] [Ctrl]+[Shift]+[N]

Note:

This sub-menu is a [tear off menu](#)^[163].

The Toolbars Sub-Menu

Select the toolbars to be visible and deselect those to be hidden. You can select from:

- [Default Tools](#)^[127]
- [Project](#)^[127]
- [Code Generation](#)^[128]
- [UML Elements](#)^[129]
- [Diagram](#)^[130]
- [Current Element](#)^[130]
- [Current Connector](#)^[131]
- [Format Tool](#)^[131]
- [Status Bar](#)^[133]
- [Workspace Views](#)^[132]
- [Other Views](#)^[133]

Note:

This sub-menu is a [tear off menu](#)^[163].

The Snap to Grid Sub-Menu

The **Snap to Grid** menu offers two options:

- **Standard Grid** - constrains elements to the grid when they are added to diagrams.
- **Smart Placement** - places elements even distances away from other elements and spaces elements evenly.

If the **Standard Grid** or **Smart Placement** options are not enabled, the elements can be placed freely on the diagram.

The Visual Style Sub-Menu

Displays windows with the following [visual styles](#)^[206]:

- A flat **XP** look and feel
- The **2003** style look and feel
- The **2005** style look and feel
- The modern **2007** look and feel
- **Classic** Windows look and feel.

You can also use the:

- **Animate Autohide Windows** option to animate windows that have been [automatically hidden](#)^[162]
- **Show Toolbar Customize Button** option to toggle the button on the end of the toolbar that enables you to customize the toolbar buttons, as shown below:




- **Hide Diagram Caption Bar** option to hide or redisplay the diagram caption bar at the top or bottom of a diagram. The caption bar is illustrated below:



The Visual Layouts Sub-Menu

Set the layout of docked windows, toolbars and the Enterprise Architect UML **Toolbox** to a [custom layout](#)^[205]. Current options are the default layout, your own user layout, or the ICONIX layout for working with the ICONIX process.



3.6.4 The Project Menu

Use the **Project** menu for tasks related to the management of your project, such as recording issues, setting estimation parameters and compiling a glossary.

Menu Option & Function Keys	Use to
Add Package [Ctrl]+[W]	Create a new package.
Add Diagram [Ctrl]+[Insert]	Create a new diagram ^[248] in the current package.
Add Element [Ctrl]+[M]	Create a new element ^[306] on the current diagram.
Documentation	See Documentation Submenu ^[74]
Source Code Engineering	See Source Code Engineering Submenu ^[74] .
Build and Run	See Build and Run Submenu ^[75]
Database Engineering	See Database Engineering Submenu ^[76] .
Model Transformations	See Model Transformations Submenu ^[76] .
Model Validation	See Model Validation Submenu ^[76] .
Web Services	See Web Services Submenu ^[77] .
XML Schema	See XML Schema Submenu ^[77] .
Security	See Security Submenu ^[77] .
Version Control	See Version Control Submenu ^[78] .
Import/Export	See Import/Export Submenu ^[78] .
Manage Baselines [Ctrl]+[Alt]+[B]	Store a model branch as a snapshot or baseline ^[663] . Available in the Corporate edition only.

Menu Option & Function Keys	Use to
Use Case Metrics	Set Use Case Metrics [714] to assist in estimating project size.
Project Statistics	View some basic project statistics.

3.6.4.1 Documentation Submenu

To generate various types of documentation, select the **Project | Documentation** menu option.

Note:

This sub-menu is a [tear off menu](#) [163].

Menu Option & Function Keys	Use to
Rich Text Format Report [F8]	Generate a report for the currently selected package in Rich Text Format [1001].
HTML Report [Shift]+[F8]	Generate a report for the currently selected package in HTML [1072] format.
Diagrams Only Report [Ctrl]+[Shift]+[F8]	Generate an RTF report containing only diagrams [1060].
Testing Report	Generate an RTF report of the model's existing tests [737].
Issues	Generate an RTF report of the model's issues [748].
Glossary	Generate an RTF report of the model's Glossary [757].
Implementation Details	Generate an implementation report [1067] for the currently-selected package.
Dependency Details	Generate a dependency report [1059] for the currently-selected package.
Testing Details	Generate test details [735] for the currently-selected package.
Resource and Tasking Details	View resource details [720].

3.6.4.2 Source Code Engineering Submenu

To forward and reverse engineer code using the language of your choice select the **Project | Source Code Engineering** menu option (Corporate and Professional editions only).

Note:

This sub-menu is a [tear off menu](#) [163].

Menu Option & Function Keys	Use to
Generate Package Source Code [Ctrl]+[Alt]+[K]	Generate source code [776] for the currently selected package.
Synchronize Package Contents [Ctrl]+[Alt]+[M]	Synchronize selected package with the source code.
Import Source	Import [766] and reverse engineer an entire directory structure.

Menu Option & Function Keys	Use to
Directory [Ctrl]+[Shift]+[U]	
Import Binary Module	Import a binary module ^[770] .
Import ActionScript Files	Import code written in ActionScript ^[767] with the file extension .AS.
Import C Files	Import code written in ANSI C ^[768] with the file extension .C or .H.
Import C# Files	Import code written in the C# ^[768] programming language with the file extension .CS.
Import C++ Files	Import code written in the C++ ^[768] programming language with the file extension .H, .HPP, or .HH.
Import Delphi Files	Import code written in the Delphi ^[768] programming language with the file extension .PAS.
Import Java Files	Import code written in the Java ^[768] programming language with the file extension .JAVA.
Import PHP Files	Import code written in PHP ^[769] with the file extension .PHP, .PHP4, .INC.
Import Python Files	Import code written in Python ^[769] with the file extension .PY
Import Visual Basic Files	Import code written in the Visual Basic ^[769] programming language with the file extension .FRM, .CLS, .BAS or .CTL.
Import VB.Net Files	Import code written in the VB.Net ^[770] programming language with the file extension .VB.

3.6.4.3 Build and Run Submenu

To link your project with a compiler for building, running and debugging, select the **Project | Build and Run** menu option.

Menu Option & Function Keys	Use to
Package Build Scripts [Shift]+[F12]	Create and configure Package Build compiler scripts ^[825] .
Build [Ctrl]+[Shift] +[F12]	Build ^[826] the application for your current script. Execute the Build script in the Source Code Configuration ^[825] dialog.
Test [Ctrl]+[Alt]+[T]	Execute the Test ^[825] script you configured in the Source Code Configuration ^[825] dialog.
Run [Ctrl]+[Alt]+[N]	Execute the Run ^[825] script you configured in the Source Code Configuration ^[825] dialog.
Deploy [Ctrl]+[Shift] +[Alt]+[F12]	Execute the Deploy ^[825] script you configured in the Source Code Configuration ^[825] dialog.
Debug Run [F6]	Run the application and Debug ^[844] the Run script in the Source Code Configuration ^[825] dialog.
Debug Pause	Pause and restart execution of a debug run.
Step Into [Shift]+[F6]	Step into ^[844] the current function.

Menu Option & Function Keys	Use to
Step Over [Alt]+[F6]	Step over ^[844] the current function.
Step Out [Ctrl]+[F6]	Step out ^[844] of the current function.
Debug Stop [Ctrl]+[Alt]+[F6]	Stop ^[844] the current debug session.
Start Debug Recording	Start recording ^[873] your trace for a debug session.
Stop Debug Recording	Stop a debug recording ^[873] .
Auto Record Thread	Autorecord your debug session. The Stack Trace History , Stack tab and Source Code Editor dynamically update to reflect the current execution sequence for the thread; Stack Trace Recording ends when the thread ends, or when you click on the Stop button.
Show/Hide Execution	Display the executing code when a thread has encountered a breakpoint. The option presents the source code file in an editor window with the current line of code highlighted for the thread that has the current focus.
Create Sequence Diagram	Create a Sequence diagram ^[873] from the Stack Trace History ^[844] .

3.6.4.4 Database Engineering Submenu

Select the **Project | Database Engineering** menu option.

Menu Option	Use to
Import DB Schema from ODBC	Import a database schema from an ODBC ^[926] data source.
Generate Package DDL	Generate a Package DDL ^[919] script to create the tables in the currently selected package.

3.6.4.5 Model Transformations Submenu

Select the **Project | Model Transformations** menu option.

Menu Option & Function Keys	Use to
Transform Selected Elements [Ctrl]+[H]	Perform an MDA-style transformation to the currently selected elements ^[935] .
Transform Current Package [Ctrl]+[Shift]+[H]	Perform an MDA-style transformation to the currently selected package ^[935] .

3.6.4.6 Model Validation Submenu

Select the **Project | Model Validation** menu option.

Note:

This sub-menu is a [tear off menu](#) ^[163].

Menu Option & Function Keys	Use to
Validate Selected [Ctrl]+[Alt]+[V]	Validate ^[558] a selected element, diagram or package from the Project Browser window.
Cancel Validation	Cancel the validation process.
Configure	Configure the Validation ^[558] rules from the list of available rules.

3.6.4.7 Web Services Submenu

Select the **Project | Web Services** menu option.

Menu Option	Use to
Import WSDL	Reverse engineer ^[997] a Web Service Definition Language (WSDL) file as a UML Class model.
Generate WSDL	Forward ^[997] engineer a UML Class model to a WSDL file.

3.6.4.8 XML Schema Submenu

Select the **Project | XML Schema** menu option.

Menu Option	Use to
Import XML Schema	Reverse ^[984] engineer a W3C XML Schema (XSD) file as a UML Class model.
Generate XML Schema	Forward ^[987] engineer a UML Class model to a W3C XML Schema (XSD) file.

3.6.4.9 Security Submenu

To configure security settings for your project, select the **Project | Security** menu option.

Notes:

- This feature is available in the Corporate edition only.
- This sub-menu is a [tear off menu](#) ^[163].

Menu Option & Function Keys	Use to
Manage Users	Add, modify and remove users ^[634] , including maintaining permissions.
Manage Groups	Add, modify and remove security groups ^[638] , including maintaining permissions.
Manage Locks	View and manage element locks ^[642] .
Change Password	Change current security password.
Login as Another User	Switch the login to a different user.
My Locks [Ctrl]+[Shift]+[L]	View and delete user level locks ^[650] .
Enable Security	Enable or disable user security ^[632] to limit access to update functions in the model.

Menu Option & Function Keys	Use to
Require User Lock to Edit	Control the security policy [633].
Encrypt Password	Add encryption to your password.

3.6.4.10 Version Control Submenu

Select the **Project | Version Control** menu option.

Menu Option & Function Keys	Use to
Configure Current Package [Ctrl]+[Alt]+[P]	Specify whether this package [593] (and its children) is controlled and, if so, which file it is controlled through.
Version Control Settings	Specify the options [593] required to connect to a Source Code Control (SCC) provider.
Work Offline	Disconnect version control from the network.

3.6.4.11 Import/Export Submenu

To perform import and export to XMI and CSV, select the **Project | Import/Export** menu options.

Note:

This sub-menu is a [tear off menu](#) [163].

Menu Option & Function Keys	Use to
Import Package from XMI [Ctrl]+[Alt]+[I]	Import a package [575] from an XMI (XML based) file.
Export Package to XMI [Ctrl]+[Alt]+[E]	Export [573] the currently selected package to an XMI (XML based) file.
CSV Import/Export [Ctrl]+[Alt]+[C]	Import [589] or Export [587] information on Enterprise Architect elements in CSV [585] format.
CSV Import/Export Specifications	Set up CSV import Export Specifications [585].
Batch XMI Export	Export a group [583] of controlled packages in one action.
Batch XMI Import	Run a batch import [584] of multiple packages.

3.6.5 The Diagram Menu

The **Diagram** menu enables you to save diagram images to file as well as configure diagram properties and options.

Menu Option & Function Keys	Use to
Properties [F5]	View and edit the <type> Diagram: <name> dialog for the current diagram.
Layout Diagram	Configure automatic diagram layout [250] settings (not available for Behavioral diagrams).
Lock Diagram	Prevent the diagram from being edited. Note: This does not apply in the Corporate edition if security is enabled. In that case, see Lock Model Elements [646].
Save [Ctrl]+[S]	Save the current position of all diagram elements.
Save Image [Ctrl]+[T]	Save the diagram as a bitmap (.BMP), GIF (.GIF) or Windows Metafile (.WMF).
Copy Image [Ctrl]+[B]	Copy an image of the current diagram to the clipboard. The image can be in metafile or bitmap format; you set the format on the Options [189] dialog.
Save UML Pattern	Save the current diagram as a UML pattern [456].
Swimlanes and Matrix	Add, modify and delete swimlanes [266] or the swimlanes matrix [269] for the current diagram.
Visible Relations [Ctrl]+[Shift]+[I]	Hide or show individual connectors [414] for the current diagram.
Property Note	Display the properties note [260] for the current diagram on screen.
Sequence Messages	Change [1262] the order of the communication messages [1281] in the current diagram.
Find in Project Browser [Shift]+[Alt]+[G]	Locate the current diagram in the Project Browser window.
Make User Default	In the Corporate edition of Enterprise Architect, if security is enabled you make the current diagram the default diagram opened when the current user re-opens this model. The User Default diagram overrides the Model Default diagram (see Make Model Default , below).
Make Model Default	Make the current diagram the default diagram [286] opened when the current model is re-opened.
Change Type	Change the type [256] of the current diagram.
Repeat Last Element [Shift]+[F3]	Create an instance of the same type as the last element created.
Repeat Last Connector [F3]	Create an instance of the same type as the last connector created.
Zoom	Change the zoom [291] factor on the current diagram.

3.6.6 The Element Menu

You can configure and access element details using the **Element** menu. This enables you to control element layout, generate documentation and manage project resources.

Menu Option & Function Keys	Use to
Properties [Alt]+[Enter]	View the Properties window ^[368] of the selected element.
Add Tagged Value [Ctrl]+[Shift]+[T]	Add a Tagged Value ^[382] to the currently selected element.
Linked Document [Ctrl]+[Alt]+[D]	Link the element ^[392] to a rich text document.
Attributes [F9]	View and edit the attributes ^[333] for the selected element.
Operations [F10]	View and edit the operations ^[343] for the selected element.
Inline Features	See Inline Features Submenu ^[81] .
Feature Visibility [Ctrl]+[Shift]+[Y]	Select which features and characteristics of the selected element are visible ^[257] on a diagram.
Advanced	See Element Advanced Submenu ^[81] .
Rich Text Format (RTF) Report	Generate a report for the currently selected package in rich text format ^[100] .
Source Code Engineering	See Element Source Code Engineering Submenu ^[82] .
Open Source in External Editor [F12]	Open the source code of the selected Class in the default external editor for that language. (Source code must have been generated ^[773] , and the selected element must be a Class.)
Find in Project Browser [Alt]+[G]	Find the currently selected element in the Project Browser window. (If no element is selected, finds the current diagram in the Project Browser window.)
Find in Diagrams [Ctrl]+[U]	Display all occurrences of the currently selected element.
Custom References [Ctrl]+[J]	Show model element cross references ^[310] .
Appearance	See Element Appearance Submenu ^[82] .
Alignment	See Element Position Submenus ^[82] .
Make Same	
Z Order	
Size	
Move	
Space Evenly	

3.6.6.1 Inline Features Submenu

The **Inline Features** sub-menu provides various options to directly edit Class diagram model elements from the Class diagram. Select the **Element | Inline Features** menu option to access this submenu.

Menu Option & Function Keys	Use to
Edit Selected [F2]	Attach a note or attach a constraint to the element.
View Properties	Open the dialog window containing details of the selected element feature, or the element if no feature is selected.
Insert New After Selected	Insert a new item to the element.
Add Attribute [Ctrl]+[Shift]+[F9]	Add an attribute ^[330] to the element.
Add Operation [Ctrl]+[Shift]+[F10]	Add an operation ^[341] to the element.
Add Other [Ctrl]+[F11]	Insert a feature on the specific element item, such as Maintenance features and Testing features.
Delete Selected from Model [Ctrl]+[Shift]+[Delete]	Delete the selected item from the model.

Other options that are available while in editing elements mode in a diagram (when an attribute or operation is highlighted) include:

Key	Use to
[Enter]	Accept current changes.
[Ctrl]+[Enter]	Accept current changes and open a new slot to add a new item.
[Esc]	Abort edit, without save.
[Shift]+[F10]	Display the context menu for in-place editing.
[Ctrl]+[L]	Invoke the Set Element Classifier dialog.

3.6.6.2 Element Advanced Submenu

The **Advanced** sub-menu provides various options to choose from to customize the appearance of model elements. Select the **Element | Advanced** menu option to display this submenu.

Menu Option & Function Keys	Use to
Overrides & Implementations [Ctrl]+[Shift]+[O]	Automatically override ^[353] methods from parent Classes and from realized interfaces.
Set Parents and Interfaces [Ctrl]+[I]	Manually set an element's parents or an interface ^[309] it realizes.
Embedded Elements [Ctrl]+[Shift]+[B]	Attach elements ^[300] to the currently selected element.
Change Type	Change the element type ^[314] of the selected element.

3.6.6.3 Element Source Code Engineering Submenu

To forward and reverse engineer code using the language of your choice, select the **Element | Source Code Engineering** menu option.

Note:

This sub-menu is a [tear off menu](#) ^[163].

Menu Option & Function Keys	Use to
Generate Current Element [F11]	Generate source code ^[774] for the currently selected element.
Synchronize Current Element [F7]	Synchronize selected Class with source code.
Batch Generate Selected Element(s) [Shift]+[F11]	Batch generate source code for the currently selected element(s).
Batch Synchronize Selected Element(s) [Ctrl]+[R]	Batch synchronize the currently selected element(s) with source code.
Open Source Directory [Ctrl]+[Alt]+[Y]	Open the directory containing the source for this element.

3.6.6.4 Element Appearance Submenu

The **Appearance** sub-menu provides various options to choose from to customize the appearance of model elements.

Menu Option & Function Keys	Use to
Autosize [Alt]+[Z]	Auto-size a group of elements in a diagram to a best fit.
Default Appearance [Ctrl]+[Shift]+[E]	Set border, font and background color and border thickness for the selected element, as its default appearance ^[320] .
Alternate Image [Ctrl]+[Shift]+[W]	Select an alternative image for the selected element.
Apply Image From Clipboard	Insert the image currently held on the clipboard.
Set Font	Change the font ^[304] of the text displayed on the element in a diagram.

3.6.6.5 Element Position Submenus

These **Element** menu submenus enable you to size and position elements on the diagram, relative to each other.

The Alignment Sub-Menu

Use the **Alignment** sub-menu to align the selected element(s) to each other.

Menu Option & Function Keys	Use to
Left [Ctrl]+[Alt]+[Left]	Align left edges of elements.

Menu Option & Function Keys	Use to
Right [Ctrl]+[Alt]+[Right]	Align right edges of elements.
Top [Ctrl]+[Alt]+[Up]	Align top edges of elements.
Bottom [Ctrl]+[Alt]+[Down]	Align bottom edges of elements.
Centers	Align centers of elements, horizontally or vertically.

The Make Same Sub-Menu

Use the **Make Same** sub-menu to make the selected elements the same width, the same height or both.

The Z Order Sub-Menu

Use the **Z Order** sub-menu to move the selected element(s) back, forward, to the front of all other elements or behind all other elements.

The Size Sub-Menu

Use the **Size** sub-menu to make the selected element(s) wider, narrower, taller or shorter by one increment.

The Move Sub-Menu

Use the **Move** sub-menu to move the selected element(s) left, right, up or down by one increment.

The Space Evenly Sub-Menu

Use the **Space** sub-menu to distribute the selected elements evenly.

Menu Option & Function Keys	Use to
Across [Alt]+[-]	Space elements evenly, horizontally.
Down [Alt]+[=]	Space elements evenly, vertically.

3.6.7 The Tools Menu

The **Tools** menu provides access to various tools including those related to code engineering, managing .EAP files, spelling options, external resources and customization of features such as configuring shortcuts.

Menu Option & Function Keys	Use to
Spell Check Project [Ctrl]+[F7]	Spell check ^[22] the current project.
Spell Check Current Package [Ctrl]+[Shift]+[F7]	Spell check ^[22] the current package.
Spelling Language	Specify the language to use for spell checking.
Data Management	Manage your project's data ^[84] .
Manage .EAP File	Repair, compact or replicate ^[84] your .EAP file.
Run Patch	Execute a SQL patch ^[548] .
Export Reference Data	Export reference data ^[69] to XML files for convenient model updating.

Menu Option & Function Keys	Use to
Import Reference Data	Import reference data ^[698] from XML files for convenient model updating.
Import Technology	Import Technology file.
Generate MDG Technology File	Display the MDG Technology Wizard . See The Enterprise Architect Software Developers' Kit (SDK) . ^[1543]
Wordpad	Open Wordpad.
Windows Explorer	Open Windows Explorer.
Customize	Customize ^[85] the operation of Enterprise Architect.
Options [Ctrl]+[F9]	Customize your general settings through the Options ^[189] dialog ^[189] .

3.6.7.1 Data Management Submenu

Use the options on this submenu to manage your project's data.

Menu Option & Function Keys	Use to
Project Transfer	Move a complete project ^[548] from one repository to another. Note: You cannot move a project from a source .EAP file of a version earlier than 3.5.0.
Project Compare	Compare ^[550] the total project sizes of two projects.
Project Integrity Check [Shift]+[F9]	Check data integrity ^[546] of a project.

3.6.7.2 Manage .EAP File Submenu


Use the options on this submenu to repair, compact or replicate your .EAP file.

Menu Option	Use to
Repair .EAP File	Repair ^[554] an Enterprise Architect project. If a project has not been closed properly, in rare cases it might not open correctly. This option attempts to repair such projects. Note: All users must be logged off the project while it is being repaired.
Compact .EAP File	Compact ^[553] an Enterprise Architect project. Eventually projects might benefit from compacting to conserve space. Note: Ensure everyone is logged off the target project, then select this option to compact the project.
Make Design Master	Make a design master ^[569] project; this is the master project for creating replicas.

Menu Option	Use to
Create New Replica	Create a new replica [568] from the Design Master [569].
Synchronize Replicas	Copy changes [570] from one replica set member to another.
Remove Replication	Remove [570] all replication features if you no longer require a model to be replicable.
Resolve Replication Conflicts	Resolve any conflicts [571] caused when multiple users have changed the same element between synchronization points.


3.6.7.3 The Customize Dialog

The **Customize** dialog enables you to customize [Commands](#) [86], [Toolbars](#) [86], [Tools](#) [89], [Keyboard Keystrokes](#) [93], [Menus](#) [96] and [Options](#) [97] within Enterprise Architect.



3.6.7.3.1 Customize Commands

The **Customize** window **Commands** tab provides access to many of Enterprise Architect's functions, enabling you to place them into a toolbar.



To add a command to a toolbar, click on the category in the **Categories:** panel and select the command from the list for that category in the **Commands:** panel. Drag the command on top of the toolbar to add it to.

If you right-click on the command icon in the toolbar while the customize window is open, a context-sensitive menu displays. This menu offers options for deleting commands from a toolbar, and for changing the appearance of commands.

To remove a command from the toolbar, right-click on the command graphic or text and select the **Delete** menu option.

To change the appearance of a command graphic, right-click on the command graphic or text and select the **Button Appearance...** menu option. The **Button Appearance** dialog displays, which you can use to add graphical icons to commands that do not have them by default.

Note:

Some commands do not come with a convenient icon, which results in an empty toolbar button. Either avoid placing these commands on toolbars or use the context-sensitive menu to select an appropriate icon for the command.


Tip:

Read the [Create a New Toolbar and Populate it with Commands](#) ⁸⁷ section of the *Customize Toolbars* topic.

3.6.7.3.2 Customize Toolbars

The **Toolbars** tab on the **Customize** window enables you to:

- Select existing toolbars to display on your screen
- Create and configure new toolbars as required, and
- Display text labels under the Toolbar icons (perhaps temporarily, just to check what the icons do).



To access the **Toolbars** tab, either:

- On the **Tools** menu select **Customize**, or
- At the far right of any toolbar, click on the drop-down arrow and select the **Customize** option.

Using the **Toolbars** tab you can:

- Hide or show toolbars by selecting the appropriate checkbox
- Rename toolbars
- Create new toolbars
- Delete toolbars
- Modify toolbar contents by dragging commands from the **Command** ⁸⁶ tab onto a visible toolbar
- Reset a toolbar to its default contents and position.


Create a New Toolbar and Populate it with Commands

To create a new toolbar and populate it with commands:

1. Select the **Tools | Customize** menu option. The **Customize** dialog displays.
2. Click on the **Toolbars** tab.
3. Click on the **New** button. The **Toolbar Name** dialog displays.




4. In the **Toolbar Name** field, type a name for your new toolbar and click on the **OK** button. Your new toolbar is created and shown 'floating' on the main screen (see the red circle below).

**Note:**

You can select the **Show text labels** checkbox to display textual descriptions of toolbar items.

5. Now add commands to your toolbar. Click on the **Commands** tab. This forces the new toolbar behind the **Customize** dialog, so you might have to drag the **Customize** dialog to the side to find your new toolbar.



7. Find the command to add to your toolbar in the **Commands** list. The **Categories** list on the left represents the Enterprise Architect menu structure and the **Commands** list updates each time you click on a different category.
8. Drag the selected command from the list into the new toolbar. If you selected the **Show text labels** checkbox, your toolbar should now look like this:



If you did not select the **Show text labels** checkbox, your toolbar should look like this:




You can add as many commands to your toolbar as required. Your new toolbar behaves the same way as other toolbars; you can position it next to the other toolbars at the top of the application workspace, dock it to the side of the workspace, or close it.

3.6.7.3.3 Custom Tools


The **Tools** tab on the **Customize** dialog provides a means of extending the power of the Enterprise Architect desktop. From here you can configure custom tools and make them accessible from the **Main Menu**. You can create menu options that link to different applications, compilers, batch scripts, automation scripts, URLs or documentation.

Add and Configure Custom Tools

1. Select the **Tools | Customize** menu option. The **Customize** dialog displays.
2. Click on the **Tools** tab.



3. Click on the **New** icon (left of the red **X**). A blank field displays in the **Menu contents** list.




4. Type in the name of the tool as it should appear in the menu.
5. In the **Command** field, type the name of the tool.exe file to use; the tool must be a valid filename.

Note:

Programs installed with your operating system (eg. Notepad, Wordpad) do not require a full file path. Programs installed separately (eg. Microsoft Visual Studio) require the full file path in the **Command** field. If necessary, use the [...] (Browse) button to locate the tool in the file system (see [Using Parameters](#)^[91]).

6. Add any arguments required by the tool (see [Opening External Tools](#)^[91] and [Passing Parameters to External Applications](#)^[92]), and specify an initial directory if required.
7. Close the **Customize** dialog. Your tool should have now been added to the **Tools** menu as shown below.



3.6.7.3.3.1 Open External Tools


When configuring custom tools in Enterprise Architect, you can specify a file to be opened by the external application.

Select the **Tools | Customize** menu option. The **Customize** dialog displays; click on the **Tools** tab. Now you can:

- Specify a [custom tool](#)^[89] (application) using the **Command** field
- Define a file to open or [parameters to pass](#)^[92] to this application, using the **Arguments** field.

Example 1


This example opens the file c:\Temp\Customer Account.cls using Wordpad. If you save from within Wordpad the initial directory is c:\Temp.

**Tip:**

If there are any spaces in the paths in the **Command**, **Arguments** or **Initial Directory** fields, you must enclose the whole path in double quotes. For example: "c:\Temp\Customer Account.cls" must have quotes but c:\Temp\CustomerAccount.cls does not have to have quotes.

Example 2


This example opens the file c:\Temp\Customer Account.cls using VB. As VB is not installed with the operating system, the whole file path for VB must be included in the **Command** field; you can select this using the [...] (Browse) button to locate the VB executable. If you save from within VB the initial directory is c:\Temp.

**3.6.7.3.3.2 Pass Parameters to External Applications**

When configuring custom tools in Enterprise Architect, you can pass parameters to the application.

Select the **Tools | Customize** menu option. The **Customize** dialog displays; click on the **Tools** tab. Now you can:

- Specify a [custom tool](#) (application) using the **Command** field.
- Define a [file to open](#) or parameters to pass to this application using the **Arguments** field.



The available parameters for passing information to external applications are:


Parameter	Description	Notes
\$f	Project Name	For example, C:\projects\EAexample.eap.
\$F	Calling Application (Enterprise Architect)	Enterprise Architect
\$p	Current Package ID	For example, 144
\$P	Package GUID	GUID for accessing this package.
\$d	Diagram ID	Id for accessing associated diagram.
\$D	Diagram GUID	GUID for accessing associated diagram.
\$e	Comma separated list of element IDs	All elements selected in the current diagram.
\$E	Comma separated list of element GUIDs	All elements selected in the current diagram.

Tip:

For more information on using the Automation Interface, visit www.sparxsystems.com/AutIntVB.htm.

3.6.7.3.4 Customize Keyboard

The **Keyboard** tab on the **Customize** window enables you to configure shortcuts used to access main menu options. This is convenient for creating additional shortcut keys, or for changing the current configuration to match your work habits or other applications.




Modify Keyboard Shortcuts

To modify a keyboard shortcut, follow the steps below:

1. Select the **Tools | Customize** menu option. The **Customize** dialog displays.
2. Click on the **Keyboard** tab, and in the **Category** field click on the drop-down arrow and select the menu containing the command to modify.
3. In the **Command** field, click on the drop-down arrow and select the command. The current shortcut key (if any) for the command is displayed in the **Current Keys** field.
4. Move the cursor to the **Press New Shortcut Key** field and press the required shortcut key(s) for this command.


Note:

Press the actual keys to use. For example, to use **[F5]** press the **[F5]** key, don't type **F** then **5**.

**Note:**

In the example above, the **Assign** button is disabled. This is because **[F5]** is already a shortcut to view diagram properties. If this occurs you must select a different shortcut key.

- Once you have selected an available shortcut, click on the **Assign** button to apply the change. In the example below, the new shortcut is **[N]**.



- This has added a new shortcut so that both **[N]** and **[Ctrl]+[N]** create a new Enterprise Architect project.

If you intend **[N]** to be the only shortcut for this action, select **[Ctrl]+[N]** in the **Current Keys** list and click on the **Remove** button.

Tip:

Remember that you can always revert to the default shortcut keys by clicking on the **Reset All** button.

Note:


Modified shortcut keys are stored in the registry, so they only affect the current user.

Warning:

About Custom Layouts and Keyboard Shortcuts: If you have set keyboard shortcuts, these are not overridden if you switch to the **Default Layout** or the **Iconix Layout** option. However, if you have set keyboard shortcuts and you switch to a **User Layout**, your keyboard shortcuts are overridden, unless you have saved them as part of the user layout you have switched to. For more information about custom layouts, see the [Custom Layouts](#) ²⁰⁰⁸ topic.

3.6.7.3.5 Customize Menu

The **Menu** tab on the **Customize** window enables you to customize the appearance of your menus.



Application Frame Menus

Currently the **Show Menus For** feature is disabled as Enterprise Architect is not an MDI application.

Context Menus

Currently this feature is disabled.

Menu Animations

The following menu animations can be selected from the **Menu animations** drop-down list:


None
 Unfold
 Slide
 Fade

Menu Shadows

Menu shadows can be toggled on or off by selecting or clearing the **Menu shadows** checkbox.

3.6.7.3.6 Customize Options

The **Options** tab on the **Customize** window enables you to customize the appearance of toolbar items.



You can toggle the following options by selecting or clearing the checkboxes:

- **Show Screen Tips on toolbars**
- **Show shortcut keys in Screen Tips**
- Use **Large Icons**.

3.6.8 The Add-Ins Menu

The **Add-Ins** menu enables you to connect to, display information on, work with and manage your Add-Ins.

Menu Option	Use to
Connect External Project	List external Add-Ins and, when you select one of them, open a project list for the Add-in. If there is only one active project available, the Add-In might automatically go on to open that project.
<Add-In Name>	Access the Add-In submenu ⁹⁸ for the selected Add-In.
Manage Add-Ins	Display the Manage Add-Ins ¹³⁹⁰ dialog, which you use to enable or disable Add-Ins for use.

Menu Option	Use to
	Any technology loaded by an Add-In is automatically enabled; if you do not want to use it, you can disable it on the dialog.

Add-In Submenu

Menu Option	Use to
<Add-In specific options>	List options to perform various functions specific to the Add-In. For example, the MDG Technology For Zachman Framework, as an Add-In, has the options Open Example Model and Insert New Framework Model .
Help	Display the Help subsystem for the Add-In.
About	Display information on the Add-In installation, such as version, registration details and copyright statement.

3.6.9 The Settings Menu

The **Settings** menu enables you to configure various settings for your overall project. Configure the resources involved, general types, maintenance types, metrics and estimation types, stereotypes, Tagged Values, cardinality values, datatypes, language macros, local directories, image management, CSV import and export specifications, and reference data export/import.

Menu Option & Function Keys	Use to
People	Display the People ^[672] dialog, which enables you to configure the authors, clients, resources and roles for your project.
General Types	Display the General Types ^[687] dialog, which enables you to configure requirements, status types, constraints and scenarios for your project.
Maintenance	Display the Maintenance ^[688] dialog, which enables you to track problem types and test types.
Project Indicators	Define the project indicators (risks ^[724] , efforts ^[722] and metrics ^[723]) used in Resource Management ^[716] .
Estimation Factors	Display the Estimation factors dialog, which enables you to configure estimation ^[717] factor types (Technical Complexity Factors ^[717] , Environmental Complexity Factors ^[713] , and Default Hour Rate ^[716]) for your project.
UML	Configure stereotypes, Tagged Values and the cardinality list for your project.
MDG Technologies	Display the MDG Technologies ^[467] dialog, which enables you to load in and use MDG Technology files.
Namespaces	Locate and delete model namespaces.
Template Package	Configure or change the default template directory.
Local Paths	Configure local directories and paths ^[785] .
Auto Name Counters	Configure automatic naming ^[308] for elements.
Code Datatypes	Add, modify and delete programming languages datatypes ^[695] .
Database Datatypes	Add, modify and delete database datatypes ^[925] .
Preprocessor Macros	Add and delete preprocessor macros ^[786] .
Code Generation	Modify code generation templates using the Code Templates Editor ^[803] .

Menu Option & Function Keys	Use to
Templates [Ctrl]+[Shift]+[P]	
Transformation Templates [Ctrl]+[Alt]+[H]	Modify transformation templates using the Transformation Templates Editor ^[937] .
Images	Open the Image Manager ^[272] .
Colors	Configure the custom colors for the project. There are two options: <ul style="list-style-type: none"> • Get Project Custom Colors - get the custom colors • Set Project Custom Colors - set the custom colors Custom colors are as used in the Appearance ^[320] dialog ^[320] .

3.6.10 The Window Menu

The **Window** menu provides access to various actions related to configuring open windows.

Menu Option & Function Keys	Use to
Full Screen	Reset the display to full screen so that only the work area and main menu are shown - no toolbars or windows. To return to your normal working display, either click on the Full Screen option again or click on the Close Full Screen pop-up menu option. You can also restore individual menus and toolbars using the View menu options.
Close Active Window [Ctrl]+[F4]	Close the window that currently has focus.
Autohide Active Window [Ctrl]+[Shift]+[F4]	Autohide ^[162] the window that currently has focus.
Autohide All Docked Windows	Autohide ^[162] all windows that are docked.
Close Current View	Close the current view.
Close All Except Current	Close all except the currently selected view.
Reload Current View	Refresh the current view.
Save All Modified	Save all modified data.
Close All	Close all opened windows in the main tab view.
Always on Top	Force the main Enterprise Architect window to be on top of all other windows.
Set Focus to Current View [Ctrl]+[Shift]+[0]	Make the current view the active one, so that key strokes immediately act on that view.

3.6.11 The Help Menu

The **Help** menu provides access to the Enterprise Architect help files, the Read Me file, the Enterprise Architect License Agreement and various features on the [Sparx Systems website](#).

Menu Option	Use to
About EA	View information about Enterprise Architect, including your registration details.
Register and Manage License Key(s)...	Configure and manage the license keys used to register the name and keys for Enterprise Architect and its Add-Ins. For more information see the License Management topic.
Configure Zicom Mentor...	Register a third party Add-In for Enterprise Architect. For more information see the Zicom Mentor page on the Sparx Systems website.
Read Me	View the <i>Readme.txt</i> file, which details the changes and enhancements in Enterprise Architect, build by build.
View License Agreement	View the Enterprise Architect End User License Agreement.
Ordering Information	View information on how to purchase Enterprise Architect .
Help Contents	Display the introductory page of the Enterprise Architect Help.
Keyboard Accelerator Map	View the keyboard accelerator map. You can customize your keyboard shortcuts , if required.
On-Line Resources	See below.
EA on the Web	Visit the Sparx Systems website .

The On-Line Resources Sub-Menu

Access help and resources on-line at the [Sparx Systems website](#).

Menu Option	Use to
User Forum and News	Visit the Enterprise Architect user discussion forum .
Request-a-Feature	Request a feature you would like to see in Enterprise Architect.
Bug Report Page	Report the details of a bug you have found in Enterprise Architect.
Latest Version Details	Display the Announcements folder of the User Forum, providing details of the latest Enterprise Architect build .
Automation Interface	Access the Enterprise Architect Automation Interface pages on the Sparx Systems website.
Introducing UML	Access the Sparx Systems online UML tutorials .
Pricing and Purchase Options	Purchase or upgrade Enterprise Architect over the internet.

3.7 The Enterprise Architect UML Toolbox

What is the Toolbox?

The Enterprise Architect UML **Toolbox** is a panel of icons that you use to create elements and connectors on a

diagram. Within the **Toolbox**, related UML elements and connectors are organized into *pages*, each page containing the elements or connectors used for a particular type of diagram. The diagrams include standard UML diagrams, Enterprise Architect Extended diagrams, and any MDG Technologies and UML Profiles that you have added to Enterprise Architect.

Display the Toolbox


To display the **Toolbox**, select the **View | Toolbox** menu option, or press **[Alt]+[5]**.

Tip:

You can also hide and show the whole **Toolbox** using the  **Hide/Show Toolbox** button on the shortcut toolbar.

The **Toolbox** can be docked on either side of the diagram, or free floated on top of the diagram to expose more surface for editing.

To display specific pages in the **Toolbox**, select the **More Tools** option at the top of the **Toolbox**, and select the appropriate menu option for the diagram type.



Create Elements and Connectors:

1. Select the required diagram from the **Project Browser** window.
2. Click on **More tools**, select the appropriate *UML*, *Extended* or customized **Toolbox** option, and select the diagram type from the menu. Three pages display: **<type>** elements, **<type> Relationships** and **Common**.

If you select the **<default>** option, you display only the **Common** page.

3. Click on the required item; for example, the *Class* element or *Associate* relationship.
4. For element items, click anywhere on the diagram to place the new element.
5. For connector items, drag the cursor between the source and target elements on the diagram. The solid border of the elements changes to a hatched border as you pass the cursor over them, indicating the source and potential target elements.

Alternatively, drag from the source element to an empty area of the diagram; the **Quick-linker**^[186] enables you to create the target element.

6. Edit the **element properties**^[368] or **connector properties**^[416], as required.

Tip:

If you are creating several elements of one type, after creating the first just press **[Shift]+[F3]** or **[Ctrl]+click** to create the next element of that type. For connectors, click on the source element and press **[F3]** to create another connector of the same type.

Notes:

- The **Toolbox** pages relate to specific UML diagrams. When you open a diagram, the **Toolbox** automatically provides the elements and **Relationships** pages corresponding to the UML diagram type. This does not prevent the use of elements and connectors from other pages in a given diagram, though some combinations might not represent valid UML.
- Dropping a Package element from the **Toolbox** into a diagram creates a new package in the **Project Browser** window, and a default diagram of the same type as the current diagram.

Customize The Toolbox

You can customize the **Toolbox** pages by **pinning them**^[103] within the **Toolbox**, or by adding **MDG Technologies**^[462] and **UML Profiles**^[438] to the **Toolbox**.

Note:

Enterprise Architect provides **Toolbox** pages for the *ICONIX*, *BPMN 1.4*, *Data Flow Diagrams* and *Mind Mapping* technologies as part of the initial install.


You can also change other features of the **Toolbox** appearance - see **UML Toolbox Appearance Options**^[103].

3.7.1 UML Toolbox Appearance Options

You can modify the appearance of the Enterprise Architect UML **Toolbox** pages in several ways, through the context menu. Right-click on the **Toolbox** page to display the menu.



- To hide the element or relationship labels (and subsequently redisplay them), select the **Hide Labels** or **Show Labels** context menu option. The icons in the page then 'wrap' within the page, without text labels.



When you hide the labels, you can display the label of an individual element or relationship by moving the cursor over the icon.

- To 'pin' the page so that it displays for any group in the **Toolbox**, select the **Pin in Toolbox** menu option. (This is not available on the **Common** page, which displays in all groups anyway.)


For example, if you 'pinned' the **Class** elements page, and switched to the **Communication** pages, the **Toolbox** would include a collapsed **Class** elements page underneath the **Communication** pages.

- To unpin the page so that it displays only in its own **Toolbox** group, right-click on it and select the **Unpin from Toolbox** context menu option.
- To collapse a page to just show the heading (**<type> elements**, **<type> Relationships** or **Common**), click on the 'minus' box at the left of the page heading. To expand the page again, click on the heading. Alternatively, collapse the page by right-clicking on the page and selecting the **Collapse** context menu option.


Set Toolbox Visibility

To tailor the **Toolbox** to list all pages you require at the same time, follow the steps below:

- Click on the **Set Toolbox Visibility** context menu option. The **Visible Toolbox Pages** dialog displays.



2. By default, the dialog lists the *element* pages only, in the order: UML pages, Extended pages, MDG Technology pages. To include the corresponding *relationship* pages, select the **Show Relationship Pages** checkbox at the bottom of the dialog.
3. For each page to display on the **Toolbox**, select the **Visible** checkbox. Deselect the checkbox if you no longer require a page to be displayed.
4. When you have defined the list of pages to display, click on the **OK** button. The pages you have selected are pinned to the **Toolbox** in a collapsed state, underneath the current diagram-type pages.



- To expand a page, click on the heading. You can remove a page individually by expanding it, right-clicking on it and selecting the **Unpin from Toolbox** context menu option.

Note:


MDG Technologies can impose their own **Toolbox** page visibility. For example, if ICONIX is the active technology, all seven ICONIX pages are automatically exposed in the **Toolbox**. If the active Technology pages duplicate UML or Extended pages (as the ICONIX pages do) then the pinned Technology pages override and replace the pinned UML and Extended pages.

For example, if ICONIX is active and you have pinned the Extended **Analysis** page, the **Analysis** page in the list is the ICONIX-defined page, not the Extended **Analysis** page.

3.7.2 UML Toolbox Shortcut Menu

To add elements and connectors into a diagram, you can access the **UML Toolbox** shortcut menu instead of employing the full Enterprise Architect UML **Toolbox**. The menu provides options to select:

- **Elements** specific to the current diagram type (*Timing* diagram in the example shown below)
- **Relationships** specific to the current diagram type
- Elements and relationships from any pages pinned in the **Toolbox** (**Object**, **Composite** and **Communication** in the example below)
- **Common** elements and relationships
- Elements and connectors for **other** diagram types.



The advantage of using the **UML Toolbox** shortcut menu is that it provides an increased amount of the workspace to be used for diagramming rather than to display fixed (instead of pop-up) menus.

To use the **UML Toolbox** shortcut menu, follow the steps below:

1. Open a diagram.
2. Either:
 - Click on the diagram background and press **[Insert]** or **[Spacebar]**
 - Press and hold **[Ctrl]** and right-click on the diagram background.
 The shortcut menu displays, listing the current diagram-type elements and connectors.
3. If necessary, select the **Other** option or a pinned **Toolbox** page option to list elements and connectors for a different diagram type.
4. Select the element or connector to include in the diagram. The object is added to the diagram.

If you select the **Other** context menu option, the final menu in the sequence offers the **Activate <Type> Toolbox** option. This opens and activates the corresponding page in the UML **Toolbox**, if the **Toolbox** is visible.

Note:


As for the UML **Toolbox** itself, if an MDG Technology is:

- active
- automatically pins **Toolbox** pages and
- duplicates UML or Extended pages

the pinned Technology pages override and replace the pinned UML or Extended pages in the initial UML **Toolbox** shortcut menu.

3.7.3 Common Group









The **Common** page of elements and relationships is displayed at the bottom of every other group. It contains the elements and relationships that can be used on any diagram.








Toolbox Elements and Connectors

Note:


Click on the elements and connectors below for information.

Common Elements	Common Connectors
 Note	 Dependency
 Constraint	 Realize
 Document	 Trace
 Artifact	 Information Flow

Common Elements	Common Connectors
 Requirement	 Note Link
 Issue	
 Change	
 Boundary	

3.7.4 Use Case Group

Use Case elements are used to build [Use Case models](#)^[1082]. These describe the functionality of the system to be built, the requirements, the constraints and how the user interacts with the system. Often Sequence diagrams are associated with Use Cases to capture work flow and system behavior.



The **Use Case** group is used to model the system functionality from the perspective of a system user. The user is called an *Actor* and is drawn as a stick figure, although the user could be another computer system or similar. A *Use Case* is a discrete piece of functionality the system provides that enables the user to perform some piece of work or something of value using the system.

Examples of Use Cases are: *login*, *open account*, *transfer funds*, *check balance* and *logout*; each of these implies some purposeful and discrete functionality the system is to provide to a user.

The connectors available include: *associate* (an actor uses a Use Case), *extend* (one Use Case can extend another), *include* (one Use Case can include another) and *realize* (this Use Case might realize some business requirement).

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.


To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

Note:

Invokes and *Precedes* relationships are defined by the Open Modeling Language (OML).

3.7.5 Class Group

The **Class** group can be used for [Package diagrams](#)^[1130], [Class diagrams](#)^[1131] and [Object diagrams](#)^[1133]; those that usually display elements concerned with the logical structure of the system. These include Objects, Classes and Interfaces. Logical models can include domain models (high level business driven object model) to strict development Class models (define inheritance, attributes, operations).



The **Class** group is used for creating Class models and database models. Class modeling is done using the *Class* and *Interface* elements, as well as occasional use of the *Object* element to model Class instances. You can add association or aggregation relationships. See the [Class Diagram](#)^[45] for an example of this.


Use the *Table* element to insert a stereotyped Class for use in database modeling. See the topic on [data modeling](#)^[238] for more details.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, click on the start element in the diagram and drag to the end element.

3.7.6 Object Group

The **Object** group is used to create [Object diagrams](#)^[1133]. Object diagrams reflect multiplicity and the roles instantiated Classes could serve. They are useful in creating different cases in which relationships and Classes are applied.



The user is called an *Actor* and is drawn as a stick figure, although the user could be another computer system or similar.

An *Object* is an instance of a Class (see [Object](#)^[1208]).

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.7 Composite Group

The **Composite** group is used for [Composite Structure](#)^[1134] [diagrams](#)^[1134], which reflect the internal collaboration of Classes, Interfaces, or Components to describe a functionality, and to express run-time architectures, usage patterns, and the participating elements' relationships, which static diagrams might not show.



To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.8 Communication Group

The **Communication** group is used to model dynamic interactions between elements at run-time. The actor element models a user of the system, while the other elements model things within the system, including standard elements (rectangular element), user interface component (circle with left positioned vertical bar), controller (circle with arrow head in top most position) and entity (circle with bar at bottom).



[Communication diagrams](#) ^[1124] are used to model work flow and sequential passing of messages between elements in real time. They are often placed beneath Use Case elements to further expand on Use Case behavior over time.

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.


To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

Note:

Communication diagrams were known as Collaboration diagrams in UML 1.4.

3.7.9 Interaction Group

The **Interaction** group is used for [Interaction diagrams](#)^[1098], which are used to model work flow and sequential passing of messages between elements in real time. They are often placed beneath Use Case elements to further expand on Use Case behavior over time.



The **Interaction** group is used to model dynamic interactions between elements at run-time. The **Actor** element models a user of the system, while the other elements model things within the system, including standard elements (rectangular element), user interface component (circle with left positioned vertical bar), controller (circle with arrow head in top-most position) and entity (circle with bar at bottom). The meaning of these symbols is discussed further in the topic on [Sequence diagrams](#)^[1115]. The **Message** relationship is used to model the flow of information and processing between elements.

The following model elements are supported: Actor (sequence element), Lifeline (sequence element), Boundary (sequence element), Control (sequence element), Entity (sequence element) and Message.

Note:

Messages can be simple or recursive calls.


To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.10 Timing Group

The **Timing** group is used solely for [Timing diagrams](#)^[1096], which use a time-scale to define the behavior of objects. The time-scale visualizes how the objects change state and interact over time. Timing diagrams can be used for defining hardware-driven or embedded software components, and time-driven business processes.

Timing diagrams can be used for defining hardware-driven or embedded software components, and time-driven business processes.



A *Lifeline* is the path an object takes across a measure of time, indicated by the x-axis.

A [State Lifeline](#)^[1222] follows discrete transitions between states, which are defined along the y-axis of the timeline. Any transition has optional attributes of timing constraints, duration constraints and observations.


The [Value Lifeline](#)^[1234] shows the lifeline's state across the diagram, within parallel lines indicating a steady state. A cross between the lines indicates a transition or change in state.

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.11 State Group

The **State** group is used by [State Machine diagrams](#)^[1084] to show the enableable states a Class or element might be in and the transitions from one state to another. These diagrams are often placed under a Class element in the **Project Browser** window to illustrate how a particular element changes over time.




The **State** group provides elements common to State Machine diagrams; basically the *State*, start and end nodes and the *Object Flow* relation. State Machine diagrams are used to model the states or conditions that elements might be in at runtime, such as active, inactive, idle, accelerating or braking.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.12 Activity Group

The **Activity** group is used to model system dynamics from a number of viewpoints in [Activity diagrams](#)^[108b] and [Interaction Overview diagrams](#)^[1127]. An *Activity* is some work that is carried out; it might overlap several Use Cases or form only a part of one Use Case. *Send* and *Receive* events are included as triggers. A *Decision* element marks a point where processing might split based on some outcome or value. The *Flow* relation models an active transition and synch points are used to split and rejoined periods of parallel processing.




Activity elements enable you to describe the dynamics of the system from the point of view of activities and flows between them. Activities can be stereotyped as a *process* to display a business process icon.

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.13 Component Group

The **Component** group enables you to model the physical components of your system in a [Component diagram](#)^[1137]. A component is a piece of hardware or software that makes up the system, for example, a DLL or Web Server are examples of Components that might be deployed on a Windows 2000 Server (Node). See the [Deployment Diagram](#)^[1139] for an example of this.




The **Component** group contains elements related to the actual building of the system: the components that make up the system (eg. ActiveX DLL's or Java beans), the Interfaces they expose and the dependencies between those elements.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.14 Deployment Group

The **Deployment** group enables you to model the physical components and deployment structure of your system in a Deployment diagram. A *Component* is a piece of hardware or software that makes up the system, and a *Node* is a physical platform on which the component is to exist. For example, DLLs or Web Servers are Components that could be deployed on a Windows 2000 Server (Node). See the [Deployment diagram](#)^[1135] topic for an example of this.




The **Deployment** group contains elements related to the actual building of the system; the components that make up the system (eg. ActiveX DLLs or Java beans) and the nodes those components run on, including the physical connections between nodes.

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.15 Profile Group

The **Profile** group contains some extended UML elements that can be used to [create and modify Profiles](#)^[438], for rapidly creating stereotyped and Tagged Values that can be applied to structures such as elements, attributes, methods and links.



A *Profile* is used to provide a generic extension mechanism for building UML models in particular domains. They are based on additional Stereotypes and Tagged Values that are applied to structures such as Elements, Attributes, Methods, Links and Link Ends.

A *Stereotype* provides a mechanism for varying the behavior and type of a model element.

A *Metaclass* is used to create a Class whose instances are Classes; a metaclass is typically used to construct metamodels.


An *Enumeration* creates a Class stereotyped as enumeration, which is used to provide a list of named values as the range of a particular type.

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.16 Metamodel Group

The **Metamodel** group enables you to create metamodel diagrams with support for [MOF](#) diagrams.



A [Package](#) is a namespace as well as an element that can be contained in other package's namespaces (see [Package](#)).

A [Class](#) is a representation of objects, that reflects their structure and behavior within the system.

An [Enumeration](#) is a Class with an enumeration stereotype.


A [Primitive](#) supports the MOF specification.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.17 Analysis Group

Analysis-type elements are used early in modeling to capture business processes, activities and general domain information. They are generally used in [Analysis diagrams](#)^[114].




The elements and relationships in the **Analysis** group are used for early modeling of business processes, activities and collaborations. You can use stereotyped activities to model business processes, or stereotyped elements to capture standard UML business process modeling extensions such as worker, case worker, entity, and controller.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, click on the start element in the diagram and drag to the end element.

3.7.18 Custom Group

The **Custom** group contains a few extended UML elements that might be of use in modeling or designing your system in a [Custom diagram](#) [1143].



A *Package* is a namespace as well as an element that can be contained in other package's namespaces (see [Package](#)) [1210].

A *Requirement* [1248] is a custom element used to capture requirements outside of standard UML elements. A requirement expresses required system behavior that can cross several Use Cases. You can link requirements to other elements using the *realize* link to express the implementation of a requirement and hence the traceability from user requirements to what is being built.

An *Issue* element is a structured comment that contains information about defects and issues relating to the system/model (see [Defects \(Issues\)](#) [742] [1210]). Affected elements are linked by [Trace](#) [1295] connectors.

A *Change* element is a structured comment that contains information about changes requested to the system/model (see [Changes](#) [742] [1210]). Affected elements are linked by [Trace](#) [1295] connectors.

A *Screen* [1249] provides a stereotyped Class element that displays a GUI type screen; this can be used to express application GUI elements and flows between them.

A *UI control* [1251] likewise can be used to express GUI controls.

A *Test Case* describes what must be set up in order to test a particular feature (see [Test Cases window](#) [726] [1210]).


An *Entity* is a stereotyped element that represents any general thing not captured by the element or Class type elements (for example a trading partner). Use of this element is **deprecated**: it was originally intended to take the role now occupied by a [Table](#) [1251] element.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.19 Requirement Group

As an analysis step, often it is desirable to capture simple system *requirements*. These are eventually realized by Use Cases (see [Requirements](#)^[1248]).



A *Package* is a namespace as well as an element that can be contained in other package's namespaces (see [Package](#)^[1216]).

Specify the *Requirement* of a system. Note that there are a few different requirement types, as listed below.

- Display
- Functional
- Performance
- Printing
- Report
- Testing
- Validate

You can also create your own requirements. To do this, right-click on the *Requirement* element and select **Properties**. Type the name of the requirement into the **Type** field (see [Requirements](#)^[1248]).

A *Feature*^[1242] is a small client-valued function expressed as a requirement. Features are the primary requirements-gathering artifact of the *Feature-Driven Design* (FDD) methodology.


An *Object* is an instance of a Class. (see [Object](#)^[1208]).

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.20 Maintenance Group

The **Maintenance** elements are defects, changes, issues and tasks (see [Maintenance](#)^[738]).



A *Package* is a namespace as well as an element that can be contained in other package's namespaces (see [Package](#)^[1210]).

An *Issue* element is a structured comment that contains information about defects and issues relating to the system/model (see [Defects Issues](#)^[742]^[1210]). Affected elements are linked by [Trace](#)^[1295] connectors.

A *Change* element is a structured comment that contains information about changes requested to the system/model (see [Changes](#)^[742]^[1210]). Affected elements are linked by [Trace](#)^[1295] connectors.

A *Test Case* describes what must be set up in order to test a particular feature (see [Test Cases window](#)^[726]^[1210]).


An *Object* is an instance of a Class (see [Object](#)^[1208]).

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.21 User Interface Group

The **User Interface** group enables you to create graphical user interface diagrams.



A *Package* is a namespace as well as an element that can be contained in other packages' namespaces (see [Package](#)^[1210]).

A [Screen](#)^[1249] element represents a graphical user interface. You can place GUI elements onto the screen element.

[UI Control](#)^[1251] elements are placed onto the screen element to build up a graphical user interface diagram. There are different stereotypes that represent different elements such as buttons and combo boxes.


An *Object* is an instance of a Class (see [Object](#)^[1208]).

To add an element to the current diagram, click on the required icon, and drag it into position on the diagram. Set an element name and other properties as prompted.


To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

GUI Element Stereotype available


The following GUI elements are available as stereotypes.



The following diagram illustrates GUI elements with each of the stereotypes as they appear on a screen element.




Example GUI Diagram



3.7.22 WSDL Group

The **WSDL** group gives you the ability to rapidly [model](#)^[987] and automatically [generate](#)^[997] W3C Web Service Definition Language (WSDL) documents.



A [Namespace](#)^[988] represents the top-level container for the WSDL model. Drag this element onto an open diagram to create the necessary model structure for WSDL documents.

A physical [WSDL document](#)^[990] is represented as a UML component. Its interfaces represent the [WSDL services](#)^[991].


A WSDL [Port Type](#)^[993] is modeled as a UML interface. Its [Port Type Operations](#)^[995] are realized by [Binding](#)^[994] elements. Each of the operation parameters is derived from the Message elements defined in the [Messages](#)^[993] package.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, click on the start element in the diagram and drag to the end element.

3.7.23 XML Schema Group

The **XML Schema** group provides the ability to [model](#)^[970] and automatically [generate](#)^[981] W3C XSD schema files. This group implements the constructs provided by the [UML profile for XML Schema](#)^[972].



A *Schema* corresponds to a UML package, which contains the type and element definitions for a particular *targetNamespace*. Drag this item onto an open diagram to create the package to contain your schema model elements. The package is stereotyped as *XSDschema*.


Open the logical diagram created under the XSDschema package and add additional schema elements as required.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set the name and other properties as prompted.

To add a relationship, click on the required icon, then click on the start element in the diagram and drag to the end element.

3.7.24 Data Modeling Group

This group is used for [database modeling](#)^[890] and database design, in conjunction with the *UML Data Modeling Profile*.



The [Table](#)^[1251] element defines a table on the data model.


Use the *View* element to represent [database views](#)^[913] in the data model.

Use the *Procedure* element to represent [stored procedures](#)^[908] in the data model.

To add an element to the current diagram, click on the required icon and drag it into position on the diagram. Set an element name and other properties as prompted.

To add a relationship, click on the required icon, click on the start element in the diagram and drag to the end element.

3.8 Workspace Toolbars




Enterprise Architect provides you with a selection of toolbars that you can drag and dock within the application frame. These toolbars provide convenient shortcuts to common tasks. You can also float toolbars over the application by [tearing them off](#) ^[163] the application toolbar section; this is useful when you are using a certain set of functions a lot in a particular area.

You can customize toolbars by deleting and reordering the default button set. See [Customize Commands](#) ^[86] for more information. You can customize which toolbars are active by right-clicking on the toolbar background and selecting the required items in the context menu.

Note:

You can dock toolbars to the edge of the Enterprise Architect workspace by dragging them by the title bar and placing them against the appropriate edge. The example below shows the **Default Tools** toolbar docked to the left side of the workspace:



The toolbars available include:

- [Default Tools Toolbar](#) ^[127]
- [Project Toolbar](#) ^[127]

- [Code Generation Toolbar](#)^[128]
- [UML Elements Toolbar](#)^[129]
- [Diagram Toolbar](#)^[130]
- [Current Element Toolbar](#)^[130]
- [Current Connector Toolbar](#)^[131]
- [Format Toolbar](#)^[131]
- [Workspace Views](#)^[132]
- [Other Views Toolbar](#)^[133]
- [Status Bar](#)^[133]
- [Rich Text Notes Toolbar](#)^[134]

3.8.1 Default Tools Toolbar



The **Default Tools** toolbar provides quick access to the following functions (in order):

- New project **[Ctrl]+[N]**
- Open a project **[Ctrl]+[O]**
- Save current diagram **[Ctrl]+[S]**
- Copy to Enterprise Architect clipboard **[Ctrl]+[Space]**
- Paste from Enterprise Architect clipboard as instance **[Shift]+[Insert]**
- Undo last action **[Ctrl]+[Z]**
- Redo last undone action **[Ctrl]+[Y]**
- Print Preview (for generated documents and diagrams)
- Page setup
- Print **[Ctrl]+[O]**
- Show **Element List** for currently-selected package or diagram **[Ctrl]+[Alt]+[R]**
- Open **Model Search** **[Ctrl]+[Alt]+[A]**
- Select the layout of docked windows, toolbars and the Enterprise Architect UML **Toolbox** (<default> is Enterprise Architect, other options display for any [MDG Technologies](#)^[462] you have enabled)
- Help **[F1]**.

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.2 Project Toolbar



The **Project** toolbar provides quick access to the following functions (in order):

- Reload current project **[Ctrl]+[Shift]+[F11]**
- New diagram
- New package **[Ctrl]+[W]**
- New element **[Ctrl]+[M]**
- Search **Project Browser** window **[Ctrl]+[Shift]+[F]**
- Search entire project **[Ctrl]+[F]**

- New RTF document [F8]
- Project issues
- Project glossary
- Options (preferences) [Ctrl]+[F9]

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.3 Code Generation Toolbar




The **Code Generation** toolbar provides quick access to the following functions (in order):

- Set the default language
- Set the default database
- Import Classes and Interfaces from source files (see menu below)
- Generate code for a single selected Class [F11]
- Batch generate code for one or more selected Classes [Shift]+[F11]
- Synchronize selected Classes with source code [F7]
- View code in default editor [F12].


Set Default Code Language

To set the default language for the model click on the **Default Language** drop-down arrow and select the appropriate language.




Set Default Database

To set the default database type for modeling click on the **Default Database** drop-down arrow and select the appropriate database type.



Import Code

To select a language for code generation, click on the drop-down arrow for the **Import** button.



You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.4 UML Elements Toolbar



The **UML Elements** toolbar provides quick access to the following functions (in order):

- Insert new [System Boundary](#)^[1229] - swim lanes element
- Insert new [Note](#)^[319]
- Insert new [Text element](#)^[319]
- Insert new [diagram note](#)^[260]
- [Insert diagram Legend](#)^[287]
- Insert new [hyperlink](#)^[1243]

- Insert [new note link](#)^[128].

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.5 Diagram Toolbar




The **Diagram** toolbar provides quick access to the following functions (in order):

- Align selected elements to the left **[Ctrl]+[Alt]+[←]**
- Align selected elements to the right **[Ctrl]+[Alt]+[→]**
- Align selected elements to the top **[Ctrl]+[Alt]+[↑]**
- Align selected elements to the bottom **[Ctrl]+[Alt]+[↓]**
- Bring selected element to top of Z order
- Move selected element to bottom of Z order
- Go to previous diagram **[Alt]+[←]**
- Go to next diagram **[Alt]+[→]**
- Go to default diagram
- Zoom In
- Zoom Out
- Zoom to fit diagram
- Zoom to fit page
- Zoom to 100%
- Auto-layout diagram (not for Behavioral diagrams)
- Show diagram properties **[F5]**
- Paste appearance as copied into the Painter from an element's [Appearance](#)^[302] context menu)
- Delete selected element(s) **[Ctrl]+[D]**

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show this toolbar from the **View | Toolbars** menu option.

3.8.6 Current Element Toolbar



The **Current Element** toolbar provides quick access to the following functions (in order):

- View and modify element properties **[Alt]+[Enter]**
- Set an element's parent or implement interfaces **[Ctrl]+[I]**
- View and modify Operations **[F10]**
- View and modify Attributes **[F9]**
- Specify the visibility of element features and compartments **[Ctrl]+[Shift]+[Y]**
- Specify the run state of an element **[Ctrl]+[Shift]+[R]**
- View use of element in other structures such as diagrams **[Ctrl]+[U]**
- Locate the element in the **Project Browser** window **[Alt]+[G]**
- View the cross reference list for this element **[Ctrl]+[J]**

- Lock or unlock the current element

Note:

This does not apply in the Corporate edition if security is enabled. In that case, see [Lock Model Elements](#) [646].

- Add a Tagged Value to the current element **[Ctrl]+[Shift]+[T]**


You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar using the **View | Toolbars** menu option.

3.8.7 Current Connector Toolbar




The **Current Connector** toolbar provides quick access to the following functions (in order):

- View and modify properties for the current connector
- Set the connector line style



- Attach a note to the currently selected connector
- Set the visibility for labels of the connector
- Set the visible or hidden relations in the current diagram **[Ctrl]+[Shift]+[I]**
- Reverse the direction of the currently selected connector
- Pin the start and/or connector ends to a position on the target element (drop menu)



You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.8 Format Toolbar



Use the **Format** toolbar to change the appearance of a selected element (or several selected elements) in the current diagram; this does not affect any other occurrence of the selected elements anywhere else in the model.

Notes:

- To set the global appearance of all elements throughout a model, use the **Options** dialog. Select the **Tools | Options** menu option, then select **Standard Colors**^[19] from the options tree.
- To override the default appearance of a selected element (or several selected elements) on all diagrams on which it occurs, right-click on the element and select the **Appearance | Default Appearance** context menu option. The **Default Appearance**^[320] dialog displays.

The **Format** toolbar provides quick access to the following functions (in order):

- Fill Color (drop-down color palette)
- Text Color (drop-down color palette)
- Border or Connector Line Color (drop-down color palette)
- Border or Connector Line Width (arrows increase/decrease between 1 and 5)
- Apply Style to Element(s)
- Copy Style from Element
- Style list for selecting saved styles
- Save style (see below).

Note:

If the **Format** toolbar is not displayed, select the **View | Toolbars | Format Tool** menu option.

If you click on the drop-down arrow for the **Save Style** (pencil) button, you can select an option from the list below:



The **Fill Color** button can be used in conjunction with the **Project Custom Colors** menu options to enable users to have access to custom-defined Project colors. To activate this feature select the **Tools | Options | Standard Colors** menu option and ensure that the **Show Project Custom Colors in Element Format** checkbox is selected. To define a set of custom colors see [Get and Set Project Colors](#)^[322] topic.

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show this toolbar using the **View | Toolbars** menu.

3.8.9 Workspace Views



The **Workspace Views** toolbar provides a convenient means of turning on or off any of the following docked workspace windows:

- **Project Browser** window **[Alt]+[0]**
- **Properties** window **[Alt]+[1]**
- Enterprise Architect UML **Toolbox** **[Alt]+[5]**
- Glossary and **System** window **[Alt]+[2]**
- **Maintenance** window **[Alt]+[4]**

- **Testing** window [Alt]+[3]
- **Debug Workbench** [Alt]+[8]
- **Source Code** window [Alt]+[7]
- Element **Hierarchy** window [Ctrl]+[Shift]+[4]
- **Project Management** window [Ctrl]+[Shift]+[7]
- **Output** window [Ctrl]+[Shift]+[8]
- Element **Relationships** window [Ctrl]+[Shift]+[2]
- **Requirements and Constraints (Rules and Scenarios)** window [Ctrl]+[Shift]+[3]
- **Pan and Zoom** window [Ctrl]+[Shift]+[N]

Click on any of these buttons to toggle the associated window on or off.

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.10 Other Views Toolbar



The **Other Views** toolbar provides access to the following project information windows in Enterprise Architect, in order:

- **Element List** ^[137] - Displays the current diagram or package in a context-sensitive, editable table [Ctrl]+[Alt]+[R]
- **Model Search** ^[144] - Opens the Enterprise Architect **Model Search** and its facilities [Ctrl]+[Alt]+[A]
- **Relationship Matrix** ^[432] - Opens the relationship matrix to cross reference elements to each other by connector type
- **Discussion Forum** ^[210] - Opens the **Project Forum** [Ctrl]+[Alt]+[U]
- **Audit View** ^[655] - Displays the **Audit View**, which shows the information that has been recorded by auditing
- **Web Browser** - Opens the web browser page at the site you have specified on the **Options** ^[189] dialog, in the **Web Home** field.

Click on any of these buttons to toggle the associated window on or off.

Note:

The buttons on this toolbar - and the facilities they access - are not all available in all three editions of Enterprise Architect. For example, the **Discussion Forum** is available only in the Enterprise Architect Corporate and Professional editions, and the **Audit View** is available only in the Enterprise Architect Corporate edition.

You can move this toolbar to any dockable position and it retains that position in subsequent sessions. You can hide or show the toolbar from the **View | Toolbars** menu option.

3.8.11 Status Bar

The **Status** bar displays at the bottom of the Enterprise Architect workspace. It provides feedback on current operations, menu hints and other status information.



In particular the **Status** bar lists the currently selected element, the status of **[Caps Lock]**, **[Num Lock]** and **[ScrLk]** (scroll lock) and the current coordinates of the selected element.

You can hide or show this toolbar from the **View | Toolbars** menu option. The **Status** bar cannot be docked in any other position.

3.8.12 Rich Text Notes Toolbar



Although it is not an independent toolbar that you can pin to the screen top or sides, or float in your work area, the **Rich Text Notes** toolbar appears in many places across Enterprise Architect in the **Notes** and **Description** fields of:

- The element **Properties** dialog:
 - **General** tab
 - **Requirements** tab
 - **Scenario** tab
 - Hyperlink Notes
- The **Diagram Properties** dialog
- The **Connector Properties** dialog
- The **Message Properties** dialog
- The **Operations** and **Attributes Properties** dialogs
- The **Testing** Window descriptions
- The **Notes** window
- The **Rules and Scenarios** Window for:
 - Requirements
 - Linked Requirements
 - Scenarios.

Notes:

- If the toolbar is displayed but grayed out, the text field is read-only and cannot be edited. Other **Description** or **Notes** fields in Enterprise Architect might not have the toolbar, in which case the Rich Text Notes facility is not available for those fields.
- For any Notes text that is displayed on a diagram, you must select the **Render Formatted Notes** checkbox on the [Feature Visibility](#) ^[257] dialog ^[257] in order to reproduce the formatting.

The options of this toolbar operate on selected text and any new text continuing from the formatting. The options (with some keyboard shortcuts) are, from left to right:

- Make text bold **[Ctrl]+[B]**
- Make text italic **[Ctrl]+[I]**
- Underline text **[Ctrl]+[U]**
- Change the font color of the text
- Insert list bullet points **[Ctrl]+[.]** (*full stop*)
- Insert list numbering **[Ctrl]+[1]**
- Make text superscript
- Make text subscript

Additional keyboard shortcuts:

- Undo changes **[Ctrl]+[Z]**
- Redo changes **[Ctrl]+[Y]** or **[Ctrl]+[Shift]+[Z]**
- Copy **[Ctrl]+[C]**

- Paste [Ctrl]+[V]
- Cut [Ctrl]+[X]

Any Note text appearing in the element Note *compartments* in diagrams is not formatted.

3.9 Diagram Tabs

Diagram Tabs are located at either the bottom or the top of the diagram area, above the status bar. The default location is at the bottom of the diagram area; for details of how to place the diagram tabs at the top, see the [Configure Local Options | General](#) ^[189] topic. Each time you open a diagram, the diagram name is shown in the tab for easy identification and access.




Notice that the **Use Case Model** tab is bold; this means that the current diagram is the **Use Case Model** diagram.

Also notice that the **Deliver Books** tab has an asterisk. This means that there are unsaved changes in the **Deliver Books** diagram. To save the changes see below.

The Diagram Tabs Menu

To access the **Diagram Tabs** menu, right-click on an appropriate tab. In the example below, the **Deliver Books** tab was right-clicked.



The table below explains each menu option.

Menu Option	Use to
Save Changes to '<tab name>'	Save the unsaved changes made to the diagram.
Save All	Save the model.
Reload '<tab name>'	Reopen the diagram without the unsaved changes; that is, revert to the state before any changes were made.
Close '<tab name>'	Close the diagram; Enterprise Architect prompts you to save changes to the diagram.
Close All	Close all open diagrams; Enterprise Architect prompts you to save any diagrams with unsaved changes.
Close All Except '<tab name>'	Close all diagrams except for '<tab name>'; Enterprise Architect prompts you to save any diagrams with unsaved changes.

3.10 View Options


Models in Enterprise Architect are viewed in different ways in the application workspace, either in the [Diagram View](#)^[136] or the [Element List](#)^[137]. You can also develop tailored views of your model or project in the [Model Views](#)^[140] window.

See Also

- [Relationship Matrix](#)^[432]
- [Model Search](#)^[144]

3.10.1 Diagram View

The **Diagram View** is the main workspace window that enables you to create and display diagrams. You can open many diagrams, but you can view only one at a time. You open the first diagram by double-clicking on the diagram name in the **Project Browser**. You can then open further diagrams in the same way, or from within an open diagram by clicking on links or elements that contain other diagrams.



Use the **Diagram View** to build model relationships and elements. Within the diagram, you can create new elements, drag in existing elements and generally organize the elements and relationships. Most work is carried out on elements in the **Diagram View**, so understanding how it works and how to manipulate elements is essential. Use the example project supplied with Enterprise Architect to explore the capabilities and behavior of the **Diagram View**.

Tip:

You can also use the [Element List](#)^[137] to manipulate elements.

Typical diagram activities include:

- [Add new elements](#)^[100] to the diagram using the Enterprise Architect UML **Toolbox**

- Add existing elements to the diagram by [dragging them](#) from the **Project Browser**
- [Add connectors](#) between elements using connectors from the Enterprise Architect UML **Toolbox**
- [Copy elements](#) in a diagram to link or copy elsewhere
- [Zoom a diagram](#) to different magnifications
- Use the **Diagram toolbar** [forward and back](#) arrows to display the previous or next diagram
- [Align](#) and [resize](#) multiple elements
- [Delete](#) elements from the diagram (but not the project)
- Double-click on the diagram background to open the diagram **Properties** dialog and set [diagram properties](#)
- [Print and print preview](#) diagrams
- [Save the diagram image to file](#)
- [Save the diagram image to the clipboard](#).

3.10.2 Element List

The **Element List** is a tabular, editable view of elements that can be displayed in the main workspace. You can use the **Element List** to streamline the process of creating and updating elements in a package or diagram selected from the **Project Browser** window. This can be particularly useful for analysts to create and maintain formal requirement definitions within the model. You can also [print the list or generate an RTF document](#) directly from the entries on the **Element List**.

To access the **Element List**, either:

- Select a diagram or package in the **Project Browser** window and select the **View | Element List** menu option
- Select a diagram or package in the **Project Browser** window and press **[Ctrl]+[Alt]+[R]**
- Right-click on a diagram or package in the **Project Browser** window and select the **Show Element List** menu option
- Right-click on the background of an open diagram and select the **Show as Element List** context menu option
- Click on the **Element List** button on the [Other Views](#) toolbar.



The **Element List** tab displays, showing the element information for the selected package or diagram.

Element List: Views\New View

Name	Alias	Status	Difficulty	Priority	Pha...	Ver...	Author	Created	Modified
10: Initial		Proposed			1.0	1.0	Frederick Walter	23/04/2007 4:4...	23/04/2007
11: MdlGrp1		Proposed			1.0	1.0	Frederick Walter	26/04/2007 9:5...	26/04/2007
12: Object1		Proposed			1.0	1.0	Frederick Walter	23/04/2007 12:...	23/04/2007
13: Salute		Proposed			1.0	1.0	Frederick Walter	24/04/2007 2:4...	24/04/2007
14: SimpleType1		Proposed			1.0	1.0	Frederick Walter	26/04/2007 9:5...	26/04/2007
15: State		Proposed			1.0	1.0	Frederick Walter	24/04/2007 9:3...	4/05/2007 1
16: State10		Proposed			1.0	1.0	Frederick Walter	23/04/2007 5:1...	15/05/2007
17: State11		Proposed			1.0	1.0	Frederick Walter	23/04/2007 5:1...	24/04/2007
18: State12		Proposed			1.0	1.0	Frederick Walter	24/04/2007 9:1...	15/05/2007
19: State13		Proposed			1.0	1.0	Frederick Walter	24/04/2007 9:2...	24/04/2007
20: State3		Proposed			1.0	1.0	Frederick Walter	23/04/2007 12:...	23/04/2007
21: State4		Proposed			1.0	1.0	Frederick Walter	23/04/2007 12:...	15/05/2007
22: State7		Proposed			1.0	1.0	Frederick Walter	23/04/2007 3:4...	23/04/2007
23: State9		Proposed			1.0	1.0	Frederick Walter	23/04/2007 3:5...	23/04/2007
24: Stop run		Proposed			1.0	1.0	Frederick Walter	23/04/2007 2:3...	24/04/2007
25: Submachine A		Proposed			1.0	1.0	Frederick Walter	27/04/2007 2:0...	24/05/2007
If regions are shown, the expansion box shows or hides the child relationships of the element. If regions are shown, the parent element has a line dropping down to enclose its child elements. If regions are hidden, you can't see any relationships to the child elements.									
25.1: Submachine B		Proposed			1.0	1.0	Frederick Walter	27/04/2007 2:1...	27/04/2007
26: Terminate		Proposed			1.0	1.0	Frederick Walter	23/04/2007 12:...	23/04/2007
27: Trigger 2		Proposed			1.0	1.0	Frederick Walter	24/04/2007 2:3...	24/04/2007

Note:

As you navigate the **Element List**, the item you have currently selected is highlighted in the **Project Browser**.

In the **Element List** you can:

- Sort the items by any column value in ascending or descending order, by clicking on the column header; initially the elements are listed in numerical order (if level numbering is turned on in the **Project Browser**)

Note:

This turns off collapsible regions; collapsible regions are shown for the *State 7* and *Submachine A* elements in the illustration above. They are displayed only if you generate the **Element List** for a package, not for a diagram.

- Change the sequence of columns, by dragging column headers left or right; however, the order you place them in is not retained in subsequent sessions
- Display the **Properties** dialog for an item by double-clicking on the item entry
- Report on specific element types by clicking on the drop-down arrow in the **Element List Toolbar** and selecting the appropriate element type from the filter list, or **All** to list all objects; the report then lists only elements of that type
- Change the elements available in the filter list by clicking on the **Select another toolbox or technology** icon to the right of the list field, and selecting the appropriate category
- Select:
 - An element by clicking on it
 - A specific value by clicking twice on it (not double-clicking)
 - Several individual elements by holding **[Ctrl]** as you click on them
 - A range of elements by holding **[Shift]** as you click on the first and last in the range.
- Edit a specific value in the list by clicking three times on it (or twice and press **[F2]**); either the value becomes directly editable or the **Properties** dialog displays in which you can edit the value
- Add new items to the **Element List** by pressing **[Ctrl]+[N]** or **[Insert]**

- Automatically add elements to a diagram by generating the **Element List** on the diagram and adding elements to the list
- Delete elements from the list by selecting the item and pressing **[Ctrl]+[D]**.

Tip:

The report also includes each element's documentation (notes), where this exists. See the *Submachine A* element in the illustration above. This is a useful way to determine which elements in a diagram require further work and which are complete. You can add or edit notes by clicking on the item and pressing **[Enter]**.

You can do further work on the **Element List** using the toolbar and context menu [options](#) ^[139].

3.10.2.1 Element List Options

Toolbar Options

You can also influence what information is displayed on the **Element List** by clicking on the **Options** icon in the toolbar. This displays the **Element List Options** dialog, with two checkboxes:

- **Show nested packages content** - defaults to deselected, so child packages are not expanded in the list; select to show the contents of child packages in the selected package or element
- **Show notes compartment** - defaults to selected to show the element notes; deselect the checkbox to hide the notes text.



Audit History

In the Corporate edition of Enterprise Architect, if [Auditing](#) ^[65†] is turned on and the **Element List** is open, you can view a history of changes to any selected element or connector, in the [Audit History](#) ^[66†] tab of the [Output](#) ^[18†] window. (If security is enabled, you must have at least [Audit View](#) ^[64†] permissions to display the audit history).

Work on Elements in the Element List

You can also use the context menu to perform operations on elements in the **Element List**. Right-click on the required element to display the context menu. The menu options are described below:

Menu Option	Use to
Properties	Display the Properties dialog for the selected element.
Add New	<p>If the Filter List field in the toolbar is set to All, display the New Element dialog, through which you create an element of the required type.</p> <p>If the Filter List field is set to a specific element type, this option adds an element of that type to the package or diagram in the Element List, the Project Browser and the Diagram View.</p> <p>Alternatively, select the Add New icon in the Element List toolbar.</p>
Edit Notes	<p>Make the Notes area of the selected item available to create or edit the note text.</p> <p>Alternatively, select the Edit Notes icon in the Element List toolbar.</p>
Show Regions (Hide Regions)	Show or hide the parent-child relationships between elements in a package (not in a diagram). If regions are hidden, all elements are listed with equal status. If regions are shown, the parent element has an expand/collapse box (±) that enables you to hide its child elements.
Usage	Display the diagram that uses the element or, if the element is used in multiple diagrams, display a list of diagrams to choose from.
Bookmark	Bookmark the element.

Menu Option	Use to
Selected	
RTF Report	<p>Generate an RTF report. You have two options:</p> <ul style="list-style-type: none"> • Generate a separate report on each selected object in the report • Generate one report on all selected objects. <p>In either case, the Generate RTF Documentation  dialog  displays.</p> <p>Alternatively, select the RTF Report icon in the Element List toolbar. This generates one report for all selected items.</p>
Delete Selected	<p>Delete the selected element from the Element List.</p> <p>Alternatively, select the Delete Selected icon in the Element List toolbar.</p>
Show as Diagram	<p>Show the elements as the diagram instead of as the Element List.</p>
Show Notes (Hide Notes)	<p>Display or hide the text of any internal notes that the elements have. (Not the text of Notes elements.)</p>
Print	<p>Print out the filtered results.</p> <p>Alternatively, select the Print icon in the Element List toolbar.</p>

3.10.3 Model Views

The **Model Views** window enables you to encapsulate your model into the areas you are interested in. You display the window by selecting the **Views | Model Views** menu option.

There are three types of View available:

- Model Views - stored in the model and visible to all users; you can have many of these
- My Views - stored locally on your machine and visible only to you; you can have only one of these
- Technology-defined Views - read only; each View is stored with and populated by the corresponding active MDG Technology.

When you open the **Model Views** window for the first time on a project, a *Model Views* root section and *My Views* root section are added for you. These can not be deleted or renamed. However you can create further *Model View* root nodes which you can modify and delete.


Under each root section you can then add a single level of *View folders*, which enable you to group *Views* and *Favorites* folders as best suit your requirements. You can also [export](#) ^[143] all of the View folders containing Views from any root section as an XML file, and [import](#) ^[143] a Views XML file as an additional, editable *Model View* root node.

A View is a folder of elements or structures that you assemble by assigning a model search to the folder. When you double-click or expand the folder, the search runs and refreshes the folder contents.

In the *Model View* only, you can also create *Favorites* folders, which give you easy access to commonly-used items in the **Project Browser**. To create links in your *Favorites* folder to the required items in the **Project Browser**, drag items from the **Project Browser** into the *Favorites* folder.

Note:

These are single-level items; if you drag a package into the *Favorites* folder, you cannot expand that package there. To select specific items inside a package, expand it in the **Project Browser** and then drag the items into the *Favorites* folder.



Model Views Toolbar^[141]

- A Model View root node
- A View Folder
- A Favorites Folder
- A View
- The My Views root node

Each level of the Model Views hierarchy has a slightly different [context menu](#).^[142]

3.10.3.1 Model Views Toolbar



The availability of the **Model Views Toolbar** options depends on the type of object selected. The options are, from left to right:

- Displays the appropriate **Properties** dialog for the item selected. Alternatively, double-click on the item.
- Locates the selected object in any diagrams in which it has been used in the model, and either displays the single diagram with the object highlighted or lists the several diagrams in which the object has been located.
- Locates and highlights the selected object in the **Project Browser**.
- Creates a new *Model View* root node, and displays the **New Model View** dialog in which you enter the root node name.
- Creates a new *Views* folder in the currently-selected root node.
- Creates a new *Favorites* folder in the currently-selected *Views* folder.
- Creates a new *View* in the currently-selected *Views* folder, and displays the **Create New View** dialog to [define the search](#)^[143] that populates the *View*.
- Refreshes the selected Model Views root node, folder, *View* or *Favorites*. For a *View*, this runs the Model Search defined in the *View properties*.^[143]
- Move the currently-selected object up or down **within its type**; you cannot move - for example - a package below a diagram, or a *View* above a *Favorites* folder.



Displays a prompt to confirm deletion of the selected object and - if appropriate - its contents. You cannot delete the original *Model Views* and *My Views* root nodes.

3.10.3.2 Model Views Context Menus

The **Model Views** window context menus display different options, depending on which level of the Model Views hierarchy you right-click on. The options are described below:


Option	Use to
Properties	Display the appropriate Properties dialog for the selected object. (Not the <i>My Views</i> , initial <i>Model Views</i> or <i>Technology-defined</i> root nodes.) You can edit any of the properties, if required. Changes to objects populated from the model are reflected in all other views (Properties window, diagrams, reports) of that object.
New Views Folder	Display a prompt for the <i>Views folder</i> name and creates the folder in the selected root node. (Root node only.)
Import Views From XML ^[143]	Prompt for the XML file location and creates a new <i>Model Views</i> node to hold the imported Views. (Root node only.)
Export to XML (Views Only) ^[143]	Prompt for a file path and name, and copies all Views under the selected root node to an XML file at that location. (Root node only.)
Remove Model View	Display a prompt to delete the user-defined Model View and, if confirmed, deletes the root node and all contents. (Not for the <i>My Views</i> , initial <i>Model Views</i> or <i>Technology-defined</i> root nodes.)
New View	Display the Create New View dialog (similar to the View Properties dialog) for you to define the search that populates the View ^[143] . (View folder only.)
New Favorites Package	Display the New Favorites Package dialog, which prompts for the package name. (View folder only.)
Remove Folder	Display a prompt to delete the Views folder and, if confirmed, deletes the folder and all contents. (View folder only.)
Remove View	Display a prompt to delete the View and, if confirmed, deletes the View and all contents. (View only.)
Remove Favorites	Display a prompt to delete the Favorites folder and, if confirmed, deletes the folder and all contents. (Favorites folder only.)
In Project Browser	Highlight the item in the Project Browser . (Element / Diagram / Package object only.)
In Diagrams	Locate the selected object in any diagrams in which it has been used in the model, and either displays the single diagram with the object highlighted or lists the several diagrams in which the object has been located. (Element / child Package object only.)
Remove Link	Display a prompt to delete the object and, if confirmed, removes the object from the folder. This has no effect on the object in the Project Browser or any diagrams. (Element / Diagram / Package object only.) Note: You would not delete an object in a View, as it is replaced the next time the View is refreshed.

3.10.3.3 Model Views Operations

Define View Search

When you either:

- First create a View or
 - Select to display the View properties
- the **View Properties** dialog displays.



In the **Name** field, type a name for the View.

In the **Search** field, either:

- Type the name of an existing search
- Click on the drop-down arrow and select an existing search from the list, or
- Click on the [...] (Browse) button to display the [Manage Searches](#)^[149] dialog, edit an existing search or define a new one, then **Close** the dialog and type or select that search name in the **Search** field.

If required, in the **Search Term** field type a specific value to search for.

Click on the **OK** button. The View is created (or updated) in a collapsed state. When you expand the View, the search executes and populates the View.

Move Objects Into Favorites

Drag any required package, diagram or element from the **Project Browser** into the required Favorites folder.

Move Objects Between Views

Views and Favorites folders are fixed in the Views folder in which you create them, and you cannot move them. However, you can **copy** (by dragging) objects from any View into any Favorites folder, and **move** (by dragging) objects between any two Favorites folders.

Use Objects From Model Views

To make use of the elements, diagrams and packages held in any View or Favorites folder, click on the item and drag it into a diagram or a [Discussion Forum](#)^[210] posting. The item behaves in the same way as if you dragged it from the **Project Browser**.

Export/Import Views

You export Views to create an XML file that you can:

- Import into another model as a user-created Model View or

- Call from an MDG Technology Selection (MTS) file to provide the Technology-defined View provided by the active MDG Technology.

The export and import functions are available from the Model Views root-node context menus.

When you use the *export* function, it acts on the complete set of View folders in the selected My Views root node, Model Views root node, or user-generated root node. You cannot export individual Views, nor can you export Favorites folders. The function displays the **Save As** dialog, on which you browse for the directory location for the exported XML file, and specify the file name.

When you use the *import* function, it displays the **Select Import Filename** dialog on which you browse for the directory and XML file you want to import. The import creates a new Model View folder with the same name as the copied root node.

Set Up a Technology-Defined View

To set up the Technology-defined View for an MDG Technology, you:

1. Create a user-generated Model View in Enterprise Architect while using the technology
2. Populate it with the required View folders and Views.
3. Export the Views from that Model View as an XML file to an appropriate location
4. [Create a call to the file from the technology's MTS file](#)^[1553].

Thereafter, any model for which the MDG Technology is active *automatically* displays those Views in a Technology-defined View.

3.10.4 Model Search

The **Model Search** generates a report list that you can view in the main workspace. It lists each object in the **Project Browser** window that meets the search criteria you specify within the search terms and search type.

For more information on conducting searches see the [Use the Model Search](#)^[147] topic.

When you have generated your search results, you can [print them or generate an RTF report](#)^[146] on them.

To access the **Model Search**, either:

- Select the **View | Model Search** menu option
- Click on a package in the **Project Browser** window and press **[Ctrl]+[Alt]+[A]**, or
- Click on the **Model Search** icon in the [Other Views](#)^[133] toolbar



The **Model Search** tab displays.

Search Term: Search:

Object	Type	Created	Status	Modified	Author	Alias	Phase	Sc
<input checked="" type="checkbox"/> REQ032 - Update Inventory In processing the orders the inventory needs to be updated to show what books have been subtracted from the stock.	Requ...	7/03/2005	Propo...	24/10/2005	Paulene Dean		1.0	Pu
<input checked="" type="checkbox"/> REQ033 - Retrieve Books In processing the orders it is required that the correct set of books in the order need to be retrieved.	Requ...	7/03/2005	Propo...	20/12/2005	Paulene Dean		1.0	Pu
<input type="checkbox"/> Take Orders	Pack...	7/03/2005	Propo...	18/03/2005	Frank McIver		1.0	Pu
<input type="checkbox"/> Fulfill Orders	Pack...	7/03/2005	Propo...	18/03/2005	Frank McIver		1.0	Pu
<input type="checkbox"/> Take Orders	Pack...	7/03/2005	Propo...	7/03/2005			1.0	Pu
<input type="checkbox"/> Fulfill Orders	Pack...	7/03/2005	Propo...	9/09/2005			1.0	Pu
<input type="checkbox"/> View Open Orders The Client's goal is to view details of currently open orders, if any.	UseC...	7/03/2005	Propo...	21/03/2005	Frank McIver		1.0	Pu
<input type="checkbox"/> View Open Orders	Class	16/03/2005	Propo...	11/11/2005			1.0	Pu
<input type="checkbox"/> Order This defines the Order to be processed, which includes date, delivery, and order number.	Class	17/03/2005	Propo...	20/12/2005	Benjamin Hutton		1.0	Pu
<input type="checkbox"/> OrderStatus This defines the status of the Order.	Class	17/03/2005	Propo...	20/12/2005	Benjamin Hutton		1.0	Pu
<input type="checkbox"/> Basic Path - Client The use case starts when a Client selects the Close Account command from the Account Details Screen. The system will load the Client's account details and check	Note	17/03/2005	Propo...	17/03/2005			1.0	Pu
<input type="checkbox"/> Check for Outstanding Orders	Class	17/03/2005	Propo...	21/03/2005	Benjamin Hutton		1.0	Pu
<input type="checkbox"/> Basic Path This use case begins when a Client requests a display of their account details. General account information is displayed (i.e. ID, username, billing address, delivery ac	Note	21/03/2005	Propo...	21/03/2005			1.0	Pu
<input type="checkbox"/> Basic Path This use case begins when the user request to view a history of transaction against their account. The account ID is used as a key to lookup the appropriate records	Note	21/03/2005	Propo...	21/03/2005			1.0	Pu
<input type="checkbox"/> View Open Orders If the View Open Orders command is selected, the View Open Orders use case is executed.	Note	21/03/2005	Propo...	21/03/2005			1.0	Pu
<input type="checkbox"/> Basic Path This use case begins when the user request to view a list of current transactions against their account. The account ID is used as a key to lookup the appropriate re	Note	21/03/2005	Propo...	21/03/2005			1.0	Pu

Start Page | Welcome | **Model Search**

The **Model Search** is also displayed when you search the whole project using the [Edit | Find in Model](#) ¹⁴⁹ menu option.

In the **Model Search** you can:

- Sort the items by any column value in ascending or descending order, by clicking on the column header
- Change the sequence of columns, by dragging column headers left or right; however, the order you place them in is not retained in subsequent sessions
- Display element or diagram properties, by double-clicking on the item
- Select:
 - An element or diagram by clicking on it
 - Several individual elements or diagrams by holding **[Ctrl]** as you click on them
 - A range of elements or diagrams by holding **[Shift]** as you click on the first and last in the range
 - All elements or diagrams in the list by pressing **[Ctrl]+[A]**.

Tip:

The search results include the documentation (notes) for each element or diagram, where this exists. This can be a useful way to determine which elements in a diagram, or which diagrams, require further work and which are complete.


The Options button

The **Options** button displays the **Search Options** submenu, which enables you to display the search results as a tab of the [Output window](#) rather than as an Enterprise Architect View. An advantage of moving the search results to the **Output** window is that you can select items from the search results and drag them onto a diagram, which you cannot do when the results are in the Enterprise Architect View. If you select the **Dock in Output Bar** menu option, when you next display the menu this option becomes **Dock in Main View**.

The **Search Options** submenu also provides the means of performing [advanced searches](#) on your project, and displaying [project metrics](#).




The View Header



By right-clicking on a column heading you can **Hide** or **Show** that column.

If you select **Hide**, the individual selected column is no longer shown.


If you select **Show**, the following dialog displays, and you can select to show or hide several columns at once. Select the checkbox for each column to display in the header, and deselect the checkbox of each column to hide (or click on the **Select All** or **Clear All** buttons to select all headings or deselect all headings).



Work on Objects in the Model Search

You can select elements or diagrams in the **Model Search** and perform various operations on them, as well as simply dragging the item into a [Discussion Forum](#) post.

Right-click on the required object to display the following context menu:




Note:

Not all options are available for a diagram.

Menu Option	Use to
Copy Selected to Clipboard	Copy the selected item to the MS Windows clipboard so that it can be pasted to a document, spreadsheet or email.
RTF Report	Generate an RTF report. You have two options: <ul style="list-style-type: none"> • Generate a separate report on each selected object in the Model Search. • Generate one report on all selected objects. In either case, the Generate RTF Documentation ^[1004] dialog ^[1004] displays.
Print Results	Print out the filtered results.
Clear Results	Clear the search results from the Model Search .
Usage	Display the diagram that uses the element or, if the element is used in multiple diagrams, display a list of diagrams to choose from.
Bookmark Selected	Bookmark the element.
Delete Selected	Delete the selected element from the Model Search .
Close	Close the Model Search .
Help	Display this Help topic on the Model Search .

3.10.4.1 Use the Model Search

You perform searches within your project in the [Model Search](#) ^[144]. You search the whole model, unless you have selected the **Current Tree Selection** option in the [Manage Searches](#) ^[149] facility. In that case, you can search within a specific package selected from the **Project Browser** window.



In the **Search Term** field type the text to search for, and in the **Search** field select the [type of search to perform](#) ^[155] (the default being **Simple**). Click on the **Run** button to display your results.

If you click on an object in the **Model Search**, Enterprise Architect locates and highlights that object in the **Project Browser** window. This enables you to search for items of interest and access them quickly and directly.

You can perform more [complex searches](#) ^[149] and create your own [search definitions](#) ^[153]. To begin these tasks:

1. Click on the **Options** button. The **Search Options** submenu displays.
2. Click on the **Manage Searches** option. The **Manage Searches** dialog displays.

External Access to Model Search

You can access the Model Search facilities and perform specific searches indirectly, from Add-Ins, MDG Technologies, from a hyperlink and from a shortcut to access your model. This entails setting up a search profile either in the appropriate tool, or as an XML file accessed by the tool.

For information on performing a search from:	See
An MDG Technology Selection (MTS) File (using an exported search definition ^[152])	Working With MTS Files. ^[153]


For information on performing a search from:	See
A Login Shortcut	Shortcuts To .EAP Files ^[66] .
An Add-In	Add-In Search ^[139] .
A Hyperlink	Hyperlinks ^[1243] .

See Also

- [Search a Model](#) ^[149]

3.10.4.2 Search a Model

In Enterprise Architect, you can search elements or diagrams over an entire project for a particular phrase or words. Select the **Edit | Find in Model** menu option. The **Search Model** dialog displays, which enables you to enter a search term and select the search parameters from a defined search filter, the default being a **Simple** search. The search filter can be one of the [default filters](#) ^[155] or one that you define. For more details on defining a search see [Search Definitions](#) ^[149]. Search results are displayed in the [Model Search](#) ^[144] [view](#) ^[144].



Option	Use To
Search Term	Specify the search term.
Search	Select a filter. If required, define your own custom search filters in Enterprise Architect.
Run	Run the search.
Manage Searches	Perform complex searches ^[149] .
Close	Close the Search Model dialog.

See Also

- [Use the Model Search](#) ^[147]
- [Create Search Definitions](#) ^[153]

3.10.4.3 Search Definitions

You provide search filters and create new search definitions using the advanced **Manage Searches** dialog, which you display in one of two ways:

- On the **Model Search** tab, click on the [Options button](#) ^[147]. The **Search Options** submenu displays. Click on the **Manage Searches** option.
- Either press **[Ctrl]+[F]** or select the **Edit | Find in Model** menu option. The [Search Model](#) ^[149] dialog displays. Click on the **Manage Searches** button.

Search Term:

Search List: Help - Ready

Search On

Search In	Condition	Look For	Required
[-] Element			
[-] TagValue			
<input checked="" type="checkbox"/> Property	Equal To	HELP_UPDATED	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Value	Equal To	Ready	<input checked="" type="checkbox"/>

Element Features
 Optional Required

Search In: <Current Tree Selection>

Search filters enable you to perform customized searches on a **Search Term** in order to locate model elements. The **Search List** drop-down list provides several [pre-defined search definitions](#)^[155].

Simple
 Extended
 Attribute Details
 Find Orphans
 Failed Internal Tests
 Method Details
 Responsibility
 Resources
 Requirements

The default is a **Simple** search, which searches all elements, looking at the **Name** and **Notes** fields only. If the search term is found in the **Name** field or the **Notes** field, those elements are displayed.

Important:

The fields listed in a search have an OR relationship when no **Required** checkboxes are ticked; ie. If the search term is found in any one of those fields, then the element is displayed.

In the Simple search below, the **Name** and **Notes** fields both have the **Required** checkbox ticked, so the two fields have an **AND** relationship. The search displays only those elements that contain the search term in both the **Name** and **Notes** fields.

Search Term: Search List:

Search On

Search In ^	Condition	Look For	Required
[-] Element			
<input checked="" type="checkbox"/> Name	Contains	Use Case	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Notes	Contains	Scenario	<input checked="" type="checkbox"/>

Element Features
 Optional Required

Search In:

Note:

Any field having the **Required** checkbox ticked overrides fields where the **Required** checkbox is not ticked.

The following search finds elements that must have the search term in the **Name** field and that might or might not have the search term in the **Notes** field.

Search Term: Search List:

Search On

Search In ^	Condition	Look For	Required
[-] Element			
<input checked="" type="checkbox"/> Name	Contains	Use Case	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Notes	Contains	Scenario	<input type="checkbox"/>

Element Features
 Optional Required

Search In:

Option	Use to
Search Term	Specify the term to search for.
Search List	Select a previously-defined search definition.
Run Search	Run the selected search. The results are displayed in the Model Search ^[144] .
New Search	Create a new search definition, with new search criteria. See Create Search Definitions ^[153] .
Save Search	Save a modified or new search.
Copy Search	Copy an existing search, to modify.
Delete Search	Delete the search definition from the Search List.
Get Default	Restore the default Search definition of the current type, after you have edited the search parameters.
Export	Display a selection box that enables you to select searches to export to an external directory as an XML Search file.
Import	Display the Windows Directory Explorer Open dialog to enable you to import searches as XML Search files from an external directory.
Search On panel	<p>Display the element search filters that are contained in the defined search. The format is the element name, the conditions placed on the element, the search term on the element condition and whether the filter element is required.</p> <p>You edit the filters by double-clicking on the panel contents, or by clicking on the Edit Filter button, to display the Edit Filters dialog.</p>
Search In	Select the type and name of each element to search on.
Condition ^[158]	Select the condition of the search parameter. The available options are Contains , Equal To , Not Equals and One Of .
Look for ^[158]	Specify the search term to perform the conditional search on. This value can pertain to the selected element type. For example, the value could be a date for <i>DateCreated</i> or a text value for other element types. The search term can contain multiple values, separated by commas.
Required	Indicate that the search results must include elements with your search term in that field.
Element Features <ul style="list-style-type: none"> • Optional • Required 	<p>Specify whether element features are optional or required. These appear as a new branch underneath the root element term in the Search On panel.</p> <p>The <i>Extended</i> search is a good example; select this definition in the Search List field. If you scroll down the Search In column, you see sub branches such as <i>Attribute</i>, <i>Change</i>, and <i>Custom Property</i>. These are the element features.</p> <p>You can add these features by clicking on the Add Filter button. The Add Filters dialog displays, with a list of all the filters you can choose for an element or element feature. Click on the Search On Element drop-down arrow to see a list of the element features you can search on. Each feature has its own set of filters such as <i>Name</i>, <i>Notes</i> and <i>Alias</i>, which you can add to your search. To search on an element <i>Attribute</i> name, you would add the <i>Attribute</i> feature with a <i>Name</i> filter to your search.</p> <p>The Optional radio button enables you to generate a list of elements that meet one of the element filters (<i>Element Type = Object</i>), or one of the feature filters (<i>Attribute Name = Class1</i>). For example, if your search is <i>Element Name = Class11</i>, <i>Attribute Name = m_At1</i> or <i>Scope = Public</i> and you selected Optional, the search results would list all the elements that have the <i>name</i> of <i>Class11</i> and all the elements that have an <i>Attribute Name</i> of <i>m_At1</i> or a <i>Scope</i> of <i>Public</i>.</p>

Option	Use to
	The Required radio button enables you to generate a list of elements that <i>must</i> have the element features you have added. For example, if your search is <i>Element Name = Class, Attribute Name = m_Attr1 or Scope = Public</i> you would get elements that must have the <i>name</i> of <i>Class</i> AND an <i>Attribute</i> with a name of <i>m_attr1</i> or a <i>Scope</i> of <i>Public</i> .
Add Filter	Add a new set ^[156] of parameters to filter the search on.
Edit Filter	Open the Edit Filters dialog, which enables you to change the search parameters.
Remove Filter	Remove the selected filter from the search.
Search In	Select either: <ul style="list-style-type: none"> • Entire Model - the default, which searches the entire model, or • Current Tree Selection - which runs a search in a specific package, which you select from the Project Browser. <p>Note:</p> <p>If you select the Current Tree Selection option, navigating the Project Browser does not change your search results until you click on the Run button. That is, to search different areas of the project, click on the first required package in the Project Browser and click on the Run button, check the results, and then click on another package in the Project Browser and click on the Run button again.</p>

3.10.4.3.1 Create Search Definitions

[Search definitions](#)^[149] are created using the **Manage Searches** dialog. To access this dialog:

- Click on the **Options** button in the **Model Search**^[147] and then on the **Manage Searches** menu option, or
- Select the **Edit | Find in Model**^[149] menu option, then click on the **Manage Searches** button.

To create a new search definition, follow the steps below:

1. Click on the **New Search** button. The **Create New Search Query** dialog displays.

2. In the **Search Name** field, type a name for your new search.
3. Select the radio button for the type of search you require:
 - The **Query Builder**^[154] option provides an interface that enables you to design your own search
 - The **SQL Editor**^[154] option enables advanced users to directly write SQL Select statements.
 - The **Add-In Search**^[155] option enables you to supply the name of your Add-In and a method (eg. *MyAddin.RunThisMethod*). This method is called whenever the search is run. This search can be exported and distributed as a part of your Add-In. See [Add-Ins](#)^[1385] for more information.
4. Click on the **OK** button

Query Builder

Your search definition now appears as being selected in the **Search List** drop-down. The main window displays the message *'There are no items to show in this view'*. You can now click on the **Add Filter** button to [Add Filters](#) ^[156].

Search Term: Search List:

Search On

Search In	Condition	Look For	Required
There are no items to show in this view.			


Element Features

Optional Required

Search In:

SQL Editor

The **Custom SQL** dialog displays, enabling you to input your *SELECT* statement.



When you have defined the *SELECT* statement, click on the **Save** button to save this search. The search is then available from the **Search List**.

When searching for elements using your own SQL statement, if you supply the *Object_ID* and *Object_Type* Enterprise Architect searches for the selected item in the **Project Browser**. You can also display an item's properties by simply double-clicking on a table name in the **Table Name** list, and executing the *SELECT* statement that displays for that table in the **Query** panel. For example:

```
SELECT * FROM t_object WHERE NAME='<Search Term>'
```

You can extend the usability of your SQL searches using the aliases *CLASSGUID* and *CLASSTYPE*. These enable Enterprise Architect to display the **Properties** dialog and icon for elements, connectors, attributes or operations, as well as selecting them in the **Project Browser**. Some simple examples for using these aliased fields are provided below:

```
SELECT ea_guid AS CLASSGUID, Object_Type AS CLASSTYPE, Name FROM t_object
```

```
SELECT ea_guid AS CLASSGUID, Connector_Type AS CLASSTYPE, Name FROM t_connector
```

```
SELECT ea_guid AS CLASSGUID, 'Operation' AS CLASSTYPE, Name FROM t_operation
```

```
SELECT ea_guid AS CLASSGUID, 'Attribute' AS CLASSTYPE, Name FROM t_attribute.
```

Add-In Search

Type in the field the name of your Add-In, a period (full stop) and then the name of the method to be called (eg. *MyAddin.RunThisMethod*). Your search is automatically saved and available from the **Search List**.

3.10.4.3.2 Pre-defined Search Definitions

A number of pre-defined searches are provided with Enterprise Architect. These are described below.


- **Simple** - Searches the *Name* and *Notes* fields of all elements for the given search term.
- **Extended** - Searches many additional fields relating to the element, including *Attributes*, *Operations*,

Tagged Values and Test Cases.

- **Attribute Details** - Searches for elements with attributes relating to the search term, including Tagged Values, constraints, and common attribute data fields.
- **Find Orphans** - Searches for orphaned elements throughout the model, with the ability to filter on common element fields using a search term. An 'orphaned' element is an element that does not appear on any diagram in the model.
- **Failed Internal Tests** - Searches for elements containing internal test cases where the search term is in any common *Test Case* field and the *Status* value is 'Fail'.
- **Method Details** - Searches for elements with operations and methods relating to the search term, including Tagged Values, constraints and common operation and method data fields.
- **Responsibility** - Searches for elements with internal responsibilities/requirements where the search term relates to any common *Responsibility/Requirement* field.
- **Resources** - Searches for elements with assigned resources where the search term relates to any common *Resource* field.
- **Requirements** - Searches for Requirement element types where the search term relates to any common element field.

3.10.4.3.3 Add Filters

Click on the **Add Filter** button in the [Manage Searches](#) ^[149] dialog. The **Add Filters** dialog displays.



Option	Use to
Search On	Select items to build up search filters on any information about an object. The following is a list of what is available, before you have defined a search.

Option	Use to
	<div data-bbox="500 321 928 894" style="border: 1px solid black; padding: 5px;"> <ul style="list-style-type: none"> Element <li style="background-color: #d3d3d3;">Diagram Attribute Attribute.AttConstraint Attribute.AttTagValue Change Custom Property Constraint Method Method.MethodTagValue Method.Parameter Method.PostCondition Method.PreCondition Method.Parameter.ParamTagValue File Issue Scenario TagValue Task Test Responsibility Resource </div> <p data-bbox="483 926 1377 1005">If you are adding filters to an existing search, the list contains only items appropriate to the initial filter. For example, if the initial filter is on diagram properties, the list for any subsequent filters for the search only contains the Diagram option.</p>
Include	Select each field item to include in your search. (Select the checkbox.)
Field	Identify the name of the field to search. See Fields and Conditions ^[158] . The list presents items specific to the filter <i>Search On</i> item.
Condition	Specify the condition of the search parameter. See Fields and Conditions ^[158] .
Value	Type a value pertaining to the selected element type. For example, the value could be a date for <i>DateCreated</i> or a text value for other element types. The search term can contain multiple values separated by commas; see Fields and Conditions ^[158] .
Required	Select a particular field to generate a result set that <i>must</i> contain your search term in that field.
Check All	Select all the items to include them in the search definition.
Uncheck All	Deselect all the items to omit them from the search definition.
OK	Apply the filter. The fields selected are added to the search definition.


You can add multiple search definitions as necessary. Note that if you select the **Required** field in multiple definitions the search rapidly becomes impractical. Multiple search definitions are better for 'and/or' searches.

See Also

- [Create Search Definitions](#) ^[153]


3.10.4.3.3.1 Fields and Conditions

When you click on a condition for a particular field, a selection of conditions becomes available, as shown in the following example:




For some conditions, the value field contains an ellipsis (...). Click on this to display a selection dialog. Examples of selection dialogs are shown below.


Example Selection dialog for *One Of* section.



Date Selection dialog for *Before* or *After* section.



Date selection from the drop-down



See Also

- [Create Search Definitions](#) ¹⁵³
- [Add Filters](#) ¹⁵⁶


3.11 The Web Browser

The **Web Browser** displays as a tab of the central work area, like the **Start Page**, **Model Search**, **Element List** and **Diagram View**. It provides access within Enterprise Architect to internet facilities such as email, websites and search engines.

To access the **Web Browser**:

- Press **[Ctrl]+[Alt]+[W]**
- Click on the **Web Browser** icon () in the **Other Views** toolbar, or
- Select the **View | More Windows | Web Browser** menu option.

The **Web Browser** opens at the default home web site; you define the default home website, search engine and email exchange address on the **General** page of the **Options** ^[189] dialog.



To access the:

- Email exchange server, click on the 'envelope' icon in the toolbar; the email login window displays
- Web search engine (such as *Google*), click on the 'spyglass' icon in the toolbar; the search engine screen displays
- Home web site, after displaying other web pages, click on the 'house' icon in the toolbar.

To go directly to another website or email server (your internet security permitting), in the **Address** field type or select the website http address and click on the **Go** button.

3.12 Arrange Windows and Menus

Enterprise Architect enables you to rearrange the windows and some menus to suit your work habits. For example, you can:

- [Dock Windows](#) ^[160]
- [Autohide Windows](#) ^[162]
- [Tear Off Menus](#) ^[163]

3.12.1 Dock Windows

A number of Enterprise Architect windows can be freely positioned on the screen, or docked against any edge of the *application workspace*. These windows are collectively called [dockable windows](#)^[164]. Drag the window around the application workspace until you find a comfortable way of working. The examples below describe a few ways you can rearrange the windows to suit your work habits.

Floating Windows


To float a window anywhere on the screen, just drag the window by its title bar to the required position.

Dock a Window Against an Edge

The *navigation compass* enables you to dock windows against an edge of the application workspace. You drag the window over one of the points of the compass to dock it into a tabbed location. The window does not overlap any other window, so if you are docking several windows you could cover the workspace; however, you can avoid this by combining them in a [tabbed frame](#)^[165].

To dock a window against an edge, follow the steps below:


1. Click on the item to move and start dragging it towards the required position. This activates the navigation compass.



2. Drag the window onto a compass point. The screen display shades the area where the window is to be placed.
3. Release the mouse button over the compass point to confirm the position; this docks the window.

In the example below, when the mouse button is released the **Project Browser** window is docked into the


shaded area.




Dock Required Windows into One Frame

You can also dock all of the windows you are using into a single frame, by either:

- Dragging the title bar of each window up to the title bar of the first docked window, or
- Dragging each window over the 'tabbed frame' icon in the middle of the compass, when another window is already docked.




You can do this with all dockable windows. The following example shows the **Testing**, **Project Browser**, **Resources**, **Properties**, **Tagged Values** and **Notes** windows all in one frame.




To separate a window from a combined frame, click on the window tab at the bottom of the frame and drag it away.

3.12.2 Autohide Windows

Autohide Using the Toggle Button

You can automatically hide browser frames and menus by clicking on the  button, located in the top right corner of the frame.




To turn off the autohide for a particular set of menus within a frame, click on the  button.



Use Automatically Hidden Windows

When you automatically hide a set of windows in a frame, the menu options contract to the outside of the application workspace.




Hover the cursor over a tab to access the associated window.

Tip:

You can also use the **View | Visual Style | Animate Autohide Windows** menu option to animate windows that have been automatically hidden.

3.12.3 Tear Off Menus

Some sub-menus in the Enterprise Architect main menu are tear off menus. This is indicated by the bar at the top. For example, the **Element | Make Same** sub-menu is a tear off menu:




A tear off menu can be dragged out of the menu structure into its own window. Simply click on the bar at the top and drag it away. The menu detaches itself as shown here:



Once detached, the menu can also be docked in the toolbar section at the top of the screen, or on the edges of the workspace.

3.13 Dockable Windows



There are several [dockable](#)^[160] tab windows available to use in Enterprise Architect. These can be accessed either:

- Through the **View** menu or the **View | More Windows** sub menu, or
- Through the context menu accessed by right-clicking on the main menu.

The dockable windows available include:


- [Project Browser](#)^[51]
- [Properties](#)^[165]
- [Enterprise Architect UML Toolbox](#)^[100]
- [Resources](#)^[166]
- [Notes](#)^[168]
- [System](#)^[169]
- [Testing](#)^[726]
- [Maintenance](#)^[738]
- [Source Code Viewer](#)^[170]
- [Element Browser](#)^[171]
- [Relationships](#)^[172]
- [Rules](#)^[173]
- [Hierarchy](#)^[173]
- [Tagged Values](#)^[174]
- [Project Management](#)^[180]
- [Output](#)^[181]
- [Tasks Pane](#)^[182]
- [Pan & Zoom](#)^[183]

Tip:

If the text in a window panel is too small to read comfortably, click on it, press and hold [Ctrl] and use the mouse wheel to expand and reduce the text size.

3.13.1 The Properties Window

The **Properties** window provides a convenient way to view (and in some cases edit) common properties of elements. When an element is selected, the **Properties** window shows the element's name, stereotype, version, author, dates and other pertinent information.



Tip:

The **Properties** window can be a quick method of setting a single property (such as **Phase** or **Status**). To access and edit all properties of an element, double-click on the element in a diagram or in the **Project Browser** window.


Properties Sections

The **Properties** window is divided into three expandable sections:

- **<Element type> Settings** - for the basic element details
- **Project** - for general housekeeping settings
- **Advanced** - only active for generalizable elements.

Note:

When you click on a field name, a brief explanation of that field displays at the bottom of the **Properties** window, unless you have selected the **Hide Properties Info Section** ^[189] checkbox on the **General** page of the **Options** dialog. If you click on the field value for an editable field, a drop-down arrow displays that enables you to select a different value. Both of these features are shown in the example below:




3.13.2 The Resources Window

The **Resources** window displays a tree of Model Elements, Scripts, Documents, UML Profiles and Patterns, and Matrix profiles. This view provides useful shortcuts and re-use functions that you can use to add stock elements to the current model, patterns and elements for additional information.

Tip:

In the Corporate edition of Enterprise Architect, if security is enabled you must have **Configure Resources** ^[640] permission to maintain **Resources** window items.



- **MDG Technologies** ^[460], **UML Profiles** ^[438] and **UML Patterns** ^[458] provide a convenient way to insert complex new elements and features without having to retype or reconfigure each element
- **Templates** provides templates you can design yourself to apply to your documentation in either **RTF style** ^[1045] or **Web style** ^[1074], to customize the RTF and HTML that make up Enterprise Architect reports
- **Documents** ^[1000] provides a shortcut to the RTF documentation functions

Tip:

To add a document to the shortcut list, select the **Project | Documentation | Rich Text Format (RTF) Report** menu option. Once you have defined your document click on the **Resource Document** button and type in a name. The document name then displays in the **Resources** window. By **right-clicking on the document name** ^[1031] you can regenerate documents individually or as a batch, or open them directly from Enterprise Architect.


- **Matrix Profiles** ^[432] provides quick access to saved **Relationship Matrix** profiles; double-click on a profile to load the matrix with the saved settings and source-target packages
- **Favorites** ^[168] provides a shortcut to elements that you configure as a shortcut
- **Stylesheets** enables you to import XSL Style sheets, which are then available in the drop-down list on the **XML Export** dialog.

Note:

If you select a style sheet on export, Enterprise Architect applies that style sheet to the XML generated before saving to file. This makes it convenient to generate other forms of output from the base XML content. Combined with UML Profiles, this is a powerful means of extending Enterprise Architect to generate almost any content required.

3.13.2.1 Favorites

The **Resources** window contains a *Favorites* folder. Here you can link to any UML element from the model as a whole, and conveniently drag and drop instances or links to this element into other diagrams. This is particularly useful where certain elements - such as the list of Actors in a system - are re-used again and again, and switching to the *Actors* folder is not convenient. In cases like this, using the Favorites folder makes managing and creating your model much easier.



Modify the Favorites Folder

Add to the Favorites Folder

To add an element to the Favorites folder:

- Right-click on the element to add in a diagram.
- From the context menu select the **Find | Add to Favorites** option.
- Switch back to the **Resources** window and check the Favorites folder; the new element should be listed in its category within the favorites.

Delete from the Favorites Folder

To delete a favorite:

- Right-click on it within the Favorites folder in the **Resources** window.
- Select **Delete** from the context menu.
- Confirm the action by clicking on the **Yes** button.

View Properties of a Favorite

To view a favorite's properties from the Favorites folder:


- Select and right-click on the favorite in the **Resources** window.
- Select **Element Properties** from the context menu.

3.13.3 The Notes Window

You use the **Notes** window to view and edit the element documentation (notes) associated with elements, diagrams, attributes, operations and connectors, either from a diagram (for both elements and connectors) or from the **Project Browser** window (elements only). When you select an element, the note displayed changes to reflect the current selection. If you make changes to notes in this tab, they are saved.

Notes are the main documentation feature you use to describe an element or connector. In the documentation Enterprise Architect outputs, notes feature prominently.

You can format the notes text using the [Rich Text Notes](#)^[134] toolbar at the top of the **Notes** window.




Tip:

You can also edit notes by double-clicking on an element or connector in a diagram or in the **Project Browser** window, to open the **Properties** dialog. Any formatting changes made in one screen are reflected in the other.

3.13.4 The System Window

The **System** window documents tasks and issues that relate directly to the current project. It has three tabs:

- [Project Tasks](#)^[746] - a list of major project tasks that require attention; you can filter tasks based on their current status - right-click for a popup menu, or double-click on a line item to modify details
- [Project Issues](#)^[749] - a list of events, occurrences and situations that impact on project development and delivery; you can review Issues using the right-click menu or by double-clicking on selected issues
- [Project Glossary](#)^[755] - a list of all the technical and business terms already defined for a model; you can add to the list, delete or change items and filter the list to exclude by type.



Note:

Right-clicking in the **System** window displays a context-sensitive menu, which has options for filtering tasks/issues by status, and glossary by term. You can also rearrange the sort-order by clicking in the title bar of the column that the items are to be indexed on.

3.13.5 The Source Code Viewer

The **Source Code** viewer can be used to view any source code you are opening. If a Class is selected, it shows the source code for that Class, provided it has already been [generated](#)^[773]. For C++ a second tab displays to show the implementation file.

A number of options change the way the **Source Code** viewer works. They can be altered via the **Options** dialog (select the **Tools | Options | Source Code Engineering | Code Editors** menu option).


By default the **Source Code** viewer is set to:

- Parse all opened files, and show a tree of the results.
- Show line numbers
- Have outlining enabled.

File Parsing

The **Source Code** viewer parses files for a number of reasons. The first is to enable it to jump to the location in the file at which the currently selected item is found.

Additionally, parsing displays a structure tree showing an overview of the file in a similar fashion to the main **Project Browser** window. You can also select anything in that and jump to the appropriate line in the editor.



The Source Code Viewer Menu Buttons

The menu buttons in the **Source Code** viewer enable you to edit, view and interact with the code contained in the **Source Code** viewer. The function of each button is described below:




- **Open** button - opens the source code from an existing file. (This option is also active in the 'Lite', read-only version of Enterprise Architect.)
- **Save** button - saves the changes to the currently loaded source code. (This option is also active in the 'Lite', read-only version of Enterprise Architect.)
- **Copy** button - copies the highlighted text.
- **Paste** button - pastes the text that is currently contained in the buffer to the source code viewer.
- **Undo** button - cancels the previous action.

- **Generate and Reload** - button generates and reloads the current object source.
- **Save and Resynch** button - save the source code and resynchronizes the Class.
- **Code Templates** button - accesses the [Code Templates Editor](#)⁸⁰³
- **Build and Run** button - provides quick access to the following commands
 - **Build** - run package build scripts
 - **Test** - run package test scripts
 - **Run** - run debug
 - **Package Build Scripts** - configure package build scripts.
 (These options are also active in the 'Lite', read-only version of Enterprise Architect.)
- **Set Font** button - sets the font for the text contained in the **Source Code** viewer.

3.13.6 The Element Browser

The **Element Browser** window displays all aspects of the selected element as shown below.

Select the **View | More Windows | Element Browser** menu option, or right-click on the **Main Menu** bar to display the context menu and select the **Element Browser** menu option.



The following are displayed, where available:

- Operations

- Attributes
- Tags
- Constraints
- Requirements
- Files
- Links
- Scenarios
- Documents.

3.13.7 The Relationships Window

The **Relationships** window displays all connections between the currently selected element and other elements. This provides a quick overview of an element's relationships in the model.





For each link, the link type and target element are displayed. If a 'Yes' appears in the **Target in Diagram** column, the target element is visible in the currently loaded diagram. This is useful when you are dragging related elements from the relationships list onto the current diagram.

Double-click on a link in the list to open the **<linktype> Properties** dialog, where you can edit the link attributes. Right-click on a link to open the context menu.

You can locate the related element, view the related element properties or delete the connector. You can also hide certain links from appearing in diagrams, and show hidden links (first example of the menu, below).

If an element is not visible in the current diagram, the context menu has an option to place the selected element in the current diagram (second example of the menu, below). This is useful when you are building a picture of what an element interacts with, especially when reverse engineering an existing code base.



Tip:


In the Corporate edition of Enterprise Architect, with [security](#) ^[631] on, the diagram and the source and target elements must be free for editing before some of these options are available for use.

3.13.8 The Rules & Scenarios Window

The **Rules & Scenarios** window displays all requirements, constraints, linked requirements and scenarios against an element. The **Rules & Scenarios** window provides a convenient way to quickly view, edit and add rules to an element.

To enter a new requirement, constraint or scenario for an element:

1. Select the element and either press **[Ctrl]+[Shift]+[3]** or select the **View | More Windows | Rules & Scenarios** menu option; the **Rules & Scenarios** window displays.
2. Click on the required folder; for example, *Requirements*. You can:
 - Add a new rule by pressing **[Ctrl]+[N]**
 - Save by pressing **[Ctrl]+[S]**
 - Delete by pressing **[Ctrl]+[D]**
 - Add formatted notes in the **Notes** field, using the [Rich Text Notes](#) ¹³⁴ toolbar at the top of the field.




3.13.9 The Hierarchy Window

The **Hierarchy** window shows a mini picture of the composition of the current element with respect to other elements.

This information is derived from relationships with child or related Classes. Relationships shown in the hierarchy include aggregation, inheritance and dependency; embedded elements are also shown. This helps extend the picture of where an element exists in the model space.

Display of each type of relationship is optional, and can be toggled using the toolbar for the hierarchy window.


**Tip:**

You can alter the maximum number and the initial number of levels that the hierarchy opens to by selecting the **Tools | Options** menu option and, on the [General](#)^[189] tab, updating the **Max Hierarchy View Depth** and **Open Hierarchy View to** fields.

3.13.10 The Tagged Values Window

The **Tagged Values** window is used to view and modify Tagged Values for the currently selected element, either in the current diagram or in the **Project Browser** window. Tagged Values are by default set to hide duplicate and fully qualified values, as in the first window below. If you prefer, you can change the settings to [show duplicate values](#)^[179] and fully-qualified values (which show exactly where the Tagged value came from) as in the second window below


Tagged Values



Activity1 (Activity)	
ActivityType	Task
AdHoc	false
AdHocCompletionCondition	
AdHocOrdering	Parallel
Assignments	
Categories	
ComplexMI_FlowCondition	
DiagramRef	
Id	
Implementation	Unspecified
InMessage	
InputPropertyMaps	
Instantiate	false

AdHocOrdering
Values: Sequential,Parallel
Default: Parallel

Tagged Values



Activity1 (Activity)	
BPMN::Activity::ActivityType	Task
BPMN::Activity::AdHoc	false
BPMN::Activity::AdHocCompletionCondition	
BPMN::Activity::AdHocOrdering	Parallel
BPMN::Activity::Assignments	
BPMN::Activity::Categories	
BPMN::Activity::ComplexMI_FlowCondition	
BPMN::Activity::DiagramRef	
BPMN::Activity::Id	
BPMN::Activity::Implementation	Unspecified
BPMN::Activity::InMessage	
BPMN::Activity::InputPropertyMaps	
BPMN::Activity::Instantiate	false

BPMN::Activity::AdHocOrdering
Values: Sequential,Parallel
Default: Parallel

Note:

Fully qualified Tagged Values can be displayed only if the Tagged Value was created in Enterprise Architect release 7.1 or later. You cannot display the fully qualified path for Tagged Values from earlier releases.

A Technology Developer can also create new structured Tagged Values, predefined reference data Tagged

Value types and custom Tagged Value types, as described in the [Enterprise Architect Software Developers' Kit \(SDK\)](#).^[1354]

The **Tagged Values** window is a dockable window. You can use it to perform the following actions:

- [Assign a Defined Tagged Value to an Item](#)^[177]
- [Modify Tagged Values](#)^[177]
- [Assign information to a Tagged Value](#)^[178].

Model Elements and Features with Tagged Values

The following model components can use the **Tagged Values** window as a convenient way to quickly view and modify Tagged Values:

Component	Description
Elements	Elements display their own Tagged Values along with any inherited values.
Object Instances	Object Instances display owned tags and those obtained from their classifier.
Ports and Parts	Ports and parts display information similar to objects and display Port/Part 'Type' instead of a classifier. Tags are included for all parents and other structures of the Ports type.
Attributes	Include owned Tagged Values and those received from attribute type classifiers, with the inclusion of any inherited ones.
Operations	Owned properties only.
Connectors	Owned properties only.

When over-riding an inherited property, Enterprise Architect copies the tag from the parent down to the child element and sets the new value, leaving the original tag unchanged.

To edit Tagged Values use the **Tagged Values** toolbar, as described below.

Tagged Values Toolbar Buttons

The buttons in the **Tagged Values** toolbar enable you to add, edit, sort, delete and arrange the Tagged Values of model features.



From left to right, the button functions are as follows:

- The **Compartment** button displays the Tagged Values in element compartments on diagrams
- The **Sort Alphabetically** button sorts the current Tagged Values for the element alphabetically
- The **New Tag** button adds a new Tagged Value
- The **Edit Notes** button enables you to create notes that explain the purpose of the Tagged Value
- The **Delete selected** button removes the currently selected Tagged Value
- The **Default Tagged Value types** button enables quick access to tag definitions created in the **Configuration** menu
- The **Options** button enables you to show or hide the fully qualified paths for the Tagged Values in the window
- The **Help** button displays help relating to use of the **Tagged Values** window.

3.13.10.1 Assign a Defined Tagged Value to an Item


You can assign Tagged Values to several model features, as listed in the [Model Elements and Features with Tagged Values](#) ^[176] topic.

To add a Tagged Value follow the steps below:

1. Create user-defined Tagged Values either using a predefined Tagged Value type or by creating a Custom Tagged Value type (as described in the [Enterprise Architect Software Developers' Kit \(SDK\)](#) ^[1360]).
2. Select the model feature to associate with the defined Tagged Value.
3. Ensure that the **Tagged Values** window is visible (select the **View | Tagged Values** menu option, or press **[Ctrl]+[Shift]+[6]**).
4. Either click on the **New Tags** button or press **[Ctrl]+[N]**. The **Tagged Values** dialog displays.
5. On the **Tag** field, click on the drop-down arrow and select the appropriate defined Tagged Value to assign to the item.

Note:

Direct entry of predefined Tagged Values is only available for predefined tags of type **string**.



6. To confirm selection of the Tagged Value, click on the **OK** button.

Modify Tagged Values with the Tagged Values Window

Once a Tagged Value has been assigned to the model feature it is possible to edit the values from the **Tagged Values** window. Model features that you can apply Tagged Values to are detailed in the [Model Elements and features with Tagged Values](#) ^[176] topic. To edit the Tagged Values follow the steps below:


1. Click on the **View | Tagged Values** menu option, or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the model feature for which to edit the Tagged Values. The window shows all of the Tagged Values for the selected feature.
3. Edit the fields as appropriate. The information entered can only reflect the masked value types that have been defined either as a predefined type or in the format defined by the creation of the Custom tagged type.

There are three types of value field for a Tagged Value:

- 'Open' fields, in which you can type any appropriate value

- 'Drop-down list' fields, where you click on the drop-down arrow to select from a discrete list of possible values such as **M** or **F**, or **Win**, **Lose** or **Draw**
- 'Further detail' fields, where you click on an ellipsis (**[...]**) in the field to display a dialog in which you enter information (such as notes) or indicate a source of further information (such as a [classifier](#)^[384]).

The example below shows a value being modified, using a drop-down list.




Note:

To override a Tagged Value defined in a parent element, edit the value in the **from <parentname>** compartment of the **Tagged Values** window. Once this has been done the tag is moved into the selected element's Tagged Values; this does not affect the Tagged Values defined in the parent element.


3.13.10.2 Assign Information to a Tagged Value

Once the Tagged Value has been assigned to a model feature, it is possible to add information and notes describing the Tagged Value to the information property of the Tagged Value (model features that you can apply Tagged Values to are detailed in the [Model Elements and features with Tagged Values topic](#)^[176]). To facilitate this from the **Tagged Values** window, follow the steps below:

1. Click on the **View | Tagged Values** menu option, or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the model feature for which to edit the Tagged Values. The Tagged Values for the selected model feature display.
3. Click on the Tagged Value to add information to.
4. Click on the **Edit Notes** button or press **[Ctrl]+[E]**. The **Tagged Value Note** dialog displays.



- In the **Note** field, type the information relating to the Tagged Value. This information is displayed in the lower portion of the **Tagged Values** dockable window whenever the Tagged Value is selected.




3.13.10.3 Show Duplicate Tags

Tagged Values are by default set to hide duplicate values. This setting is used to facilitate inherited and overridden tag names.

To show duplicate Tagged Values follow the steps below:

- Select the **Tools | Options** menu option. The **Options** dialog displays.
- From the hierarchical tree, select the **Objects** item.




3. Select the **Show Duplicate Tags** checkbox.

3.13.11 The Project Management Window

The **Project Management** window enables you to input the [resources](#)^[717], [effort](#)^[718], [risks](#)^[719] and [metrics](#)^[720] that can be added to elements contained in the model.

Open the **Project Management** window by selecting the **Element | Resourcing Metrics & Risk** menu option, or the **View | Project Management** menu option (or press **[Ctrl]+[Shift]+[7]**).



Right-click on the list to view the context menu, which enables you to add, modify and delete list items. For more information see the [Adding, Modifying and Deleting Tasks](#)^[747] topic.

Toolbar



These buttons have the following functions (in order as shown on the toolbar):


- **New:** Create new item
- **Save:** Save changes to an item
- **Copy:** Enables you to duplicate an existing entry. You must change an item's Role for this to become enabled.
- **Delete:** Delete an item from the list
- **Sort:** Sort Items in the list
- **Print:** Print item data from the list
- **Show/Hide Details:** Swap between detailed and summary new window styles
- **Help:** Show help contents for this window

3.13.12 The Output Window

The **Output** window is used to display data that is either system generated or Add-In generated. Examples of situations where Enterprise Architect generates items include:

- Validation Items
- Launch of external processes
- Command line output from Build and Test
- Parse errors generated during import
- (Corporate edition of Enterprise Architect) In the [Audit History](#)^[660] tab, a history of changes to any element or connector selected from the [Audit View](#), the [Element List](#), the [Project Browser](#) or the current diagram ([Auditing](#)^[651] must be turned on and the [Element List](#)^[137] open)
- Re-docking the [Model Search](#)^[144] results into the **Output** window.

You can drag suitable items out of the **Output** window and add them to diagrams.



Double-click on model validation errors or parsing errors to display the source of the error.

You can also right-click on an item and select context menu options to:

- Copy the selected item to the clipboard
- Copy all items to the clipboard
- Save the output to an external file
- Clear the output from the window.

The **Output** window can also be used by [Add-Ins](#)^[1385], if they are configured to do so via the Automation Interface. See the [Enterprise Architect Software Developers' Kit \(SDK\)](#)^[1453].

3.13.13 The Tasks Pane Window

The **Tasks Pane** window provides access to a range of context-specific help topics, online resources and Enterprise Architect facilities to give you quick access to information and facilities in areas of interest in Enterprise Architect. When you first open Enterprise Architect, the **Tasks Pane** automatically displays on the right of the screen.



The **Tasks Pane** has several topic areas such as:

- **Getting Started**
- **Managing Requirements**
- **Debug and Profile**
- **Code Engineering.**

The list of topic areas varies, and can include topics specific to any [MDG Technologies](#)^[460] being used with Enterprise Architect.




To switch between the topic areas, either:




- Click on the **More Tasks** option in the toolbar and select the required area from the list, or
- Click on the left or right arrow buttons in the toolbar.

The 'Home' icon returns you to the **Getting Started** topic area.

Tasks Pane Contents

The **Tasks Pane** provides several types of information and resources. Click on a:

-  icon to open appropriate topics from the Enterprise Architect Help file
-  icon to open web pages or documents on the Sparx Systems web site
-  icon to begin Enterprise Architect tasks appropriate to the **Tasks Pane** topic area; you must be in an appropriate functional area of Enterprise Architect in order for these tasks to function, such as in an open diagram

-  icon to begin Add-In tasks appropriate to the Tasks Pane topic area; you must be in an appropriate functional area in order for these tasks to function
-  icon to open report facilities to provide information or data collation tools
-  icon to start demonstrations of Enterprise Architect functions in action.


The selected information, web page or demonstration displays on a **Browser** tab in the main view, or the appropriate task or report window opens.

If you close the **Tasks Pane** window, to access it again:

- From any Enterprise Architect screen, press **[Ctrl]+[Shift]+[9]**
- Select the **View | Tasks Pane** menu option, or
- From the main menu/toolbar banner at the top of the Enterprise Architect screen, right-click to display the context menu and select the **Tasks Pane** option.

3.13.14 The Pan & Zoom Window

The **Pan & Zoom** window provides a 'birds-eye' view of diagrams. It enables you to navigate quickly around large diagrams. To display this window, click on the **View | More Windows | Pan & Zoom** menu option.




The shaded box represents the viewed area on the open diagram. The toolbar provides the following functions (in order)


- Zoom In
- Zoom Out
- Zoom to fit diagram
- Zoom to fit page
- Zoom to 100%
- Zoom Slider.

Move the cursor inside the window and hold down the mouse button to pan over the open diagram by moving the shaded box. To zoom, use either the *Zoom Slider* or the buttons located on the tool bar.

3.14 The Quick Linker



The *Quick Linker* provides a simple and fast way to create new elements and connectors on a diagram. When an element is selected in a diagram, the **Quick Linker** arrow is displayed at the upper right corner of the element, as shown below:



Simply clicking and dragging the icon enables you to create new connectors and elements on a diagram, as explained in the following topics:


- [Create New Elements](#) ^[184]
- [Create Connections Between Elements](#) ^[186]

The connectors and elements suggested by the Quick Linker are the commonest objects appropriate to the context. You can select others from the Enterprise Architect UML [Toolbox](#) pages. Also, a Technology Developer can edit the lists of elements and connectors, and create new combinations. For further information, see the [Enterprise Architect Software Developers' Kit \(SDK\)](#) ^[132].


3.14.1 Create New Elements

To create new elements using the Quick Linker, follow the steps below:

1. Select a start element on the current diagram.



2. Drag the Quick Linker arrow onto an empty area of the diagram.




- Use the Quick Linker context menu to select the type of element and connector to create.

Tips:

- Press and hold **[Shift]** while selecting the type of connector to select an existing classifier as the target.
- For rapid modeling, you can suppress the **Properties** dialog when creating new elements. See the option **Tools | Options | Objects | Edit Object on New**.

Note:


The available Quick Link options depend on the type of element selected. For example, the Quick Link options for a Class (above) differ from those of an Actor (below). These are the most appropriate, commonly used elements and connectors for the source element; you can create other target elements and connectors by selecting them from the appropriate **Toolbox** page.



3.14.2 Create Connections Between Elements

To create new connectors between existing elements using the Quick Linker, follow the steps below:

1. Select the source element on the current diagram.




2. Drag the **Quick Linker** arrow onto another element in the diagram.

Note:

As you drag the arrow to create the connector, you can press **[Shift]** to create a bend in the connector. If necessary, you can put several bends in the connector line, pressing **[Shift]** every time you want to change direction. To roll back the bends, keep holding the left mouse button down and press **[Backspace]** as many times as is necessary.

3. Release the mouse button and use the **Quick Linker** context menu to select the type of connector.



Notes:

- The list of connectors provides the most appropriate, commonly-used connectors for the source and target element types. If you want to use a different connector, select the appropriate **Toolbox** page, click on the required connector and then on the source element, and drag across to the target element.
- The connector does not actually establish until you release the mouse button over the target element. However, a dotted line shows where the connector would be at any point, and the solid outline of the nearest element or extension changes to a hatched outline as you move the cursor onto it; this helps you identify where the connector will link to, if there are many closely-arranged elements, Parts, Ports and other extensions.

3.15 Defaults and User Settings



You can configure various settings using the [Options dialog](#) (display this by selecting the **Tools | Options** menu option). In addition, there are several options to change the [overall look and feel of Enterprise Architect](#) in the **View | Visual Style** submenu. Those settings and options are explored in this topic.


See Also

- [Custom Layouts](#)

3.15.1 Configure Local Options

There are several options to customize how Enterprise Architect displays and works with models and model elements. This topic describes those settings that are local to a particular user and machine.

Select the **Tools | Options** menu option to display the **Options** dialog.



Most of these settings are stored in your registry so they are set for your use only. For a networked workplace, registry settings can be copied down to any network workstation you log in to. Otherwise, the settings are valid for the current machine only.

You select the required page of options by clicking on the appropriate category name in the left hand list. For information on the options on a specific page, select the appropriate link below.


- [General](#) ^[189]
- [Standard Colors](#) ^[191]
- [Diagrams](#) ^[192]
- [Diagram Behavior](#) ^[194]
- [Diagram Sequence](#) ^[196]
- [Objects](#) ^[197]
- [Links](#) ^[201]
- [Communication Colors](#) ^[202]
- [XML Specifications](#) ^[204]
- [Source Code Engineering](#) ^[780]
- [Code Editors](#) ^[781]
- [Object Lifetimes](#) ^[782]
- [Attribute/Operations](#) ^[783]
- [ActionScript](#) ^[790]
- [C](#) ^[791]
- [C#](#) ^[792]
- [C++](#) ^[793]
- [Delphi](#) ^[794]
- [Java](#) ^[798]
- [PHP](#) ^[798]
- [Python](#) ^[799]
- [Visual Basic](#) ^[800]
- [VB.Net](#) ^[801]

Note:

Additional defaults and settings are discussed under the various code generation and import/export topics in this User Guide.

3.15.1.1 General

The **General** page of the **Options** dialog is shown below:




Option	Use to
Author	Set the default author when new elements are created and modifications made.
Clipboard Format	Set the graphic format in which to save image to the clipboard; Metafile has the best detail.
Double-click on Browser	Configure the Project Browser window behavior ^[53] .
Use Jet 4.0 - requires restart	Set JET 4.0 as the database engine; this ensures compatibility with .EAP files that are in turn compatible with versions of MS Access later than Access 97.
Use extended « and » characters	Apply the guillemet characters to stereotypes. For some double byte character sets, it is best to select this checkbox.
Allow custom RTF tags in reports	Enable you to use customized rich text format code in report templates when generating reports with the Legacy RTF Report Generator ^[1037] . From release 7.0 of Enterprise Architect, with the Rich Text Notes ^[134] facility, this option is not really necessary.
Project Directory	Specify the default location of Enterprise Architect projects.
File Directory	Specify the default location for files.
Web Home	Specify the default home page to open when you click on the Home button in the internal web browser ^[158] .
Web Search	Specify the default web page to open when clicking on the Web Search button in the internal web browser ^[158] .

Option	Use to
Web Mail	Specify the email server address (http://xxxxx/exchange/) for accessing email through the web browser ^[173] within Enterprise Architect.
Confirm Deletes	Use or bypass the Confirm Delete dialog; only clear this dialog if you are an experienced user!
Allow Free Sorting -	Enable 'free sorting' of elements in the Project Browser window regardless of type.
Show Stereotypes	Show element and feature stereotypes in the Project Browser window.
Ensure Dropped is Visible	Open the destination folder in the Project Browser when you move and drop an element into it from another folder. If you deselect this checkbox the destination folder stays closed when you drop the element into it.
Hide Properties Info Section	Hide or show the properties information status bar on the Properties window.
Always open maximized	Ensure that Enterprise Architect always starts up in a maximized window.
Main Diagram Tabs at Bottom (requires restart)	Display the diagram tabs at the bottom of the main view (default). Clear the checkbox to show the tabs at the top of the main view.
Max Hierarchy View Depth	Set the maximum number of levels the hierarchy opens to on the Hierarchy tab ^[173] .
Open Hierarchy View to	Set the initial number of levels the hierarchy opens to on the Hierarchy tab ^[173] .

3.15.1.2 Standard Colors

The **Standard Colors** page of the **Options** dialog is shown below:



Option	Use to
Paper	Define the paper (background) color in diagrams.
Element Fill	Define the fill color of elements.
Element Line	Define the line color of elements.
Shadow	Define the color of element outline shadows.
Attribute	Define the color of attribute text.
Method	Define the color of method (operation) text.
Note Color	Define the note background color.
Note Compartment Text	Define the color of text in the element Note compartment.
Screen	Define the screen (element) color.
Connector Line	Define the connector line color.
Behavior	Define the color for behaviors in Activity diagrams.
Show Project Custom Colors in Element Format toolbar	Enable use of project custom colors; for more information on setting and getting the custom colors see the Get and Set Project Custom Colors ^[322] topic.
Show Gradient Fill for Paper Color	Switch between having a color gradient in the diagram background, or having a solid, uniform background color.


Option	Use to
Gradient Fill Direction For an Element	Select the direction for the color gradient within element boxes, or <none> for no color gradient.

Notes:

- Using this page of the **Options** dialog, you can set the background of a diagram to be a specific color and to be either a uniform color or to have a fade gradient from top to bottom. Alternatively, you can create a background image for the diagram; see the [Create Custom Diagram Background](#)^[274] topic.
- To override the default appearance of a specific element on all diagrams on which it is found, right-click on the element and select the **Appearance | Default Appearance** menu option. The [Default Appearance](#)^[320] dialog displays.
- To change the appearance of a specific element on the current diagram only, use the [Format](#)^[131] [toolbar](#)^[131]. If the **Format** toolbar is not displayed, select the **View | Toolbars | Format Tool** menu option.

3.15.1.3 Diagram

The **New Diagram Defaults** page of the **Options** dialog enables you to configure overall options for new diagrams and general diagram behavior.




Option	Use to
Default Page Size	Show the default page size for new diagrams, which you set by clicking on the Page Setup button to display the Page Setup dialog.
Print with Border	Print pages with a border.

Option	Use to
Landscape	Print pages in landscape orientation. This checkbox is controlled from the Page Setup dialog.
Show Public Features Show Protected Features Show Private Features	Set the default visibility of Class features.
Show Diagram Notes	Display the diagram details in the top left corner of all diagrams in the model. Details include diagram name, package, version and author.
Use Opaque Diagram Labels	Specify where opaque diagram labels should display. Screen and Printing are best, Clipboard and Files might not be desirable.
Strict UML Syntax	Enforce compliance with UML syntax when adding new connectors and other structures.
Disable fully scoped object names	Disable fully scoped object names, when an element is in a diagram; don't use when the element is in its home package. A scoped name is of the format <i>MyClasses::foo</i> , the :: character indicating that the Class is within another namespace.
Allow change of Created Date	Enable the creation date on the Diagram Properties dialog to be altered.
Zoom to best scale	Resize diagrams to neatly fit the screen.
Auto-pan with middle mouse button	Turn on auto-panning using the middle mouse button. With this option off, the middle mouse button causes a different type of panning.
Image Memory Limit	Set an image memory limit when generating images for RTF or HTML and when saving images to file. It is important when you have very large diagrams, as it affects the point at which Enterprise Architect starts to scale down the image; a low memory setting means it scales the image sooner.
Diagram Frames	Select where diagram frames are automatically added.

3.15.1.3.1 Behavior

The **Diagram Behavior** page of the **Options** dialog is shown below:




Option	Use to
Auto Instance	Automatically create object instances when dragging certain element types - such as Class and Component - from the Project Browser , with the dragged element as the classifier.
Instance has Classifier style	Automatically apply the classifier style of the element an instance was instantiated from when the instance is created.
Show Life Lines	Show life lines for Sequence elements in non-Sequence diagrams.
Print in Color	Print your diagrams in color. Deselect the checkbox to print the diagrams in black and white.
Layout uses all relations	Show all relationships in a diagram layout; deselect the checkbox to show only Generalizations and Associations.
Auto Save Changes	Automatically save your changes as you work, without having to confirm prompts to do so.
Auto Group Elements	Also move visually composed elements when moving diagram nodes. A node is considered composed if it is contained by the moved element and has a higher z-order. Press and hold [Alt] whilst moving an element to toggle this option.
Show Linked Items in Package	Display linked items on packages.
Show Package Item Scope	Display the + and - indicators representing the scope of the items.

Option	Use to
Shift-Mouse Autoscroll	Enable you to press and hold [Shift] and use the mouse to autoscroll around diagrams.
Show 'Hidden' Parents	Display any parents of elements in the diagram that are not part of the diagram.
Use Automatic SubActivities	Generate a new Structured Activity linked to the diagram from a Structured Activity diagram dragged from the Project Browser .
Always Highlight Context Element	Show a hatch border ^[326] around a selected element.
Use Watermark	Add a watermark to any diagrams you print.
Text	Define the watermark text, if a watermark is to be used.
Objects Snap to Grid	Snap all elements to the grid lines.
Show Grid	Display the grid.
Grid Size	Specify the grid size, if you have selected Objects Snap to Grid .
Auto Tidy	Automatically tidy line angles ^[408] for custom connectors. This 'nudges' the custom line into horizontal and vertical increments.
Tidy line gap	Specify the amount Enterprise Architect should enable you to move a line away from horizontal and vertical when you are tidying lines ^[408] for custom connectors. (See Auto Tidy above).
Alias only	Display the alias instead of the element name on elements with aliases.
Alias and Name	Display both the element name and the Alias in the format <i>(Alias) name</i> .
Use alias field for partition/role	Replace the Alias property of instances with a Role property.

3.15.1.3.2 Sequence

The **Sequence** page of the **Options** dialog enables you to configure various font settings and the focus of the control indicator for Sequence diagrams.




Option	Use to
Message Spacing	Specify the vertical gap (in points) between Sequence messages (can be overridden manually by dragging a message up or down).
Default page layout is Landscape	Set the default orientation of Sequence diagrams to landscape.
Show Sequence Numbering	Show sequence numbers on Sequence messages.
Assume right to left messages are Return	Automatically generate return messages.
Default concurrency is Asynchronous	Set the default concurrency for Sequence Messages ^[1273] to Asynchronous; deselect to set the default concurrency to Synchronous.
Width	Select the line width (in points) of the 'focus of control' rectangle (thick part of lifeline).
Assume message returns	Assume implicit returns when none are explicitly drawn (recommended).
GarbageCollect	Automatically truncate lifelines for created elements after the last message (that is, assume garbage collect rather than explicit delete).
Name	Display the MS Windows Font dialog (click on [...]) and define the font of the caption bar heading (above your diagram); this is particularly useful for non-English character sets.

Option	Use to
Size	Specify the size of the heading font (this overrides the font size in the Font dialog, above).
Use System	Apply the Enterprise Architect system default heading font.

3.15.1.4 Objects

The **Objects** page of the **Options** dialog enables you to configure how elements look and respond in diagrams, as well as define connector defaults.



Option	Use to
Border Width	Set the default border width (in pixels).
Configure Default Fonts	Set the default model and user text fonts ^[199] .
Automatically increase size of all objects	Automatically increase the size of all objects on a diagram by up to 50%, without affecting other users reading that diagram.
Version	Set the default version for new elements.
Phase	Set the default phase for new elements.
Highlight References	Highlight parameters in operations that are passed by reference rather than value.
Reference Char(s)	Specify a character to use for the reference.
Suffix/Prefix	Indicate whether to use the Reference Char(s) value as a prefix (before) or a

Option	Use to
	suffix (after).
No warning for spaces in class names	Bypass or display the warning message if a Class name has embedded spaces.
Classes honor analysis stereotypes	Show Classes as their stereotype; eg. if a Class is stereotyped as a Boundary, it appears as a Boundary rather than a Class.
Show stereotype icon for requirements	Show or hide a code letter in the top right corner of Requirement (E, for external), Change (C) and Issue (I) elements.
Support for Composite Objects	Enable you to drag child elements onto parent elements in a diagram ^[312] , and automatically embed them (and drag embedded child elements out of parent elements, breaking the child-parent relationship).
Auto-resize marks diagram 'dirty'	Ensure that auto-resizing of elements (eg. Classes) marks the current diagram as changed (asterisk on the diagram name tab), so it should be saved.
Highlight {abstract} elements	Highlight abstract elements with a suitable tag <i>{abstract}</i> in the top right of the Class.
Allow elongated Use Cases	Stretch Use Cases or Use Case extension points with long names to enable space for the name. If you deselect the checkbox, Use Case re-sizing is proportional.
Show status colors on diagrams	Enable color coding ^[682] for Requirements and similar elements.
Copy inheritance links on duplicate	Duplicate Inheritance and Realization links when an edit/copy is performed ([Ctrl]+[Shift]+[V]).
Port and Part type visible by default	Enable Port and Part types to be shown by default.
Sort Features Alphabetically	Sort element features alphabetically. Features include Attributes, Operations, Tags, Constraints and Test Cases.
Bold Object Names	Show elements in bold face in diagrams.
Shadows On	Toggle element shadows.
Edit Object on New	Automatically show the element Properties dialog when a new element is added.
Show «column» stereotype	Hide or show the « <i>column</i> » stereotype used when data modeling.
Extend Complexity	Extend levels of complexity to five levels in the Complexity option in the Properties window. Otherwise only three levels are available.
UML 1.5 Components	Use UML 1.5 components (Enterprise Architect versions 4 and later support UML 2.x).
Show State Compartment	Show or hide the State Compartment divider under the state name.
Show Duplicate Tags	Enable duplicate tags to be shown.
Group Operations by Stereotype	Group an element's operations by their stereotype on the diagram.
Group Attributes by Stereotype	Group an element's attributes by their stereotype on the diagram.
Inverted rotated text for metafiles	Use different text format when external metafile readers are causing issues.

Option	Use to
Advanced	Set the visibility [200] of certain elements in reports and in diagram packages.

3.15.1.4.1 Set Default Fonts

Enterprise Architect enables you to define a standard font to apply across the model, or a font to apply to any diagrams you create personally. You can define both, but the model font overrides any user font, to ensure that all members of a project team have a consistent and coherent view of the model. This avoids the problem of one user creating a diagram in a small font, and another user trying to view it in a larger font, which distorts the diagram.

It is recommended that a project authority sets the model default, and all project members abide by it and do not change it without project approval.

To set the default fonts, follow the steps below:

1. On the **Objects** page of the **Options** dialog, click on the **Configure Default Fonts** button. The **Configure Default Fonts** dialog displays.

2. To set a model font, in the **Font Face** field of the **Model Font** panel, click on the drop-down arrow and select the appropriate typeface.
3. In the **Font Size** field, click on the drop-down arrow and select the required font size.
4. To clear a model font so that the user font takes effect, click on the **Clear** button. (Ensure that this is acceptable to all other team members.)
5. To set a user font, in the **Font Face** field of the **User Font** panel, click on the drop-down arrow and select the appropriate typeface.
6. In the **Font Size** field, click on the drop-down arrow and select the required font size.
7. To return the user font to the Enterprise Architect default (Arial 8), click on the **Restore Defaults** button.
8. To save the changes, click on the **OK** button.

Both model and user fonts are overridden by specifically-defined element fonts, so that the element is viewed as designed regardless of the model or user defaults. To define the font for a specific element, right-click on the element in a diagram and select the **Appearance | Set Font** [304] context menu option.


If you cannot read the diagrams because the default font makes the objects and text too small, you can scale up all objects (that is, all diagram displays) to a more readable size. Everything on the diagram is enlarged to

the same extent, so it remains in proportion and readable. To do this, return to the **Objects** page of the **Options** dialog and enter a suitable percentage value in the [Automatically increase size of all objects](#)^[197] field.

3.15.1.4.2 Element Visibility

Some elements do not appear in packages and in RTF output by default. Click on the **Advanced** button on the [Objects](#)^[197] page of the **Options** dialog to specify which elements should be visible.

See the topic on [customizing element visibility](#)^[318] for more details.



Check which additional elements you wish to appear in RTF reports and in packages displayed in diagrams


- Events
- Decisions
- Sequence
- Activity Endpoints
- Association Class

Close

Help

3.15.1.5 Links

The **Links** page of the **Options** dialog shown below provides options for the creation, behavior, and notation for links.




Option	Use to
General	
Edit Connector on New	Automatically show the connector Properties dialog when a new connector is added.
Association default = source -> target	Set the direction of new Associations to source->target (ie. with an arrow head at the target).
Generalization link style Default = Tree	Show generalizations as tree style hierarchies.
Shade Qualifier boxes	Lightly shade all Qualifier boxes.
Draw Aggregations Reversed	Draw Aggregate and Composite connectors from target element to source element. When deselected (the default), these connectors are drawn from source to target. Note: All tools have the parent as the target and the child as the source of the connector, that is a requirement of UML; only the direction of dragging the mouse to draw the connector is changed.
Prompt on connector deletes	Display a prompt before deleting connectors.

Option	Use to
Suppress Link Constraints	Suppress links constraints in diagrams.
Suppress Qualifier boxes	Suppress boxes when displaying qualifiers.
Show Uses arrowheads	Show an arrowhead on Actor->Use Case Associations.
Show Override Operation dialog on new connector	Show the Override Operation dialog automatically when adding generalizations and realizations between Classes and Interfaces, if the target element has overridable features.
Suppress ' + ' Role Scope	Ensure that the role and scope are not displayed on the diagram.
Default Style	
Pen Width	Set the default connector width.
Routing	Set the default connector link style for new connectors.
Quick Linker	
Enable	Enable the Quick Linker.
Show Help	Add a 'help' menu option to the end of the Quick Linker menu.
New Connector End-Points	
Center to center	
Exact placement	Change the position of the dashed guide line for new connectors.
Force perpendicular line	

3.15.1.6 Communication Colors

The **Communication Message Coloring** page in the **Options** dialog enables you to configure the colors used in collaboration diagrams. When you enable this option, collaboration messages appear in different colors depending on the sequence group they belong to on a diagram; eg. 1.n are black, 2.n are red, 3.n are green.




Select the **Use Communication Message Coloring** checkbox to turn on colored messages.

Click on the down arrow in each color field, and click on the appropriate color for the message group. Set the color sequence as required; the pattern repeats after 8 sequence groups.

3.15.1.7 XML Specifications

The **XML Specifications** page of the **Options** dialog enables you to configure various settings for working with XML.




Option	Use to
Editor	Set the default editor for any XML documents you open within Enterprise Architect.
Format XML Output	Set whether or not formatting is applied to your XML output.
Write Log	Set whether or not to write to a log file when you import or export XML.
Use DTD	Set whether or not to use a Data Type Definition.
Export Diagrams	Set whether or not to export diagrams when you export XML.
Export Alternate Images	Set whether or not to export the alternative images used in the model when you export to XML.
Default XML Version	Set the XML version to use: Enterprise Architect or Rose.
Code Page	Set the Code Page to use; setting a NULL encoding string results in the encoding tag being entirely omitted from the XML output. Click on the Default button to restore the setting to the default Code Page.
Export Diagram Images	Set whether or not to export diagrams as images when you export XML.
Image Type	Define the format of the image to export to if Export Diagram Images is selected.
Prefix EA Tagged Values in XML 1.0 with ea\$	Set whether or not to prefix any Enterprise Architect Tagged Values within any XML 1.0 you create with ea\$.
Update Last Save Time	Set whether to update the time you last saved in controlled packages.

Option	Use to
in Controlled Packages	
Default XML Directory	Define the default XML directory to use when importing and exporting XML.

3.15.2 Custom Layouts

Enterprise Architect supports some customization of the default desktop layout and **Toolbox** folder sequence. This is useful for resetting your current layout to the standard layout, and for using custom layouts for working with specific processes.


To access this feature, select the **View | Visual Layouts** menu option.



When you select an option Enterprise Architect realigns toolbars and docked windows to the defaults for that option.

Setting User Layouts

If you have the layout of the Enterprise Architect windows and tools just as you require them, you can preserve your layout by saving it as a custom user layout. Select the **View | Visual Layouts | Custom Layouts** menu option. The **Custom Layouts** dialog displays:



You can save up to five custom layouts. To save the current layout to Layout 1, ensure the **Layout 1** option is selected, then click on the **Save Layout to Selected** button.

If you make changes to an existing layout, to save them open the **Custom Layouts** dialog, select the radio button for the layout to update, then click on the **Save Layout to Selected** button.

Load a saved layout by going to the **Custom Layouts** dialog, selecting the radio button for the layout to load, and click on the **Load Selected Layout** button.

Warning:

If you have set keyboard shortcuts, these are not overridden if you switch to the **Default Layout** or the **Iconix Layout** option. However, if you have set keyboard shortcuts and you switch to a **Custom Layout**, your keyboard shortcuts are overridden, unless you have saved them as part of the custom layout you have switched to. For more information about setting keyboard shortcuts, see the [Customize Keyboard](#) topic.

3.15.3 Visual Styles

You can configure the overall look and feel of Enterprise Architect to suit your working environment. Options range from a classic windows application to an enhanced XP look.

To reset the appearance of Enterprise Architect, follow the steps below:

1. Select the **View | Visual Style** submenu
2. Select the required style from the list:
 - XP Similar to applications such as MS Office and MS Visual Studio
 - 2003 Colorful modern style
 - 2005 Rounded modern style
 - 2007 Dark VS style
 - Classic Classic windows application look.

You can also [enable or disable menu shadows](#)^[96] and animate [auto-hidden](#)^[162] windows.

3.16 Keyboard Shortcuts

The table below lists the default keyboard shortcut functions within Enterprise Architect. You can also display the key combinations on the [Help Keyboard](#) dialog (or [Keyboard Accelerator Map](#)^[210]).

If necessary, you can change these keyboard shortcuts using the [Keyboard](#) tab of the [Customize](#)^[93] dialog.

Function	Shortcut	Category
Create a new Enterprise Architect project	[Ctrl]+[N]	File
Open an Enterprise Architect project	[Ctrl]+[O]	File
Open Source File	[Ctrl]+[Alt]+[O]	File
Reload the current project	[Ctrl]+[Shift]+[F11]	File
Print the active diagram	[Ctrl]+[P]	File
Undo Change	[Ctrl]+[Z]	Edit
Redo Change	[Ctrl]+[Y]	Edit
Add a single element to the clipboard list	[Ctrl]+[Space]	Edit
Paste element as metafile from clipboard	[Ctrl]+[Shift]+[Insert]	Edit
Paste element as new	[Ctrl]+[Shift]+[V]	Edit
Paste element(s) from the clipboard as a link	[Shift]+[Insert]	Edit
Bookmark current element with red marker	[Shift]+[Space]	Edit
Delete selected element(s)	[Ctrl]+[D]	Edit
Search for elements in the project	[Ctrl]+[F]	Edit
Set focus to current window	[Ctrl]+[Shift]+[0]	Window
Autohide the current window	[Ctrl]+[Shift]+[F4]	Window
Hide the current window	[Ctrl]+[F4]	Window
View Project Browser window	[Alt]+[0]	View
View Properties window	[Alt]+[1]	View
View System window	[Alt]+[2]	View


Function	Shortcut	Category
View Testing window	[Alt]+[3]	View
View Maintenance window	[Alt]+[4]	View
Display Enterprise Architect UML Toolbox	[Alt]+[5]	View
View Resources window	[Alt]+[6]	View
View Source Code window	[Alt]+[7]	View
View Debug Workbench	[Alt]+[8]	View
View Notes window	[Ctrl]+[Shift]+[1]	View
View Element Relationships window	[Ctrl]+[Shift]+[2]	View
View Rules and Scenarios (Requirements and Constraints) window	[Ctrl]+[Shift]+[3]	View
View Hierarchy window	[Ctrl]+[Shift]+[4]	View
View Tagged Values window	[Ctrl]+[Shift]+[6]	View
View Project Management window	[Ctrl]+[Shift]+[7]	View
View Output window	[Ctrl]+[Shift]+[8]	View
View Tasks Pane	[Ctrl]+[Shift]+[9]	View
View Pan & Zoom Window	[Ctrl]+[Shift]+[N]	View
View Model Search	[Ctrl]+[Alt]+[A]	View
View Element List	[Ctrl]+[Alt]+[R]	View
Open Discussion Forum	[Ctrl]+[Alt]+[U]	View
Display Web Browser	[Ctrl]+[Alt]+[W]	View
View Element Browser	[Alt]+[9]	View
Add new package to project	[Ctrl]+[W]	Project
Add new diagram to package	[Ctrl]+[Insert]	Project
Add new element to package	[Ctrl]+[M]	Project
Create RTF documentation	[F8]	Project
Generate HTML Report	[Shift]+[F8]	Project
Generate Diagrams-only Report	[Ctrl]+[Shift]+[F8]	Project
Generate package source code	[Ctrl]+[Alt]+[K]	Project
Synchronize package contents	[Ctrl]+[Alt]+[M]	Project
Import source directory	[Ctrl]+[Shift]+[U]	Project
Package Build Scripts	[Shift]+[F12]	Project
Build	[Ctrl]+[Shift]+[F12]	Project
Test	[Ctrl]+[Alt]+[T]	Project
Run	[Ctrl]+[Alt]+[N]	Project
Deploy	[Ctrl]+[Shift]+[Alt]+[F12]	Project
Debug Run	[F6]	Project

Function	Shortcut	Category
Step Into	[Shift]+[F6]	Project
Step Over	[Alt]+[F6]	Project
Step Out	[Ctrl]+[F6]	Project
Debug Stop	[Ctrl]+[Alt]+[F6]	Project
Transform selected elements	[Ctrl]+[H] or [Ctrl]+[Alt]+[F]	Project
Transform current package	[Ctrl]+[Shift]+[H]	Project
Validate Selected	[Ctrl]+[Alt]+[V]	Project
Manage locks applied by current user	[Ctrl]+[Shift]+[L]	Project
Configure package control	[Ctrl]+[Alt]+[P]	Project
Import package from XMI	[Ctrl]+[Alt]+[I]	Project
Export package to XMI	[Ctrl]+[Alt]+[E]	Project
Import and export to CSV files	[Ctrl]+[Alt]+[C]	Project
Manage Baselines	[Ctrl]+[Alt]+[B]	Project
Diagram properties	[F5]	Diagram
Save	[Ctrl]+[S]	Diagram
Save image to file	[Ctrl]+[T]	Diagram
Save image to clipboard	[Ctrl]+[B]	Diagram
Visible Relations	[Ctrl]+[Shift]+[I]	Diagram
Locate in Project Browser	[Shift]+[Alt]+[G]	Diagram
Repeat last element	[Shift]+[F3] or [Ctrl]+click	Diagram
Repeat last connector	[F3]	Diagram
Element Properties	[Alt]+[Enter]	Element
Add Tagged Value	[Ctrl]+[Shift]+[T]	Element
Linked Document	[Ctrl]+[Alt]+[D]	Element
Display Attribute Properties dialog	[F9]	Element
Display Operation Properties dialog	[F10]	Element
Space elements evenly horizontally	[Alt]+[-]	Element
Space elements evenly vertically	[Alt]+[=]	Element
Add attribute	[Ctrl]+[Shift]+[F9]	Element
Add operation	[Ctrl]+[Shift]+[F10]	Element
Add other type	[Ctrl]+[F11]	Element
Auto-size selected elements	[Alt]+[Z]	Element
Generate Code From Element	[Ctrl]+[G] or [F11]	Element
Align bottom edges of selected elements	[Ctrl]+[Alt]+[Down]	Element

Function	Shortcut	Category
Align top edges of selected elements	[Ctrl]+[Alt]+[Up]	Element
Align selected elements on left boundaries	[Ctrl]+[Alt]+[Left]	Element
Align selected elements on right boundaries	[Ctrl]+[Alt]+[Right]	Element
Configure element default appearance	[Ctrl]+[Shift]+[E] or [F4]	Element
Edit selected	[F2]	Element
Manage embedded elements	[Ctrl]+[Shift]+[B]	Element
Insert new feature after current selection	[Insert]	Element
Locate in browser	[Alt]+[G]	Element
New element	[Ctrl]+[M]	Element
View source code in default editor	[Ctrl]+[E] or [F12]	Element
Operation	[F10]	Element
Override inherited features	[Ctrl]+[Shift]+[O]	Element
Configure element properties	[Alt]+[Enter]	Element
Select alternative image	[Ctrl]+[Shift]+[W]	Element
Specify which element features are visible on a diagram	[Ctrl]+[Shift]+[Y]	Element
Set element parent or implement interface(s)	[Ctrl]+[I]	Element
Set references to other elements and diagrams	[Ctrl]+[J]	Element
Create Workbench Instance	[Ctrl]+[Shift]+[J]	Element
View element usage	[Ctrl]+[U]	Element
View Properties dialog	[Enter]	Element
Check project data integrity	[Shift]+[F9]	Tools
Configure system options	[Ctrl]+[F9]	Tools
Spell check current package	[Ctrl]+[Shift]+[F7]	Tools
Spell check model	[Ctrl]+[F7]	Tools
Edit code generation templates	[Ctrl]+[Shift]+[P]	Settings
Edit transformation templates	[Ctrl]+[Alt]+[H]	Settings
Make text bullet list item	[Ctrl]+[.] (full stop)	Element notes
Make text numbered list item	[Ctrl]+[1]	Element notes
Make text bold	[Ctrl]+[B]	Element notes
Make text italic	[Ctrl]+[I]	Element notes
Make text underlined	[Ctrl]+[U]	Element notes
Copy text	[Ctrl]+[C]	Everywhere
Paste Text	[Ctrl]+[V]	Everywhere
Cut Text	[Ctrl]+[X]	Everywhere

Display Keyboard Accelerator Map

To display the key combinations for the menu functions within Enterprise Architect, select the **Help | Keyboard Accelerator Map** menu option. The **Help Keyboard** dialog displays.



To list the shortcuts in a particular category (see the *Category* column in the above table), click on the drop-down arrow in the **Category** field and select the appropriate category.

3.17 Project Discussion Forum


The **Project Discussion Forum** can be used to discuss the development and progress of a project. The **Discussion Forum** window consists of three main areas:

- The message thread area, located in the left pane, is used to create new [categories and topics](#)^[217] and to edit and delete messages
- The message contents section, located in the top right hand section of the discussion forum, is used to view discussion topics
- The linked elements area, located in the lower right hand portion of the discussion forum, is used to locate model elements of interest and to [associate model elements](#)^[218] with the discussion forum.









To access the **Discussion Forum**, either:

- Select the **View | Project Discussion Forum** menu option
- Press **[Ctrl]+[Alt]+[U]**, or
- Click on the **Discussion Forum** button in the [Other Views](#)^[133] toolbar





The icons beside the messages have the following meanings:

-  Post read
-  Post unread
-  Post Reply
-  Unread Reply
-  Category
-  Category unread
-  Topic read
-  Topic unread.

3.17.1 Categories, Topics and Posts


The **Discussion Forum** enables you to [create Categories](#)^[212] that contain [Topics](#)^[213], which contain [Posts](#)^[214]. You can also [reply to posts](#)^[215].

See Also

- [Edit an Item](#)^[215]
- [Delete an Item](#)^[216]
- [Message Dialog](#)^[217]

3.17.1.1 Add a New Category

To create a new *Category*, right-click on a blank area in the message thread window, select **New Category** from the context menu or alternatively press **[Ctrl]+[N]**.




This displays the [Create New Category](#) ^[217] dialog. Enter the name and any relevant details into the text field, as well as the name of the author, before clicking on the **OK** button. New topics can now be added to the category; see [Add a New Topic](#) ^[213].

Option	Use to
New Category	Create a new category.
New Topic	Create a new topic ^[213] under the selected category in the tree.
Edit	Edit ^[213] the currently select item, either a category, topic or post.
Copy Path To Clipboard	Copy the path ^[213] to the currently selected item to the clipboard.
Refresh Category	Refresh the currently selected category.
Reload Discussion Forum	Reload the discussion forum. Used when multiple users are connected to a model on a server.
Options	Display the Options ^[220] dialog.
Delete Category	Delete the category from the tree.

3.17.1.2 Add a New Topic

To create a new *Topic*, right-click on a *Category* from the message thread window. Select **New Topic** from the context menu.




This displays the [Create New Topic](#)^[217] dialog. Enter the name and any relevant details into the text field, as well as the name of the author, before clicking on the **OK** button. New posts can now be added to the topic; see [Add a New Post](#)^[214].

Option	Use to
New Topic	Create a new topic ^[213] under the selected category in the tree.
Edit	Edit ^[215] the currently select item, either a category, topic or post.
Copy Path To Clipboard	Copy the path to the currently selected item to the clipboard.
Refresh Category	Refresh the currently selected category.
Reload Discussion Forum	Reload the discussion forum. Used when multiple users are connected to a model on a server.
Options	Display the Options ^[220] dialog.
Delete Category	Delete the currently selected category from the tree.

3.17.1.3 Add a New Post

To create a new *Post*, right-click on a *Topic* in the message thread window. Select **New Post** from the context menu.




The [Create New Post](#) ^[217] dialog displays. Enter the name and any relevant details into the text field, as well as the name of the author, before clicking on the **OK** button. You can also drag in element entries from the [Model Search](#) ^[144] dialog, the [Model Views](#) ^[140] window, or the [Element List](#). ^[137]

Other users can now reply to the post; see [Reply to a Post](#) ^[215].

Option	Use to
New Post	Create a new post under the selected topic in the tree.
Edit	Edit ^[215] the currently select item, either a category, topic or post.
Copy Path To Clipboard	Copy the path of the currently selected item to the clipboard.
Refresh Topic	Refresh the currently selected topic.
Reload Discussion Forum	Reload the discussion forum. Used when multiple users are connected to a model on a server.
Options	Display the Options ^[220] dialog.
Delete Topic	Delete the currently selected topic from the tree.

3.17.1.4 Reply to a Post


To reply to a post, right-click on the post in the message thread window. Select **Reply** from the context menu.



The [Reply to Post](#) dialog displays. Enter the name and any relevant details into the text field, as well as the name of the author, before clicking on the **OK** button.

3.17.1.5 Edit an Item


To edit a Category, Topic or Post, right-click on the item in the message thread window. Select **Edit** from the context menu; alternatively press **[Ctrl]+[E]**.



The [Edit](#) dialog displays. Modify any relevant details in the text field. You cannot edit the name of the author. Click on the **OK** button.

3.17.1.6 Delete an Item

To delete a Category, Topic or Post, right-click on the item in the message thread window. Select **Delete Post** from the context menu.



A confirmation dialog displays. Click on the **OK** button.

3.17.1.7 Message Dialog


The project discussion forum message dialogs ([Create New Category](#)^[212], [Create New Topic](#)^[213], [Create New Post](#)^[214], [Edit Post](#)^[215] and [Reply to Post](#)^[215]) all share the same functionality.

The table below describes the operation of each option available for the dialogs.

Option	Description
Name	The name of the message category or message topic.
Author	Click on the drop-down arrow and select the message author or type in a new name if the Author name is not present in the list. (You cannot change this field when editing a topic.) The Authors in the drop-down list are defined in the Project Authors list. For more information see the Project Authors ^[673] topic.
Formatting Tools	These are standard formatting options for text.
OK	Confirm the forum message.

3.17.1.8 Add Element Links

The project discussion forum can have element links associated with message threads. This enables rapid navigation to the objects in the **Project Browser** window, access to the element properties and, with diagrams, the ability to open the diagram directly from the forum. Elements can be associated with the discussion forum message by dragging the element from the **Project Browser** window or the **Model Search** dialog into the linked elements section of the project **Discussion Forum**.



To access the navigation options of each element in the linked elements section, right-click on the object to display the navigation context menu. The options are detailed in the table below.

Option	Use to
Open	Open the diagram.
Properties	Display the element properties for the selected element.
In Diagrams	Open the diagram in which the element is used, or display a list of several diagrams in which the element has been used.
Delete Link	Delete the association between the message and the element.

3.17.2 Context Menu


The **Discussion Forum** context menu enables you to access the following functions.

Option	Use to
Reply	Open the Message Dialog to create a reply to the selected post.
New Topic New Post	Add a New Topic to the forum.
Edit	Edit an Item .
Copy Path to Clipboard	Copy the path of the currently-selected post to the clipboard.
Refresh Category 'xyz' Refresh Topic 'xyz' Refresh Post 'xyz'	Refresh the named category, topic or post, getting new posts and topics.
Reload Discussion Forum	Reload the entire Discussion Forum, getting new posts and topics.
Mark branch as read	Mark this topic and all sub-topics and posts as read.
Mark branch unread	Mark this topic and all sub-topics and posts as unread.

Option	Use to
Mark 'xyz' unread	Mark this topic as unread.
Forum Connections...	Access other discussion forums [220] from other Enterprise Architect models or models located on servers.
Forum Options...	Change the loading behavior [219] of the forum.
Delete Category <xyz> Delete Topic <xyz> Delete Post <xyz>	Delete this category, topic or post and all sub-topics and sub-posts.

3.17.3 Copy Path to Clipboard


To copy the current path in the discussion forum tree to the clipboard, right-click on any element in the tree and select the **Copy Path To Clipboard** context menu option. Alternatively, press **[Ctrl]+[C]**.



The clipboard now contains the path to the selected item in the tree. In the above example, the clipboard contains *Project::Project Stages::Stage 1 Requirements*.

3.17.4 Forum Options

The **Forum Options** dialog enables you to change the loading behavior of the forum.



From here you can:

- **Clean History.** Clears the history log, which keeps track of which posts you have read.
- **Load forum data when required.** This is the fastest loading option. Forum data is only loaded on demand; for example, when you read a post.

- **Preload all forum data.** This caches the entire contents of the forum on load. This takes longer to load but, once completed, maneuvering the forum is faster.

3.17.5 Forum Connections

Forum Connections enables you to access other discussion forums from other Enterprise Architect models, or models located on servers.

To switch to another discussion forum, follow the steps below:

1. Right-click on an item in the tree and select the **Forum Connections** context menu option. The **Forum Connections** dialog displays.

2. Click on the **New** button and select the Enterprise Architect model in which to access the discussion form. Click on the **Open** button; the model displays in the **Forum Connections** panel.
3. Select the check box against the model in the **Forum Connections** panel.
4. Click on the **Open Selected Forum** button. The connection now switches to the forum in the selected model from the list.
5. Click on the **OK** button. The **Discussion Forum** now shows the discussion in the selected forum.

Option	Description
Connection Name	The connection name becomes the name of the model you selected.
Connection Type	The type of Enterprise Architect model: a local .EAP file or a model on a remote server.
Target Model	The path to the selected model.
New	Creates a new Discussion Forum connection.
Save	Saves the connection to the Forum Connections list.
Delete	Deletes the currently selected connection from the Forum Connections list.

Option	Description
Forum Connections	Lists all forum connections created.
Prompt for connection	If you select this checkbox, each time you select the Discussion Forum option from the main menu, the Forum Connections dialog displays.
Open Selected Forum	Switches the Discussion Forum to the one selected in the Forum Connections list.

3.18 Spell Checking



Enterprise Architect provides a powerful spell checking facility. This operates at the project level and enables you to quickly spell check an entire project.

See Also

- [Using the Spell Checker](#) ^[221]
- [Correcting Words](#) ^[223]
- [Select Language](#) ^[223]

3.18.1 Using the Spell Checker


Enterprise Architect has an inbuilt spell checker.

Notes:

- Enterprise Architect currently supports checking an entire model, and spell checking by single package. A future release will support more detailed spell checking at the element and diagram level.
- In the Corporate edition of Enterprise Architect, if security is enabled you must have [Spell Check](#) ^[640] permission to spell check a package and set the spell check language.

To perform a spell check, follow the steps below:

1. Select the **Tools | Spell Check Project** or **Tools | Spell Check Current Package** menu option, depending on which level of spell check you require. The **Spell Check** dialog displays.

**Note:**

The **Spell Check Project** menu option enables you to check spelling for the entire project, whereas the **Spell Check Current Package** option only checks the package currently open, and does not enable you to select the options shown above.

2. Select the checkbox against each of the items to spell check within your model.
3. Click on the **Start** button to begin the spell check.
4. As the spell check proceeds, the text being checked displays in the visible edit area. If an error is detected, the **Check Spelling** dialog displays, offering several [options](#) ^[223] to correct the error.



3.18.2 Correcting Words

As the spell check progresses, Enterprise Architect highlights any errors or unknown words in the **Check Spelling** dialog. This enables you to correct the spelling of a word, ignore the error, add the word to a user dictionary, suggest alternatives or otherwise assist in the spelling correction process.

The inbuilt spell check stores user-defined words in the User Dictionary (*userdict.tlx*) stored in the Enterprise Architect installation directory. During the spell check process, if you add a word, it is written into this file for later reference.



To correct the current word you can:

- Modify the spelling by hand and click on the **Change** or **Change All** button to change the word to that spelling
- Click on a suggested alternative and click on the **Change** or **Change All** button to change the word to that spelling
- Click on the **Ignore** or **Ignore All** button to exclude the word from the spell check
- Click on the **Add** button to add the word to the current user dictionary
- Click on the **Suggest** button to list alternative spellings or words
- Click on the **Cancel** button to abort the spell check entirely.

3.18.3 Select a Different Language

Enterprise Architect is supplied with two dictionaries, for US English and British English. Additional dictionaries are available for download from the registered area of the Sparx Systems website. Once these have been downloaded and installed, you can select another language in which to perform the spell check.

Note:

Before selecting a language as described below, ensure you have downloaded the additional language pack and installed it in the Enterprise Architect install directory. Language packs are available from: http://www.sparxsystems.com/registered/reg_ea_down.html

To select another language for the spell checker, follow the steps below:

1. Select the **Tools | Spelling Language** menu option. The **Spell Check Language** dialog displays.




2. Click on the radio button for the required language dictionary to use.
3. Click on the **OK** button. The selected language remains the current language until changed.

Part

4

4 Project Roles and Enterprise Architect




Enterprise Architect performs a number of tasks that are suited to a variety of professions. The way you use Enterprise Architect can depend on your role within a project. This topic describes some common working practices with Enterprise Architect for a range of project roles. There are tools for:

- [Business Analysts](#) ^[226]
- [Software Developers](#) ^[230]
- [Software Architects](#) ^[228]
- [Software Engineers](#) ^[229]
- [Project Managers](#) ^[231]
- [Testers](#) ^[232]
- [Database Administrators](#) ^[235]
- [Implementation Managers](#) ^[233]
- [Technology Developers](#) ^[234]

Click on the links above to explore how Enterprise Architect can assist you in carrying out your role within a model driven project.

4.1 Business Analysts

A Business Analyst can use Enterprise Architect to create high-level [models of business processes](#) ^[475]. These include business requirements, activities, work flow, and the display of system behavior. Using Enterprise Architect, a Business Analyst can describe the procedures that govern what a particular business does. Such a model is intended to deliver a high-level overview of a proposed system.



Model High Level Business Processes

With Enterprise Architect the Business Analyst can model high level processes of the business with [Analysis diagrams](#) ^[114]. Analysis diagrams are a subset of UML 2.1.1 Activity diagrams and are less formal than other diagram types, but they provide a useful means for expressing essential business characteristics and requirements.

Model Requirements

[Gathering requirements](#) ^[423] is typically the first step in developing a solution, be it for developing a software application or for detailing a business process. It is an important step in the implementation of a project. Enterprise Architect enables you to define the requirement elements, link requirements to the model elements for implementation, link requirements together into a hierarchy, report on requirements, and move requirements into and out of model element responsibilities.

Model Business Activities

The Business Analyst can use [Activity diagrams](#) ^[108] to model the behavior of a system and the way in which these behaviors are related to the overall flow of the system. Activity diagrams do not model the exact internal behavior of the system but show instead the general processes and pathways at a high level.

Model Work Flow


To visualize the cooperation between elements involved in the work flow, the Business Analyst can use an [Interaction Overview diagram](#) ^[112], which provides an overview of sub activities that are involved in a system.

Display System Behavior

In displaying the behavior of a system as a [Use Case diagram](#)^[1082], Enterprise Architect gives the Business Analyst an easily understood tool for mapping the functional requirements and behavior of a system.

4.2 Software Architects

Software Architects can use Enterprise Architect to map functional requirements with Use Cases, perform real time modeling of objects using [Interaction diagrams](#)^[1096], design the [Deployment](#)^[1139] model and detail the deliverable components using [Component](#)^[1137] diagrams.



Map Functional Requirements of the System

With Enterprise Architect the Software Architect can take the high level business processes that have been modeled by the Business Analyst and create detailed [Use Cases](#)^[1237]. Use Cases are used to describe the proposed functionality of a system and are only used to detail a single unit of discrete work.

Map Objects in Real Time

The Software Architect can use [Interaction diagrams](#)^[1096] ([Sequence](#)^[1115] and [Communication](#)^[1124] diagrams) to model the dynamic design of the system. Sequence diagrams are used to detail the messages that are passed between objects and the lifetimes of the objects. Communication diagrams are similar to Sequence diagrams, but are used instead to display the way in which the object interacts with other objects.

Map Deployment of Objects

The Software Architect can use [Deployment diagrams](#)^[1139] to provide a static view of the run-time configuration of processing nodes and the components that run on the nodes. Deployment diagrams can be used to show

the connections between hardware, software and any middleware that is used on a system.

Detail Deliverable Components


[Component diagrams](#) [1137] enable the Software Architect to model the physical aspects of a system. Components can be executables, libraries, data files or another physical resource that is part of a system. The component model can be developed from scratch from the Class model or can be brought in from existing projects and from third-party vendors.

See Also

- [Analysis Diagrams](#) [1147]
- [Modeling with Enterprise Architect](#) [238]
- [XML Import and Export](#) [572]
- [XML Technologies](#) [970]

4.3 Software Engineers

Software Engineers using Enterprise Architect can map Use Cases onto [Class diagrams](#) [1131], detail the interactions between Classes, define the system deployment with [Deployment diagrams](#) [1139] and define software packages with [Package](#) [1130] diagrams.



Map Use Cases into Detailed Classes

In Enterprise Architect the Software Engineer can study the [Use Cases](#) [1082] developed by the Software Architect, and with that information create Classes that fulfill the objectives defined in the Use Cases. A Class is one of the standard UML constructs that is used to detail the pattern from which objects are produced at run time. To record the relationships between Use Cases and Classes, the Software Engineer can create diagrams linking the elements with [Realization](#) [1292] links, and/or map the Realization links in the [Relationship Matrix](#) [432].

Detail Interaction Between Classes

[Interaction diagrams](#) [1098] ([Sequence](#) [1115] and [Communication](#) [1124] diagrams) enable the Software Engineer to model the dynamic design of the system. Sequence diagrams are used to detail the messages passed between objects and the lifetimes of the objects. Communication diagrams are similar to Sequence diagrams, but are used instead to display the way in which objects interact with other objects.

Define System Deployment

[Deployment diagrams](#) [1139] can be used to provide a static view of the run-time configuration of processing nodes and the components that run on the nodes. Deployment diagrams can be used to show the connections between hardware, software and any middleware that is used on a system, to explain the connections and relationships of the components.

Define Software Packages


The Software Engineer can use [Package diagrams](#) [1130] to detail the software architecture. Package diagrams are used to organize diagrams and elements into manageable groups, declaring the dependencies.

See Also

- [Modeling with Enterprise Architect](#) [238]

4.4 Developers

Developers can use Enterprise Architect to perform round trip [code engineering](#) [763], which includes reverse engineering of existing code and [generation of code](#) [773] from UML [Class elements](#) [1167].



[State Machine](#) [1084], [Package](#) [1130] and [Activity](#) [1080] diagrams can be used by the developer to better understand the interaction between code elements and the arrangement of the code.

Round Trip Engineering

Enterprise Architect gives the developer unparalleled flexibility, with the ability to round trip software from

existing source code to UML 2.1 models and back again. Round trip Engineering involves both forward and reverse engineering of code. Keeping the [model and code synchronized](#)^[771] is an important aspect of round trip engineering.

Reverse Engineering

Enterprise Architect enables developers to [reverse engineer](#)^[764] code from a number of supported languages and view the existing code as [Class diagrams](#)^[1131]. The developer can use Class diagrams to illustrate the static design view of the system. Class diagrams consist of Classes and interfaces and the relationships between them. The Classes defined in UML Class diagrams can have direct counterparts in the implementation of a programming language.

Forward Engineering

As well as the ability to reverse engineer code, Enterprise Architect offers the developer the option of forward engineering code (code generation). This enables the developer to make changes to their model with Enterprise Architect and have these changes implemented in the source code.

Determine the System State

To visualize the state of the system the developer can use [State Machine](#)^[1084] diagrams to describe how elements move between states, classifying their behavior according to transition triggers and constraining guards. State Machine diagrams are used to capture system changes over time, typically being associated with particular Classes (often a Class can have one or more State Machine diagrams used to fully describe its potential states).

Visualize Package Arrangement

[Package diagrams](#)^[1130] are used to help design the architecture of the system. They are used to organize diagrams and elements into manageable groups, and to declare their dependencies.

Follow the Flow of Code

[Activity diagrams](#)^[1080] are used to enable a better understanding of the flow of code. Activity diagrams illustrate the dynamic nature of the system. This enables modeling of the flow of control between Activities and represents the changes in state of the system.

See Also

- [XML Technologies](#)^[970]
- [MDA Transforms](#)^[933]
- [Debug and Profile](#)^[825]

4.5 Project Managers

Enterprise Architect provides support for the [management of projects](#)^[710]. Project Managers can use Enterprise Architect to assign resources to elements, measure risk and effort, and estimate project sizes. Enterprise Architect also helps them manage element [status](#)^[759], change control and [maintenance](#)^[738].

Provide Project Estimates

With Enterprise Architect the Project Manager has access to a comprehensive project [estimation](#)^[711] tool that calculates effort from Use Case and Actor objects, coupled with project configurations defining the technical and environmental complexity of the work environment.

Resource Management

Managing the allocation of [resources](#)^[716] in the design and development of system components is an important and difficult task. Enterprise Architect enables the Project Manager or Development Manager to assign resources directly to model elements and track progress over time.

Risk Management ^[719]

The **Project Management** window can be used to assign Risk to an element within a project. The Risk Types enable the Project Manager to name the risk, define the type of risk, and give it a weighting.

Maintenance


Enterprise Architect enables the Project Manager to track and assign maintenance-related items to elements within Enterprise Architect. This enables rapid capture and record keeping for items such as [issues](#) ^[748], [changes, defects](#) ^[742] and [tasks](#) ^[746]. They can also create and maintain a [project Glossary](#) ^[753] of processes, procedures, terms and descriptions.

4.6 Testers

Enterprise Architect provides support for design testing by enabling you to create test scripts against elements in the modeling environment.

You can assign test cases to individual model elements, [requirements](#) ^[423] and [constraints](#) ^[374]. You can add scenarios to model elements, and use element [defects](#) ^[739] to report problems associated with model elements.

For more detailed information on testing, see [Introduction to Testing in Enterprise Architect](#) ^[726].



Test Cases

With Enterprise Architect, Quality Assurance personnel can set a series of tests for each UML element. The test types include Unit testing, Acceptance testing, System testing and Scenario testing.

Import Requirements, Constraints and Scenarios

To help ensure that testing maintains integrity with the entire business process, Enterprise Architect enables the tester to import requirements, constraints and scenarios defined in earlier iterations of the development life cycle. Requirements indicate contractual obligations that elements must perform within the model. Constraints are conditions which must be met in order to pass the testing process. Constraints can be Pre-conditions (states which must be true before an event is processed), Post Conditions (events that must occur after the event is processed) or invariant constraints (which must remain true through the duration of the event). Scenarios are textual descriptions of an object's action over time and can be used to describe the way a test works.

Create Quality Test Documentation


Enterprise Architect provides the facility to generate high quality test documentation. Enterprise Architect produces test documentation in the industry-standard .RTF file format.

Element Defect Changes

Defect tracking enables you to allocate defect reports to any element within the Enterprise Architect model. This enables all who are involved in the project to quickly view the status of defects, to see which defects have to be addressed and which have been dealt with.

4.7 Implementation Manager

Using [Deployment](#) diagrams in Enterprise Architect, you can model the tasks involved in the rollout of a project, including network deployment and workstation deployment. Users involved in project deployment can add maintenance tasks to the diagram elements.



Deployment diagrams provide a static view of the run-time configuration of nodes on the network or of workstations, and the components that run on the nodes or are used in the workstations.


Maintenance

Enterprise Architect enables you to track and assign [maintenance](#)-related items to elements within Enterprise Architect. This enables you to rapidly capture and keep records of maintenance tasks such as issues, changes, defects and tasks. By providing a centralized facility for each element involved in the deployment process Enterprise Architect offers a powerful solution for tracing the maintenance of the items and processes involved in system deployment.

4.8 Technology Developers

Technology Developers are Enterprise Architect users who create customized additions to the functionality already present within Enterprise Architect. These additions include UML Profiles, UML Patterns, Code Templates, Tagged Value Types, MDG Technologies and Enterprise Architect Add-Ins. By creating these extensions the Technology Developer can customize the Enterprise Architect modeling process to specific tasks and speed up development.

The following illustration shows a customized view created using an Add-In.



UML Profiles

By creating [UML Profiles](#)^[438] the technology developer can create a customized extension for building UML models that are specific to a particular domain. Profiles are stored as XML files and can be imported into any model as required.

UML Patterns

[Patterns](#)^[438] are sets of collaborating Objects and Classes that provide a generic template for repeatable solutions to modeling problems. As patterns are discovered in any new project, the basic pattern template can be created. Patterns can be re-used with the appropriate variable names modified for any future project.

Code Templates

[Code Templates](#)^[803] are used to customize the output of source code generated by Enterprise Architect. This enables the generation of code languages not specifically supported by Enterprise Architect and enables you to define the way Enterprise Architect generates source code to comply with your own company style guidelines.

Tagged Value Types

[Tagged Values](#) ^[174] are used in Enterprise Architect to specify additional information about elements. They are used to extend the information relating to an element outside of the information directly supported by the UML language. Often Tagged Values are used during code generation process, or by other tools to pass on information that is used to operate on elements in particular ways.

MDG Technologies

[MDG Technologies](#) ^[460] can be used to create a logical collection of resources that can contain UML Profiles, Patterns, Code Templates, Image files and Tagged Value types that can be accessed from a single point in the **Resources** window.

Enterprise Architect Add-Ins


[Enterprise Architect Add-Ins](#) ^[1385] enable you to build your own functionality into Enterprise Architect, creating your own mini programs that can extend the capabilities of Enterprise Architect, defining your own menus, and creating your own Custom Views.

The Enterprise Architect Software Development Kit

This User Guide gives a brief introduction to many of the features identified above, defining how they are used within Enterprise Architect. However, the [Enterprise Architect Software Development Kit \(SDK\)](#) ^[1299] explains in greater detail how to develop and integrate these facilities.

4.9 Database Administrators

Enterprise Architect supports a range of features for the [development of databases](#) ^[890], including modeling [database structures](#) ^[1149], importing database structures from an existing database and generating DDL for rapidly creating databases from a model.



Create Logical Data Models

With Enterprise Architect the Database Administrator can build database diagrams using the built-in UML Data Modeling Profile. This supports the definition of Primary and Foreign keys, cardinality, validation, triggers, constraints and indexes.

Generate Schema

By using Enterprise Architect's DDL generation function the Database Administrator can create a DDL script for creation of the database table structure from the model. Enterprise Architect currently supports JET-based databases; DB2; InterBase; Informix; Ingres; MySQL; SQL Server; PostgreSQL; Sybase Adaptive Server Anywhere and Adaptive Server Enterprise; and Oracle 9i, 10g and 11g.

Reverse Engineer Database

Using an ODBC data connection the Database Administrator can import a database structure from an existing database to create a model of the database. Generating the model directly from the database enables the DBA to quickly document their work and create a diagrammatic account of a complex database through the graphical benefits of UML.


See Also

- [Setting Up a Database Repository](#) 

Part

5

5 Modeling with Enterprise Architect



What is Modeling?

In relation to using Enterprise Architect, modeling can be described as graphically representing a business process or software system. The resulting model can be used to emphasize a certain aspect of the system being represented and to record, document and communicate its detail. A study of such a model can enable insight or understanding of the system.

The Modeling Platform

Enterprise Architect's modeling platform is based on the Unified Modeling Language (UML), a standard that defines rules and notations for specifying business and software systems.

For information on UML, see [The UML Dictionary](#)^[1078].

For examples of the UML models that Enterprise Architect can help you build, see [Model Templates](#)^[41].

Building a Model

Using Enterprise Architect, you can quickly build a model using a hierarchy of *packages* to represent the structure and organization of the model. Each package can contain:

- Other packages
- *Diagrams* that represent various aspects of the equipment, environment and business processes of the system
- *Elements* that represent the objects and actions within the system or process, arranged in an organization defined by relationships represented by *UML connectors*.

The [Create a Project - Quick Start](#)^[24] topic briefly shows you how to create a diagram within a package, containing elements and connectors. Sparx Systems also provide a demonstration of quickly developing a Use Case model; to run this demonstration, click [here](#).

For specific details of configuring and combining the components of a model, see:

- [Work With Packages](#)^[239]
- [Work With Diagrams](#)^[243]
- [Work With Elements](#)^[292]
- [Work With Connectors](#)^[398]

Requirements Management

Gathering requirements is typically the first step in developing a solution, be it for developing a software application or for detailing a business process. Requirements are essentially 'what the system must do'. The [requirements management](#)^[423] built into Enterprise Architect provides full support for defining, organizing and managing the requirements that drive the project.

Relationship Matrix

The Relationship Matrix enables you to display and manage the relationships between the elements within selected packages. You can refine the display to show specific types of relationship between specific types of element. The [Relationship Matrix](#)^[432] is an effective and convenient method of visualizing relationships quickly

and definitively.

UML Stereotypes

Stereotypes are an inbuilt mechanism for logically extending or altering the meaning, display and syntax of a model element. Different model elements have different standard stereotypes associated with them. You can also define your own stereotypes.

For further information on stereotypes, see [UML Stereotypes](#) ^[448].

UML Profiles

UML Profiles are a means of extending UML, which enables you to build models in particular domains. A Profile is a collection of additional stereotypes and Tagged Values applied to elements, attributes, methods and links, which together describe some particular modeling problem and facilitate modeling constructs in that domain.

For further information on Profiles, see [UML Profiles](#) ^[438].

UML Patterns

Patterns are groups of collaborating Objects/Classes that can be abstracted from a general set of modeling scenarios (that is, parameterized collaborations). They generally describe how to solve an abstract problem, and are an excellent means of achieving re-use and building in robustness.

For more information on Patterns, see [UML Patterns](#) ^[455].

MDG Technologies

The Model Driven Generation (MDG) Technologies enable you to access and use the resources of a specific technology within Enterprise Architect. Interfaces to some technologies, such as BPMN and Iconix Process, are integrated with Enterprise Architect, whilst interfaces to others such as Eclipse and Visual Studio can be added separately. You can also link to technologies that you have created yourself.

For more information on MDG Technologies, see [MDG Technologies](#) ^[460].

Business Modeling

[Modeling the business process](#) ^[475] is an essential part of any software development process. It enables you to establish the broad outline and procedures that govern what it is a business does. As the Business Process Model typically has a broader range than just the software system being considered, it also enables you to clearly map what is in the scope of the proposed system and what is to be implemented in other ways.

5.1 Work With Packages



A *Package* is a container of model elements, and is displayed in the [Project Browser](#) ^[51] window using the 'folder' icon familiar to Windows users. This topic explores the tasks you can perform with packages, including:

- [Open a package](#) ^[256]
- [Add a package](#) ^[240]
- [Rename a package](#) ^[241]
- [Drag a package onto a diagram](#) ^[241]

- [Show or hide a package](#) [242]
- [Delete a package](#) [242].

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Update Element](#) [640] permission to update or delete a package.

5.1.1 Open a Package From The Project Browser

To open a package from the **Project Browser**, follow the steps below:

1. Double-click on a package; the contents display in the [Project Browser](#) [51] window.
2. Click on the + and - symbols next to the folder icon to open or close the package respectively.


Tip:

Package contents are arranged alphabetically and elements can be dragged from one package to another using the mouse.

5.1.2 Add a Package

To add a new package:

1. In the [Project Browser](#) [51] [window](#) [51], select the package or view under which to add a new package.
2. Right-click on the folder icon within the **Project Browser** window. The context menu displays.
3. Select the **Add | Add Package** menu option. The **New Model Package** dialog displays.



4. In the **Package Name** field type the name of the new package.
5. To immediately create a diagram for the package, leave the **Automatically add new diagram** checkbox selected. To avoid creating a diagram, deselect the checkbox.
6. If you are adding a package to a parent package that is under [version control](#) [590], the **Add to Version Control** option displays, with the checkbox selected. Deselect the checkbox to exclude the new package from version control, otherwise leave it selected.
7. Click on the **OK** button. The new package is inserted into the tree at the current location and, if you left the **Automatically add new diagram** checkbox selected, the [New Diagram](#) [248] [dialog](#) [248] displays.
8. If you have selected to put the package under version control, the **Package Control Options** dialog displays. [Complete this dialog](#) [580] as required.

Tip:

You can also add a package using the Enterprise Architect UML **Toolbox** and pasting a new package element into a diagram. In this case the package is created under the diagram's owning package, and is created with a default diagram of the same type as that in which the package is created.

Note:

In a multi-user environment, other users do not see the change until they reload their project.

5.1.3 Rename a Package

To rename a package

1. Select the package to rename in the [Project Browser](#)^[51] window.
2. Right-click to display the context menu.
3. Click on the **Package Properties** option.
4. In the **Name** field, type the new name.
5. Click on the **OK** button.

Alternatively, highlight the package to rename, and press **[F2]**.


Note:

In a multi-user environment, other users do not see the change until they reload their project.

5.1.4 Drag a Package onto a Diagram

You can drag a package element from the **Project Browser** window onto the current diagram. This displays the package and any contents within. This is a useful feature to help organize the display and documentation of models.

The illustration below shows how a package is displayed in a diagram; note the Actor and child package icons.


**See Also**

- [Show or Hide Package Contents](#)^[242]

5.1.5 Show or Hide Package Contents

To show or hide the contents of packages in a diagram, follow the steps below:


1. Load a diagram.
2. Double-click in the background area to open the **Diagram Properties** dialog.
3. Click on the **Elements** tab.



4. Select or clear the **Package Contents** checkbox as required.
5. Click on the **OK** button.

5.1.6 Delete a Package

To delete a package, follow the steps below:

1. Highlight the package in the **Project Browser**  window.
2. Right-click to open the context menu.
3. Click on the **Delete** option. A confirmation prompt displays.
4. Click on the **OK** button.


Warning:

Deleting a package also deletes all contents of the package, including sub-packages and elements. Make very sure that you really want to do this before proceeding.

Note:

In a multi-user environment, other users do not see the change until they reload their project.

5.2 Work With Diagrams



Diagrams are collections of project elements laid out and inter-connected as required.


Enterprise Architect supports all of the UML diagrams, as well as some custom extensions. Together with the Enterprise Architect elements and connectors, these form the basis of the model. Diagrams are stored in packages and can have a parent object (optional). Diagrams can be moved from package to package.


The basic elements used in each type of diagram are shown below. After you have looked at these illustrations, go to the following topics:

- [Diagram Context Menu](#) ^[246]
- [Diagram Tasks](#) ^[256]

Tip:


If the diagram display is too small to read comfortably, click on the diagram, press and hold **[Ctrl]** and use the mouse wheel to temporarily expand or reduce the display magnification.





5.2.1 Diagram Context Menu

Open the required diagram and right-click on the diagram background to open the diagram context menu. Not all menu options shown below appear on all diagram context menus.



The diagram context menu enables you to:

- View the [Diagram Properties](#) ^[278] dialog
- Add [Swimlanes](#) ^[266] or a [Swimlanes Matrix](#) ^[269] to the diagram
- Protect a diagram from inadvertent changes ([Lock Diagram](#) ^[277])

Note:


This does not apply in the Corporate edition if security is enabled. In that case, see [Lock Model Elements](#) ^[646].

- Insert various elements into a diagram (see below)
- [Paste copied element](#) ^[254](s) as a link or as new elements
- [Paste an image](#) ^[70] held on the clipboard into the diagram
- Make all the elements on the diagram selectable. If an element is selectable, you can move it around the diagram and perform right-click operations. If an element is unselectable, you cannot move it around the diagram and the only right-click operation available is to make the element selectable. This option has no effect on double-click operations on the element, such as displaying child diagrams.
- Save the current diagram [as a Profile](#) ^[131] in the **Resources** window
- [Import, or reverse engineer, source code](#) ^[765] (not available in the Desktop edition)
- [Import database tables from an ODBC data source](#) ^[926] (not available in the Desktop edition)
- Save any changes to the current diagram

- Display the diagram contents as an [Element List](#)⁽¹³⁷⁾ instead of as a diagram
- View the Enterprise Architect Help on the type of diagram currently displayed.

Insert Items

When you click on the **New Element or Connector** context menu option, a list of elements and connectors displays, as shown below for a Timing diagram:



The structure of this list is as follows:

- **Other** - expands to offer options to select elements and connectors from diagram types other than either the current diagram type or pinned Enterprise Architect **Toolbox** pages
- The expanded list of elements and connectors for the current diagram type
- Collapsed lists of elements and connectors for pages that have been pinned in the **Toolbox**; if an MDG Technology:
 - is active
 - automatically pins Toolbox pages, and
 - has pages that redefine UML or Extended pages
 the MDG Technology pages override the UML or Extended pages, which are not shown
- (At the end) **Common** - expands to display a list of the common elements and connectors.

5.2.2 Diagram Tasks

This topic details some of the common tasks associated with managing diagrams.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Update Element](#) ^[640] permission to update or delete items on a diagram, and [Manage Diagram](#) permission to create, copy or delete diagrams.

- [Add New Diagrams](#) ^[248]
- [Delete a Diagram](#) ^[253]
- [Rename a Diagram](#) ^[254]
- [Copy Diagram Element](#) ^[254]
- [Diagram Navigation Hotkeys](#) ^[254]
- [Convert Linked Element to Local Copy](#) ^[327]
- [Z Order Elements](#) ^[255]
- [Copy Image to Disk](#) ^[255]
- [Copy Image to Clipboard](#) ^[255]
- [Change Diagram Type](#) ^[256]
- [Open a Package](#) ^[256]
- [Duplicate a Diagram](#) ^[257]
- [Feature Visibility](#) ^[257]
- [Insert Diagram Properties Note](#) ^[260]
- [Autosize Elements](#) ^[261]
- [Drop Elements from the Project Browser](#) ^[264]
- [Paste from the Project Browser](#) ^[264]
- [Place Related Elements on Current Diagram](#) ^[265]
- [Swimlanes](#) ^[266]
- [Using the Image Manager](#) ^[272]
- [Show Realized Interfaces for a Class](#) ^[276]
- [Label Menu Section](#) ^[276]
- [Pan and Zoom a Diagram](#) ^[291]
- [View Last and Next Diagram](#) ^[278]
- [Set Diagram Page Size](#) ^[290]
- [Scale Image to Page Size](#) ^[289]
- [Lock Diagram](#) ^[277]
- [Manage Legend Elements](#) ^[287]
- [Lay Out a Diagram](#) ^[250]
- [Set Appearance Options](#) ^[278]
- [Undo Last Action](#) ^[278]
- [Redo Last Action](#) ^[278]

5.2.2.1 Add New Diagrams


Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Diagram](#) ^[640] permission to create new diagrams.

To add a new diagram to an existing package or element, follow the steps below:

1. In the **Project Browser** window, select the appropriate package or element under which to place the diagram.
2. Do one of the following:
 - In the **Project Browser** toolbar click on the **New Diagram** icon
 - Right-click to open the context menu and select the **Add | Add Diagram** or **Add | Add <type> Diagram** menu option
 - Press **[Insert]** and select the **Add | Add Diagram** or **Add | Add <type> Diagram** menu option, or
 - Select the **Project | Add Diagram** menu option.

The **New Diagram** dialog displays.



3. The **Name** field defaults to the name of the selected package or element; if necessary, type a different name for the new diagram.
4. In the **Select From** panel, click on the appropriate **diagram category** ⁽¹⁰⁷⁵⁾ for the diagram. The **Diagram Types** panel displays a list of the diagram types within the selected category.
5. In the **Diagram Types** panel, click on the type of diagram to create.
6. Click on the **OK** button to create your new diagram.

Note:

The diagram type determines the default toolbar associated with the diagram and whether it can be set as a child of another element in the Project Browser window (eg. a Sequence diagram under a Use Case).

5.2.2.2 Lay Out a Diagram

Enterprise Architect provides the facility to layout diagrams automatically. This creates a tree-based structure from the diagram elements and relationships in a diagram. Owing to the complexity of many diagrams, you might then have to do some manual 'tweaking'.

Notes:

- This facility is available for Structural diagrams and Extended diagrams, but not for Behavioral diagrams (see [UML diagrams](#)^[1079] for a description of the diagram types). However, the facility is also available for Sequence diagrams generated by the Enterprise Architect Debugger.
- If you dislike the autolayout, you can reverse it before saving the diagram. Click **[Ctrl]+[Z]**.

Layout a Diagram

To layout a diagram, follow the steps below:

1. Select a diagram.
2. Click on either:
 - The **Diagram | Layout Diagram** option, or
 - The **Auto Layout** button on the diagram toolbar.

Note:

Dynamic and Analysis diagrams are **NOT** suited to this form of layout - please ensure first that the diagram type you are laying out benefits from the action.

Access the Diagram Layout Options Dialog

For a fine degree of control of the elements in your diagram, you can use the **Diagram Layout Options** dialog. Generally the default layout parameters provide adequate layouts for a wide range of diagrams, but there are times when more specific settings are required. To access the **Diagram Layout Options** dialog, follow the steps below:

1. Double-click on the background of the diagram to display the **Diagram Properties** dialog.
2. Click on the **Diagram** tab, then click on the **Set Layout Style** button. The **Diagram Layout Options** dialog displays.
3. When you have made the required changes, click on the **OK** button to save the changes.

The screenshot shows the 'Diagram Layout Options' dialog box with the following settings:

- Cycle Remove Options:**
 - Greedy
 - Depth First Search
- Crossing Reduction Options:**
 - Iterations:
 - Aggressive
- Layering Options:**
 - Longest Path Sink
 - Longest Path Source
 - Optimal Link Length
- Layout Options:**
 - Spacing:**
 - Layer Spacing:
 - Column Spacing:
 - Direction:**
 - Up
 - Left
 - Down
 - Right
- Initialize Options:**
 - Naïve
 - Depth First Search Outward
 - Depth First Search Inward
- Set as Project Default


You can alter any of the following settings on the **Diagram Layout Options** dialog to refine your layout:

- **Cycle Remove Options** panel - these settings remove cycles in the element organization (where element X is the source of a path but also becomes the target of a branch of the path), by reversing the links that impose the cycling and then reorganizing the diagram and reinstating the reversed relationships. This identifies the primary source element in the diagram.
 - **Greedy** - Select to use the *Greedy Cycle Removal* algorithm, which minimizes the number of links reversed.
 - **Depth First Search** - Select to use the *Depth First Search Cycle Removal* algorithm, which establishes the longest linear sequence possible, before establishing parallel sequences and branches. This algorithm is less effective in large and/or complex diagrams, but produces a more natural layout than the *Greedy* algorithm.
- **Crossing Reduction Options** panel - these options determine how long the routine should look for ways of reorganizing the layout to avoid crossed relationships
 - **Iterations** - Type the number of iterations to be used during cycle removal (more than 8 does not usually provide any improvement).
 - **Aggressive** - Select to use an aggressive (detailed and time-consuming) crossing reduction step.
- **Layering Options** panel - these settings determine how elements are organized in layers during layout.
 - **Longest Path Sink** - Select to use the *Longest Path Sink Layering* algorithm, where the final target elements (*sinks*, which have no relationships issuing from them) are arranged in a layer at the top of the diagram, and the relationship paths built downwards from there in as many layers as there are nodes in the longest path.
 - **Longest Path Source** - Select to use the *Longest Path Source Layering* algorithm, where the original *source* elements (those with no relationships entering them) are arranged in a layer at the bottom of the diagram and the relationship paths built up from there in as many layers as there are nodes in the longest path.
 - **Optimal Link Length** - Select to use the *Optimal Link Length Layering* algorithm, which organizes the elements into whichever layers minimize the total source-to-sink relationship chain; in this layout you can have both source elements and sink elements at various levels of the diagram.
- **Layout Options** panel
 - **Layer Spacing** - Type the default number of logical units between layers of elements (vertical spacing).
 - **Column Spacing** - Type the default number of logical units between elements within a layer (horizontal spacing).

- **Up, Down, Left, Right** - Select the direction in which directed links should point, to set the position of the primary source element and the overall flow of the diagram.
- **Initialize Options** panel - the autolayout routine inserts line waypoints and links into relationship paths to help plot the direction of relationships. The routine then assigns an index number to every node, such that nodes in the same layer are numbered left to right. The settings in this panel determine how those index numbers are assigned.
 - **Naive** - Select to use the *Naive Initialize Indices* algorithm, which assigns index numbers to nodes as they are encountered in a sweep and tends to place all waypoints to the right of real nodes (and therefore long relationships between a small number of elements to the right of chains of short relationships between several elements).
 - **Depth First Search Outward** - Select to use the *Depth First Out Initialize Indices* algorithm, which assigns index numbers to nodes as they are encountered in a depth first search from source nodes outwards (and would therefore place longer relationship chains to the left of shorter chains, with the primary source node at the start of the diagram flow).
 - **Depth First Search Inward** - Select to use the *Depth First In Initialize Indices* algorithm, which also assigns index numbers to nodes as they are encountered in a depth first search, but from sink nodes inwards (and would therefore place longer relationship chains to the left of shorter chains, with the ultimate target node at the end of the diagram flow).
- **Set as Project Default** checkbox
 - Select this checkbox to apply the diagram layout settings to all diagrams in the project. If you later check this box and click on the **OK** button for a different diagram, the new settings override the settings saved earlier.

The following is an example of an automatically laid out diagram, with the following options set:

- **Depth First Search**
- **Optimal Link Length**
- **Depth First Search Outward**
- **Direction - Up.**



5.2.2.3 Delete a Diagram

Warning:

In Enterprise Architect there is no *Undo* feature for deleting diagrams, so be certain that you want to delete a diagram before you do so.

Note:

When you delete a diagram, you do not delete the elements on the diagram from the model.

To delete a diagram from your model, follow the steps below:

1. In the **Project Browser** window, right-click on the diagram to delete. The context menu displays.
2. Select the **Delete '<diagram name>'** menu option. A confirmation prompt displays.
3. Click on the **OK** button to confirm the delete.

5.2.2.4 Rename a Diagram

To rename a diagram, follow the steps below:

1. Open the **Diagram Properties** dialog by double-clicking on the diagram background, or by selecting the **Diagram | Properties** menu option.
2. In the **Name** field on the **General** tab, type the new name for your diagram.
3. Click on the **OK** button to save changes.

5.2.2.5 Copy Diagram Element

To copy a diagram element, follow the steps below:

1. Select the element(s) to copy.
2. For multiple elements, right-click to open the context menu and select the **Copy** menu option. Alternatively, press **[Ctrl]+[C]**.
3. For single elements, select the **Edit | Copy** menu option or alternatively press **[Ctrl]+[C]**.

Paste Diagram Elements

To paste diagram elements, follow the steps below:

1. Open the diagram to paste into.
2. Right-click on the diagram background to open the diagram context menu.
3. Select either the **Paste Object(s) as New** menu option (completely new element) or the **Paste Object(s) as Link** menu option (reference to the existing element).

5.2.2.6 Diagram Navigation Hotkeys

The diagram hotkeys enable you to quickly navigate to and select elements within a diagram. The following table details the key combinations and their functionality.


Hotkey Command	Description
[Arrow] , Element(s) selected	Move the selected element(s).
[Arrow] , No element selected	Scroll around the diagram.
[Esc]	Clears the current selection.
[Tab]	Selects the first element in the diagram if none currently selected.
[Shift]+click	Adds the clicked element to the current selection.
[Ctrl]+click	Adds the clicked element to the current selection.
[Ctrl]+[Shift]+drag	Pans the diagram.
[Alt]+[G]	Selects the item in the Project Browser window and gives it focus.

5.2.2.7 Z Order Elements

Z Order refers to an element's depth in the diagram hierarchy, and thus influences which elements appear in front of others and which appear behind.

To set the Z Order of an element, follow the steps below:

1. Click on the element in the diagram view.
2. Select the **Element | Z order** menu option. The following submenu displays:



3. Select the operation to perform. The element is moved to the new position in the diagram hierarchy.

5.2.2.8 Copy Image to Disk

You can copy a diagram image to a disk file in the following formats:

- Windows bitmap (256 color bitmap)
- GIF image
- Windows Enhanced Metafile (standard metafile)
- Windows Placeable Metafile (older style metafile)
- PNG format
- JPG
- TGA.

To copy a diagram image to file, follow the steps below:

1. Open the diagram to save.
2. Select the **Diagram | Save Image** menu option, or press **[Ctrl]+[T]**.
3. When prompted, enter a name for the file and select an image format.
4. Click on the **OK** button.

Note:

Enterprise Architect clips the image size to the smallest bounding rectangle that encompasses all diagram elements.

5.2.2.9 Copy Image to Clipboard

You can copy diagram images onto the MS Windows clipboard and paste them directly into MS Word or other applications.

To copy an image to the clipboard, follow the steps below:

1. Open the diagram to copy.
2. Select the **Diagram | Copy Image** menu option, or press **[Ctrl]+[B]**.
3. Click on the **OK** button.

The diagram has been copied to the clipboard and can now be pasted into compatible applications or into another diagram. You can set the clipboard format on the [Options](#) ¹⁸⁹ dialog (**Tools | Options** menu option).

Enterprise Architect supports bitmap or metafile format.

5.2.2.10 Change Diagram Type


If necessary, you can change one type of diagram to another type. This is useful if you have either made a mistake in selecting the diagram type to begin with, or if the purpose and nature of a diagram changes during analysis.

Note:

Some diagram types do not transfer to others; for example you cannot change a Class Diagram into a Sequence diagram.

To change a diagram type, follow the steps below:

1. Open the diagram to change.
2. Select the **Diagram | Change Type** menu option. The **Change Diagram Type** dialog displays.



3. Select the required diagram type.
4. Click on the **OK** button to save changes.

5.2.2.11 Open a Package From a Diagram

To open a package from within a diagram follow the steps below:

1. Open a diagram that shows the package to open.
2. Right-click on the package element to open the context menu.
3. Select the **Open Package** option. Alternatively, press **[Ctrl]+[K]**.

Note:

Enterprise Architect finds the package default diagram and opens it for you. If you haven't specified a default, this is the first available diagram in the package (selected in alphabetical order).

5.2.2.12 Copy a Diagram

Enterprise Architect makes it easy to duplicate a complete diagram, either with links back to the original diagram elements (*shallow mode*), or with complete copies of all elements in the diagram (*deep mode*).


When you copy a diagram in shallow mode, the elements in the new diagram are only linked to the originals, so if you change the properties of one, the other reflects those changes. If you copy the diagram in deep mode, then all elements are duplicated completely, so that changing an element on one does not affect the other.

Element position and size should be independent in both copy modes.

Procedure

To duplicate a diagram, follow the steps below:

1. In the **Project Browser** window, select the diagram to copy.
2. Right-click to display the context menu and select the **Copy Diagram** menu option.
3. Navigate to the package to host the new diagram, and right-click to open the context menu.
4. Select the **Paste Diagram** menu option. The **Copy Diagram** dialog displays.



5. In the **Name** field, type the name for the new diagram.
6. In the **Type of copy** panel, click on the radio button for the type of copy you require; either linked elements (shallow copy) or complete copies of the originals (deep copy).
7. Click on the **OK** button.

Enterprise Architect automatically creates the new diagram, links or creates new elements and arranges them as in the original diagram. All links are also copied between diagram elements where appropriate.

5.2.2.13 Feature Visibility

Enterprise Architect enables you to set the visibility of attributes and operations per Class or per diagram, or on a package diagram. For example, you can hide all protected attributes, all private operations or any other combination of attributes and operations. The visibility you set applies only to the current diagram, so a Class could appear in one diagram with all elements displayed, and in another with elements hidden.

It is possible to show inherited attributes, operations, requirements, constraints and Tagged Values for elements that support those features. When Enterprise Architect displays inherited features, it creates a

merged list from all generalized parents and from all realized interfaces. If a child Class redefines something found in a parent, the parent feature is omitted from the Merge List.

Tip:

To show features for element types that do not have visible compartments, such as Use Cases and Actors, right-click on the diagram object to display the context menu and select the **Advanced Settings | Use Rectangle Notation** option.

Customize Feature Visibility

To customize feature visibility, follow the steps below:

1. Either:
 - Click on the element in the diagram and either click on the **Element | Feature Visibility** menu option or press **[Ctrl]+[Shift]+[Y]**, or
 - Right-click on the element in the diagram to display the context menu and click on the **Feature Visibility** option.

The **Feature Visibility** dialog displays.

The screenshot shows the 'Feature Visibility' dialog box with the following sections and options:

- Attribute Visibility:**
 - Public
 - Protected
 - Private
 - Package
 - All
 - Custom
- Operation Visibility:**
 - Public
 - Protected
 - Private
 - Package
 - All
 - Custom
- Show Element Compartments:**
 - Responsibilities
 - Inherited Responsibilities
 - Tags
 - Inherited Tags
 - Fully Qualified Tags
 - Constraints
 - Inherited Constraints
 - Notes
 - maximum chars: 1000
 - Render Formatted Notes
- When Resizing Elements:**
 - Resize to longest Feature
 - Wrap Features
 - Truncate Features
- Inherited Features:**
 - Show Attributes
 - Show Operations
- Hide Stereotyped Features:**
 - Specify stereotypes to hide (case sensitive). Separate multiple items with a , (comma)
 - [Empty text box]
- Runstate:**
 - Hide Object Runstate in current diagram
- Type:**
 - Show element type (Port and Part only)

Buttons: OK, Cancel, Help

2. Select the checkbox against each feature that should be visible and clear the checkbox against each of those that should not.
3. In the **Show Element Compartments** panel, select the compartments to display for the elements on the diagram.

The **Fully Qualified Tags** checkbox enables you to display the full provenance of a Tagged Value, where the same Tagged Value can be used several times in different contexts with different values. The description in the Tagged Value compartment reads: `<Profile>::<Stereotype>::<Tagged Value`

name>=<Value>, for example: *BPMN::Activity::Activity Type = Task*. (Only for Tagged Values created in Enterprise Architect release 7.1 or later.)

If you select the **Notes** checkbox, the Notes compartment on each element in the diagram displays the text that has been typed into the **Notes** field of the **Element Properties** dialog. This checkbox also enables the **maximum chars** field, which defaults to 1000 as the number of characters of notes text displayed. Overtyping this value to display less text or more text.

The change only applies to the selected elements on the diagram, so you can display full notes for a selected element whilst the other elements on the diagram have no notes text.

Note:

If you have selected the **Notes** checkbox, you can select the **Render Formatted Notes** checkbox to display the text on the diagram, formatted with the [Rich Text Notes](#)^[134] toolbar.


4. In the **When Resizing Elements** panel, select the appropriate option for resizing the Class, object or table to prevent very wide diagram objects.

The selected option defaults to **Resize to longest Feature**, so that the minimum width for a diagram object is determined by its longest displayed attribute, method or other compartment value. If necessary, you can change the option to **Wrap Features** (so that any longer features are wrapped onto multiple lines) or **Truncate Features** (so that longer features are not displayed in full).

5. If required, in the **Inherited Features** panel, select one or both checkboxes to set whether Enterprise Architect should display inherited features as well as directly owned ones.
6. Click on the **OK** button to save changes. Enterprise Architect redraws the diagram with the appropriate level of feature visibility.


Suppress Features in Diagram

Enterprise Architect enables you to set the visibility of attributes and operations - where shown - per diagram for a Class. You can hide attributes and operations by scope, or you can hide attributes and operations individually by clicking on the **Custom** button. The visibility you set applies only to the current diagram, so a Class can appear in one diagram with all elements displayed, and in another with elements hidden.



5.2.2.14 Insert Diagram Properties Note

Properties of a diagram can be displayed on screen within a custom text box. You can move this text box around and change its [appearance](#)^[320]. You cannot change what the text box says.



The **Diagram Properties Note** button is located on the **UML Elements** toolbar. To create the note, click on the button and click on the diagram.



Alternatively, select the **Diagram | Property Note** menu option.

Note:

This is not the same as the diagram details note, which displays in the top left corner of the diagram if the **Show Diagram Details** checkbox is selected on the [Diagram Properties](#)^[281] dialog. You cannot move the diagram details, nor change the appearance. To hide the diagram details, deselect the checkbox.

5.2.2.15 Autosize Elements

You can autosize a group of elements in a diagram to a best fit.

To autosize a group of elements, follow the steps below:

1. Select the elements to resize (press **[Ctrl]+[A]** to select all).
2. Either:
 - Right-click on any of the elements and, on the context menu, select the **Autosize all** menu option, or
 - Press **[Alt]+[Z]**.Enterprise Architect resizes the elements where necessary.


Note:

- Not all elements resize; elements such as Events and Use Cases remain the same.
- The minimum size Enterprise Architect can set is the default size for the element, usually around 100x100, but different for certain elements.

5.2.2.16 Paste from the Project Browser

You can paste an element from the **Project Browser** window into the current diagram.

If you press and hold **[Ctrl]** while you drag an element from the **Project Browser** window onto the current diagram, Enterprise Architect prompts you to select the type of paste action to carry out.



Three options are available:

1. Paste the element as a simple link. In this case the element displays in the current diagram as a simple reference to the original source element. Changes to the element in the diagram affect all other links to this element.
2. Paste as an instance of the element. If the element can have instances such as an Object, Sequence instance or Node instance, you can drop the element in as an instance of the source element, with the classifier pre-set to the original source. This is useful when creating multiple instances of a Class in a Sequence diagram or Communication diagram.
3. Create as a child of the source element. This automatically creates a new Class - which you are prompted to name - with a Generalization link back to the source. This is very useful when you have a Class library or framework from which you inherit new forms; for example, you can paste a Hashtable as "*MyHashtable*" which automatically becomes a child of the original Hashtable. Used with the [Override parent operations](#) ^[353] and features, this is a quick way to create new structures based on frameworks such as the Java SDK and the .NET SDK.

Note:


To make use of the **Only show this dialog when [Ctrl]+Mouse drag is used** checkbox, you must first select the **Auto Instance** checkbox on the [Diagram Behavior](#) ^[194] [dialog](#) ^[194] (select the **Tools | Options | Diagram | Behavior** option).

5.2.2.16.1 Paste Multiple Items From The Project Browser


You can paste multiple elements from the **Project Browser** window into the current diagram.

To select multiple elements, click on the selected items from the **Project Browser** window while pressing and holding:

- **[Ctrl]** to add single items to the selection of multiple elements, or
- **[Shift]** to select all the elements between the first and last selected items in the **Project Browser** window.



You can then drag the selected elements from the **Project Browser** window onto the current diagram, pressing and holding **[Ctrl]**; Enterprise Architect prompts you to select the type of paste action to carry out.



Three options are available:

1. Paste the element as a link. In this case the element displays in the current diagram as a simple reference back to the original source element. Changes to the element in the diagram affect all other links to this element.
2. Paste as an instance of the element. If the element can have a classifier (such as an Object, Sequence instance or Node instance) you can drop the element as an instance of the source element, with the classifier pre-set to the original source. This is useful when creating multiple instances of a Class in a Sequence diagram, or in a Collaboration diagram.
3. Create as a child of the source element. This automatically creates a new Class (which Enterprise Architect prompts you to name) and creates a Generalization link back to the source. This is very useful when you have a Class library or framework from which you inherit new forms (eg. a Hashtable can be pasted as "MyHashtable" and automatically become a child of the original Hashtable). Used with the

Override parents operations and features, this is a quick way to create new structures based on frameworks like the Java SDK and the .NET SDK.

Note:

To make use of the **Only show this dialog when [Ctrl]+Mouse drag is used** checkbox, you must first select the **Auto Instance** checkbox on the [Diagram Behavior](#) ^[194] [dialog](#) ^[194] (select the **Tools | Options | Diagram | Behavior** option).

5.2.2.16.2 Paste Composite Elements

Several additional options are available to you when pasting Composite elements from one diagram to another.

When you drag a Composite element from the **Project Browser** window onto the current diagram with **[Ctrl]** held down, Enterprise Architect prompts you to select the type of paste action to carry out with the Composite element.


Two advanced options are available for pasting Composite elements; these require the **include Embedded Elements** checkbox to be selected:

1. The **All Embedded Elements** option, which pastes all of the Composite element's embedded elements.
2. The **Based on instance** option, which pastes only the elements contained in a specific instance of the Composite element. Click on the drop-down arrow and select the appropriate instance.

5.2.2.16.3 Paste Activities

You can paste an activity from the **Project Browser** window into the current diagram.

When you hold **[Ctrl]** down and drag an activity from the **Project Browser** window onto the current diagram, Enterprise Architect prompts you to select the type of paste action to carry out.



Two options are available:

- Paste the activity as a link: in this case the activity appears in the current diagram as a simple reference to the original source activity. Changes to the activity in the diagram affect all other links to this activity.
- Paste as an invocation of the activity.

Note:


To make use of the **Only show this dialog when [Ctrl]+Mouse drag is used** checkbox, you must first select the **Auto Instance checkbox** on the [Diagram Behavior](#) dialog (select the **Tools | Options | Diagram | Behavior** option).

5.2.2.17 Drop Elements from the Project Browser

When you drag an element from the **Project Browser** onto a diagram, for some elements there are two possible paste options. Elements that are classifiers and support instances of themselves at runtime can be dropped either as a link to the classifier itself, or as a new instance of the classifier.

The example below shows a linked element on the left (a Node) and an instance of the Node on the right. Note that the Node instance is drawn like a simple element with the: <ElementName> displayed. If you name your instance it displays <InstanceName>:<ElementName>

If you are working on an instance diagram, such as a Communication diagram, you can quickly drag and drop Classes and elements from the **Project Browser** onto a diagram as an instance of the classifier. If you are working in a Class diagram, you might drop links to the classifier itself. There are a couple of settings available to simplify this process.



Note:

Enterprise Architect displays a warning about this behavior (see below), indicating what is happening. Select the **Hide this message in future** checkbox to prevent this message displaying again.

Auto instance is currently turned on. When turned on, some element types - such as Class and Component, will create object instances with the dragged object as classifier.

You can hold down the control key while dragging to invert the current default behaviour -OR- go to the local settings dialog (diagram page) and set the AutoInstance option to your preference


Hide this message in future

Close

There are two important things to remember here:

- Hold down **[Ctrl]** while dragging and dropping an element into a diagram (see [Pasting from the Project Browser window](#) ⁽²⁶¹⁾)
- Hold down either **[Ctrl]** or **[Shift]** to select multiple elements into a diagram (See [Pasting Multiple Elements from the Project Browser window](#) ⁽²⁶²⁾).

To change the default behavior, select the **Diagram Behavior** page of the **Options** dialog (select the **Tools | Options** menu option). To enable or disable Auto Instance, select or clear the **Auto Instance** checkbox. Remember: pressing **[Ctrl]** inverts the current default.




5.2.2.18 Place Related Elements on Current Diagram

To find and place related elements on the current diagram, use the **Relationships** window (**View | More Windows | Relationships**).



Right-click on any link in the list to open the context menu.




If an element is not present in the current diagram, the context menu contains the **Place Target Element in Diagram** option. This is useful when you are building up a picture of what an element interacts with, especially when reverse engineering an existing code base.


Select the **Place Target Element in Diagram** option. Move the cursor to the required position in the diagram and click to place the element. Alternatively, press **[Esc]** to cancel the action.

5.2.2.19 Swimlanes



Enterprise Architect diagrams support *Swimlanes* for all diagram types. Swimlanes are vertical or horizontal bands in a diagram that divide the diagram into logical areas or partitions. In the example below the activities relating to particular entities within the model (eg. the User, or the back end Repository) are placed within a containing swim lane to indicate their association.



To manage swimlanes, select the **Diagram | Swimlanes and Matrix** menu option to display the **Swimlanes and Matrix** dialog. The dialog defaults to the **Swimlanes** tab.



This dialog enables you to set the orientation (vertical or horizontal), line color and width of the swimlanes, and lock the swimlanes to prevent further movement.. You can also specify the font color and bold font, hide names, hide the classifier and show the name in the title bar. Use the **New**, **Modify** and **Delete** buttons to

change aspects of the selected swimlane. Use the  and  (up and down) buttons to change the order of swimlanes within the diagram.

If you set a background color for a swimlane, it takes on the same shading profile as the main diagram background.

See Also

- [Swimlanes Matrix](#) ²⁶⁹

5.2.2.20 Swimlanes Matrix

Enterprise Architect diagrams support a *Swimlanes Matrix* for all diagram types, based on the Zachman Framework.

<i>The Zachman Framework</i>	DATA What (Things)	FUNCTION How (Process)	NETWORK Where (Location)	PEOPLE Who (People)	TIME When (Time)	MOTIVATION Why (Motivation)
SCOPE (Contextual) Planner						
BUSINESS MODEL (Conceptual) Owner						
SYSTEM MODEL (Logical) Designer						
TECHNOLOGY MODEL (Physical) Builder						
DETAILED REPRESENTATIONS (Out-of-Context) Sub-Contractor						
FUNCTIONING ENTERPRISE						

The Swimlanes Matrix divides the diagram into cells of vertical columns and horizontal rows. The cell in the top left corner of the Swimlanes Matrix contains the heading of the matrix. The first cell at the top of each column contains the column title text. The first cell at the left of each row contains the row title text.

Set up Swimlanes Matrix

To set up and manage the *Swimlanes Matrix*, select the **Diagram | Swimlanes and Matrix** menu option to display the **Swimlanes and Matrix** dialog. Click on the **Matrix** tab.

The screenshot shows the 'Matrix' configuration panel. It includes an 'Active' checkbox, a 'Details of New Column' section with three title fields, a 'Type' dropdown set to 'Column', and color/font/hidden options. Below are 'Model Profiles' with a 'User' dropdown and 'Save/Delete' buttons, and 'Matrix Options' with a 'Lock' checkbox and 'Line Widths' dropdown. An 'Operations' section contains 'New', 'Save', 'Copy', and 'Delete' buttons. At the bottom, a table header shows 'Title 1', 'Item Hidden', and 'Type'.

Activate the Matrix

To activate the Swimlanes Matrix, select the **Active** check box.

At the same time, you can define the line width for all lines on the matrix; in the **Line Widths** field, click on the drop-down arrow and select the appropriate width.

Create the Heading of the Swimlanes Matrix

To define the heading for the matrix, follow the steps below.

1. Click on the **New** button.
2. In the **Type** field, in the **Details of New Column** panel, click on the drop-down arrow and select **Heading**.
3. In one or more of the **Title** fields, type the heading name. You can enter up to three text strings as heading text.
4. If necessary, click on the **Color**, **Font** and **Back** options and select the heading text font, color and background color.
5. Click on the **Save** button in the **Operations** panel. The *Heading* cell displays on the diagram.

Note:

The heading is the first item in the list; you create only one heading.

Create Columns and Rows:

To define the column and row headings for the matrix, follow the steps below.

1. Click on the **New** button.
2. In the **Type** field, in the **Details of New Column** panel, click on the drop-down arrow and select either

Column or **Row** as appropriate.

3. In one or more of the **Title** fields, type the column or row name. You can enter up to three text strings as title text.
4. If necessary, click on the **Color**, **Font** and **Back** options and select the title text font, color and background color.
5. Click on the **Save** button in the **Operations** panel. The column or row heading cell and column or row lines display on the diagram.

Note:

When you define columns and rows, you define the header or title cells. The properties of these cells do not reflect on the matrix cells themselves. For example, the intersection cell of a column and row has a transparent background and therefore takes the color and shading effect of the diagram background.

Lock the Matrix

To lock the matrix so that it cannot be edited on the diagram, on the **Swimlanes and Matrix** dialog select the **Lock** checkbox.

Edit items in the list:

As you create the heading, column and row title cells, they are added to the list in the bottom of the dialog. To edit an item, follow the steps below.

1. Click on the required item in the list.
2. Make the relevant changes in the **Edit Selected ...** panel.
3. Click on the **Save** button in the **Operations** panel.

Delete items from the list:

To delete the heading or a column or row from the matrix, follow the steps below.

1. Click on an item in the list.
2. Click on the **Delete** button in the **Operations** panel.

Model Profiles:

After creating a Swimlane Matrix, you can save it into a *Model Profile* and apply it to other diagrams. Model Profiles are available on any diagram in your model.

Save a Model Profile:

To save a Model Profile, follow the steps below.

1. In the **Model Profiles** panel, click on the **Save** button. The **Save Model Profile** dialog displays.
2. In the **Name** field, type the name of your profile.
3. Click on the **OK** button.

The profile is now visible in the profile name drop-down list here and on other diagrams.

Note:

You can also transport all the matrix profiles between models (as Diagram Matrix Profiles), using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

Apply a Model Profile:

Note:

By applying a Model Profile, you replace the current profile. Save the current profile to avoid losing it.

To apply a Model Profile to a diagram, follow the steps below.

1. In the **Model Profiles** panel, click on the drop-down arrow of the profile name field, and select the required profile from the list.
The list contains a predefined Zachman profile, as well as an empty profile should you want to replace the current profile with one that you create on the spot.
2. A confirmatory prompt displays. Click on the **OK** button to display the profile details on the **Swimlanes and Matrix** dialog.
3. Click on the **OK** button at the bottom of the **Swimlanes and Matrix** dialog to apply the profile to the matrix on the diagram.

Size the Matrix

To size the rows and columns, drag the row and column borders on the diagram.

Elements placed inside each cell are shifted when sizing. To prevent the elements shifting, press and hold **[Ctrl]** while sizing.

See Also

- [Swimlanes](#) ^[266]

5.2.2.21 Using the Image Manager


The **Image Manager** dialog enables you to insert alternative images in diagrams, rather than inserting standard UML elements. For example, you might want to place a [custom background image](#) ^[274] on a diagram, or display a custom image such as a Router or PC on a UML element.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Configure Images](#) ^[640] permission to configure alternative element images.

To display the **Image Manager** dialog, either:

- Right-click on the element within the diagram and, from the context menu, select the **Appearance | Alternate Image** option, or
- Select the element in the diagram and press **[Ctrl]+[Shift]+[W]**.



To locate and display an image, click on individual image filenames, or press [↑] and [↓] to scroll through the list of images. As you highlight each image filename, the **Preview** panel changes to reflect the image. Double-click on the required image filename to display the image in full size.

On the **Image Manager** dialog, the following buttons are available:

Option	Use to
View	Display the selected image in full size.
Add New	Browse appropriate directories to search for and import new images. You can import images in .BMP, .PNG, .EMF, .WMF, .TGA, .PCX or .JPG format. Internally, Enterprise Architect stores the images in .PNG or metafile format to conserve space.
Update Selected	Refresh the selected image; for example, after it has been modified.
Delete	Delete the selected image. A message displays to indicate how many elements use the image. Click on the Continue button to delete information about the image from those elements, which then revert to their previous appearance.
Cancel	Close the Image Manager dialog.
OK	Confirm selection of the alternative image for the element selected in the diagram.

Notes:

- If you are creating many elements of the same type that have a particular image, you should use a [custom stereotype](#) [448] with an associated metafile.
- You can transport image files between models, using the [Export Reference Data](#) [697] and [Import Reference Data](#) [274] options on the **Tools** menu.

5.2.2.21.1 Create Custom Diagram Background

Enterprise Architect diagrams have a single-color 'wash' background that you can set to a solid color or a fade gradient down the screen. You set the color and whether to have a fade gradient on the [Standard Colors](#) [197] page of the **Options** dialog (select the **Tools | Options | Standard Colors** menu option).

Alternatively, using the **Image Manager** dialog, you can create a non-tiled background for diagrams. To perform this operation follow the steps below:

1. [Create a Boundary object](#) [1225] from the **Use Case Elements** page of the [Enterprise Architect UML](#) [100] **Toolbox** [100]. Do not use the *Boundary* element from any other section of the **Toolbox**.
2. Stretch the Boundary to a size that can contain all of the elements you intend to place on the diagram, and drag it to the edges of the diagram workspace.
3. Right-click on the Boundary element. The context menu displays.
4. Select the **Z-Order | Send to Bottom** menu option. This ensures that the Boundary is not displayed in front of any other element in the diagram.
5. Either:
 - Press **[Ctrl]+[Shift]+[W]**, or
 - Right-click on the Boundary to display the context menu, and select the **Appearance | Alternate Image** menu option.
6. On the [Image Manager](#) [272] dialog, select an appropriate image as the diagram background and ensure that the image size is large enough to span the required size of the diagram background.
7. When you have selected the required image, click on the **OK** button.

5.2.2.21.2 Import Image Library

Using the Image Library enables you to create attractive diagrams with custom images. A bundled clip art collection of UML-based images is available as an Imported Image Library, from www.sparxsystems.com/resources/image_library.html. Image libraries enable you to import a collection of images into the Image Manager in one process.


Note:

Images contained within the Image Library are copyright of Sparx Systems, are only available for use in conjunction with Enterprise Architect, and are supplied on the understanding that they are not used under any other circumstance.

Import an Image Library

To import an Image Library you must have a suitable Image Library file. To import the Image Library, follow the steps below:


1. Download the Image Library from www.sparxsystems.com/resources/image_library.html.
2. Select the **Tools | Import reference data** menu option. The **Import Reference Data** dialog displays.
3. Locate the XML Image Library file to import using the **Select File** button. The file name is *ImageLibrary.xml* in the directory in which you saved the file.
4. Select the data set containing the Image Library. Then click on the **Import** button.



Use the Image Library


To use the images contained within the Image Library, follow the steps below:

1. Create a diagram to associate with the images contained in the Image Library.
2. Select the element to change from the default appearance to one of the images contained within the library.
3. Press **[Ctrl]+[Shift]+[W]**, or right-click on the selected element to display its context menu and then select the **Appearance | Select Alternate Image** option.
4. On the **Image Manager** dialog, in the **Name** field highlight the appropriate image name and then click on the **OK** button.



5.2.2.22 Show Realized Interfaces for a Class

You can display each interface directly realized by a Class as a 'lollipop' style interface node, which protrudes from the left-hand side of the Class. Connectors can be directly attached to the node, indicating usage of the interface part of the Class or component. See the example below:



In this example, *Class2* realizes *Interface1* and *Interface2*. This is represented by the interface nodes protruding from the left hand side of the Class. *Class1* is dependent on these two interfaces, which is shown by the dependency arrows linking to the nodes.

To show nodes for the interfaces a Class, realizes as in the above diagram, right-click on the Class and select **Embedded Elements | Show Realized Interfaces**. This setting only applies to the selected Class, and can be changed at any time.

5.2.2.23 Label Menu Section

You can add labels to both connectors and elements, using the element or connector context menu as follows:

- Element - Select the [Embedded Elements](#)^[300] menu option and either the **Add <element>** option or the **Embedded Elements** option; the label is the embedded element name
- Connector - Select the [Properties](#)^[416] option and define the connector name, stereotype, constraints and/or source and target roles.

Once you have these labels, you can edit and format them using the **Labels** context menu.

To display the **Labels** context menu, right-click on a label.

Note:

As labels can be concentrated on and around the element or connector, make sure that you click on a section of the required label that is clear of any other label or structure.

Element Labels


The **Labels** menu associated with embedded elements provides the following options:

Menu Option	Use to
Set Label Color	Specify a color for the label.

Menu Option	Use to
Hide Label	Hide the label; to unhide the label use the Show label option in the Embedded Elements ^[306] context menu.
Bold	Set the label font to bold.
Text Alignment	Align the text within the label text area. The options available from the submenu enable you to specify left, center and right alignment.
Label Rotation	Orient the label in the horizontal or vertical planes, with the vertical plane offering the option of clockwise or anti-clockwise position.
Default Position	Move the label to the initial default location.
Default Color	Set the label color to the default color.

Connector Labels

The **Labels** menu associated with connectors provides the following options:

Menu Option	Use to
Set Label Color	Specify a color for the label.
Hide Label	Hide the label; to unhide the label use the Set Label Visibility ^[412] option on the connector context menu.
Bold	Set the label font to bold.
Text Alignment	Align the text within the label text area. The options available from the submenu enable you to specify left, center and right alignment.
Label Rotation	Orientate the label horizontally or vertically and, if vertically, in a clockwise or anti-clockwise position.
Direction	Set a small arrow at the end of the label pointing to either the label source or the destination dependent upon selection from the available options. 
Default Position	Move the label to the default location.
Default Color	Set the label color to the initial default color.

5.2.2.24 Lock Diagram

You can lock a diagram against inadvertent changes, such as moving or sizing elements.

To lock a diagram, follow the steps below:

1. Open the diagram to lock.
2. Right-click on the background to open the diagram context menu.
3. Click on the **Lock Diagram** option to prevent further changes.
4. Click on the **OK** button.

Note:

This does not apply in the Corporate edition if security is enabled. In that case, see [Lock Model Elements](#) ^[646].

5.2.2.25 Undo Last Action

When editing diagrams, Enterprise Architect supports multiple undo levels for moving, re-sizing and deleting elements, and for deleting connectors.

There are three ways to undo the last action:

- Press **[Ctrl]+[Z]**
- Select the **Edit | Undo** menu option
- Click on the **Undo** toolbar button



Warning:

Currently you cannot undo element additions or connector moves.

5.2.2.26 Redo Last Action

When editing diagrams, Enterprise Architect supports multiple undo levels for moving, re-sizing and deleting elements, and for deleting connectors. If an Undo action is in error, you can redo the action to reverse the Undo.

There are three ways to redo the last action:

- Press **[Ctrl]+[Y]**
- Select the **Edit | Redo** menu option
- Click on the Redo toolbar button



5.2.2.27 View Last and Next Diagram

Enterprise Architect enables you to step backwards and forwards through the currently-open diagrams, including the **Start Page**.



To view the previous or next diagram use the **Forward** or **Next** buttons on the diagram toolbar.


Use the **Home** button to display the [default project diagram](#)^[286] (if one has been specified).

5.2.2.28 Set Appearance Options

You can [set several properties](#)^[278] of a diagram using the **Diagram Properties** dialog. Some properties influence the display and some are logical attributes that appear in the documentation.

Note:

You can also set the default diagram background color and gradient, and the element fill color and gradient, on the [Standard Colors](#)^[197] page of the **Options** dialog.



There are several options for opening the **Diagram Properties** dialog for a given diagram:

- Select the **Diagram | Properties** menu option to open the **Diagram Properties** dialog for the currently active diagram
- Right-click on the required diagram in the **Project Browser** window and select **Properties** from the context menu.
- Right-click on the background of the open diagram and select **Diagram Properties** from the context menu.
- Double-click in the background of the open diagram.

In the **Diagram Properties** dialog you can set properties including name, author and version information, zoom factor, paper size and layout, diagram notes and various appearance attributes. Once you have made any necessary changes, click on the **OK** button to save and exit.

See the following topics:


- [General](#) ^[279] [tab](#) _[279]
- [Diagram](#) ^[281] [tab](#) _[281]
- [Elements](#) ^[282] [tab](#) _[282]
- [Features](#) ^[284] [tab](#) _[284]
- [Connectors](#) ^[285] [tab](#) _[285]

5.2.2.28.1 Diagram Properties Dialog - General Tab

The **General** tab of the diagram **Properties** dialog enables you to define characteristics of the overall diagram, such as its title, version and modification date.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Update Diagrams](#) ^[640] permission to update diagram properties.



General Diagram Elements Features Connectors

Name: Documentation

Author: Frederick Walter

Version: 1.0

Stereotype:

Created: 4/05/2007

Modified: 31/05/2007 9:02:51 AM

Notes:


B *I* U ^A | $\frac{1}{3}$ $\frac{2}{3}$ | x^2 x_2

Documentation for the *Communication* package.

Field	Use to
Name	Type the name of the diagram (defaults to the name of the parent package).
Author	Type or select the name of the person who created the diagram.
Version	Type the version number of the diagram (defaults to 1.0).
Stereotype	Type or select the name of the stereotype for the diagram.
Created	Automatically display the date the diagram was created.
Modified	Type the date and time on which the diagram was last modified (defaults to the current date and time).
Notes	Type any additional notes about the diagram. You can format the notes using the Rich Text Notes ¹³⁴ toolbar at the top of the field.

5.2.2.28.2 Diagram Properties Dialog - Diagram Tab

The **Diagram** tab of the diagram **Properties** dialog enables you to define the structure of the diagram.




Field	Use to
Use Alias if Available	Display the element alias as the name if the alias is specified.
Show Additional Parents	Show the name of all parents not in the current diagram for all Classes and interfaces.
Show Page Border	Show a page border to align elements with.
Show Diagram Details	Show diagram details in a note in the top left corner of the diagram. (Deselect to hide the diagram details.)
Show Sequence Notes	Show the Sequence Notes on the current diagram.
Show Namespace	Show the namespace of each element on the diagram, under the element.
Always show as Element List	Always display the diagram contents as an Element List ^[137] rather than as a diagram.
Page Setup	See Scale Image to Page Size ^[289] .
Print Page Header and Page Footer	Add page headers and footers to a print-out of the diagram. The headers and footers are generated from the diagram characteristics, such as the name of the creator and the date of modification.
RTF Document Options	Options ^[1003] for generating RTF reports for a particular diagram.
Exclude image from RTF documents	Exclude this diagram image from any RTF document generated on the parent package or element.

Field	Use to
Document each contained element in RTF	Include documentation on each element in the diagram, in any RTF document generated on the parent package or element.
Divide Diagram into Multiple Pages	Divide each large diagram into separate pages in the RTF document. Note: This option is only effective when the Scaled Printing option ^[289] is set to None on the Print Advanced dialog.
Rotate Images	Rotate each diagram image by 90 degrees in the RTF document. Note: Only valid for bitmap (.bmp) images.

5.2.2.28.3 Diagram Properties Dialog - Elements Tab

The **Elements** tab of the diagram **Properties** dialog enables you to define what components of the elements should be displayed on the diagram.




Field	Use to
Use Stereotype Icons	For elements that have whole shapes drawn by Enterprise Architect (such as Analysis stereotypes) ^[1236] , draw the alternative shape (if defined). For elements that have an icon displayed in the top right corner, (such as an Artifact ^[1165] element) if Show Element Stereotypes is selected, display the stereotype icon instead of the stereotype text.
Show Element Stereotypes	For elements that have whole shapes drawn by Enterprise Architect, if Use

Field	Use to
	<p>Stereotype Icons is deselected, display any stereotype on the element.</p> <p>For elements that have an icon displayed in the top right corner, indicate that a stereotype is present (icon if Use Stereotype Icons is selected, text if not).</p>
Show Table Owner	Display the Table Owner. For more information, see the Set Table Owner ^[895] topic.
Show Element Property String	Show the advanced property string for all elements; eg. {leaf}.
Show Compartments	<p>Enable the following compartments to be shown or hidden for any element using rectangle notation:</p> <ul style="list-style-type: none"> • Attributes • Operations • Tags (Tagged Values) • Requirements • Constraints • Testing (Testing Scripts ^[736]) • Maintenance (Maintenance Scripts) ^[740] • Package Contents • Notes.

5.2.2.28.4 Diagram Properties Dialog - Features Tab


The **Features** tab of the diagram **Properties** dialog enables you to define the features of the diagram.



Field	Use to
Show Qualifiers and Visibility Indicators	Show or hide the qualifiers and visibility indicators on the diagram. <i>Qualifiers</i> include such things as the 'derived' symbol (<i>/</i>) and the public key symbol (PK). <i>Visibility indicators</i> include such things as +, -, # and ~, which indicate the scope of access of the item (such as an attribute, operation or role).
Show Stereotypes	Show the stereotypes on all features.
Show Property String	Show the advanced property string for all element features. eg. {readOnly}
Show Operation Return Type	Display the return data type of operations.
Suppress Brackets for Operations Without Parameters	Suppress brackets on operations that have no parameters; i.e. Opn ; rather than Opn() ;
Visible Class Members	Hide Class members according to their scope and methods that specify properties. See the Visible Class Members ^[286] topic.
Show Attribute Detail	Select whether to show both the attribute name and type or the attribute name only.
Show Parameter Detail	Control the display of method parameters. See the Visible Class Members ^[286] topic.

5.2.2.8.5 Diagram Properties Dialog - Connectors Tab


The **Connectors** tab of the diagram **Properties** dialog enables you to define the appearance of the connectors on the diagram.



Field	Use to
Show Relationships	Show relationships in the current diagram.
Show Collaboration Numbers	Show numbering in Communication diagrams.
Show Non-Navigable Ends	Indicate when an Association end is not navigable; a cross is presented at the Association connector.
Show Connector Property String	Show the property string for connectors.
Suppress All Connector Labels	Hide all connector labels.
Connector Notation	Display the required connector notation: <ul style="list-style-type: none"> • UML 2.1 - use the standard UML 2.1 notation for connectors. • Information Engineering - use the Information Engineering (IE) connection style; for more information see the http://www.agiledata.org/essays/dataModeling101 page. • IDEX1 - use the Integrated Definition Methods IDEFX1 connection style; for more information see the http://www.idef.com/IDEF1X.html page.

5.2.2.28.6 Visible Class Members

On the **Features** tab of the diagram **Properties** dialog, the **Visible Class Members** panel enables you to hide Class members by their scope and methods that specify properties. Use the checkboxes to define the visibility of Class members.



Show Parameter Detail

The **Show Parameter Detail** field enables you to control the display of method parameters with the following options:

Option	Effect
None	No details shown.
Type Only	Shows only the type of parameter.
Full Details	Shows all of the details for parameters.
Name Only	Shows the name of the parameter only.

5.2.2.29 Set the Default Diagram

A project might have a default diagram. If set, this diagram loads when Enterprise Architect first opens the model. It is often convenient to place hyperlinks to other diagrams and resources on the default diagram, thus creating a Home Page for your model.

To set the currently active diagram as the model default, select the **Diagram | Make Model Default** menu option.

Tip:

Once you have specified a default diagram, the **Home** icon on the diagram toolbar takes you to that diagram.



5.2.2.30 Create Legends

A *Legend* shape identifies colors and styles you have used to group other elements on the diagram. You can use the Legend to assist in distinguishing different elements, connectors or systems on the diagram. For example, the Legend could show that all elements concerned with the management system are shaded in blue, and all outcomes connectors are shown in red. The Legend displays as a key to the diagram, with the filled shape styles first and the lines and connector styles underneath.




You add a Legend to the diagram, then edit it to add Legend elements, which define the colors and styles used in the diagram.


Add a Legend

To add a Legend to a diagram, click on the **New Diagram Legend** icon () on the **UML Elements** toolbar.

The **Legend** dialog displays.




Click on the **OK** button. The Legend displays on the diagram as a simple rectangle.



Edit a Legend

To edit the Legend follow the steps below:

1. Either:
 - Double-click on the Legend, or
 - Right-click on the Legend and select the **Properties** option from the context menu.The **Legend** dialog displays.




Note:

The **Legend** dialog enables you to add, delete, modify or re-sequence Legend elements. Use the **Fill** tab to define the Legend elements for shapes, then click on the **Line** tab to define Legend elements for lines and connectors.

2. In the **Name** field, type the name of the Legend element; for example, **Management System** or **Help**.
3. Use the drop-down arrows to select the fill color, line color and line thickness for the Legend element.
4. Click on the **Save** button to save the Legend element. The element displays in the **Fill** or **Line** tab, as appropriate.
5. Click on the **New** button to add another Legend element.

Style Options

Click on the **Style Options** button [...] to display the **Style Options** dialog, on which you can modify a Legend title, font size, background color and border color. If you choose default options for the colors, the Legend automatically assumes colors based on the diagram background color.



Click on the **OK** button on the **Style Options** dialog and again on the **Legend** dialog. The Legend displays on the diagram.

5.2.2.31 Scale Image to Page Size

When you [print](#) ⁶⁴ a diagram, the default setting is to scale the image to fit the size of the printer paper you have defined in the page set-up. The image is not scaled up to fill the page, but it is scaled down if it exceeds the current page boundary. The image retains its current proportions; that is, it is scaled down equally in the X and Y dimensions. For a large diagram, this can mean that the components of the diagram are small and hard to read.

Alternatively, you can print a multi-page image; that is:


- allow the diagram image to print on as many printer pages as it naturally occupies, (no scaling), or
- scale the diagram image to exactly fit a specified number of pages;

In all three cases you also define the paper size and orientation.


Scale Images

To turn off or customize image scaling options, follow the steps below:

1. Select the diagram to scale.
2. Double-click on the diagram background to display the **<type> Diagram: <name>** dialog, or right-click on the background and select the **Properties** option from the context menu.
3. Click on the **Diagram** tab and, in the **Page Setup** panel click on the **Advanced** button.



The **Print Advanced** dialog displays.



From the **Print Advanced** dialog the following options are available:

- **None:** select to print on as many pages as the diagram image covers
- **Scale to 1 page:** select to scale the diagram image to fit on the currently selected page
- **Custom:** select to specify the width and height of the diagram images across a specified amount of pages
- **Page Setup:** click to select the [page size and alignment](#) ^[290].

Note:

Before printing, make sure you have selected the required page layout using the **Page Setup** button.

5.2.2.32 Set Diagram Page Size


You can change the size of the diagram area (or scrollable/printable area) using the **Diagram Properties** dialog.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Update Diagrams](#) ^[640] permission to change diagram page setup.

To set the page size, follow the steps below:

1. Load a diagram.
2. Double-click on the background to open the **Diagram Properties** dialog.
3. Click on the **Diagram** tab and, in the **Page Setup** section, click on the **Advanced** button. The **Print Advanced** dialog displays.
4. Click on the **Page Setup** button. The **Page Setup** dialog displays.



5. In the **Size** field, click on the drop-down arrow and select an appropriate page size. In the **Orientation** panel click on the radio button for the orientation of the page to print.
6. Click on the **OK** button.

The scrollable area for your diagram is expanded or reduced accordingly. Note that when you print or print preview, the output is cropped to the bounding rectangle for the diagram.

Setting the Default Paper Size for New Diagrams

You can set the default paper size for new diagrams on the **Diagram** page of the **Options** dialog (select the **Tools | Options | Diagram** menu option). Once the paper size is set there, all new diagrams have that as the default size.

See [Configure Local Options - Diagram Settings](#)^[192].

5.2.2.33 Pan and Zoom a Diagram

Pan

Pan the **Diagram View** in the following ways:


- Use [**←**], [**→**], [**↑**], [**↓**], [**Page Up**], [**Page Down**], [**Home**] and [**End**] when the **Diagram View** is selected
- Use the scrollbars
- Use the middle mouse button
- Use the [Pan & Zoom](#)^[183] Window.

Zoom

You can zoom into and out from a diagram using the zoom buttons on the diagram toolbar, or by using the **Diagram | Zoom** submenu.




Change the zoom level by 10% by clicking on either the **Zoom In (+)** or **Zoom Out (-)** buttons. Alternatively, select the **Zoom In** or **Zoom Out** options from the **Diagram | Zoom** submenu.

**Note:**

This sub-menu is a [tear off menu](#)^[163].

There are three ways to return the diagram to 100%:

- Click on the  button
- Select **Zoom to 100%** from the **Diagram | Zoom** submenu
- **[Ctrl]**+middle-click the mouse.

Tip:

You can zoom in and out of the main window dynamically by holding **[Ctrl]** and rolling the mouse wheel.

Note:


At high levels of zoom, element features cease to display. This is because of the difficulty the Windows font mapper has in choosing a font for extreme conditions, and the result can look odd.


5.3 Work With Elements



UML Models are constructed from elements, each of which has its own meaning, rules and notation. Elements can be used at different stages of the design process for different purposes.

The basic elements for UML 2.1.1 are depicted in the following diagrams:





5.3.1 Element Context Menu

Right-click on a single element in a diagram to open the element context menu. If two or more elements are selected, a different, [multiple selection context menu](#) ^[304] is displayed.



The element context menu is split into a number of sections and submenus:

- [Properties](#) ^[296]
- [Add](#) ^[298]
- [Find](#) ^[299]
- [Transform \[Ctrl\]+\[H\]](#) - [Transform](#) ^[935] the selected element from one domain to another
- [Embedded Elements](#) ^[300]

- [Features](#) ^[302]
- **Generate DDL** - [Generate DDL](#) ^[917] for a table, procedure or view Class
- [Code Engineering](#) ^[302]
- [Appearance](#) ^[302]
- **UML Help** - display the Enterprise Architect Help topic for the UML element type
- **Delete [Ctrl]+[D]** - delete the element.

Note:

Context menus vary between element types. The **Code Engineering** options won't display for a Use Case element, for example.

Example Context Menu for a Class:**Example Context Menu for an Activity:**

5.3.1.1 Properties Menu Section

The **Properties** section of the element context menu can contain the following options:

Menu Option & Function Keys	Use to
Properties [Ctrl]+[Enter]	Open the Properties dialog for the selected element. For State Lifeline and Value Lifeline elements, display the Configure Timeline dialog.
Advanced	Open the Advanced sub-menu.
Other Properties	For State Lifeline and Value Lifeline elements, display the Properties dialog for the selected element.
Create (or Edit) Linked Document [Ctrl]+[Alt]+[D]	(Corporate Edition) Create an RTF document linked to the element.
Delete Linked Document	Delete an existing linked document for the element.

5.3.1.1.1 Advanced Submenu

The **Advanced** submenu on an element context menu can contain the following options:

Menu Option & Function Keys	Use to
Custom Properties [Ctrl]+[Shift]+[Enter]	Open the Custom Properties dialog.
Parent [Ctrl]+[I]	Set the element parent .
Instance Classifier [Ctrl]+[L]	Set the instance classifier for the element.
Classifier Properties [Ctrl]+[Alt]+[Enter]	Open the Properties dialog for the <i>classifier</i> of the selected element.
Make Composite	Set the element as a Composite element .
Change to State (Value) Lifeline	Switch one type of Lifeline element to the other.
Show Composite Diagram	Display a mini-picture of the contents of a composite element within that element.
Multiplicity	Define the multiplicity for the element.
Edit Extension Points	For an extended Use Case, display the Use Case Extension Points dialog, which you use to insert the point at which the behavior should be inserted..
Association Class	Link the Class to a new Association (if the element is a Class).
Use Rectangle (Circle) Notation	Use rectangle notation for the element.
Partition Activity	Define an Activity Partition .
Set Run State	Add a new instance variable to the element using the Define Run State dialog.


Menu Option & Function Keys	Use to
Override Attribute Initializers [Ctrl]+[Shift]+[R]	Pre-define initial values for attributes that can be used to override existing defaults.
Convert to Instance	Convert this classifier to an instance.
Convert Linked Element To Local Copy	Convert the occurrence of the element on this diagram from a link to the original element to a local copy of the element.
Make Sender/Receiver	Toggle the element from a sender to a receiver and vice versa.
Accept Time Event	Change the notation for an Accept Event action to a Accept Time Event action.
Set Object State [Ctrl] +[Shift]+[S]	Set the state of an instance classifier based on the child states for that object.
Define Concurrent Substates	Define a set of substates ^[1088] that can be held simultaneously within that composite state.
Use State Label Notation	Display State Label Notation for a State object (the element name is displayed on a box on top of the element rather than inside it).
Deep History	Change the type of pseudo-state to a Deep History. Applies only when right-clicking on a History pseudo-state.
Set Attached Links	Attach the selected Note element ^[403] to a connector, or several connectors.
Link to Diagram Note	Convert a Note to be linked to an element feature ^[388] (via the connector context menu) to display the element feature as the note text. The option simply deletes any current text and blocks the note from being edited other than through the feature Properties dialog.

Note:

Not all menu options shown here are present on all element context menus. Context menus vary between element types. The **Partition Activity** option only displays for an Activity element, for example.

5.3.1.1.2 Custom Properties Dialog

Certain elements and connectors feature the **Custom Properties** option in their context menu. The following example shows the **CustomProperties** dialog for an Activity element. Properties differ between the various types of element or connector.



As shown above, you can change the values of properties either by selecting the value from the property's drop-down list or by typing the value in the field to the right of the property.

5.3.1.2 Add Submenu

The **Add** submenu enables you to add supporting elements and diagrams to the selected element.

Menu Option	Use to
Tagged Value	Add a Tagged Value ^[382] .
Related Elements	Open the Insert Related Elements ^[298] dialog.
Note	Create and attach a blank note ^[319] to the element.
Constraint	Create and attach a blank constraint ^[1207] to the element.
Analysis Diagram	Create an Analysis diagram ^[1141] that is owned by the element.
Activity Diagram	Create an Activity diagram ^[1086] that is owned by the element.
Sequence Diagram	Create a Sequence diagram ^[1115] that is owned by the element.
Communication Diagram	Create a Communication diagram ^[1124] that is owned by the element.
Statechart	Create a State Machine ^[1084] diagram that is owned by the element.

Note:

Not all menu options shown here are present on all element context menus. Context menus vary slightly between element types. The diagram options won't display for a Lifeline element, for example.

5.3.1.2.1 Insert Related Elements

The **Insert Related Elements** dialog can be accessed from the **Related Elements** option on most element context menus. This dialog enables you to insert linked elements from other diagrams into the current diagram.

You can specify the following details:

Option	Use to
Insert elements to: «x» levels	Select the level at which to insert linked elements, between levels 1 and 5.
For Link Type	Select the type of link the inserted elements are to be connected by.
With Link Direction	Select whether the links are to be a single direction or bi-directional.
Limit to Element Type	Select the element type to insert.
Layout Diagram When Complete	Select whether Enterprise Architect should layout the diagram after the elements have been inserted. Note: If no elements have been added, this option has no effect. Elements have to be added for Enterprise Architect to adjust the layout.
Limit to this Namespace	Select a specific namespace from which the inserted elements are to come.

5.3.1.3 Find Submenu

The **Find** submenu on the element context menu can contain the following options:

Menu Option & Function Keys	Use to
In Project Browser [Alt]+[G]	Highlight the currently selected element in the Project Browser window.
In Diagrams [Ctrl]+[U]	Open the Element Usage ^[310] dialog.
Custom References [Ctrl]+[J]	Set up Cross References ^[310] .
Add to Favorites	Add the element to the Favorites folder ^[168] in the Resources window.

5.3.1.4 Embedded Elements Submenu

The **Embedded Elements** submenu on the element context menu can contain the following options:


Menu Option	Use to
Add Port	Add an embedded Port to the element.
Add Required Interface	Add an embedded Required Interface to the element.
Add Provided Interface	Add an embedded Provided Interface to the element.
Add Action Pin	Add an embedded Action Pin to the element.
Add Expansion Node	Add an embedded Expansion Node to the element.
Add Object Node	Add an embedded Object Node to the element.
Add Activity Parameter	Add an embedded Activity Parameter to the element.
Add Entry Point	Add an embedded Entry Point to the element.
Add Exit Point	Add an embedded Exit Point to the element.
Embedded Elements	Open the Embedded Elements ^[300] window.
Show Realized Interfaces	Display each interface directly realized ^[276] by a Class.
Show Dependent Interfaces	Display each dependency relationship for that model element as a lollipop style node attached to its left-hand side.

Note:


Not all menu options shown here are present on all element context menus. Context menus vary slightly between element types. Of the **Add** options, only **Add Port** displays for a Class element, for example.

5.3.1.4.1 Embedded Elements Window

The **Embedded Elements** dialog enables you to embed particular elements into other elements. For example, a Port can be embedded into a Class. The **Embedded Elements** option is available on the context menu of some elements.



In the **Embedded Elements** dialog, click on the **New** button to create a new embedded element. Enter details such as type, name and stereotype, and click on the **OK** button. The embedded element now shows on the primary element as shown below.



You can add as many embedded elements as necessary. Modify or delete embedded elements using the **Embedded Elements** dialog.

The name of the embedded element is a label, which you can edit using the [Labels](#) ^[276] context menu.

5.3.1.5 Features Menu Section

The **Features** section of the element context menu can contain the following options:

Menu Option & Function Keys	Use to
Attributes	Open the Attributes ^[330] dialog.
Operations	Open the Operations ^[343] dialog.
Feature Visibility [Ctrl]+[Shift]+[Y]	Open the Feature Visibility ^[257] dialog.

Note:

Not all menu options shown here are present on all element context menus. Context menus vary slightly between element types. The **Attributes** and **Operations** options won't display for an Action element, for example.

5.3.1.6 Code Engineering Menu Section

The **Code Engineering** submenu on the element context menu can contain the following options:

Menu Option & Function Keys	Use to
Generate Code [F11]	Generate source code ^[774] for the selected element (forward engineer).
Synchronize With Code [F7]	Reverse engineer source code ^[764] for the selected element.
View Source Code [F12]	Open the source editor if a file exists for that selected element.
Create Workbench Instance [Ctrl]+[Shift]+[J]	Create a workbench instance ^[867] for the Debug Workbench (if a debug command has been configured for the parent package).

Note:

Not all menu options shown here are present on all element context menus. Context menus vary slightly between element types. These Code Engineering options won't appear for a Use Case element, for example.

5.3.1.7 Appearance Menu Section

The **Appearance** section of the element context menu can contain the following options:

Menu Option	Use to
Lock Element	Lock the element so it can't be edited. To unlock the element, select Lock Element again. Note: This does not apply in the Corporate edition when security is enabled; in that situation, see Lock model elements ^[646] .
Selectable	Toggle whether the element is selectable or not. If an element is selectable, you can move it around the diagram and perform right-click operations. If an element is unselectable, you cannot move it around the diagram and the

Menu Option	Use to
	only right-click operation available is to make the element selectable. This option has no effect on double-click operations on the element, such as displaying child diagrams or Properties dialogs.
Appearance	Display the Appearance submenu; see the table below.
Z-Order	Set the Z-Order [255] of the element.

Note:

You can also change the [appearance \(and other aspects\) of several selected elements](#) [304] at once.

Appearance Sub-Menu


Menu Option & Function Keys	Use to
Default Appearance [F4]	Override the element's default appearance [320] (which you set for all elements globally on the Options dialog, Standard Colors [19] page). Default Appearance acts on the selected element on all diagrams in which it is found. To change the appearance of the selected element on the current diagram only, use the Format [13] toolbar [13].
Apply Image From Clipboard	Paste the image held on the clipboard onto the selected element.
Alternate Image [Ctrl]+[Shift]+[W]	Select an alternative image using the image manager [272].
Set Font	Change the font [304] type, size, color and effects for the text in an element.
Copy Appearance to Painter	Copy the default element appearance (set using the Default Appearance option, above) to the painter. You then paste the default appearance using the Paste Appearance option on the Diagram [130] toolbar [130].
Copy Image to Clipboard	Copy the element image to the clipboard.

Note:

Not all menu options shown here are present on all element context menus. Context menus vary slightly between element types. The **Alternate Image** option won't display for a Lifeline element, for example.

5.3.1.7.1 Set Element Font


You can change the appearance of the text within an element, by selecting the **Appearance | Set Font** context menu option for one or more selected elements. The **Font** dialog displays.



Select the font, style, size, color and effects, and (if necessary) the script type. Click on the **OK** button to save your changes.

5.3.1.8 Element Context Menu - Multiple Selection

You can perform operations on two or more elements on a diagram at once. To select the required elements, either click and drag the cursor over the group to highlight them, or press **[Shift]** and click on each element. Right-click on an element to display the following context menu:



This menu enables you to do the following:

Note:

Where elements are made the same, they are matched to the element you right-clicked on.

- Align elements (by left edge, right edge, top, bottom, center in a column or center in a row)
- Space elements evenly (across or down)
- Standardize the dimensions of the selected elements
- Specify the [visibility of features](#) ^[257] for all selected elements
- [Add the same Tagged Value](#) ^[177] to all selected elements
- Automatically resize elements to match (element content permitting)
- Set the [default appearance](#) ^[320] and [font](#) ^[304] for multiple elements at once
- Make the selected elements on the diagram [non-selectable](#) ^[302]; to make them selectable again, right-click on the diagram and select the **Make All Elements Selectable** option
- Generate code for all selected elements at once, or synchronize the code against the selected elements
- [Transform](#) ^[938] the selected elements
- Copy all selected elements to the clipboard
- Automatically adjust the layout of the selected elements on the diagram

- Delete all selected elements.

Tip:

It is much faster to assign an appearance or characteristic to a group of elements than to one element at a time.

5.3.2 Element Tasks

This topic covers the following common UML tasks you can perform in Enterprise Architect.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Update Element](#) ^[640] permission to update element properties or delete an element.

- [Create Elements](#) ^[306]
- [Add Elements Directly to Packages](#) ^[307]
- [Use Auto Naming and Auto Counters](#) ^[308]
- [Set Element Parent](#) ^[309]
- [Show Element Usage](#) ^[310]
- [Set Up Cross References](#) ^[310]
- [Move Elements Between Packages](#) ^[313]
- [Move Elements Within Diagrams](#) ^[312]
- [Change Element Type](#) ^[314]
- [Align Elements](#) ^[315]
- [Resize Elements](#) ^[316]
- [Delete Elements](#) ^[317]
- [Customize Visible Elements](#) ^[318]
- [Create Notes and Text](#) ^[319]
- [Set an Element's Default Appearance](#) ^[320]
- [Get/Set Project Custom Colors](#) ^[322]
- [Use Element Templates](#) ^[325]
- [Highlight Context Element](#) ^[326]
- [Convert Linked Element to Local Copy](#) ^[327]
- [Copy Attributes and Operations Between Elements](#) ^[327]
- [Move Attributes and Operations Between Elements](#) ^[328]

5.3.2.1 Create Elements

Elements within a model are typically arranged on diagrams to visually communicate the relationships between a given set of elements. Enterprise Architect provides simple mechanisms for creating elements in the model, using diagrams or the **Project Browser** window.

Create Elements on a Diagram

The fastest and simplest ways to create elements directly on a diagram are via the Quick Linker and the Enterprise Architect UML **Toolbox**. The following topics describe these and other approaches for creating elements on a diagram:

- [Create Elements In Place Using the](#) ^[184] **Quick Linker** ^[184]
- [Create Elements Using the Enterprise Architect UML](#) ^[100] **Toolbox** ^[100]
- [Create Elements Using the](#) ^[246] **Diagram Context Menu** ^[246]

- [Create a Group of Elements using UML Patterns](#)
- [Create Domain Specific Elements from UML Profiles](#)

Tip:

If you are creating several elements of one type, after creating the first just press **[Shift]+[F3]** or **[Ctrl]+click** to create the next element of that type

Add Elements Directly to a Package

Sometimes it is useful to add elements to a package, without a diagrammatic representation. This can be accomplished via the **Project Browser** window and is explained in the following topic:

- [Add Elements Directly to a Package](#)

See Also

- [Behavioral Diagram Elements](#) - summary of all elements used in Behavioral diagrams
- [Structural Diagram Elements](#) - summary of all elements used in Structural diagrams

5.3.2.2 Add Elements Directly To Packages

You can quickly add new elements to a package without the necessity of adding a diagram element at the same time. This is particularly useful in defining a group of Requirements, Changes, Issues, base Classes or other element types that might not require diagrammatic representation in the model.

To add a new element to a package, follow the steps below:

1. In the **Project Browser** window, right-click on the appropriate package. The context menu displays.
2. Select the **Add | Add Element** menu option. The **New Element** dialog displays.

3. In the **Type** field, click on the drop-down arrow and select the element type.
4. In the **Name** field, type the name of the element.
5. If required, in the **Stereotype** field either type the stereotype name or click on the drop-down arrow and select the stereotype.
6. Select the **Open Properties Dialog on Creation** checkbox if the **Properties** dialog is to open immediately after the element is created.
7. Deselect the **Close Dialog on OK** checkbox to add multiple elements in one session.
8. Click on the **OK** button to create the element.

Note:

If you have a diagram open at the time, the element is added to the diagram as well. If you do not want the element in that diagram, click on the element in the diagram and press **[Delete]**.

5.3.2.3 Use Auto Naming and Auto Counters

The **Auto Element Naming** dialog enables you to configure automatic naming for any element type. Each element can have separately configured automatic names and aliases.

To set up auto naming, follow the steps below:

1. Select the **Settings | Auto Name Counters** option from the main menu. The **Auto Name Counters** dialog displays.

2. In the **Type** field, click on the drop-down arrow and select the element type (eg. Activity).
3. In the **Name** panel:
 - In the **Prefix** field, type a prefix for the new name (optional).
 - In **Counter** field, type the counter value; use a many 0's as required to pad the name.
 - In the **Suffix** field, type a suffix for the new name (optional).
 - If required, click on the **Active** checkbox to turn auto naming on for this element type.
4. In the **Alias** panel:
 - In the **Prefix** field, type a prefix for the new alias (optional).
 - In **Counter** field, type the counter value; use a many 0's as required to pad the alias.
 - In the **Suffix** field, type a suffix for the new alias (optional).
 - If required, click on the **Active** checkbox to turn auto naming on for this element type.
5. Click on the **Save** button.

New elements of this type now have an automatically-generated name and/or alias with an incrementing counter value.

Note:

If an Alias is active then auto naming applies; however, to view the Alias in a diagram requires that the option **Use Alias if Available** is selected in [Diagram Properties](#)^[278].

5.3.2.4 Set Element Parent

You can manually set an element's parent or an interface it realizes, using the **Type Hierarchy** dialog.

To set the element parent, follow the steps below:


1. Select a generalizable element in a diagram.
2. Select the **Element | Advanced | Set Parents and Interfaces** menu option. Alternatively:
 - Press **[Ctrl]+[I]** or
 - Right-click and select the **Advanced | Parent** context menu option.

The **Set Parents and Interfaces** dialog displays.

3. You can elect to enter a parent or interface name by either manually typing it in, or clicking on the **Choose** button to locate the element within the current model.
4. Set the **Type** of relationship (**Implements** or **Generalizes**) from the drop-down list.
5. Click on the **Add** button to add the relationship.
6. Click on the **Delete Selected** button to remove the current selected relationship.

Note:

If Parents do not have their corresponding related element in the same diagram, the parentage is shown in the top right corner of the child element, as shown below:




5.3.2.5 Show Element Usage

You can display the usage of an element using the **Element Usage** dialog. This lists all occurrences of the element throughout the model, and enables you to easily navigate to any occurrence.

To show element usage, follow the steps below:

1. Select an element in a diagram.
2. Select the **Element | Find in Diagrams** menu option. Alternatively, press **[Ctrl]+[U]**. The **Element Usage** dialog displays, listing all occurrences of the current element in the model.



3. Double-click a line item to open the relevant diagram and display the selected element.

Note:

You can also access this feature from the **Project Browser**; select an element in the tree and select the **Element | Show Usage** menu option.

5.3.2.6 Set Up Cross References

It is possible to set up a cross reference from one element in Enterprise Architect to another. Conversely, you can view existing cross references on an element, using the [Hierarchy](#) window.

Set Up a Cross Reference

To set up a cross reference, follow the steps below:

1. In the **Project Browser** window, locate the target element or diagram (that is, the subject of the cross reference).
2. Open a diagram that contains the element(s) that are to have the currently selected element as a reference.
3. Right-click on the element. The context menu displays.
4. Select the **Add custom reference....** menu option.
5. In the **Set up references** dialog, select the checkbox against each element to include in the explorer as a reference.
6. Optionally, in the **Comment** field, type some text to describe the purpose of the reference.

Comment:

Check objects to reference: 'Book Selection'

Actor::Customer
 Note::Note
 UseCase::Browse Book Catalogue
 UseCase::Locate Book by Title or Author
 UseCase::Request UnListed Book

Use the Cross Reference

To use the cross reference, follow the steps below:

1. Select an element in a diagram.
2. Select the **Element | Custom References** menu option. Alternatively, either press **[Ctrl]+[J]**, or right-click on the element and select the **Find | Custom References** context menu option.
3. The **Custom References** dialog displays, showing a list of elements that have been set as cross references.

Custom References ✕

Type	Package	Name	Comment
Element	Package2	Book Selection	

4. You can open a selected element by highlighting it and clicking on the **Open** button.
5. If you have a diagram cross reference, you can open that diagram.
6. If you have a string of diagram links, click on the **Home** button to return to the original diagram.


Note:

You can delete a cross reference by selecting it on the **Custom References** dialog and clicking on the **Delete** button. Cross references are also automatically deleted if the source or target element in the reference is deleted.

5.3.2.7 Move Elements Within Diagrams

Any one of the following options enables you to move an element within a diagram. Select an element or group of elements in the diagram view, then:

- Use the mouse to drag the element to the required position (the cursor switches to the four-arrow icon as shown below)




- Hold down **[Shift]** and use the arrow keys to move the element to the required position
- Use the **Left**, **Right**, **Up** and **Down** options in the **Element | Move** submenu
- Align multiple elements using the **Element | Alignment** submenu, the **Alignment** options in the right-click context menu, or the **Alignment** buttons on the **Diagram** toolbar



Confirm Possible Parent Elements

As you organize the elements within a diagram, you can drag any element over another and, provided the dragged element is within and on top of the possible parent, it is always encapsulated by the lower element and moved within the lower element. However, the lower element might not be a valid parent.

You can confirm that a possible parent element is able to accept a selected child element. When you drag the child element over the potential parent, the target element border changes to a dashed line if it can accept the selected element as a child. If the border does not change, the selected element cannot be a child to the target element.

**Notes:**

- The **Support for Composite Objects** checkbox must be selected on the [Objects](#) ¹⁹⁷ page of the **Options** dialog. If this option is not selected, the dashed border does not show and the child element cannot be embedded on the parent in the diagram.
- Both elements must already exist on the diagram; an element border does not change if you drag a potential child element over it from the **Toolbox** or **Project Browser**.
- The child element must have equal or higher z-order placement than the parent; that is, the parent element must be level with or behind the child.
- The child element borders must be completely within the parent element borders.

For example, if you drag a Signal over a Class, the Class border changes; a Class element can be a parent to a Signal. If you drag a Class element over a Signal element, the Signal border does not change. A Signal cannot be a parent to a Class.


When you embed a child element on its parent, the child element becomes part of the parent element hierarchy in the **Project Browser**. Similarly, if you drag the child element out of the parent, the child element becomes independent and is no longer embedded in the parent element hierarchy.

5.3.2.8 Move Elements Between Packages

Elements and packages can be moved from one package to another by dragging and dropping the element to the target destination in the **Project Browser** window. Note that if you move a package, ALL the child packages and their contents are moved to the new location also.

To move an element between packages, follow the steps below:

1. Click on the element in the **Project Browser** window.
2. Drag the element so that the cursor is over the target package icon.



3. Release the mouse button. The element is automatically moved.

Tip:

You can also drag the element under a host element in the new package; for example, drag an element under a Class.

Notes:

- Moving an element has no effect on any relationships that the element might have.
- Moving an element in the Project Browser has no effect on the use of that element in any diagram.


Warning:

In a multi-user environment, if one person moves or updates the **Project Browser** structure, other users must reload their project to see the latest changes in the **Project Browser** window. Although this is true of any addition or modification to the tree, it is most important when big changes are made, such as dragging a package to a different location.

5.3.2.9 Change Element Type

To change an element type, follow the steps below:

1. In the **Diagram view**, click on the element to change.
2. Select the **Element | Advanced | Change Type** menu option. The **Select Element Type** dialog displays.



3. In the **Element Type** field, click on the drop-down arrow and select the required element type.
4. Click on the **OK** button.

The target is transformed into the required type.

5.3.2.10 Align Elements

To align multiple elements, follow the steps below:

1. Select a group of elements by drawing a selection box around them all. (Or select them one by one by holding down **[Ctrl]** and clicking on each element).
2. Right-click on the element in the group to align others to. The context menu displays.
3. Select the alignment function you require.

All selected elements are aligned to the one beneath the cursor.

Tip:

You can also use the **Diagram** toolbar.




The first four buttons are used to align elements, and are made available when more than one element is selected in a diagram.

You can also select the **Element | Alignment** menu option.

5.3.2.11 Resize Elements

Any one of the following options enables you to resize an element. Select an element or group of elements in the diagram view, then:

- Use the resize handles that appear at each corner and side to resize the element(s) by dragging with the mouse (the cursor switches to the double-ended arrow as shown below)




- Press and hold **[Ctrl]** and use the arrow keys to resize as required
- Use the **Wider, Narrower, Taller** and **Shorter** options in the **Element | Move** submenu
- Autosize selected element(s) using the option in the **Element | Appearance** submenu, or by pressing **[Alt] + [Z]**. (With multiple elements selected, **Autosize all selected** appears in the right-click context menu)
- Set multiple elements to the same height, width or both, using these options in the **Element | Make Same** submenu, or the options in the right-click context menu.

Resize a Set of Objects to a Specific Size

If you right-click a selected set of objects, you can resize them to the same dimensions (height, width or both). When you select multiple elements using **[Ctrl]+click**, then resize the dimensions, the dimensions of the selected hatched object are used to set the dimensions of the other selected objects.

For example, in the diagram below, the *Message Class* height and width are used to set the height and width of the *Account* and *Message Folder* Classes. The aim is to make the *Account* and *Message Folder* elements the same height and width as the *Message* element.



To do this follow the steps below:

1. Set one element to the required size (eg. *Message* as above).
2. Select all other elements (eg. *Account* and *Message Folder* as above).
3. Right-click on the pre-sized element (eg. *Message*).
4. Select your resizing option (such as same height, width) from the context menu.

See Also

- [Highlight Context Element](#) ³²⁶

5.3.2.12 Delete Elements

Delete an Element From a Diagram

Follow the steps below:

1. In the active diagram, click on the element to delete.
2. Either:
 - Press **[Delete]**, or
 - Right-click to display the context menu and select the **Delete <element name>** option.

Note:

This does not delete the element from the model, only from the current diagram.

Delete an Element From the Model

Follow the steps below:

1. In the **Project Browser** window, right-click on the element to delete. The context menu displays.
2. Select the **Delete <element name>** option. A confirmation prompt displays.
3. Click on the **Yes** button.

Alternatively:

1. Click on the element in a diagram and press **[Ctrl]+[Delete]**. The element is completely removed from the model.

Delete Multiple Elements From a Diagram and Model

Follow the steps below:

1. Open the diagram containing the elements to remove from the model.
2. Press **[Ctrl]+[A]** to select all of the elements in the diagram, or use **[Ctrl]+click** to select specific elements.
3. Press **[Ctrl]+[Delete]** to completely remove the elements from the model.

Delete Multiple Elements from the Project Browser and Model

Follow the steps below:

1. In the **Project Browser** window, press and hold either **[Shift]** or **[Ctrl]** and click on the required items.
2. Press **[Ctrl]+[Delete]** to completely remove the elements from the model.


Note:

If you delete an element in this way, you delete all its properties and connectors as well.

5.3.2.13 Customize Visible Elements


Some elements are hidden from view in packages and in RTF documents by default. This includes Events, Decisions, Sequence elements and Associations. You have the option of turning these elements back on.

For example, some events and decisions contained in a package do not appear in the package view, as in the example below.




To show additional elements, follow the steps below:

1. Select the **Tools | Options | Objects** menu option. The **Objects** page of the **Options** dialog displays.
2. Click on the **Advanced** button. The **Advanced Settings** dialog displays.



3. Select the checkbox for each type of element to show in packages and in RTF documents.
4. Click on the **Close** button on each dialog.
5. Reload the current diagram if required.

The package from the example above now shows the Event and Decision elements it contains:




5.3.2.14 Create Notes and Text

You can create both notes and text on a diagram; the two are slightly different.


Create a Note

To create a note, follow the steps below:


1. Select the **New Note** icon on the **UML Elements** toolbar and click on the diagram.
 - If you have the **Edit Object On New** ⁽¹⁹⁷⁾ checkbox *deselected*, the Note element displays on your diagram; type your note text directly within the Note element



- If you have the checkbox selected, the **Notes Window** displays; type your text in that window and click on the **OK** button.




The Note text displays in the Note element.



Create Text


To create text, follow the steps below:

1. Click on the **New Text Element** icon in the **UML Elements** toolbar, and click on the diagram. The **Notes** window displays.



2. Type your text, then click on the **OK** button to save it.

Your text displays on the diagram in the following format, with no border:



5.3.2.15 Set an Element's Default Appearance


You can set the global appearance of all elements throughout a model, using the **Options** dialog. Select the **Tools | Options** menu option, then select **Standard Colors** ^[19] from the options tree.

To override the default appearance of a specific element on all diagrams on which it is found, right-click on the element and select the **Appearance | Default Appearance** menu option. The **Default Appearance** dialog displays.

To change the appearance of an element on the current diagram only, use the **Format** ^[13] **toolbar** ^[13]. If the **Format** toolbar is not displayed, select the **View | Toolbars | Format Tool** menu option.

Note:

You can adjust several elements at the same time. Select all of the required elements, right-click on one of them and select the **Default Appearance** menu option, or use the **Format** toolbar.



Change a Background, Font or Border Color

To reset the background color, font color or border color, follow the steps below:

1. On the **Default Appearance** dialog, select the **Background Color**, **Font Color** or **Border Color** radio button as appropriate.

Note:


You have further options for changing the font of element text in the **Set Font** ⁽³⁰⁴⁾ menu option.

2. Deselect the **Use Default Color** checkbox, to enable the **Select** button.
3. Click on the **Select** button. The **Color** dialog displays.



4. Select the required color (click on the **Define Custom Colors>>** button and define a specific color if

necessary) and click on the **OK** button. You return to the **Default Appearance** dialog, on which the **Preview** panel indicates the selected color for the element.

**Note:**

To change to a different color, click on the **Select** button again, or to return to the default color, select the **Use Default Color** checkbox.


5. Click on the **OK** button. The new color is applied to the selected element or elements.

Change the Border Thickness

To change the border thickness, follow the steps below:

1. On the **Default Appearance** dialog, in the **Border Thickness** field, type the number of points to apply. Alternatively, click on the scroll arrows to increase or decrease the number.

The **Preview** panel indicates the effect of the change in border thickness.



2. Click on the **OK** button. The new border thickness is applied to the selected element or elements.

5.3.2.16 Get/Set Project Custom Colors


If more than one person is working on a project, each person might want to use specific colors for elements within the project. The **Settings | Colors | Set Project Custom Colors** and **Get Project Custom Colors** options enable you to set specific colors and subsequently get the colors in a different session, without having to remember RGB values.

Set a Project Custom Color

Follow the steps below to set your project's custom colors:

1. Select an element to be colored.


2. Select the **Element | Appearance | Default Appearance...** menu option. The **Default Appearance** dialog displays.



3. Deselect the **Use Default Color** checkbox to enable the **Select** button.
4. Click on the **Select** button. The **Color** dialog displays.



5. Click on the **Define Custom Colors »** button.
6. Create the color in the color mixer panel on the right of the dialog.



7. Click on the **Add to Custom Colors** button to add the color to the **Custom colors** blocks on the left hand side of the dialog.



8. Click on the **OK** button to close the **Color** dialog, then click on the **OK** button to close the **Default Appearance** dialog.
9. Select the **Settings | Colors | Set Project Custom Colors** menu option to save the custom color you have created.

Get a Project Custom Color

To get your project's custom colors, follow the steps below.

1. Select the **Settings | Colors | Get Project Custom Colors** menu option. This applies any saved custom colors to this project.
2. Click on an element to be colored and select the **Element | Appearance | Default Appearance** menu option. The **Default Appearance** dialog displays.
3. Deselect the **Use Default Color** checkbox to enable the **Select** button.
4. Click on the **Select** button to view the applied custom colors. They appear as circled below:




5. Click on the required color and click on the **OK** button to close the **Color** dialog, then click on the **OK** button to close the **Appearance** dialog. The element changes to the required color.

5.3.2.17 Use Element Templates

To control the appearance of elements, you can set a default element template. This functionality could be used, for example, to denote different stages of a project. A template with different color fill could be created for each stage, so that elements added in each stage are instantly identifiable as belonging to that stage. Element templates do not support the definition of stereotypes within the template. This means that when a stereotype is selected the stereotype settings cause the template to revert to the default setting.

To configure the default element template, follow the steps below:

1. First create a new package; this could be named *Templates*, for example.
2. Within the *Templates* package create new diagrams, one for each type of diagram to template. Name them so that they are easy to recognize; for example *ClassTemplate* for the template for Class diagrams.
3. Add new elements to the template diagrams from the Enterprise Architect UML **Toolbox** and configure the size, appearance, notes, version and other properties.
4. Select the **Settings | Template Package** menu option to set the templates as the default element templates. The **Browse Project** window displays.



5. Locate and click on the *Templates* package, and click on the **OK** button to set the *Templates* package as the default element template.

Now each new element you add to your project is created with the settings in the template diagrams. When you create elements, Enterprise Architect checks the templates directory first and if a template is found, copies the settings from there.


Note:

If you decide not to use the default element template, set the default element template to **<none>** in the **Browse Project** window.

You can also change the appearance of elements (and other structures) by using UML Profiles. These provide a means of extending the UML Language, which enables you to build UML models in particular domains. They are based on additional stereotypes and Tagged Values that are applied to elements, attributes, methods, links, link ends and so on. For more information, see [UML Profiles](#)^[438].

5.3.2.18 Highlight Context Element

You can show a hatched border around a selected element by selecting the **Always Highlight Context Element** checkbox on the **Diagram Behavior** page of the **Options** dialog (select the **Tools | Options | Diagram | Behavior** menu option). If you have selected this checkbox, the selected element displays similarly to the following example:




If you have not selected the **Always Highlight Context Element** checkbox, the selected element does not have a hatched border around it.

Multiple Selections

Whether you have selected the **Always Highlight Context Element** checkbox or not, if you select multiple elements one of the elements you select always has a hatched border. If you align the elements, this element is the one used to align the other elements against.

For example, if the elements in the diagram below are aligned, the top element aligns to the bottom element (the element showing a hatched border).



Change the Element to Align Against

To change which element has a hatched border in a selected group (and thus the element that is aligned with) click on the element that the other elements are to align with.

5.3.2.19 Convert Linked Element to Local Copy

To convert a linked element to a local copy, follow the steps detailed below:

1. Open the diagram with the linked element.
2. Select the linked element and right-click on it to display its context menu.
3. Select the **Convert Linked Element to Local Copy** menu option.

The element changes to a local copy and is placed in the appropriate package.

5.3.2.20 Copy Attributes and Operations Between Elements


Using drag and drop, you can [copy attributes](#)^[330] and/or [operations](#)^[341] from an element in the **Project Browser** window on to another element in a diagram.

To *move* attributes and operations, see [Move Attributes and Operations Between Elements](#)^[328].


Copy an Element Feature

To copy an element feature, follow the steps below:

1. Open a diagram that contains the target element (in the example below, the *AccountItem* Class is the target and *Customer* element is the donor).
2. Click on the attribute or operation and drag to the target element.
3. Release the mouse button.



The image below shows *AccountItem* after the attribute *Account* has been dropped from the browser on to it.



Copy Multiple Element Features

To copy multiple element features, follow the steps below:

1. Open a diagram that contains the target element (in the example above, the *AccountItem* Class is the target and *Customer* element is the donor).
2. Hold down **[Ctrl]** (separate features) or **[Shift]** (select a range) and click on the attributes and/or operations to copy, then drag the selected features to the target element.
3. Release the mouse button.


5.3.2.21 Move Attributes and Operations Between Elements

Using drag and drop, you can *move* [attributes](#)^[330] and/or [operations](#)^[341] from an element in the **Project Browser** window on to another element within the **Project Browser** window.


To *copy* attributes and operations, see [Copy Attributes and Operations Between Elements](#)^[327].

To move element features, follow the steps below:


1. In the **Project Browser** window, locate the attributes and/or operations to move from the target element and select them while holding down **[Ctrl]** (single item select) or **[Shift]** (multiple item select).



2. Holding down the mouse button, drag the attributes and/or operations to the target element. Only the last selected element feature displays during the move; however all of the selected features are moved.




3. Release the mouse button. The image below shows the final stage of the attribute and operations move between the Account element and the Class element.



5.3.3 Attributes

Attributes are features of a Class or other element that represent the properties or internal data elements of that element. For a Customer Class, *CustomerName* and *CustomerAddress* can be attributes. Attributes have several important characteristics, such as type, scope (visibility), static, derived and notes.




Create and Modify Element Attributes

Note:


This facility is only available if the element supports attributes.

1. In the **Diagram** view, either:
 - Right-click on the element to be edited, and from the context menu select the **Attributes** menu option
 - Click on the element and press **[F9]**, or
 - Drag the attribute from the **Project Browser** window onto the element.

**Note:**

Attributes are displayed in the **Project Browser** window beneath the element.

2. The **<Element name> Attributes** dialog displays.



General Detail Constraints

Name: isReadOnly

Type: Boolean Derived Static

Scope: Public Property Const

Stereotype:

Containment: Not Specified

Alias:

Initial: false

Notes:

Attributes

Name	Type	Initial Value
isReadOnly	Boolean	false
isSingleExecution	Boolean	
parameterName	string	
postcondition	string	
precondition	string	

Close Cancel Help

Note:

If you make changes and do not save them, the **Cancel** button prompts you to save or cancel the changes, whilst the **Close** button closes the dialog immediately and does not save the changes.

See the topics on the **Attributes** dialog [General](#)^[333], [Detail](#)^[335] and [Constraints](#)^[336] tabs.

See Also

- [Attribute Tagged Values](#)^[337]
- [Create Properties](#)^[338]
- [Display Inherited Attributes](#)^[339]
- [Create Object From Attribute](#)^[341]

5.3.3.1 Attributes General tab

The **General** tab of the **Attributes** dialog is shown below:

The screenshot shows the 'Attributes' dialog box with the 'General' tab selected. The 'Name' field contains 'isReadOnly'. The 'Type' is set to 'Boolean'. The 'Scope' is 'Public'. The 'Initial' value is 'false'. The 'Attributes' panel at the bottom lists several attributes:

Name	Type	Initial Value
isReadOnly	Boolean	false
isSingleExecution	Boolean	
parameterName	string	
postcondition	string	
precondition	string	

To review an existing attribute, click on the attribute name in the **Attributes** panel.

To delete an existing attribute, click on the attribute name in the **Attributes** panel and click on the **Delete** button.

To create a new attribute, either:

- Click on the **New** button, or
- Click on an existing attribute name in the **Attributes** panel, and click on the **Copy** button.

Review, edit or complete the fields as indicated in the following table.

Field	Use to
Name	Display the name of the attribute. For a new attribute, type the name (with no spaces).
Type	Display the attribute's <i>data</i> type. If necessary, click on the drop-down arrow and select a different type.
[...] (Build) button	Open the Select Attribute Type dialog, which you use to select or define a different attribute type.
Scope	Define the attribute as Public , Protected , Private or Package . If necessary, click on the drop-down arrow and select a different scope.
Stereotype	Define the optional stereotype of the attribute. If necessary, either type a different stereotype name or click on the drop-down arrow and select a stereotype.
Containment	Define the containment type (by reference, by value or not specified). If necessary, click on the drop-down arrow and select a different containment type.
Derived	Indicate that the attribute is a calculated value.
Static	Indicate that the attribute is a static member.
Property	Indicate that the attribute has automatic property creation.
Const	Indicate that the attribute is a constant.
Alias	Display an optional alias for the attribute. If necessary, type in a new alias.
Initial	Display an optional initial value. If necessary, type in a new initial value.
Notes	If necessary, type in any notes concerning the attribute.

To change the position of an attribute in the list in the **Attributes** panel, click on the **Scroll Up** or **Scroll Down** (hand) buttons.

Note:

By default, the attributes are listed in alphabetical order. Before changing this sequence, you must deselect the **Sort Features Alphabetically** checkbox on the **Objects** page of the **Options** dialog (**Tools | Options | Objects**).

If you have changed the attribute details, click on the **Save** button to save the changes.

5.3.3.2 Attributes Detail

To define additional details relating to collections, click on the **Detail** tab of the **Attributes** dialog.

Field	Use to
Multiplicity	
Lower bound	Type a lower limit to the number of elements allowed in the collection.
Upper bound	Type an upper limit to the number of elements allowed in the collection.
Ordered Multiplicity	Select the checkbox if the collection is ordered.
Collection	Code the attribute as an array, so that it can contain multiple concurrent values rather than a single value.
Attribute is a Collection	Select the checkbox if the attribute is a collection (array).
Allow Duplicates	Select the checkbox if duplicates are allowed.
Container Type	Type the name of the container type.
Transient	(For Java code) select the checkbox if the attribute can change regardless of what the code is performing.

When you have completed these fields, click on the **Save** button.

5.3.3.3 Attributes Constraints

Attributes can also have constraints associated with them. Typically these indicate such things as maximum value, minimum value and length of field.

Select the **Constraints** tab of the **Attributes** dialog to define these constraints.

The screenshot shows the 'Constraints' tab of a dialog box. The 'Constraint:' field contains 'Not null' and the 'Type:' dropdown is set to 'Pre-condition'. Below the input fields are 'New', 'Save', and 'Delete' buttons. A table at the bottom lists the current constraint:

Constraint	Type
Not null	Pre-condition

To review an existing constraint, click on the constraint name in the panel at the bottom of the dialog.

To delete an existing constraint, click on the constraint name in the panel and click on the **Delete** button.

To create a new constraint, click on the **New** button.

Review, edit or complete the fields as indicated in the following table.

Field	Use to
Constraint	Type the constraint name.
Type	Select the constraint type.
(Notes)	Type any comments or notes concerning the constraint.

If you have created or edited the data, click on the **Save** button to save the changes.

5.3.3.4 Attribute Tagged Values


You can define Tagged Values for an attribute. Tagged Values are a convenient means of extending the properties a model element supports. This in turn can be used by code generators and other utilities to transform UML models into other forms.


Note:

Tagged Values are supported for attributes, operations, objects and connectors

Add a Tagged Value

To add a Tagged Value to an attribute, follow the steps below:

1. Either:
 - Select the **View | Tagged Values** menu option or
 - Press **[Ctrl]+[Shift]+[6]**.The **Tagged Values** window displays.
2. Double-click on the attribute, either in the diagram or in the **Project Browser** window. The attribute name is displayed as selected in the **Tagged Values** window.
3. Either click on the **New tag** button () or press **[Ctrl]+[N]**. The **Tagged Value** dialog displays.



4. In the **Tag** field, type the tag name or click on the drop-down arrow and select a custom defined tag.
5. In the **Value** field, type the text associated with the tag.
6. Click on the **OK** button to confirm the operation. The tag name and value are displayed under the attribute in the **Tagged Values** window.

Note:

You can define custom tags by creating a Custom Tagged Value Type. For more information see the [Enterprise Architect Software Developers' Kit \(SDK\)](#).^[1360]

5.3.3.5 Create Properties

Enterprise Architect has capabilities for automatically creating properties in various languages. Property creation is controlled from the **General** tab of the **Attribute** dialog.

The screenshot shows the 'Attribute' dialog box with the following fields and values:

- Name: isReadOnly
- Type: Boolean
- Scope: Public
- Stereotype: (empty)
- Containment: Not Specified
- Alias: (empty)
- Initial: false
- Notes: (empty text area)

At the bottom, there are buttons for 'New', 'Copy', 'Save', and 'Delete'. The 'Property' checkbox is checked.

Select the **Property** checkbox. The **Create Property Implementation** dialog immediately displays.

The screenshot shows the 'Create Property Implementation' dialog box with the following details:

- Language:** Java (selected)
- Property Details:**
 - Name: billingAddress
 - Getter: String getbillingAddress()
 - Setter: void setbillingAddress(String newVal)
 - Get Scope: Public
 - Set Scope: Public
 - Read:
 - Write:
 - Abstract:


Buttons: OK, Cancel, Help.

The **Language** panel defaults to the Class language; however, you can change this and generate the properties for any language. Each language has slightly different syntax and generates slightly different results. For example:

- Java and C++ generate get and set functions
- C# and VB.Net create property functions
- Delphi creates get and set functions as well as a specialized Delphi property Tagged Value.

Type in the required details and click on the **OK** button. Enterprise Architect generates the required operations and properties to comply with the selected language.

Note that *get* and *set* functions are stereotypes with «*property get*» «*property set*» making it easy to recognize property functions. You can also hide these specialized functions by deselecting the **Property Methods** checkbox in the **Features** tab of the **Diagram Properties** dialog for a specific diagram (select the **Diagram | Properties** menu option). This makes it easier to view a Class, uncluttered by many *get* and *set* methods.




Note that for Delphi you must enable the **Tagged Values** compartment to see the generated properties. See [Compartment](#)^[386] for the steps for doing this.

5.3.3.6 Display Inherited Attributes

When displaying a Class with attributes in a diagram, you can also show the inherited attributes from all parents in the elements type hierarchy (ancestors).

To show inherited attributes, use the [Specify Feature Visibility](#)^[257] dialog.



Note that for elements that have attributes, you can also override an inherited attribute's initial value, using the element context menu option **Advanced | Override Attribute Initializers**. This displays the **Override Attribute Initializers** dialog.


Variable	<input type="text"/>	OK
Operator	= <input type="text"/>	Apply
Value	<input type="text"/>	Cancel
Note	<input type="text"/>	Help

In the **Override Attribute Initializers** dialog, select the variable name and enter a new initial value. If required, you can type a note in the **Note** field. When you display inherited attributes, Enterprise Architect merges the list of attributes from all ancestors and merges the attribute initializers, so that the final child Class displays the correct attribute set and initial values.

5.3.3.7 Create Object From Attribute

If you drag an attribute from the **Project Browser** onto an *Activity* diagram, the attribute generates an Object element of the same name. This is very useful for creating links between elements and specific attributes. For example, a Class element of stereotype *table* defines its fields as attributes; Requirement elements that define requirements for those fields can then be linked to the appropriate table fields via the attribute Object elements.

In the following diagram, the *billingAddress* Object was generated by dragging the *BillingAddress* attribute from the *Account* Class in the **Project Browser** onto the diagram. Realize relationships were then created between the *Account* element and the *billingAddress* element, and between the *billingAddress* element and the *REQ028* Requirement element.



5.3.4 Operations


Operations are features of a Class or other element that represent the behavior or services an element supports. For a Customer Class, *UpdateCustomerName* and *GetCustomerAddress* can be operations. Operations have several important characteristics, such as type, scope (visibility), static, abstract and notes.

How to Access Operations

If an element supports operations (typically Classes and Interfaces), the right-click context menu contains the **Operations** menu item. Select this to open the [Operations](#) dialog. Alternatively, press **[F10]**.

How Operations Appear in Diagrams


Elements with operations (typically Classes) display their features in diagrams in the manner shown below. As the diagram illustrates, some characteristics display in shorthand form; for example, *static* displays as \$, *abstract* as *.



Operations in the Project Browser

Classes with operations have their features collected beneath them in the **Project Browser** window. Right-click on an operation and select **Operation Properties** to open the **Operations** dialog and edit details for the feature.

From the **Project Browser** window, you can drag operations onto new elements to give them the same operations.



See Also

- [Operation Tagged Values](#) ^[352]
- [Override Parent Operations](#) ^[353]
- [Display Inherited Operations](#) ^[354]

5.3.4.1 Operations Dialog - General

The **Operations** dialog has four tabs:

- General, from which you can also define [operation parameters](#) ^[346]
- [Behavior](#) ^[349]
- Pre-conditions and Post conditions (that is, [Constraints](#) ^[352]).

The **General** tab of the **Operations** dialog enables you to define new operations and set the most common properties, including name, access type and return.

Note:

The **General** tab can vary according to the type of element you are adding an operation to. If defining operations for a data modeling table, see [Indexes, Triggers and Check Constraints](#) ^[915].

General Behavior Pre Post

Name: CreateProductA

Parameters: Edit Parameters

Return Type: Static

Scope: Public Abstract Const

Stereotype: Return Array Pure

Concurrency: Sequential Synchronized Is Query

Alias:

Notes: **B I U A** $\frac{1}{2}$ $\frac{1}{3}$ x^2 x_2

Operations: New Copy Save Delete

Name	Return Type	Parameters
CreateProductA		
CreateProductB		

Close Cancel Help

Option	Use to
Name	Display the selected operation name.
Parameters	Display the parameter list. See Operation Parameters ^[346] for information regarding what this string can contain.
Edit Parameters	Open the Parameters dialog.
Return Type	Display the data type returned by the operation. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
[...] (Return Type Build button)	Open the Set Element Classifier ^[384] dialog. (Not shown for <i>State</i> or <i>State Machine</i> elements.)

Option	Use to
Action	Define the action of the operation: do , exit or entry . (For <i>State</i> or <i>State Machine</i> elements.)
Scope	Select Public/Protected/Private/Package .
Stereotype	Specify an optional stereotype for this operation.
Concurrency	Set the concurrency of the operation.
Alias	Define an optional alias for the operation.
Notes	Enter free text notes. You can format this text if necessary, using the Rich Text Notes toolbar ^[134] at the top of the field.
Virtual/Abstract	If the operation's language is set to C++, map to the C++ <i>Virtual</i> keyword. Otherwise this option is <i>Abstract</i> , pertaining to an abstract function. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
Return Array	Indicate that the return value is an array. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
Synchronized	Specify a code engineering flag that relates to multi threading in Java. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
Static	Indicate that the operation is a static member. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
Const	Indicate that the return type of this method is constant. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
Pure	Indicate that C++ is pure virtual syntax - eg. <i>virtual void myFunction() = 0;</i> (Not shown for <i>State</i> or <i>State Machine</i> elements.)
IsQuery	Indicate that this method does not modify the object. (Not shown for <i>State</i> or <i>State Machine</i> elements.)
Operations	List the defined operations.
Up/Down Buttons	Change the order of operations in the list.
New	Create a new operation.
Copy	Copy the currently selected operation.
Save	Save a new operation, or save modified details for existing operation.
Delete	Delete the currently selected operation.

Note:

If you make changes and do not save them, the **Cancel** button prompts you to confirm or cancel the changes, whilst the **Close** button closes the dialog immediately and does not save the changes.

5.3.4.1.1 Operation Parameters

The **Parameters** dialog enables you to define the parameters an operation has. The parameter list is reproduced in code in the order the parameters appear in the parameters list, so use the **Up** and **Down** buttons to move parameters into their required positions. Additionally, you can select the **Add new to end** checkbox to force new parameters to appear at the end of the list instead of the top.

Tip:

Set the amount of parameter detail to display in a specific diagram using the [Show Parameter Detail](#)^[286] drop-down list on the **Diagram Properties** dialog. The setting applies only to the current diagram. The default is to show the type only.

The screenshot shows the 'Parameters' dialog box. It contains the following fields and controls:

- Name:** A text input field containing the letter 'a'.
- Type:** A dropdown menu set to 'Order' with a '...' button to its right.
- Default:** A text input field containing '<none>'.
- Stereotype:** A dropdown menu set to 'alpha' with a '...' button to its right.
- Kind:** A dropdown menu set to 'return' with a '...' button to its right.
- Fixed:** A checkbox that is currently unchecked.
- Alias:** An empty text input field.
- Add new to end:** A checkbox that is currently unchecked.
- Parameters List:** A large empty scrollable area for listing parameters.
- Buttons:** 'New', 'Save', 'Delete', and 'Close' buttons are located at the bottom of the dialog.
- Parameters Label:** A label 'Parameters' with up and down arrow icons is positioned above the list.

Option	Use to
Name	Type the parameter name.
Type	Select the data type of the parameter. Alternatively, click on the [...] button and select the element classifier to define the type.
Default	Type an optional default value for the parameter.
Stereotype	Type a stereotype name, or click on the drop-down arrow and select a stereotype for the parameter.
Kind	Indicate the way a parameter is passed to a function: <ul style="list-style-type: none"> • In = By Value

Option	Use to
	<ul style="list-style-type: none"> • InOut = By Reference • Out is passed by Reference, but only the return value is significant.
Fixed	Set the parameter to <i>const</i> , even if passed by reference
Alias	Type an optional alias for the parameter.
Add new to end	Place new parameters at the end of the list instead of the start.
Notes	Type any additional notes on the parameter.

See Also

- [Operation Parameter Tagged Values](#)^[347]
- [Operation Parameters by Reference](#)^[348]

5.3.4.1.1 Operation Parameter Tagged Values

Operation parameters can have Tagged Values associated with them. Tagged Values offer a convenient extension mechanism for UML elements, so you can define any tags you like and then assign values to them using this form.

Tagged Values are written to the XML output, and can be input to other third party tools for code generation or other activity.


Tip:

Tagged Values are supported for attributes, operations, objects and connectors

Add a Tagged Value

To add a Tagged Value for a parameter, follow the steps below:

1. Select the **View | Tagged Values** menu option or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the operation containing the parameter in a diagram or in the **Project Browser** window. The **Tagged Values** window now has the operation and parameters selected.
3. Click on the required parameter in the **Parameters** compartment of the **Tagged Values** window, and either click on the **New Tags** button or press **[Ctrl]+[N]**. The **Tagged Value** dialog displays.




4. In the **Tag** field, type the tag name (or select a custom-defined tag from the drop-down list), then add the tag value in the **Value** field.
5. Click on the **OK** button to confirm the operation.

Tip:

Custom tags can be defined by creating a custom Tagged Value type. For more information see the [Enterprise Architect Software Developers' Kit \(SDK\)](#).^[1360]

5.3.4.1.1.2 Operation Parameters by Reference

You can select to highlight parameters declared as type *inout* with an additional user-defined prefix or suffix. On the [Objects](#)^[197] page of the **Options** dialog (select the **Tools | Options | Objects** menu option), the **Feature reference indicator** panel enables you to set whether references are highlighted or not.



If you select the **Highlight References** checkbox, you can also indicate whether a prefix or suffix should be used, and the actual reference character to use. In the example above, the **&** character has been set as a prefix.

When you declare a parameter of type *inout*, it is assumed you are passing the parameter by reference rather than by value. If you have elected to highlight references, then this is displayed in the **Diagram View**.

Name: Type: Default:


Stereotype: Kind: Fixed

Alias: Add new to end

Parameters

Name	Type	Default
bks	Vector	<none>
a	int	
b	int	

The example below shows that the parameter *strName* is a *string* reference, and is highlighted using the chosen character and position.




5.3.4.1.2 Operations Dialog - Behavior

The **Behavior** tab of the **Operations** dialog enables you to enter free text to describe the functionality that an operation has. Use pseudo-code, structured English or just a brief description.

You can also use this tab to formally describe a Method or State action and have the text appear under the method/action name in a diagram.


This example illustrates how to use this field to elaborate a method's function in a diagram.



Show Behavior in a Diagram

To show behavior in a diagram, follow the steps below:

1. Create or locate the required operation.
2. Click on the **Behavior** tab of the **Operations** dialog.



3. Select the **Show Behavior in Diagram** checkbox.
4. Click on the **Save** button.

See Also

- [Initial Code](#)^[351]


5.3.4.1.2.1 Initial Code

The **Initial Code** field inserts code into an operation body when the operation is first generated to file. After this point, forward code generation and synchronization do not replace the existing operation code with the **Initial Code** field.

By default, the **Initial Code** field also is not imported into the model during reverse engineering, but you can select to import the field by selecting the **Include method bodies in model when reverse engineering** checkbox on the [Options](#)^[783] dialog.

This field is most useful when combined with [UML Patterns](#)^[455]. Elements within a pattern often require the same stub code. Notice that the language specific patterns available from www.sparxsystems.com/resources/developers/uml_patterns.html include initial code for some of the defined operations. This helps speed up the process of applying patterns from model to implementation. The **Initial Code** section is also useful for ensuring that the generated code is directly compilable.

This example shows the contents of the **Initial Code** field for the *Instance()* operation of the *Singleton* element in the C# Singleton pattern:



5.3.4.1.3 Operations Dialog - Constraints

Operations can have pre- and post- conditions defined. For each type, give the condition a name, a type and enter notes.

Constraints define the contractual behavior of an operation, what must be true before they are called and what is true after. In this respect they are related to the state model of a Class and can also relate to the guard conditions that apply to a transition.

Pre-Condition	Type
---------------	------

5.3.4.2 Operation Tagged Values

Operations can have Tagged Values associated with them. Tagged values offer a convenient extension mechanism for UML elements, so you can define any tags you like and then assign values to them using this form.

Tagged values are written to the XML output, and can be input to other third party tools for code generation or other activity.


Tip:

Tagged values are supported for attributes, operations, objects and connectors.

Add a Tagged Value

To add a Tagged Value for an operation, follow the steps below:

1. Select the **View | Tagged Values** menu option or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the operation in a diagram or in the **Project Browser** window. The **Tagged Values** window now has the operation selected.
3. Either click on the **New Tags** button or press **[Ctrl]+[N]**. The **Tagged Value** dialog displays.



4. In the **Tag** field, type the tag name (or select a custom-defined tag from the drop-down list), then in the **Value** field type the tag value.
5. Click on the **OK** button to confirm the operation.

Note:


You can define custom tags by creating a Custom Tagged Value Type. For more information see the [Enterprise Architect Software Developers' Kit \(SDK\)](#) ^[1360].

5.3.4.3 Override Parent Operations


It is possible in Enterprise Architect to automatically override methods from parent Classes and from realized Interfaces.

Select a Class that has a parent or realized interface and select the **Element | Advanced | Overrides & Implementations** menu option.

In the **Override Operations/Interfaces** dialog, check the operations/interfaces to automatically override and click on the **OK** button. Enterprise Architect generates the equivalent function definitions in your child Class.




It is possible to configure Enterprise Architect to display this dialog each time you add a Generalization or Realization link between Classes, and review their possible operations/interfaces to override/implement. Do this from the **Links** page of the **Options** dialog (select the **Tools | Options | Links** menu option).



5.3.4.4 Display Inherited Operations

It is possible to configure an element in a diagram to display the complete operation set obtained from all ancestors in the elements type hierarchy, as well as those directly owned. To do this, use the **Element | Feature Visibility** ^[257] function from the main menu, or press **[Ctrl]+[Shift]+[Y]**.

The following diagram illustrates this behavior when enabled for each element in a simple hierarchy.



5.3.5 Element In-place Editing Options


This topic explores the tasks that can be performed using in-place editing of elements. The tasks include:

- [View Properties](#) ^[356]
- [Edit Element Item Name](#) ^[357]
- [Edit Stereotype](#) ^[358]
- [Edit Scope](#) ^[359]
- [Edit Attribute Keyword](#) ^[359]
- [Edit Operation Parameter Keyword](#) ^[360]
- [Insert Operation Parameter](#) ^[363]
- [Edit Parameter Kind](#) ^[361]
- [Insert New Attribute or Operation](#) ^[362]
- [Add Maintenance Item](#) ^[364]
- [Add Test Item](#) ^[366]
- [Delete Selected from Model](#) ^[357]

5.3.5.1 Inplace Element Item Tasks

To use the options that are available through the in-place editing menu, follow the steps below:

1. Open the diagram containing the element.
2. Click on the element, and on the item to manipulate within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Edit and manipulate the items in the element, either by pressing the appropriate keyboard keys or by right-clicking on the highlighted item and choosing a task from the **Element Items** menu. The following commands are available:

To...	Select menu option...	Or press...
Change the name, scope or stereotype of the element or element item	Edit Selected	[F2]
Display the dialog containing details of the element	View Properties	[Enter]
Insert a new item in the element	Insert New After Selected	[Insert]
Add an attribute to the element	Add Attribute	[Ctrl]+[Shift]+[F9]
Add an operation to the element	Add Operation	[Ctrl]+[Shift]+[F10]
Insert a feature on the specific element item, such as Maintenance features and Testing features	Add Other	[Ctrl]+[F11]

To...	Select menu option...	Or press...
Delete the selected item from the model	Delete Selected from Model	[Delete]
Navigate Diagram Selection, to navigate the diagram between elements without having to use the mouse		[Ctrl]+[Shift]+[arrow key]
Toggle element highlight option on and off		[Shift]+[Enter]

Other options that are available while in editing elements mode in a diagram (when an attribute or operation is highlighted) include:

To...	Press...
Accept current changes	[Enter]
Accept current changes and open a new slot to add a new item	[Ctrl]+[Enter]
Abort the edit, without save	[Esc]
Display the context menu for in-place editing	[Shift]+[F10]
Invoke the <i>Classifier</i> dialog	[Ctrl]+[Space]

5.3.5.2 Edit Element Item Name

The in-place editing feature enables you to change the name of the element, or the name of an operation or attribute, directly from the diagram. To use this feature follow the steps below:

1. Open the diagram containing the element.
2. Click on the element and on the name to change within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Right-click on the item. The context menu displays.
4. Select the **Edit Selected** menu option (or press **[F2]**) to enable you to edit the item directly from the diagram. The name of the attribute or operation is highlighted.




5. Delete or type over the name. Press **[Enter]** to accept the change, or **[Esc]** to cancel the change.

5.3.5.3 Edit Attribute or Operation Stereotype

You can use the in-place editing feature to change the *stereotype* of an operation or attribute directly from the diagram. To use this feature, follow the steps below:

1. Open the diagram containing the element.
2. Click on the element, and on the item to edit within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Right-click on the item. The context menu displays.
4. Select the **Edit Selected** menu option (or press **[F2]**) to enable you to edit the attribute or operation directly from the diagram. The name of the item is highlighted.
5. Move the cursor to the position before the name or within the existing attribute or operation stereotype (denoted by «stereotype name»).




6. Delete or type over the previous name to change the stereotype name of the attribute or operation. Press **[Enter]** to accept the change or **[Esc]** to cancel the change. You can assign multiple stereotypes by including a comma-separated list inside the stereotype markers.


5.3.5.4 Edit Attribute and Operation Scope

The in-place editing feature enables you to rapidly change the scope of an attribute or operation directly from the diagram. To use this feature follow the steps below:

1. Open the diagram containing the element.
2. Click on the element and on the item to edit within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Right-click on the item. The context menu displays.
4. Select the **Edit Selected** menu option (or press **[F2]**) to enable you to edit the attribute or operation directly from the diagram. The name of the item is highlighted.
5. Move the cursor to the attribute or scope of the item and delete the previous entry.




6. Reassign the entry by typing in one of the following symbols:
 - + indicates that the scope is Public
 - - indicates that the scope is Private
 - ~ indicate that the scope is Package
 - # indicates that the scope is Protected.
7. Press **[Enter]** to save the change, or **[Esc]** to cancel the change. The diagram is updated to reflect the changes. (Also see the `catalogNumber` attribute in the above screen illustrations.)


5.3.5.5 Edit Attribute Keyword

You can add features such as attribute keywords and classifiers directly to an element, using the **Element Keywords and Classifiers** menu. This enables you to rapidly assign details element item by element item, directly from a diagram. To use this feature, follow the steps below:

1. In Enterprise Architect, open the diagram containing the element.
2. Click on the element, and on the attribute to edit within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



- Right-click on the item. The context menu displays.
- Select the **Edit Selected** menu option (or press **[F2]**) to enable you to edit the attribute directly from the diagram. The name of the attribute is highlighted.
- Right-click on the attribute name to display the context menu.




- From the context menu, you can:
 - Change the attribute classifier to static or fixed - select the **static** or **fixed** menu options as appropriate; the diagram is updated to reflect the changes.
 - Display the Class properties - click on the **Goto Definition** menu option; Enterprise Architect locates the Class in the **Project Browser** window and opens its **Properties** dialog.

If the data type is a raw data type, Enterprise Architect displays the message: *The data type is a raw data type.*


5.3.5.6 Edit Operation Parameter Keyword

You can directly edit operation classifiers by element, using the in-place editing menu. This enables you to rapidly assign parameter keywords. To use this feature, follow the steps below:

- Open the diagram containing the element.
- Click on the element, and on the operation to edit within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Right-click on the item. The context menu displays.
4. Select the **Edit Selected** menu option (or press **[F2]**) to enable you to edit the operation directly from the diagram. The name of the operation is highlighted.
5. Right-click on the data type of a parameter to display the context menu.



6. From the context menu you can:
 - Change the operation classifier by clicking on the appropriate menu option - **static**, **isquery**, **abstract** or **fixed**. The diagram is updated to reflect the changes.
 - Display the Class properties - click on the **Goto Definition** menu option.

If the data type is Class, Enterprise Architect locates the Class in the **Project Browser** window and opens its [Properties](#) ^[368] dialog.


If the data type is a raw data type, Enterprise Architect displays the message *This data type is a raw data type*.

If the data type is not defined in the model, the message is: *The data type is not defined in the model*.


5.3.5.7 Edit Parameter Kind

You can edit operation parameter kinds such as *[in]*, *[inout]* and *[out]* directly from a diagram element by element, using the **Element Keywords and Classifiers** menu. This enables you to rapidly assign the parameter directly from a diagram. To use this feature follow the steps below:

1. In Enterprise Architect, open the diagram containing the element.
2. Click on the element, and on the operation to edit within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Right-click on the item. The context menu displays.
4. Select the **Edit Selected** menu option (or press **[F2]**) to enable you to edit the item directly from the diagram. The name of the item is highlighted.
5. Right-click on the item name to display the context menu.




6. Select the appropriate menu option for the parameter kind value: `[in]`, `[inout]` and `[out]`. The diagram is updated to reflect the change.

5.3.5.8 Insert New Attribute or Operation

You can add attributes and operations to an element using the in-place editing options. To add attributes and operations to a Class diagram element, follow the steps below:

1. Open the diagram containing the element to which you are adding an attribute or operation.
2. Click on the element, and within the element on the item after which to insert the operation or attribute. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Press **[Insert]**. Alternatively, right-click on the selected element item to display the context menu and select the **Insert New After Selected** menu option.


Enterprise Architect inserts a new data line in the diagram, underneath the selected item.

4. Type in the relevant information for the attribute or operation. Press **[Enter]** to accept the change or **[Esc]** to cancel the change. The diagram is updated to reflect the changes.


5.3.5.9 Insert Operation Parameter

You can add operation parameters to an operation through the in-place editing options, using hotkey commands or menu shortcuts. To add parameters to operations in a Class diagram element, follow the steps below:


1. Open the diagram containing the element.
2. Click on the element, and on the operation to update within the element. The item line is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



3. Press **[F2]**, or right-click on the selected item to display the context menu and select the **Edit Selected** option.
4. Move the cursor inside the parameter brackets and click on the reference to the parameter (eg. `bks`: for a vector containing books). Either:
 - Type the name of the parameter or
 - Place the cursor after the reference, right-click the mouse to display the inline editing options menu and select the **Insert Classifier** option.



5. The **Set Element Classifier** dialog displays,




- Click on the appropriate parameter from the list of available items, and click on the **OK** button. The parameter is displayed on the diagram.
- Press **[Enter]** to accept the change or **[Esc]** to cancel the change. The diagram is updated to reflect the changes.

5.3.5.10 Insert Maintenance Feature

You can rapidly assign maintenance details such as Defects, Changes, Issues and Tasks directly to an element from a diagram, using the **Element Items** menu. To use this feature follow the steps below:

- Open the diagram containing the element.
- Click on the element name. The name is highlighted in a lighter shade (the default is white), to indicate that it has been selected.



- Either:
 - Press **[Ctrl]+[F11]** or
 - Right-click on the highlighted name to display the context menu, and select the **Add Other** option.


The **Insert Feature** dialog displays.

4. Click on the appropriate radio button option to associate the required maintenance feature with the element item.
5. Click on the **OK** button. The **<Maintenance Feature> details for <element>** dialog displays.

6. Complete the fields to define the maintenance activity, and then click on the **Save** button. To create a subsequent maintenance activity of this type, click on the **New** button.

7. When you have defined all of the maintenance activities of this type, click on the **OK** button. The maintenance details are added to the element.


To ensure that the maintenance items are visible in the diagram element, as shown in the example below, select the **Show Maintenance** checkbox in the diagram properties appearance options. For more information on diagram appearance options, see the [Show Maintenance Scripts in Compartments](#)^[740] topic.



5.3.5.11 Insert Testing Features


You can rapidly add testing features such as Unit, Integration, System, Acceptance and Scenario tests to an element directly from a diagram, using the **Element Items** menu. To use this feature follow the steps below:

1. Open the diagram containing the element.
2. Click on the element. The element name is highlighted in a lighter shade (the default is white), to indicate that it has been selected.




3. Either:
 - Press **[Ctrl]+[F11]** or
 - Right-click on the highlighted name to display the context menu and select the **Add Other** option.

The **Insert Feature** dialog displays.




4. Click on the appropriate radio button option to associate the required testing feature with the element.
5. Click on the **OK** button. The **Testing Window** opens, showing the appropriate panel for the type of test selected.



6. [Complete the fields](#) ^[726] to define the test activity, and then click on the **Save** icon in the window toolbar. The test is added to the element.
7. To create a subsequent test activity of this type, click on the **New** icon, or to add items for other types of test, click on the appropriate tab.

To ensure that the test items are visible in the diagram element, as shown in the example below, select the **Show Testing** checkbox in the diagram properties appearance options. For more information on diagram appearance options, see the [Show Test Scripts in Compartments](#) ^[736] topic.



5.3.6 Properties

This topic area covers element properties and their settings, responsibilities, constraints, links, scenarios, Tagged Values, associated files, object files and classifiers, and boundary element settings.

To display the element **Properties** dialog:

- Select an element in the **Diagram View** and select the **Element | Properties** menu option
- Right-click on an element in the **Diagram View**, and select **Properties** from the context menu
- Select an element in the **Diagram View**, and press **[Alt]+[Enter]**
- Double-click on an element in the **Diagram View**
- Right-click on an element in the **Project Browser** window, and select **Properties...** from the context menu.

To suppress display of the **Properties** dialogue when placing a new element, uncheck the **Edit Object on New option**^[197].

Note:

There are three variations of the **Properties** dialog:

- The dialog for a Table or Stored Procedure element has slight differences on the **General** tab and a **Table (Stored Procedure) Details** tab instead of a **Details** tab; see [Set Table Properties](#)^[893]
- The dialog for a Class element of a stereotype other than Table is as shown in [General Settings](#)^[369].
- The dialog for an element of any other type does not have a **Details** tab.

The following topics describe each of the tabs in this dialog in detail.

- [General](#)^[369]
- [Details](#)^[371]
- [Require](#)^[372]
- [Constraints](#)^[374]
- [Link](#)^[376]
- [Scenario](#)^[377]
- [Files](#)^[378]

Follow the links for information on [Tagged Values](#)^[379], [Object files and Classifiers](#)^[383], and the [Boundary element](#)^[385] appearance

5.3.6.1 General Settings

The **General** tab of the element **Properties** dialog is shown below:

Complete the following fields:

Field	Use to
Name	Change the element's name.
Stereotype	(Optional) Type the name of a stereotype for the element, or click on the drop-down arrow and select one.
Abstract	Indicate that the element is abstract.
Author	Enter or select the name of the original author.
Status	Indicate the current status of the element (eg. Approved, Proposed).
Scope	Indicate the element's scope (public, private, protected, package).
Complexity	Indicate the complexity of the element (used for project estimation). Assign Easy , Medium or Hard .
Alias	Enter an alias (alternative display name) for the object.

Field	Use to
Language	Select the programming language for the object.
Keywords	Enter free-text items such as keywords or context information. This can be filtered in Use Case Metrics and Search dialogs.
Phase	Indicate the phase this element is to be implemented in (eg. 1, 1.1, 2.0 ...).
Version	Enter the version of the current element.
Notes	Enter any free text notes associated with the element. You can format the notes text using the Rich Text Notes ^[134] toolbar at the top of the field.

Further facilities are available by pressing the **Advanced** button. See [Advanced Settings](#) ^[370] for details.

5.3.6.1.1 Advanced Settings

Some elements support additional attributes. These are *Generalizable* elements, and by clicking on the **Advanced** button on the element **Properties** dialog you can set the following:

- **IsRoot** - the element is a root element and cannot be descended from another
- **IsLeaf** - the element is *final* and cannot be a parent for other elements
- **IsSpecification** - the element is a specification
- **IsActive** - the element is active; for example, an [active Class](#) ^[1169]
- **Multiplicity** - multiplicity setting for the element.

Advanced Options

IsRoot

IsLeaf

IsSpecification

Is Active

Multiplicity:

OK Cancel

5.3.6.2 Details

The **Details** tab of the element **Properties** dialog is shown below. It enables you to define the structural and processing details for the selected Class element.

The screenshot shows the 'Details' tab of the 'Properties' dialog for a Class element. The dialog has several tabs: General, Details (selected), Require, Constraints, Links, Scenario, and Files. The 'Details' tab contains the following elements:

- Cardinality:** A dropdown menu.
- Visibility:** A dropdown menu.
- Attributes...:** A button to define class attributes.
- Operations...:** A button to define class operations.
- Concurrency:** A section with four radio buttons: Sequential, Guarded, Active, and Synchronous.
- Collection Classes...:** A button to define collection classes for association roles.
- Templates:** A section with a 'Type' dropdown menu, 'Add', 'Edit', and 'Delete' buttons, and a table with columns 'Parameter', 'Type', and 'Default'.
- Arguments:** A text box for defining arguments.
- Buttons:** 'OK', 'Cancel', 'Apply', and 'Help' buttons at the bottom.

Note:

When launched from MDG Integration, the **Attributes** and **Operations** buttons are not available.

Field/Button	Use to
Cardinality	Select the cardinality (number of elements in a set) for the Class.
Visibility	Select the visibility of the Class.
Attributes	Define attributes for the Class. The Attributes Properties [330] dialog displays.
Operations	Define operations for the Class. The Operations Properties [343] dialog displays.
Concurrency	Define how concurrent activities should be processed.
Collection Classes	Define collection Classes (for generating code from association links) that apply to this Class. The Collection Classes for Association Roles [788] dialog displays.
Type	Select the type of Class template parameter to add or list. You can also edit or

Field/Button	Use to
	delete parameters. See the Parameterised Classes ^[1169] topic.
Arguments	Select a parameter and type any required argument for that parameter.

5.3.6.3 Requirements

The **Require** tab of the element **Properties** dialog is shown below. Use this page to create requirements that this element is designed to meet. Requirements are of two types: [internal requirements](#) ^[427] (responsibilities) and [external requirements](#) ^[373] (system requirements). Enterprise Architect shows both types, but you can only edit the internal type from this tab.

Internal requirements form the functional requirements of the system to be built. The meaning of the requirement can vary depending on which element is the host; for example, a business process requirement might mean something different to a Use Case requirement, which again might mean something different to a Class requirement. Use these as best suit your model.

Use the [Specify Feature Visibility](#) ^[257] function to show the requirements for an element on the diagram directly (it is also possible to show inherited requirements in this way).

Note:

External requirements are those linked to this element using a Realization link.

Option	Use to
Requirement	Enter the name and high level detail of the requirement.
Type	Specify the type; for example, Functional or Non-functional . Functional requirements are things that the system must do, such as identify franked, unfranked and total credit for a dividend; non-functional requirements are things that the system must be, such as reliable, cost effective.
Status	Specify the current status of the requirement.
Difficulty	Identify the complexity of implementing the current requirement.
Priority	Specify how urgent the requirement is.
Last update	Specify the date of the last requirement update.
Notes	Record details of the requirement. You can format the notes text using the Rich Text Notes <small>[134]</small> toolbar at the top of the field.
Move External <small>[428]</small>	Make an internal responsibility into an external requirement.
New	Create a new requirement.
Save	Save changes to requirements.
Delete	Delete a selected requirement.
Defined	List the defined requirements associated with this element.

5.3.6.3.1 External Requirements

External requirements are those Requirement elements that have been linked to the current element using a *Realization* link. By creating the link from the element to the requirement, you create an expectation that the element must implement the requirement as part of the system solution.

In Enterprise Architect, linked requirements are shown in the **Require** tab of the element **Properties** dialog, but they are marked *external* and cannot be directly edited (on selection, the tab fields are grayed out).

Double-click an external requirement in the list to activate the **Properties** dialog for the associated requirement, where you can view and modify the requirement details and check the requirement hierarchy details.

The screenshot shows the 'Properties' dialog box with the 'Properties' tab selected. The 'Short Description' field contains the text '1. Login to applications.'. The 'Alias' field is empty. The 'Status' dropdown is set to 'Approved', 'Type' to 'Functional', 'Difficulty' to 'Medium', 'Phase' to '1.0', 'Priority' to 'Medium', and 'Version' to '1.0'. The 'Author' dropdown is set to 'John Redfern', 'Last Update' is '15/11/2007', and 'Created' is '15/11/2007'. The 'Key Words' field is empty. The 'Notes' field contains the text: 'The proposed system will allow a user to log on to applications using a unique logon name and password'. The dialog has 'OK', 'Cancel', and 'Help' buttons at the bottom.

See Also

- [Create Requirements](#)^[424]
- [Requirement Elements](#)^[424]
- [Move Internal Requirement to External Requirement](#)^[428]

5.3.6.4 Constraints

The **Constraints** tab of the element **Properties** dialog is shown below.

Elements can have associated constraints placed on them. These are conditions under which the element must exist and function. Typical constraints are pre- and post- conditions, which indicate things that must be true before the element is created or accessed and things that must be true after the element is destroyed or its action complete.

Use the [Specify Feature Visibility](#)^[257] function to show constraints for an element on the diagram directly (it is also possible to show inherited constraints in this way).

Add Constraints to a Model Element

To add constraints to a model element, follow the steps below:

1. Open the element **Properties** dialog.
2. Select the **Constraints** tab.

Constraint:

Type: Pre-condition

Status: Approved

Defined Constraints

Constraint	Type	Status
User Registered	Pre-condition	Proposed


OK Cancel Apply Help

3. In the **Constraint** field, type the name of the constraint.
4. In the **Type** and **Status** fields, click on the drop-down arrow and select the appropriate constraint type (**Pre-condition**, **Post-condition** or **Invariant**) and status.
5. In the larger text field, type any additional notes required.
6. Click on the **Save** button.

Constraints are used in conjunction with [responsibilities](#)^[372] to define the conditions and rules under which an element operates and exists.

5.3.6.5 Links


The **Links** tab of the element **Properties** dialog displays a list of all relationships active for the current element.



The **Relationships** panel lists the relationships this element has. The:

- **Element** column identifies the elements this element is related to
- **Element Stereotype** column identifies the stereotype (if any) of the element
- **Type** column identifies the element type of the related element
- **Connection** column identifies the type of relationship
- **Stereotype** column identifies the stereotype (if any) of the relationship.

From the **Links** tab you can perform operations on a relationship, by right-clicking on the relationship to display the context menu.




To:

- Hide the relationship on the diagram, click on the **Hide Relation** menu option; the option then changes to **Show Relation**, which you select to redisplay the relationship on the diagram)
- Display the relationship [Properties](#) ⁴¹⁶ dialog, click on the **Relationship Properties** menu option
- Highlight the related element in the **Project Browser** window, click on the **Locate Related Object** menu option
- Delete the relationship from the model and all diagrams, click on the **Delete Relationship** menu option; the system prompts you to confirm the deletion.

5.3.6.6 Scenarios

The **Scenario** tab of the element **Properties** dialog is shown below. A scenario is a real world sequence of operations that describes how this element works in real-time. It can be applied to any element and can describe functional behavior, business work flows and end-to-end business processes.



Option	Use to
Scenario	Type in the name of the scenario.
Type	Specify the type of scenario; for example, basic path, alternative path.
Notes	Record a textual description of the scenario, usually depicted in steps of how the user uses the current element. You can format the notes text using the Rich Text Notes ^[134] toolbar at the top of the field.
Scenarios	Display a list of defined scenarios.

5.3.6.7 Associated Files

The **Files** tab of the element **Properties** dialog is shown below. An element can be linked to files held somewhere. Use this tab to set associated files for the current element.

Note:

Linked files are a good way to link elements to additional documentation and/or source code.

You can also insert [hyperlinks](#) ^[124] in diagrams to other files, and launch them directly from the diagram. This is an alternative method to that described here.

Option	Use to
File path	Type in the name of the file.
Type	Specify the local file or web address.
Notes	Type in free text about the file.
Attached files	Display a list of files.
Launch	Open the selected file. Local files open with their default application and web files open in the default browser.


5.3.6.8 Tagged Values

Tagged Values are a convenient way of adding additional information to an element outside that directly supported by UML. UML provides the *Tagged Value* element for just this purpose. Often Tagged Values are used during code generation or by other tools to pass information or operate on elements in particular ways. For more information relating to using tags see [The Tagged Values Window](#)^[174] topic.

Add a Tagged Value

To add a Tagged Value for an element, follow the steps below:

1. Select the **View | Tagged Values** menu option, or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the required element either in a diagram or in the **Project Browser** window. This selects the operation in the **Tagged Values** window.
3. Click on the **New Tag** button in the **Tagged Values** toolbar or press **[Ctrl]+[N]**. The **Tagged Value** dialog displays.
4. In the **Tag** field, type the tag name (or click on the drop-down arrow and select a custom-defined tag), then in the **Value** field type the appropriate value.



5. Click on the **OK** button to confirm the operation.

Tip:

Custom tags can be defined by creating a custom Tagged Value type. For more information see the [Enterprise Architect Software Developers' Kit \(SDK\)](#) ^[1360].

Tagged Values are the preferred method of extending the code generation capabilities of the CASE tool per element / per language.

5.3.6.8.1 Advanced Tag Management

Tagged Values can also be managed within a type hierarchy and with respect to element instances, using the **Tag Management** dialog.


Using the **Tag Management** dialog it is possible to:

- View Tagged Values inherited from parent Classes or realized interfaces or applied stereotypes
- Override Tagged Values derived from parents or applied stereotypes with a unique value for the current element
- Delete Tagged Values from the current element (if a parent version of the Tagged Value exists, it reappears in the list after the override is deleted).

Tagged Values	
SuperNic (Class)	
IOSpeed	100MB
+ from BetterNic	
- from FastEthernet	
IOAccelerator	True
- from SimpleNIC	
DeliveryStrategy	Simple
- from SlowEthernet	
Latency	21ms
ManufactureName	SimpleParts

The diagram below illustrates a complex tag hierarchy and the way Tagged Values can be either inherited or overridden in specialized Classes to create the final tagged property set for an element.


Note also that a similar concept applies to instances, in which case the full tag set is created from the directly owned tags, plus all of those merged in from the classifier's type hierarchy, additional stereotypes and realized interfaces.



5.3.6.8.2 Quick Add of Tagged Values

It is possible to add a single Tagged Value to one or more elements with a special shortcut.

1. From an element context menu (or the context menu of a multi-selection) choose the **Add | Tagged Value** menu option. (Alternatively, select one or more elements and press **[Shift]+[Ctrl]+[T]**). The **Tagged Values** dialog displays, which enables you to enter a **Name** and **Value** for the tag.




2. Click on the **OK** button to add your new Tagged Value to all the currently selected elements.

Note:

You can also use the **Current Element** toolbar. The last button is a shortcut to the *Add Tagged Value* function.

To delete this property you must open the element **Properties** dialog, go to the **Tagged Values** window and manually delete the item. There is currently no shortcut to delete tags from multiple elements at one time.

To add notes to the Tagged Value, go to the **Tagged Values** window, click on the Tagged Value name, and click on the **Edit Notes** button in the window toolbar. The **Notes** dialog displays.



Any **Notes** text you enter also displays in the *Info* section at the bottom of the **Tagged Values** window.

5.3.6.9 Object Classifiers

Many elements in UML model classifications (such as Classes and Actors), and other elements then model instances of such classifications (such as Objects, Actors again, and Sequence diagram objects). These instance elements represent real things in a run-time scenario; for example, a *Person* element named *Joe Smith*. In UML this is written as *Joe Smith: Person*.

You can define a classifier first, and then instances of that classifier. Alternatively, as a model develops from a rough sketch to a detailed design, many objects become examples of a defined Class, so in the early analysis phase you might model a *Joe Smith* and a *Jane Smith*, and later a *Person* Class from which *Joe* and *Jane* are instantiated.

Enterprise Architect enables you to associate an Object with its template element (its classifier), such as a Class. Doing this greatly increases the descriptive power of the model in capturing the functionality and responsibility of Objects at run-time and their associated state. For example, if you describe a *Person* Class with attributes such as *Age*, *Name*, *Address* and *Sex*, and functions such as *GetAge* and *GetName*, then when you associate your Object with the *Person* Class it is seen to have all the *Person* Class behavior and state (as well as inherited state and behavior from *Person's* ancestors).


Tip:

This is a powerful means of moving your model from the analysis phase into detailed design.

5.3.6.9.1 Using Classifiers

If you right-click on an Object in a diagram, the element context menu displays the **Advanced | Instance Classifier** menu option. Select this option to choose a single element (generally a Class) as the classifier or template for this Object.

The **Set Element Classifier** dialog is shown below. Use this to [set the instance classifier](#)^[384].



The Object name is then displayed as *Object: Classifier*; for example a Person object named Joe Smith is displayed as *Joe Smith: Person*.

Several Changes Occur if an Object has a Classifier

It is important to remember that an Object is only an instance of a classifier at runtime, so the appropriate attributes and operations are those of the classifier, not the Object. Therefore, in the context menu for the Object, if you select the **Attributes** or **Operations** menu options, the **Attributes** or **Operations** dialog displays for the classifier, not the Object.

If you set the classifier for an Object in a Sequence diagram, when you add a message the drop-down list of available messages derived from the target Object come from the classifier, not the Object selected. This enables you to associate Sequence diagram objects with Classes and use the defined behavior of the Class to model actual behavior at run time.


You can also select a message for a State Flow connector. The same rules apply as for Sequence diagram objects.

Note that in the **Message** dialog you can also select to include messages defined in the target classifier's inheritance hierarchy.

5.3.6.9.2 Set Element Classifier Dialog

This dialog is used primarily to set the base type or [classifier](#)^[383] for an [Object](#)^[1208] or Lifeline, but is also used in setting classifiers for the [return types](#)^[343] for operations, the type and return type for [operation parameters](#)^[363], [Activities for Transitions](#)^[1295], [Pattern element defaults](#)^[458] and [Tagged Values](#)^[177]. To set a classifier, follow the steps below:

1. The **Set Element Classifier** dialog displays.



2. If necessary, in the **In Namespace** field specify a namespace to reduce the list of classifiers. The list reduces to classifiers associated with that namespace.
3. From the list of available classifiers, click on the required type.
4. Click on the **OK** button.

If the available classifiers do not meet your requirements, you can sometimes create a new element and define the appropriate properties. Click on the **Add New Element** button. The [New Element](#) ^[307] dialog displays, on which you define the required element.

Note:

The **Add New Element** button is not always available; for example, it is not available when setting classifiers for REFGUID Tagged Values.


5.3.6.10 Boundary Element Settings

A system boundary element is a non-UML element used to define conceptual boundaries. You can use boundaries to help group logically related elements (from a visual perspective, not as part of the UML model).

Configure Boundary Elements

Boundary elements can be configured to display in different ways. The main differences are:

- Solid border
- Dotted Border
- With horizontal or vertical 'swim lanes'; swim lanes are used to group elements in a vertical or horizontal context (eg. Client, Application and Database tiers could be represented in swim lanes).




5.3.7 Compartments

In addition to the attributes and operations compartments shown in a Class element, Enterprise Architect also supports other compartments that can optionally be displayed.


To set the visibility of the various compartments, see [Feature Visibility](#)^[257].

Tag Compartment

The **Tag** compartment lists all Tagged Values for an element as entered in the [Tagged Values](#)^[379] window.




Or, in the [fully qualified](#)^[257], expanded format:

**Note:**

The **fully-qualified** option operates only on those Tagged Values that were created in Enterprise Architect release 7.1 or later. It does not expand Tagged Values created in earlier releases.


Responsibility Compartment

The responsibility compartment shows a list of responsibilities as entered on the [Requirements](#) ^[372] tab of the element **Properties** dialog.



Constraint Compartment

The constraint compartment shows a list of element constraints as entered in the **Constraint** tab of the element **Properties** dialog.



Testing Compartment

The testing compartment lists all of the tests associated with an element as listed in the **Testing** window (select the **View | Testing** menu option).


Maintenance Compartment

The maintenance compartment lists all of the defects, changes, issues and tasks associated with an element, as listed in the **Maintenance** window (select the **View | Maintenance** menu option).

5.3.8 Link a Note to Internal Documentation

It is possible to link a *Note* element to another element's internal documentation. This enables you to externalize model documentation to the diagram level, and as Enterprise Architect keeps the note and the internal structure in synch, you do not have to worry about updating the note contents; this is done automatically.

In the example below, two notes are linked into an element's internal structures. One is linked to an attribute, and displays the attribute name and notes. The other is linked to a constraint, showing the constraint name and documentation.



Procedure

To link a Note element to a feature of another design element, follow the steps below:

1. Insert the target element into a diagram.
2. Drag the *Note* icon from the **Common** page of the **Toolbox** onto the diagram, next to the target element.
The **Notes** dialog displays. Do not type any text, just click on the **OK** button.
3. Click on the *Note Link* icon from the **Common** page of the **Toolbox**, click on the Note, and drag across to the target element to create the connector.
4. Right-click on the Note Link to display the context menu.
5. Select the **Link this Note to an Element Feature** menu option. The **Link note to element feature** dialog displays.

The dialog box has the following fields and controls:

- Target Element:** A text box containing the word "State".
- Feature Type:** A dropdown menu with "Operation" selected.
- Feature:** A table with two columns: "Feature" and "Description".

Feature	Description
Operation	entry
- Buttons:** "OK", "Cancel", and "Help" buttons at the bottom.

6. In the **Feature Type** field, click on the drop-down arrow and select the type of feature to link to.
7. In the **Feature** list, click on the specific feature to link to.
8. Click on the **OK** button.

The note now automatically derives its contents from the target element.


5.3.9 Linked Documents


In the Corporate edition of Enterprise Architect, you can link an RTF document to any UML element in the model.

All three editions of Enterprise Architect provide an additional UML Artifact - [Document Artifact](#)^[1184] - that can contain an RTF document internally.

You create linked documents from Linked Document Templates, which you define with the [Document Template Editor](#); see [Create Linked Document Templates](#)^[395] and [Edit Linked Document Templates](#)^[396].

The Document Artifact and the Document Editor are illustrated below:





Documents created via the Document Artifact are rendered into RTF Documentation by selecting the **Model Document** checkbox in the [RTF Style Template Editor](#). See the [RTF Style Template Editor](#) ^[1008] topic.

The left pane shows the following tree structure:

- Target
 - Element
 - Tagged Value
- Constraint
 - Tagged Value
- Model Document
- Embedded Elements
- Attribute
 - Constraint
 - Tagged Value
- Method
 - Pre-Condition
 - Post-Condition
 - Parameter
 - Tagged Value
 - Tanned Value

The right pane shows the RTF code for the 'Model Document' element:

```

<<connector
|
|
model'document">|
|
|
<<model'document
|
|
|
embedded'elements">|
|
|
Embedded-Elements|

```

Below the code is a table:

Elements	De
{EmbeddedElement.Type}	{Ei
{EmbeddedElement.Name}	{Ei

The document for the Document Artifact is rendered into the RTF documentation at:

model document >

<model document

<u>Model Specification</u>	<u>Phase 01</u>
----------------------------	-----------------

Connections

Connector	Source	Target	Notes
<u>Dependency Link to Node 1</u> Source -> Destination	Public Artifact	Public Node1	

Linked Document Editor


See Also

- [Create Document Artifact](#)^[391]
- [Link Document to UML Element](#)^[392]
- [Edit Linked Documents](#)^[392]
- [Delete and Replace Linked Documents](#)^[394]
- [RTF Report Dialog Options](#)^[1004]


5.3.9.1 Create Document Artifact

You create a Document Artifact element in a [Component](#)^[1137] or [Deployment](#)^[1139] diagram.

Drag and drop the *Document Artifact* element from the Enterprise Architect UML **Toolbox** into your diagram.



Double-click on the Document Artifact element. The [Linked Document Editor](#)^[392] opens, with the **New Linked Document** dialog.



In the **Copy template** field, click on the drop-down arrow and select a previously-created *Linked Document Template*. Click on the **OK** button.


For more information on how to create and edit Linked Document Templates, see [Create Linked Document Templates](#)^[395] and [Edit Linked Document Templates](#)^[396].

5.3.9.2 Link Document to UML Element (Corporate Edition Only)

Click on an element in the **Project Browser** or diagram, and either:

- select the **Element | Linked Document** menu option or
- right-click and select the **Linked Document** option from the context menu.

The following dialog displays.



Select the previously-created template from which to create the document.

Click on the **OK** button.


The [Linked Document editor](#)^[392] displays, in which you enter the text of the document.

For more information on how to create Linked Document Templates, see [Create Linked Document Templates](#)^[395] and [Edit Linked Document Templates](#)^[396].


5.3.9.3 Edit Linked Documents

Enterprise Architect provides a Windows-like word processor to help you edit Linked Documents. This is a simplified version of the RTF Style Template Editor, and it provides the same convenient features.

The main difference between the two editors is that you access the *RTF Style Template Editor* features through a menu bar at the top of the screen, whilst you access the *Linked Document Editor* features through a context menu. To access the context menu, just right-click anywhere on the document.



This is the text of a linked document.



The following topics provide assistance on using the Document Editor.

- [Scroll Through Text](#) ^[1016]
- [File and Print Options](#) ^[1017]
- [Cut and Paste Options](#) ^[1018]
- [Image and Object Imports](#) ^[1020]
- [Character Formatting](#) ^[1020]
- [Paragraph Formatting](#) ^[1022]
- [Tab Support](#) ^[1023]
- [Page Breaks and Repagination](#) ^[1023]
- [Insert Headers and Footers](#) ^[1024]
- [Insert Bookmarks](#) ^[1024]
- [Table Commands](#) ^[1025]
- [Sections and Columns](#) ^[1026]
- [Stylesheets and Table of Contents](#) ^[1029]
- [Text/Picture Frame and Drawing Objects](#) ^[1030]
- [View Options](#) ^[1306]
- [Search/Replace Commands](#) ^[1031]
- [Hyperlink From Linked Document](#) ^[393]
- [Create Elements From Linked Documents](#) ^[394]

5.3.9.4 Hyperlink From Linked Document

Within a linked document, you can add hyperlinks to other objects (elements, packages, diagrams, attributes and operations) in the Enterprise Architect **Project Browser**.

To do this, click on the object in the **Project Browser** and drag it to the point at which to create the hyperlink. The linked document editor automatically creates the hyperlink, using the object name as the hyperlink text.

You can edit this text if required.

When you next open the document, you can double-click on the hyperlink to locate and highlight the object in the **Project Browser**. You can then perform all normal operations on the object, including opening any linked document on the highlighted element.

You can also create a hyperlink to an external document or web page. See the [Headers, Footers, Hyperlinks and Bookmarks](#) ^[1024] topic.

5.3.9.5 Create Elements From Linked Documents

Using the Linked Document Editor, you can create document-specific elements and diagrams in the **Project Browser**, with hyperlinks from the document to the created item. When you click on the hyperlink, the element or diagram is highlighted in the **Project Browser**. The element or diagram is created in the same package as the element for which the linked document was created.

You can create and link to any type of element or diagram, but the facility has specific options for the following element types:

- [Class](#) ^[1167]
- [Requirement](#) ^[1248]
- [Issue](#) ^[742].

You can create the same arrangement with *existing* elements, diagrams and packages by dragging them from the **Project Browser** into the text of the document, creating a [hyperlink](#) ^[393] with the item name as the text.

Create Item

To create an element or diagram in the **Project Browser**, whilst in a linked document, follow the steps below:

1. Open the linked document, either from a [Document Artifact](#) ^[391] element or through the [context menu](#) ^[392] for an existing element (Corporate edition only).
2. Enter some text, including appropriate text to act as the link (such as the element or diagram name).
3. Highlight the appropriate text and right-click on it. The editor context menu displays.
4. Select the **UML** menu option, and the required submenu option.
5. If you select the:
 - **Add new Class, Add new Requirement or Add new Issue** option, the corresponding element is immediately created in the **Project Browser**.
 - **Add Element** option, the [New Element](#) ^[307] dialog ^[307] displays; specify the element type and - if appropriate - stereotype, and click on the **OK** button.
 - **Add Diagram** option, the [New Diagram](#) ^[248] dialog displays; specify the diagram type and click on the **OK** button.
6. The highlighted text is now a hyperlink. Click on the link to highlight the new element or diagram in the **Project Browser**.

You can now edit or expand the element or diagram as required.

5.3.9.6 Delete and Replace Linked Documents

If a linked document is out of date, you can either [edit](#) ^[392] the text or replace the entire contents from another file. To replace the contents:


1. Click in the body of the document and press **[Ctrl]+[A]** to select all the document text.
2. Press **[Delete]**.
3. Right-click and select the **File | Import** menu option. The Windows **Open** dialog displays, in which you can browse for the file to import into the document.
4. Click on the **Save** icon in the **Linked Document** screen toolbar.

Alternatively, you can delete the linked document. To do this:


1. Click on an element in the **Project Browser** or diagram, and either:
 - select the **Element | Delete Linked Document** menu option or
 - right-click and select the **Delete Linked Document** option from the context menu.
 2. Enterprise Architect prompts you to confirm the deletion; click on the **Yes** button.
- If required, you can now create another linked document for the element.

5.3.9.7 Create Linked Document Templates

Linked Document templates can be created via the **Resources** window.



Under the *Templates* folder, right-click on the **Linked Document Templates** icon and click on the **Create Template** menu option. The following dialog displays.



Enter a name for your template, or select a previously-created template. Click on the **OK** button.

You can group your templates into folders. Right-click on your newly created template and select the **Assign Template to Group** menu option. Enter a category name and click on the **OK** button.


You can also [modify](#)^[396] and delete the templates using the context menu options.

Note:


You can transport these linked document templates between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

5.3.9.8 Edit Linked Document Templates

Double-click on a previously created template in the **Resource View** to invoke the **Linked Document Template Editor**.




The **Document Template Editor** is built into Enterprise Architect.



The following topics provide assistance on using the Document Editor.

- [Scroll Through Text](#) ^[1016]
- [File and Print Options](#) ^[1017]
- [Cut and Paste Options](#) ^[1018]
- [Image and Object Imports](#) ^[1020]
- [Character Formatting](#) ^[1020]
- [Paragraph Formatting](#) ^[1022]
- [Tab Support](#) ^[1023]
- [Page Breaks and Repagination](#) ^[1023]
- [Headers, Footers Hyperlinks and Bookmarks](#) ^[1024]
- [Table Commands](#) ^[1025]
- [Sections and Columns](#) ^[1028]
- [Stylesheets and Table of Contents](#) ^[1029]
- [Text/Picture Frame and Drawing Objects](#) ^[1030]
- [View Options](#) ^[136]
- [Search/Replace Commands](#) ^[1031]

5.4 Work With Connectors



UML connectors, along with elements, form the basis of a UML model. Connectors link elements together to denote some kind of logical or functional relationship between them. Each connector has its own purpose, meaning and notation and is used in specific kinds of UML diagrams.

For more information on using connectors, see:

- [Connector Context Menu](#) ^[398]
- [Connector Tasks](#) ^[402]
- [Connector Properties](#) ^[416]

5.4.1 Connector Context Menu

If you right-click on a connector in a diagram, the connector context menu opens. This provides quick access to some important functions. The menu is split into up to seven distinct sections:


- **Add-Ins**- displays in the first section only if you have Add-Ins installed and registered, such as Eclipse
- [Properties](#) ^[399]
- [Type Specific](#) ^[400]
- [Style](#) ^[401]
- [Appearance](#) ^[401]
- **UML Help** - Displays the Enterprise Architect Help topic for this connector type
- **Delete** - delete the connector with this option.

Note:

Not all menu options are present on all connector context menus. Context menus vary slightly between connector types. The type specific menu options are not always included, for example.

Example Context Menu for a Generalization:

Example Context Menu for an Association:



Connector Role Context Menu

For connectors with *Roles*, right-clicking a connector within up to 60 pixels of an end point raises a role-specific context menu.

The **Role** context menu has two additional menu options:

- A **Source/Target Role...** menu option that opens the connector specification dialog with the respective role page activated.
- A **Multiplicity** submenu that enables the multiplicity for the role to be set.

5.4.1.1 Properties Menu Section

The *Properties* section of the connector context menu contains the following options:

Menu Option	Use to
<Connector type> Properties	Open the Properties ^[368] window ^[368] for the selected connector.
Advanced	Display the Advanced ^[400] menu ^[400] .
Attach Note or Constraint	Attach a note or constraint ^[403] to the connector.

Note:

Not all menu options are present on all connector context menus. Context menus vary slightly between connector types. The type specific menu options are not always included, for example.

5.4.1.2 Type-Specific Menu Section

The *Type-Specific* section of the connector context menu is specific to the object, and only appears for a few different connectors. Some examples are shown below:

Connector	Menu Option	Use to
Transition	Message	Set the value of the Message.
Aggregation	Set Aggregation to Composite	Change the Aggregation to composite.
Aggregation	Set Aggregation to Shared	Set the Aggregation to shared. Appears after Set Aggregation to Composite has been selected.
Association	Specialize Associations	Specify how the properties of this Association specialize the properties of other Associations.
Dependency	Dependency Properties	Select a stereotype for the dependency.
Trace	Dependency Properties	Select a stereotype for the dependency.
Role Binding	Dependency Properties	Select a stereotype for the dependency.
Represents	Dependency Properties	Select a stereotype for the dependency.
Occurrence	Dependency Properties	Select a stereotype for the dependency.

Note:

Not all menu options are present on all connector context menus. Context menus vary slightly between connector types. The type specific menu options are not always included, for example.

5.4.1.3 Advanced Menu Section

The *Advanced* section of the connector context menu contains the following options:

Menu Option	Use to
Set Source and Target	Change the source and/or target [405] of the connector.
Change Type	Change the connector type [405].
Reverse Direction	Reverse the direction of the connector. For example, if the connector is an arrow, the arrowhead swaps to the other end.
Information Flows Realized	Realize [1270] any information items conveyed [1269] on an Information Flow [1268] link between these same two elements.

Note:

Not all menu options are present on all connector context menus. Context menus vary slightly between connector types. The type specific menu options are not always included, for example. Certain connectors have Custom properties, which are predefined. However, you can change the values of these properties. See the [Custom Properties Dialog](#) [297] topic.

5.4.1.4 Style Menu Section

The *Style* section of the connector context menu provides the following options:

Menu Option & Function Keys	Use to
Line Style	Set the connector line style ^[406] - options are Direct, Auto Routing, Custom, Bezier, Tree (Horizontal) or Tree (Vertical).
Pin End(s)	Pin the start and/or connector ends to a position on the target element.
Bend Line at Cursor [Ctrl]+[Q]	Insert an anchor point ^[406] on the line at the point of the cursor so you can change the shape of the line.
Suppress Line Segment	Hide a segment of a connector so that you can view a part of the diagram that it crosses. To reverse the change, right-click on the connector and select the Show All Line Segments menu option.
Straighten Line at Cursor [Ctrl]+[Q]	Remove an anchor point ^[406] on the line at the point of the cursor. (This is the exact opposite of Bend Line at Cursor , and [Ctrl]+[Q] toggles the connector point between the options.)

Note:

Not all menu options are present on all connector context menus. Context menus vary slightly between connector types. The type specific menu options are not always included, for example.

5.4.1.5 Appearance Menu Section

The *Appearance* section of the connector context menu provides the following options:

Menu Option	Use to
Appearance	Set the line color and line thickness of the connector.
Visibility	Set connector visibility; see table below for sub-menu options.
Tidy Line Angles	Tidy the line angles ^[406] of a custom connector.

Visibility Sub-Menu

Menu Option	Use to
Hide Connector	Hide the connector. To show the connector again, follow the steps in the Hide/Show Connector ^[411] topic.
Hide Connector in Other Diagrams	Hide or show the connector in other diagrams ^[411] .
Hide All Labels	Hide or show all labels attached to the connector.
Set Label Visibility	Hide or show labels ^[412] attached to the connector, individually.

Note:

Not all menu options are present on all connector context menus. Context menus vary slightly between connector types. The type specific menu options are not always included, for example.

5.4.2 Connector Tasks

This topic details some of the tasks associated with managing model connectors, such as:

- [Connect Elements](#) ^[402]
- [Change Connector Styles](#) ^[406]
- [Arrange Connectors](#) ^[404]
- [Change Connector Type](#) ^[405]
- [Reverse Connector](#) ^[413]
- [Delete Connectors](#) ^[409]
- [Hide/Show Connectors](#) ^[411]
- [Hide/Show Labels](#) ^[412]
- [Change the Source or Target Element](#) ^[405]
- [Set Relation Visibility](#) ^[414]
- [Add a Note to a Link](#) ^[403]
- [Use Tree Style Hierarchy](#) ^[415]
- [Create a Link](#) ^[409]
- [Show Uses Arrow Head](#) ^[414]
- [Set Association Specializations](#) ^[413]

Note:

In the Corporate edition, if security is enabled, you must have [Update Element](#) ^[640] permission to update or delete a connector.

5.4.2.1 Connect Elements

Connect Elements on a Diagram

The fastest and simplest ways to create connectors are using the Quick Linker and using the Enterprise Architect UML **Toolbox**. The following topics describe these and other approaches for creating connectors on a diagram:

- [Create Connectors In Place Using the Quick Linker](#) ^[186]
- [Create Connectors Using the Enterprise Architect UML Toolbox](#) ^[100]
- [Create a Group of Elements Using UML Patterns](#) ^[455]
- [Create Domain Specific Connectors From UML Profiles](#) ^[440]

Tip:

To repeat the last connector you used, click on the appropriate source element and press **[F3]**.

Select Connectors

To select a connector, simply click on it. Drag handles display, indicating that the connector is selected. This gives the connector focus for keyboard commands such as **[Delete]**, and displays connector properties in docked windows such as the **Tagged Values** window. If there is more than one connector on a diagram, you can cycle through them using the arrow keys.

Drag Connectors

You can drag a connector to position it. Click on the connector and drag the link to where it is to appear. Note that there are some limitations on how far or to where you can drag a connector.

Note:

You can reposition a connector by selecting and dragging the links as required.

Tip:

To reattach the end of a connector to a different source or target element, see [Change the Source or Target Element](#)^[408].

Connector Properties and Commands

You can double-click on a connector to [change properties](#)^[416], or right-click to display the context menu containing commands to [change connector type](#)^[405] and [direction](#)^[413].

You can also highlight the connectors on a specific element. Select the element and press **[L]**. All the connectors issuing from or terminating at that element are highlighted.


Create Connectors Without a Diagram

Sometimes it is useful to create relationships between elements without a diagrammatic representation. You can do this using the **Project Browser** window and the **Relationship Matrix**, as explained in the following topics:

- [Add Connectors With the Project Browser Window](#)^[409]
- [Add Connectors With the Relationship Matrix](#)^[432].

5.4.2.2 Add a Note to a Link

You can link notes and constraints to graphical relationships. Notes let you provide explanation and further detail for one or more connectors on a diagram, with a visible note element, as in the example below.




Constraints let you specify a logical or informal constraint against a set of links; for example the {XOR} constraint in the image above indicates that only one of the links in the specified set can be true at any one time (exclusivity).

Attach a Note or Constraint to a Link

To attach a note or constraint to one or more links, follow the steps below:

1. Right-click on one of the links to attach a note to. The context menu displays.
2. Select the **Attach Note or Constraint** menu option. The **Link Relations** dialog displays.
3. Check all the links that participate in the set. In the example below, two links have been checked to participate in a logical constraint.



4. Click on the **OK** button to complete the note or constraint creation.
5. You can then use the normal **Note** dialog to enter the appropriate text for the note or constraint.

Note:

The constraint note is drawn slightly differently to a regular note, and has { and } automatically added to visually indicate the constraint form.


5.4.2.3 Arrange Connectors

Connectors between two elements can be moved around the element borders to create a good layout. There is a limit to how much a connector can be moved around, but generally it is very easy to find an acceptable layout. For the best layouts, use the *custom* line style; this enables you to add as many line points and bends as you require to create a clean and readable diagram.

Move a Connector

To move a connector, follow the steps below:

1. Click once on the connector to select it.
2. Holding the mouse button down, move the connector in the required direction.
3. To refine the movement, click and hold very near to one end of the connector; this enables a slightly different movement range.
4. To further refine the movement and range, select either a *routed*, *direct* or *custom* line style. Each behaves slightly differently (see [Connector Styles](#) ^[406]).



5.4.2.4 Change Connector Type

To change a connector type, follow the steps below:

1. In the **Diagram view**, right-click on the connector to change. The context menu displays.
2. Select the **Connection Detail | Change Type** menu option.



3. In the **Connector Type** field, click on the drop-down arrow and select the required connector type.
4. Click on the **OK** button to apply changes.

5.4.2.5 Change the Source or Target Element

After you have created a link between two elements, you might later want to change either the source or target. Instead of deleting and re-creating the link, Enterprise Architect enables you to change the source or target. There are two ways of doing this: using the **Set Source and Target** dialog or using the mouse.

Using the Set Source and Target dialog

To change the source or target element of a connector using the **Set Source and Target** dialog, follow the steps below:

1. Right-click on the connector to open the context menu.
2. Select the **Advanced | Set Source and Target** menu option. The **Set Source and Target** dialog

displays.

The image shows a dialog box with two dropdown menus. The first dropdown, labeled 'From Element', has 'Login' selected. The second dropdown, labeled 'To Element', has 'Customer' selected. Below the dropdowns are three buttons: 'OK', 'Cancel', and 'Help'.

3. Click on the drop-down arrows on the **From Element** and **To Element** fields, and select the source and target elements.
4. Click on the **OK** button to apply changes.

Using the Mouse

To change the source or target element of a connector using the mouse, follow the steps below:

1. Click on the connector and position the cursor over the 'handle' at one end.
2. When the cursor changes, click the mouse and drag the handle to the new element.

Note:

The connector does not actually move until you release the mouse button over the new source or target element. However:

- A dotted line shows where the connector would be during the move, and
- The solid outline of the nearest element or extension changes to a hatched outline as you move the cursor onto it; this helps you identify where the connector will link to, if there are many closely-arranged elements, Parts, Ports and other extensions.

5.4.2.6 Connector Styles

Connectors come in five different routing styles:

Style	Description
Direct	A straight line from element A to element B. You can move the line (back and forward, up and down) to a limited degree.
Auto Routing	A vertical and horizontal route from A to B with 90-degree bends. You can move the line to improve the route, but the location and number of bends are not configurable.
Bezier	A smooth curved line from A to B. Bezier style is available for State Flows, State Transitions, Object Flows, and Control Flows
Custom	The most flexible option. You can add one or more line points and bend and push the line into virtually any shape, using the Toggle Line Point at Cursor option.
Tree (Horizontal, Vertical)	A line from element A to B with two bends, and the end points fixed to selected locations on the elements (Horizontal or Vertical).

Set the Connector Style

To set the connector style, follow the steps below:

1. Right-click on the connector to change; the context menu displays.
2. Select the **Line Style** option.
3. From the submenu, select the required style.

Alternatively:

1. Select the connector to change.
2. Press the following keys to change the style:
 - **[Ctrl]+[Shift]+[D]** for Direct
 - **[Ctrl]+[Shift]+[A]** for Auto Routing, or
 - **[Ctrl]+[Shift]+[C]** for Custom.

Bend Connectors

To bend a connector to quickly and easily route connectors in the required layout, follow the steps below:

1. Right-click on the connector; the context menu displays.
2. Set the line style to Custom Line (**[Ctrl]+[Shift]+[C]**); this enables the **Bend Line at Cursor** option in the context menu.
3. Click on the **Bend Line at Cursor** option to add a line point.

Note:

Right-clicking a line point displays the **Straighten Line at Cursor** option, which you can use to remove the line point.

4. Using the mouse, drag the line point to the required position.


Alternatively:

1. Hold down **[Ctrl]** or **[Shift]** and click on a point on the connector to create a line point.

Note:

[Ctrl]+click also removes a line point.

2. Using the mouse, drag the line point to the required position.



Tidy Line Angles

To tidy line angles (custom connector), follow the steps below:

1. Right-click on the connector; the context menu displays.
2. Click on the **Tidy Line Angles** menu option; this nudges the custom line in horizontal and vertical increments, saving you the time of trying to get a good layout manually.

Note:

You can set the **Tidy Line Angles** option to operate by default; click on the **Tools | Options** menu option to display the **Options** dialog, and select the **Diagram Behavior** page.



Suppress Line Segments

To suppress individual line segments, follow the steps below:

1. Right-click on the connector; the context menu displays.
2. Set the line style to Custom Line (**[Ctrl]+[Shift]+[C]**), this enables the **Suppress Line Segment** option in the context menu.
3. Click on the **Suppress Line Segment** option to suppress a line between two bend points.

Note:

The segment you right-clicked is suppressed.

4. To show the segment again, right-click on the line and click on the **Show All Line Segments** option.

5.4.2.7 Create Link

You can create a link from one element to another directly in the **Project Browser** window.

Link Elements from the Project Browser window

To link elements from the **Project Browser** window, follow the steps below:

- In the **Project Browser** window, either:
 - Right-click on the element to create a link for, and select the **Add | Create Link** context menu option, or
 - Select the element, press **[Insert]** and select the **Create Link** context menu option.
 The **Create Link** dialog displays.
- In the **Direction** field, click on the drop-down arrow and select the direction of the new link (**Outgoing** means this element is the source).

The screenshot shows the 'Create Link' dialog box. It is divided into two main sections: 'From Element' and 'To Element(s)'.
 In the 'From Element' section, there are four fields: 'Name' (Login), 'Type' (UseCase), 'Direction' (Outgoing), and 'Link Type' (Aggregation). To the right of these fields are three buttons: 'OK', 'Cancel', and 'Help'.
 In the 'To Element(s)' section, there are two fields: 'Choose target(s)' and 'Select Target Type' (UseCase). Below these is a table with two columns: 'Package' and 'Name'. The table contains the following data:


Package	Name
UC01-1: User Management	Login
UC01-1: User Management	Register with Book Shop
UC01-2: Select Books	Browse Book Catalogue
UC01-2: Select Books	Locate Book by Title or Author
UC01-2: Select Books	Request UnListed Book
UC01-3: Manage Order	Add title to Cart
UC01-3: Manage Order	Pay for Order
UC01-3: Manage Order	Remove Item from Cart
UC01-3: Manage Order	View Cart
UC01-4: Order Status	Cancel Order
UC01-4: Order Status	Enquire on Order Status
XMIClassifier	Use Case

- In the **Link Type** field, click on the drop-down arrow and select the type of link.
- In the **Choose target(s)** list, click on the name of the target. (If necessary, in the **Select Target Type** field click on the drop-down arrow and select a feature to list only elements having that feature.)
- Click on the **OK** button to create the link.

5.4.2.8 Delete Connectors

To delete a connector, follow the steps below:

- Right-click on the connector. The context menu displays.



2. Select the **Delete Connector** option.

5.4.2.9 Generalization Sets

A *generalization set* enables you to specify the relationship of a group of subtypes.

To create a generalization set, follow the steps below:

1. Right-click on the connector. The context menu displays.
2. Select the **Advanced | Generalization Set | New** menu option. The following dialog displays.

Name:

Base Type:

Power Type:

Is Covering

Is Disjoint

Generalizations:

Is Member	Name	Subtype/Instance
<input checked="" type="checkbox"/>		ChildClass

3. In the **Name** field, type the name of the Generalization set. eg. **Gender**.
4. In the **Power Type** field, either type a new power type or click on the drop-down arrow and select an existing one.
5. Check the **IsMember** column for the child subtypes that are part of this Generalization set.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, section 7.3.21, p. 77*) states:

Each Generalization is a binary relationship that relates a specific Classifier to a more general Classifier (i.e., from a class to its superclasses). Each GeneralizationSet defines a particular set of Generalization relationships that describe the way in which a general Classifier (or superclass) may be divided using specific subtypes.

5.4.2.10 Hide/Show Connectors

Connectors/relations that appear in multiple diagrams can be selectively shown or hidden. This makes it easier to read diagrams where elements might have many connectors, but not all are relevant in the context of the current diagram.

Hide or Show a Connector in the Current Diagram

To hide or show a connector in the current diagram, follow the steps below:

1. Double-click on the required diagram element in the **Diagram** view. The element **Properties** dialog displays.
2. Select the **Links** tab.
3. Right-click on the connector to hide or show. The context menu displays.
4. Select the **Show Relation** menu option to show the hidden connector on the diagram, or the **Hide**

Relation menu option to hide the visible connector.

Tip:

Alternatively, hide a connector by right-clicking on it on the diagram and selecting the **Visibility | Hide Connector** menu option from the context menu. However, you must use the **Links** tab of the element **Properties** dialog to show the relationship again.


Note:

Certain elements, such as Requirements, do not have a **Links** tab in the **Properties** dialog. In these cases, open the **Relationships** ^[172] window (**View | More Windows | Relationships**) for the element and right-click on the relationship in the list to display the context menu. This enables you to hide or show that relationship in the diagram. Be aware that, in the Corporate edition with security on, locks on the diagram and elements can make the required option unavailable.

Hide or Show a Connector in Other Diagrams

To hide or show a connector in other diagrams, follow the steps below:

1. Right-click on the connector in the diagram. The context menu displays.
2. Select the **Visibility | Hide Connector in Other Diagrams** menu option. The **Set Connector Visibility** dialog displays.



3. If the two connected elements have been included in other diagrams, these diagrams are listed here. In the list, all diagrams for which the checkbox is selected show the connector. Deselect the checkbox for any diagrams in which to hide the connector.

Tip:


To hide the connector in all of the diagrams listed, click on the **Suppress All** button.

4. Click on the **OK** button to save the changes.

5.4.2.11 Hide/Show Labels

You can hide or display one or more labels on a connector. To do this, follow the steps below:

1. Right-click on the connector. The context menu displays.
2. Select the **Visibility | Set Label Visibility** menu option. The **Label Visibility** dialog displays.



3. Select the checkbox against each label to display, and clear the checkbox against each label to hide.
4. Click on the **OK** button.

5.4.2.12 Connector In-place Editing Options

You can edit many of the Enterprise Architect connector labels directly on the diagram. Each label can be bound to a single connector field.

Procedure

To put a label into Edit mode, either:

- Select the **Edit Label** option from the context menu, or
- Select a label and press **[F2]**.

To save the current text to the field, either press **[Return]** or deactivate the **Edit** window.

To cancel edit mode without saving any changes, press **[Esc]**.

5.4.2.13 Reverse Connector

You can reverse the direction of a connector without having to delete and re-create it. This is helpful if your design changes or you add the connector wrongly to begin with.

Procedure


To reverse a connector, follow the steps below:

1. Right-click on the incorrect connector to open the context menu.
2. Select the **Connection Detail | Reverse Direction** menu option.

5.4.2.14 Set Association Specializations

UML enables specialization of properties defined by Associations. Enterprise Architect enables this through the **Specialize Associations** option in the advanced section of the context menu for an Association.

The following dialog displays, showing all Associations between the two Classes connected by the current Association and their parents.




The left two columns define the source role of the current Association, while the right two define the target role. With this you are able to select the relationships of each end of the properties listed. When a relationship is set then this is drawn at the corresponding end of the connector on any diagram it appears on.

5.4.2.15 Show Uses Arrow Head

By default the *Use* connector in Use Cases has no arrow head. To generate arrow heads on the connectors, follow the steps below.

1. Select the **Tools | Options Links** menu option. The **Links** page of the **Options** dialog displays.



2. In the **General** panel, select the **Show Uses arrowheads** checkbox.
3. Click on the **Close** button.

When you save the Use Case diagram, the Use connectors change to display arrowheads.


5.4.2.15.1 Relationship Visibility

You can change the visibility of individual links, connectors or relationships, diagram by diagram.

Set Relationship Visibility


To set relationship visibility, follow the steps below:

1. Open the diagram to change.
2. Select the **Diagram | Visible Relations** menu option. Alternatively, press **[Ctrl]+[Shift]+[I]**.
3. Select the checkbox against each list item to show, and clear the checkbox against each item to hide.
4. Click on the **OK** button to apply the changes.



5.4.2.16 Tree Style Hierarchy

In Enterprise Architect you can create a tree style inheritance diagram using a special form of the *Generalization* link, as shown below.



Note:

The Son ->Parent link has not yet been put in Tree Style - Vertical style.

This style of diagram provides a clearer layout for inheritance hierarchies and is easy to work with.

Create a Tree Style Link


To create a tree style link, follow the steps below:

1. Create a normal Generalization between two elements.
2. Right-click on the link to open the context menu.
3. Select the **Line Style | Tree Style - Vertical** or the **Line Style | Tree Style - Horizontal** menu option.
4. Enterprise Architect automatically makes the Generalization layout conform to a specific shape. By adding more Generalization links, and checking their **Tree Style** options, you can achieve the appearance of the diagram above. You can slide the root and child Classes left and right to achieve the required result; Enterprise Architect maintains the conformity of the branch links.

Set the Default Link Style

To set this style of link as default, follow the steps below:

1. Select the **Tools | Options | Links** menu option. The **Links** page of the **Options** dialog displays.



2. Select the **Generalization link style Default = Tree** checkbox to make this branching style the default style for inheritance links.

5.4.3 Connector Properties

To access the connector **Properties** dialog, double-click on a connector in a diagram. You can change several characteristics of connectors from this dialog.

Many of these characteristics generate text labels on or around the connector. You can change these labels using the **Label** ^[276] context menu.

The connector **Properties** dialog has the following tabs:

- General (see below)
- [Constraints](#) ^[418]
- [Source Role](#) ^[419]
- [Target Role](#) ^[421]

The **General** tab enables you to configure the name of the connector (**Link Name**), the direction, the line style, the stereotype (optional) and a comment.

The screenshot shows the 'General' dialog box for a connector in Enterprise Architect 7.1. The dialog has four tabs: 'General', 'Constraints', 'Source Role', and 'Target Role'. The 'General' tab is selected. The fields are as follows:

- Source: DatabaseView
- Target: Employee Sales By Country
- Link Name: Represents
- Alias: (empty)
- Direction: Unspecified (dropdown)
- Style: Custom (dropdown)
- Stereotype: (empty) (dropdown with a '...' button)

Below the fields is a 'Notes' section with a rich text editor containing a toolbar with icons for Bold (B), Italic (I), Underline (U), Text Color (A), Bulleted List, Numbered List, Indent, and Text Color. At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

Option	Use to
Source	Type in the name of the source element for the connector.
Target	Type in the name of the target element for the connector.
Link Name	(Optional) Type a name for the link. If entered, the name displays on the diagram.
Alias	(Optional) Type an alternative name or alias for the connector.
Direction	Select the appropriate direction details: from source to destination, destination to source, or bi-directional. Some links have arrow heads that depend on this setting. Some links are logically dependent on this (eg. inheritance).
Style	Select the appropriate connection style; choose from: Direct, Auto-Routing, Bezier, Custom, Tree (Vertical) or Tree(Horizontal).
Stereotype	(Optional) Type the name of a stereotype for the link, or click on the drop-down arrow and select one. Alternatively, click on the [...] button and select the stereotype from the Stereotype Selector ^{45†} dialog. If entered, the stereotype is displayed on the diagram and over-rides the link type in the RTF documentation.
Virtual Inheritance	Indicate that inheritance is virtual. Available only for <i>Generalization</i> connectors.

Option	Use to
Scope	Select the appropriate value for the scope (used for inheritance). Available only for Generalization connectors where the child Class is C++.
Notes	(Optional) Type any notes on the connector. The notes are displayed in documentation, if required. You can format the text, using the Rich Notes Text ^[134] toolbar at the top of the field.

See Also

- [Role Tagged Values](#)^[422]
- [Message Scope](#)^[422]

5.4.3.1 Connector Constraints

A UML connector can also have associated constraints placed on it. Constraints tell us something about the rules and conditions under which a relation operates. For example, it might be a pre-condition that a customer is of a certain type before an association link to an Account is allowed.


Tip:

Constraints about an Association (connector) can be added to further refine the model. Constraints detail the business and operational rules for the model.

Set Constraints on a Link

To set constraints on a link, follow the steps below:

1. Double-click on a connector to open the **Connection Properties** dialog.
2. Select the **Constraints** tab.
3. Fill in details of the constraint(s) that apply and click on the **Save** button.



Option	Use to
Constraint	Type in the name of the constraint.
Type	Specify the type of constraint (eg. pre-condition).
Notes	Type in any notes about the link.
Defined Constraints	Display a list of constraints for this link.

5.4.3.2 Source Role

This description refers to the role of the *Source* element in a relationship, but applies equally to the role of the *Target* element.

A link can have certain properties assigned to one end, and be associated with the particular role that element plays in the relationship. You can enter details about this role to further develop your model.

Set Source Role Details

To set the source role details, follow the steps below:

1. Double-click on a connector. The **Connection Properties** dialog displays.
2. Select the **Source Role** tab.
3. Enter the required details and click on the **OK** button.

Option	Use to
<Type> Role	Type in the name of the role to be played.
Role Notes	Type in any required notes about the role.
Derived	Indicate that the role value or values can be computed from other information.
Owned	Indicate that the role is owned by the opposite Class as opposed to the Association.
Derived Union	Indicate that the role is derived from the properties that subset it.
Multiplicity	<p>Specify the role multiplicity. (You can define the values of this field on the Cardinality ⁶⁹⁴ tab of the UML Types dialog.)</p> <p>This is the range of instances of the role that can be active in the relationship; for example, <i>one</i> employee can be assigned to tasks; for the target role you define the range of instances (e.g. tasks) the employee could be assigned to.</p> <p>The values have the following formats:</p> <ul style="list-style-type: none"> • *, or 0..* - zero, one or many instances • 0..n - zero or up to n instances, but no more than n • n - exactly n instances • n..* - n, or more than n instances. <p>Note that you can also define source and target element multiplicity in the element Attribute properties ³³⁵.</p>

Option	Use to
Ordered	Indicate that the role is a list and the list is ordered.
Allow Duplicates	Indicate that the role can contain duplicate elements (relevant only if multiplicity is > 1).
Containment	Indicate the nature of the containment at the Destination (reference, value...).
Access	Select the access level for the role.
Aggregation	Select the type of aggregation that this role uses.
Target Scope	Select the level at which this role applies (instance or classifier).
Navigability	Select whether or not this role is navigable (non-navigable ends are shown depending on diagram properties).
Changeable	Select whether this role is subject to change.
Constraints	Type in any constraint on the role.
Qualifier	Type any qualifiers or restrictions on the role. Separate multiple qualifiers with a semi-colon.
Stereotype	(Optional) Type or select the name of a stereotype that applies to this end of the Association.
Member Type	Type a role type that can be used when generating collection Classes for multiplicity > 1.

Note:

Source role details are displayed at the start end of a connector. If you have drawn the link the wrong way, you can always use the **Reverse Direction** menu option from the connector context menu.

5.4.3.3 Target Role

A link can have certain properties assigned to one end, and be associated with the particular role that element can play in the relationship.

You can enter details about this role to further develop your model.

Set Destination Role Details

To set the destination role details, follow the steps below:

1. Double-click on a connector to open the **Connection Properties** dialog.
2. Select the **Target Role** tab.
3. The details and appearance of this tab are identical to the **Source Role** tab. See [Source Role](#)^[419].

Note:

Destination role details are displayed at the terminating end of a connector on the diagram.


5.4.4 Role Tagged Values

For *Association* and *Aggregation* connector types you can set additional Tagged Values on the source and/or target role.


Set Tagged Values

To set Tagged Values for the connector, follow the steps below:

1. Press **[Ctrl]+[Shift]+[6]** or select the **View | Tagged Values** menu option. The **Tagged Values** window displays.
2. Click on the connector in the diagram. The Tagged Values information for the connector displays in the **Tagged Values** window.
3. Select **Connector Source** or **Connector Target** as required.



4. Either click on the **New Tags** button or press **[Ctrl]+[N]**. The **Tagged Value** dialog displays.
5. In the **Tag** field type the tag name and value, or click on the drop-down arrow and select a predefined Tagged Value type.



6. Click on the **OK** button to save the changes.

5.4.5 Message Scope

A message in a Sequence diagram represents a dynamic interaction from one element to another. Sometimes when you are designing your model you might have to change either the start or end point of a message as the responsibilities of elements change during design. For this reason, Enterprise Architect enables you to change the message scope by setting a new start or end element.


Change Message Scope

To change message scope, follow the steps below:

1. Select the message in the Sequence diagram.
2. Right-click on the message to open the context menu.
3. Select **Set Message Scope**.
4. In the pop up dialog, in the **From Element** and **To Element** fields, click on the drop-down arrows and select the required elements.
5. Click on the **OK** button to save changes.

The message is re-routed to meet your changed requirements.

5.5 Requirements Management



Introduction

Gathering [requirements](#) ^[372] is typically the first step in developing a solution, be it for developing a software application or for detailing a business process. Requirements are essentially 'what the system must do'. The requirements management built into Enterprise Architect can be used to define requirement elements, link requirements to model elements that implement that requirement, link requirements together into a hierarchy, report on requirements and move internal requirements (responsibilities) into external model element requirements.

Typical Tasks

Typical tasks you could perform when managing requirements with Enterprise Architect include:

- [Create Requirements](#) ^[424]
- [External Requirements](#) ^[424]
- [Color Code External Requirements](#) ^[426]
- [Internal Requirements](#) ^[427]
- [Move Internal Requirement to External Requirement](#) ^[428]
- [Requirement Properties](#) ^[430]
- [Composition](#) ^[431]
- [Implementation](#) ^[431]
- [Requirements Hierarchy](#) ^[431]
- [Dependency Report](#) ^[432]

5.5.1 Create Requirements

Create Requirements at Diagram Level

To create requirements at the diagram level, follow the steps below:

1. Open the **Custom** pages on the Enterprise Architect UML **Toolbox**.
2. Drag the *Requirement* element onto the current diagram.
3. Enter the **Name** and other details for the requirement.

Enterprise Architect creates a requirement in the current diagram and in the current package.

Note:

External requirements can be created with or without an identifying **E** in the top right corner of the element. To toggle display of this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the **Options** dialog, [Objects](#) page.

Create Requirements at Package Level

To create a requirement at the package level, follow the steps below:

1. Right-click on a package to open the context menu.
2. Select the **Insert | New Element** menu option. Alternatively, press **[Ctrl]+[M]**.
3. In the **New Element** dialog select the **Requirement** type.
4. Enter the **Name** (or select **Auto**) and click on the **OK** button.

Enterprise Architect creates a requirement in the current package.


Tip:

You can also move [internal responsibilities](#) of an element to external requirements - see the [Move Internal Requirements to External Requirement](#) topic.

5.5.2 Requirement Elements

Separate [Requirement](#) elements can be manipulated at the diagram level. These correspond to the 'system level requirements' and can be linked using *Realization* type connectors to other model elements that take on the responsibility of implementing the requirement. Requirements at this level have their own properties and are reported on separately in the RTF documentation.

In this context, requirements can also form a hierarchy, as in the example below.


**Tip:**

Using Aggregation, requirements can be linked to show construction of a complete requirements 'tree'.


Note:

External requirements can be created with or without an identifying **E** in the top right corner of the element. To toggle display of this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the **Options** dialog, **Objects**^[197] page.

Implementation is managed using Realization links, as in the example below:



Once the links are established, the **Hierarchy window**^[173] displays the complete requirement implementation / composition details; see the example below.

**Tip:**

Use the **Relationship Matrix** to create and manage the relationships between the requirements; this is a convenient way of quickly building up complex relationships and hierarchies.


5.5.3 Color Code External Requirements

External requirements can be color coded to provide quick visual cues indicating the status of a requirement. To enable color coded external requirements follow the steps below:

1. Select the **Tools | Options** menu option. The **Options** dialog displays.
2. From the hierarchical tree select **Objects**, and select the **Show status colors on diagrams** checkbox to enable the status of external requirements to be represented by color coding.

The color code requirements use the following default conventions:

- Yellow for Proposed
- Blue for Approved
- Green for validated
- Orange for Mandatory
- Black for Implemented.



You can change these colors, and add or remove status types, using the [Status Types](#)^[682] dialog.

5.5.4 Internal Requirements

Internal requirements in Enterprise Architect are Class (or any element) [Responsibilities](#)^[372].

In the example below an internal responsibility to enable the user to login to the system has been defined for the Login Use Case. This is a responsibility of the Use Case - an action it is responsible for carrying out - and it applies only to this Use Case.

The Use Case also has connections to external requirements, which are system functions that the Use Case implements either in full or in part.

General Details **Require** Constraints Links Scenario Files

Requirement: Capacity to absorb peak load Type: Performance

Status: Approved Difficulty: Medium Priority: Medium Last Update: 6/12/2007

B I U A | $\frac{1}{x}$ $\frac{1}{y}$ | x^2 x_2

Move External New Save Delete

Defined

Requirement	Type	External
Capacity to absorb peak load	Performa...	

OK Cancel Apply Help


5.5.5 Move Internal Requirement to External Requirement

Elements in Enterprise Architect have internal requirements, or responsibilities (what they must do or accomplish). These often overlap or duplicate more formal requirements that the system in general must meet. You can move internal requirements to external requirements in one go using the **Move External** function.

Procedure

If you have defined an internal requirement for an element and want to move it out (where it can perhaps be implemented by multiple elements), follow the steps below:

1. Double-click on the element in a diagram or in the **Project Browser** window to open the element **Properties** dialog.
2. Click on the **Require** tab




3. Locate and highlight the requirement.
4. Click on the **Move External** button.
5. Select the package to place the new requirement in.
6. Click on the **OK** button.

Enterprise Architect creates a new Requirement element in the target package and automatically generates a Realization link from the element to the requirement

Requirement	Type	External
1. Login to system	Functional	
1.01 Log on to the website	Functional	Yes
2. Go to register screen for non-registered user	Functional	
3. Encrypt user details over HTTPS	Functional	Yes
4. Logout of system	Functional	

Notice the requirement is now marked external and the dialog fields grayed out. To [edit its details](#)^[430], double-click on the requirement.

Also notice that a Requirement element has been created in the target package.



5.5.6 Requirement Properties

If you double-click on a [requirement](#)⁴²⁴ in a diagram or right-click on a requirement in the **Project Browser** window and select **Properties**, you can edit the main properties for the relevant element. Requirement properties are a little different to normal properties; they are mainly focused on the status of the requirement, who owns it and when it was created and/or updated.

Enter a short description to describe the requirement in a sentence, then enter the full requirement details in the **Details** panel at the bottom of the dialog. Set the status, difficulty, priority and other parameters as required.

When you have completed filling in details for the requirement, click on the **OK** button.

The screenshot shows the 'Properties' dialog box for a requirement. The 'Short Description' field contains the text 'Product Records Must be stored in relational database'. Below this, there are several fields for defining the requirement's characteristics: 'Status' is set to 'Proposed', 'Type' is 'Functional', 'Difficulty' is 'Medium', 'Phase' is '1.0', 'Priority' is 'Medium', 'Last Update' is '23/09/2004', 'Author' is 'John Redfern', 'Created' is '23/09/2004', and 'Version' is '1.0'. At the bottom, there is a large 'Details' text area which is currently empty. The dialog has 'OK', 'Cancel', and 'Help' buttons at the bottom.

5.5.7 Implementation

Requirements are implemented by model elements, such as Use Cases, Classes, Interfaces and Components. You can specify this relationship in Enterprise Architect using the [Realization](#)^[1292] link. A model element is marked as 'Realizing' a requirement. Once this link exists, Enterprise Architect displays the requirement in the **Require** tab of the element **Properties** dialog, in the [Requirements Hierarchy](#)^[431] window and in the [Dependency](#)^[432] and Implementation reports, as well as in the standard RTF output.

A quick method of generating a Realization link is to drag a Requirement element from the **Project Browser** window into a diagram, over an element that is to be the implementing element. Enterprise Architect interprets this as a request to create the Realization link and does so automatically. To confirm this, perform the action and then go to the **Require** tab of the target element. There should now be an external relationship to the requirement that was dragged over the target.

Note:

External requirements can be created with or without an identifying **E** in the top right corner of the element. To toggle display of the this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the **Options** dialog, [Objects](#)^[197] page.

5.5.8 Composition


Requirements that are linked by [Aggregation relationships](#)^[1257] form a composition hierarchy. High level Requirements can be composed of lower level Requirements, which in turn are made up of finer and more specialized Requirements. This hierarchical structure helps manage the complexity of large systems with thousands of Requirements and many elements being employed to implement the Requirements.

5.5.9 Requirements Hierarchy

Requirements can be linked to other elements or other Requirements to create a relationship hierarchy.

In general, the Aggregation relationship can be used to good effect to show how high-level relationships are composed of smaller Requirements. This hierarchy is useful in managing the composition of your model and the dependencies between elements and Requirements.

For further information, see the [Hierarchy](#)^[173] topic.




5.5.10 Dependency Report

To run a Dependency report follow the steps below:


1. In the **Project Browser** window, select the package to report on (the report includes all sub-folders as well).
2. Select the **Project | Documentation | Dependency Details** menu option.

The **Dependencies** dialog displays a list of all elements that implement other elements in the provided list, together with the elements that are dependent. You can print out the results if required.



Option	Use to
Root Package	Specify the root package. All elements and packages under this are included in the report.
Locate Object	Locate the element selected in the report list in the Project Browser window.
Refresh	Run the report again.
Details	List the dependency details; this lists elements in the current hierarchy and elements that implement them.
Print	Print the list.

5.6 Relationship Matrix



The **Relationship Matrix** is a spreadsheet display of relationships between model elements within packages.

You select a source package and a target package, the relationship type and direction, and Enterprise Architect highlights all the relationships between source and target elements by highlighting a grid square.

The **Relationship Matrix** is a convenient method of visualizing relationships quickly and definitively. It also enables you to create, modify and delete relationships between elements with a single mouse click - another quick way to set up complex sets of element relationships with a minimum of effort.

Source: Class Model		Type: <All>	Link Type: Generalization	Profile:
Target: Class Model		Type: <All>	Direction: Source -> Target	Refresh Options
	Class Model::Action1			
	Class Model::Activity1			
	Class Model::ActivityInitial	X		
	Class Model::Actor1		X X	
	Class Model::Artifact1			
	Class Model::Artifact2		X X	
	Class Model::button			
	Class Model::Choice	X		
	Class Model::Class1			
	Class Model::Class2			
	Class Model::Class3			
	Class Model::Class4			
	Class Model::Class5			
	Class Model::Class6			
	Class Model::Class7			
	Class Model::Collaboration1			
	Class Model::Component1			
	Class Model::Computer			
	Class Model::DeploymentSpeci			
	Class Model::Device1			
	Class Model::Device2			

Click on this link for information on [accessing the Relationship Matrix](#)^[434].

You can also:

- [Select options](#)^[436] for modifying the type of information the **Relationship Matrix** displays
- [Update, delete and create](#)^[436] relationships through the **Relationship Matrix**
- [Export the contents](#)^[437] of the **Relationship Matrix** to a CSV file
- [Print the contents](#)^[437] of the **Relationship Matrix**
- [Save a profile](#)^[438] of the **Relationship Matrix** settings to monitor development of the same source and target packages.

5.6.1 Set Source and Target Package

You must set both the source and target packages for the **Relationship Matrix** before relationships can be displayed.


Tip:

Set the source and target packages AFTER setting the link and element types/details; as Enterprise Architect refreshes the content after each change, this is usually faster.


Set the Source or Target Package

To set the source or target package, follow the steps below:

1. Click on the [...] (Browse) button at the end of the **Source** or **Target** field.



2. The **Browse Project** dialog displays.



3. Select the required package and click on the **OK** button.

5.6.1.1 Open the Relationship Matrix

To open the **Relationship Matrix** you can:

- Select the **View | Relationship Matrix** menu option
- Click on the **Relationship Matrix** icon in the **Other Views** toolbar



- Right-click on any package in the **Project Browser** window, and select the **Documentation | Open in Relationship Matrix | As Source** or **As Target** menu option.

Once the **Relationship Matrix** opens you can:

- [Set the source and target packages](#) ^[433]
- [Select which element type to show](#) ^[435]
- [Select link type and direction to show](#) ^[435]

The **Relationship Matrix** refreshes after every change you make to the input parameters.

Tip:


The **Relationship Matrix** includes ALL child elements in a hierarchy. Sometimes in a large model this can be a lot of elements, possibly too many to be useful. Take care in selecting the source and target package.

5.6.2 Set Element Type

The **Relationship Matrix** can show all element types, or you can specify which type to show.

To set the element type, follow the steps below:


1. Click on the **Type** drop-down arrow for the Source or Target package.
2. Find the required link and click on it. Enterprise Architect refreshes the **Relationship Matrix** content.



5.6.3 Set the Link Type and Direction

The **Relationship Matrix** requires that you set the link type to report on and the link direction. To do this, follow the steps below:

1. Click on the **Link Type** drop-down arrow to display a list of link types.



2. Scroll through the list and click on the appropriate link type.

3. Click on the **Direction** drop-down arrow to display a list of directions.
 4. Scroll through the list and click on the appropriate direction.
- Enterprise Architect refreshes the **Relationship Matrix** content.

5.6.4 Relationship Matrix Options

You can define local settings for how the **Relationship Matrix** works.

Click on the **Options** button on the **Relationship Matrix** to access the context menu, then click on the **Options** menu option. Select from the following options:

- **Allow Link Creation** - to enable right-click link creation
- **Open Maximized** - to ensure the **Relationship Matrix** opens in full screen mode
- **Include Source Children** - to recursively include child packages and contents under the Source
- **Include Target Children** - to recursively include child packages and contents under the Target
- **Include Metaclassed Elements** - to include elements, with profile *metaclassed* defined, in the source/target contents whenever their base UML classes are selected
- **Sort Axes** - to ensure package elements display in alphabetical order
- **Show Package Names** - to hide or show package names in the **Relationship Matrix**; this is useful for shortening the displayed texts, especially in circumstances where packages have long names.

5.6.5 Modify Relationships in Matrix

You can modify or delete relationships, or create new relationships, directly from the **Relationship Matrix**.

To Modify or Delete Relationships

Right-click on a highlighted relationship to open the context menu, and select from the following options:

- **View relationship** - opens the **Properties** dialog for the selected relationship
- **Source element properties...** - opens the **Properties** dialog for the source element
- **Target element properties** - opens the **Properties** dialog for the target element
- **Delete relationship.**

If you have selected **Delete relationship**, Enterprise Architect prompts you to confirm this action.

If you have selected one of the other options, modify any properties as required, and click on the **OK** button to save the changes

To Create a New Relationship

1. Select the required relationship type in the **Link Type** field.
2. Right-click on the empty intersection of the source row and target column to display the context menu.

	Class Model::Object3	Class Model::Package1	Class Model::Package2	Class Model::Package3	Class Model::Package4	Class Model::Part1	Class Model::Port1	Class Model::Primitive1	Class Model::Primitive2
Class Model::Collaboration1	X								
Class Model::Component1									
Class Model::Computer									
Class Model::DeploymentSpe...			X						
Class Model::Device1		X							
Class Model::Device2									

3. Select the **Create new relationship...** option to create a new connector between the two elements.

Tip:

Use the matrix relationship management features to quickly create and manage relationships like Realization and Aggregation between Requirements and implementation elements (such as Use Cases).

5.6.6 Export to CSV

The contents of the **Relationship Matrix** can be exported to a CSV file. This provides a convenient mechanism for moving the matrix data to a spreadsheet environment such as Microsoft Excel. (This option is also active in the 'Lite', read-only version of Enterprise Architect.)

Export to CSV


To export to CSV, follow the steps below:

1. Click on the **Options** button on the **Relationship Matrix** to display the context menu.
2. Select the **Matrix | Export to CSV** menu option. The Windows **Browser** dialog displays.
3. Browse to the required file location and type in a .CSV filename to export to.
4. Click on the **Save** button to export the data.

5.6.7 Print the Matrix

You can print a WYSIWYG representation of the **Relationship Matrix** using the current printer settings. Click on the **Options** button on the **Relationship Matrix** to display the context menu.

- To print the matrix select the **Matrix | Print** menu option
- To preview prior to printing, select the **Matrix | Print Preview** menu option



5.6.8 Matrix Profiles

To save a certain **Relationship Matrix** configuration as a named profile for later recall, follow the steps below:

1. Set up the **Relationship Matrix** as required, with source and target, element types and relationship types.
2. Click on the **Options** button on the **Relationship Matrix** to display the context menu, then select the **Profiles | Save as New Profile** menu option.
3. In the **Name** field, type a profile name of up to 12 characters. Click on the **OK** button.

Once you have created a profile, you can select it from the **Profile** drop-down list on the **Relationship Matrix** screen.

5.7 UML Profiles



What are UML Profiles?

UML Profiles provide a means of extending UML, which enables you to build UML models in particular domains. They are based on additional [stereotypes and Tagged Values](#)^[444] that are applied to elements, attributes, methods, links, link ends and so on. A Profile is a collection of such extensions that together describe some particular modeling problem and facilitate modeling constructs in that domain. For example, the UML Profile for XML describes a set of extensions to basic UML model elements to enable accurate modeling of XSD Schemas (see *Modeling XML Applications with UML*, David Carlson, p. 310).

Enterprise Architect has a generic UML Profile [mechanism](#)^[440] for loading and working with different Profiles. UML Profiles for Enterprise Architect are specified in XML files, with a specific format; see the examples in this topic. You can [import](#)^[440] these XML files into Enterprise Architect through the **Resources** window. Once imported, you can drag and drop Profile elements onto the current diagram. Enterprise Architect attaches the stereotype, Tagged Values and default values, notes and even metafile if one is specified, to the new element.

You can also drag and drop attributes and operations onto existing Classes and have them immediately added with the specified stereotype and values.


The imported Profile also automatically generates a page of elements and relationships in the Enterprise Architect UML [Toolbox](#).

Note:

To control the appearance of elements, you can also set a default element template. For more information, see [Use Element Templates](#) ^[325].

Profiles in the Resources Window

The [Resources](#) window contains a tree structure with entries for items such as MDG Technologies, Documents, Stylesheets, Matrix profiles and UML Profiles. The *UML Profiles* node initially contains no entries; to be able to use Profiles you must import them into Enterprise Architect from supplied XML files.



Items in the Profile represent stereotypes. These can be applied to UML elements in the following ways:

- Stereotypes that apply to elements such as *Classes* and *interfaces* can be dragged directly from the [Resources](#) window to the current diagram, automatically creating a stereotyped element. Alternatively, they can be dragged onto existing elements, automatically applying them to the element.
- Stereotypes that apply to *attributes* can be drag-and-dropped onto a host element (eg. Class); a stereotyped attribute is automatically added to the element's feature list.
- Stereotypes that apply to *operations* are like those that apply to attributes; drag-and-drop onto a host element to add the stereotyped operation.
- Stereotypes that apply to *connectors* such as *associations*, *generalizations*, *messages* and *dependencies* are added by selecting them in the [Project Browser](#) window, then clicking on the start element in a diagram

and dragging to the end element (in the same manner as adding normal links). A stereotyped link is added.

- Stereotypes that apply to *association ends* can be added by dragging the link end element over the end of an association in the diagram.

To get you started, some Profiles are supplied on the Sparx Systems website at www.sparxsystems.com/uml_profiles.htm. You can download these and import them into Enterprise Architect. Over time Sparx Systems intend to expand the range of Profiles, the content of each Profile and the degree of customization possible in each Profile.

You can also create your own Profiles to describe modeling scenarios specific to your development environment. For more information, see the [Enterprise Architect Software Developers' Kit \(SDK\)](#).

5.7.1 Use Profiles

This topic describes the use of Profiles for UML modeling. It describes tasks including:

- [How to import a UML Profile](#) for use in a model
- [Use of Tagged Values in Profiles](#)
- [How to add a Profile Connector to a diagram](#)
- [How to synchronize tags and constraints](#)

A Technology Developer might create a new Profile, which they can save (export) to disk for future UML models. The processes of [creating](#) and [exporting](#) a new UML Profile are described in the *Enterprise Architect Software Developers' Kit (SDK)*.


5.7.1.1 Import a UML Profile

To import a Profile you must have a suitable Profile XML file, such as the Profiles supplied on the Sparx Systems website at www.sparxsystems.com/uml_profiles.htm. If the Profile includes references to any metafiles, they should be in the same directory as the Profile XML file.

Import a Profile

To import a Profile, follow the steps below:

1. Open the **Resources** window (**View | Resources**).
2. Right-click on the *UML Profiles* tree node and select **Import Profile** from the context menu. The **Import UML Profile** dialog displays.



3. Locate the XML Profile file to import using the [...] (Browse) button.
4. Set the required import option checkboxes for all stereotypes defined in the Profile; you can select:
 - **Element Size** - to import the element size attributes

- **Color and Appearance** - to import the color (background, border and font) and appearance (border thickness) attributes
 - **Alternate Image** - to import the metafile image
 - **Code Templates** - to import the code templates if they exist
 - **Overwrite Existing Templates** - to overwrite any existing code templates defined in the current project.
5. Click on the **Import** button. The Profile is added to the *UML Profiles* folder.



If the Profile already exists, Enterprise Architect prompts you to overwrite the existing version and import the new one (or cancel). Once the import is complete, the Profile is ready to use. You can expand the Profile and drag items from it onto a diagram.

When you import a Profile, it automatically creates pages of elements and connectors in the Enterprise Architect UML **Toolbox**. Therefore, you can also populate diagrams from this page.


5.7.1.2 Tagged Values in Profiles

Stereotypes within a UML Profile can have one or more associated Tagged Values. When you create an element based on a UML Profile Stereotype by dragging from the **Resources** window to a diagram, any associated Tagged Values are added to the element as well. Tagged Values and Profiles are an excellent way to extend the use of Enterprise Architect and the power of UML modeling.

For example, in the UML Profile for XSD, there is an *XSDComplexType* stereotype, which has the following Tagged Value declaration:


```
<TaggedValues>
<Tag name="mixed" description="Determines whether this element can contain mixed element and character content. See the W3C XML Schema recommendation"/>
<Tag name="modelGroup" description="Overrides the package-level default model group" values="all | sequence | choice" default="choice"/>
<Tag name="memberNames" description="Overrides the package-level default for naming complexType definitions"/>
</TaggedValues>
```

When you create an element from the *XSDComplexType* stereotype (by dragging from the **Profile Elements** page of the Enterprise Architect UML **Toolbox** onto a diagram), the Tagged Values are added automatically.



Tagged Values that have default values are automatically set and displayed in the element *tags* section, if applicable. When you select the element, the **Tagged Values** window displays all the associated tags, including ones that have no value set. Also note that Tagged Values in the Profile that have a *Values* section (eg. *values="element | attribute | both" default="both"*) display in the **Properties** window with a drop list of enableable values when selected (as in the example below). Where no *Value* list exists, the tag accepts free


text.



5.7.1.3 Add Profile Connector to Diagram

To add a Profile-based connector to the current diagram, click on the connector in the **Resources** window, then click on the source element in the diagram and drag it to the target.

You can also drag the connector from the **Resources** window to the source and use the list box below to select the target.



5.7.1.4 Synchronize Tags and Constraints

When you first create an element, attribute, operation or link from a UML Profile item, you can also create Tagged Values and constraints. Over time you might modify the Tagged Values and constraints associated with a particular element, so the items already created might be missing additional Tagged Values or constraints.


Similarly, you might have manually set the stereotype on a set of elements and now want them to receive the Tagged Values and constraints normally associated with that stereotype.

To make sure you have all the related Tagged Values and stereotypes, use the **Synch Tagged Values and Constraints** function.

Synchronize Elements

To synchronize elements, follow the steps below:

1. Locate the required UML Profile in the **Resources** window.
2. Locate the stereotyped profile element.
3. Right-click on it to display the context menu, and select the **Synch Tagged Values and Constraints** option. The **Synch Profiled Elements** dialog displays.
4. Click on the **OK** button to proceed. The list is populated with the items that have been modified and the changes that were made.



5.7.2 Profile References

UML Profile XML File Format Information

Enterprise Architect provides a facility to import pre-defined elements, operations, attributes and connectors as a source of re-useable components that meet common modeling requirements (eg. profiles for XML schema and for business process modeling). This topic provides a quick list of the types of things that can be pre-defined and the characteristics of each.

This topic gives you a reference to the:

- [Supported Types](#)^[444] of stereotype with Tagged Values and/or constraints
- [Profile Structure](#)^[445]
- [Supported Attributes](#)^[446]
- [Example of the XML file that constitutes a Profile](#)^[447]

5.7.2.1 Supported Types

A UML profile is made up of one or more stereotypes that might have Tagged Values and constraints. The table below and the [Supported Attributes](#)^[446] table define what can be stereotyped and what information must be supplied.

List of All Supported Types in AppliesTo/Apply Node

AppliesTo / Apply	Type	Tags	Constraint	Metafile
"actor"	Element	Yes	Yes	Yes
"package"	Package	Yes	Yes	Yes
"usecase"	Element	Yes	Yes	Yes
"collaboration"	Element	Yes	Yes	Yes
"class"	Element	Yes	Yes	Yes
"table"	Element	Yes	Yes	Yes
"component"	Element	Yes	Yes	Yes
"node"	Element	Yes	Yes	Yes
"object"	Element	Yes	Yes	Yes
"sequence"	Element	Yes	Yes	Yes
"entity"	Element	Yes	Yes	Yes
"screen"	Element	Yes	Yes	Yes
"GUIElement"	Element	Yes	Yes	Yes
"requirement"	Element	Yes	Yes	
"state"	Element	Yes	Yes	
"activity"	Element	Yes	Yes	Yes
"interface"	Element	Yes	Yes	Yes
"event"	Element	Yes	Yes	
"issue"	Element	Yes	Yes	
"change"	Element	Yes	Yes	

AppliesTo / Apply	Type	Tags	Constraint	Metafile
"hyperlink"	Element		Yes	
"attribute"	Attribute	Yes	Yes	
"operation"	Operation	Yes	Yes	
"association"	Connector	Yes	Yes	
"associationEnd"	AssociationEnd			
"generalization"	Connector	Yes	Yes	
"dependency"	Connector	Yes	Yes	
"transition"	Connector	Yes	Yes	
"objectflow"	Connector	Yes	Yes	
"startnode"	Element	Yes	Yes	
"stopnode"	Element	Yes	Yes	
"note"	Element	Yes	Yes	
"decision"	Element	Yes	Yes	
"aggregation"	Connector	Yes	Yes	

5.7.2.2 Profile Structure

UML Profiles for Enterprise Architect are distributed in XML format. The file has the following format:

General Header Details

```
<?xml version="1.0" encoding="utf-8" ?>
<UMLProfile profilename="uml2">
  <!--Profile name, version number and general notes -->
  <Documentation id="XSDSchema" name="UML Profile for XSD Schema" version="1.0" notes="Defines a set of
stereotypes and tagged values for XSD Schemas"/>
  <!-- The profile content -->
  <Content>
  <!-- List of stereotypes used in this profile. Can also include tagged values, constraints, metafile and descriptive
comments-->
  <Stereotypes>
```

Stereotype Definitions

The header is followed by one or more Stereotype definitions; for example:

```
<!-- «XSDComplexType» -->
<Stereotype name="XSDComplexType" notes="ComplexType definition generated in XML Schema">
  <AppliesTo>
    <Apply type="class"/>
  </AppliesTo>
  <TaggedValues>
    <Tag name="mixed" description="URI to unique target namespace"/>
    <Tag name="modelGroup" description="Default model group used when generating complexType definitions for this
Schema" values="all | sequence | choice" default="choice"/>
    <Tag name="attributeMapping" description="Default for generating UML attributes as elements, attributes or both
within complexTypes" values="element | attribute| both" default="both"/>
    <Tag name="roleMapping" description="Prefix associated with namespace"/>
    <Tag name="memberNames" description="Schema version"/>
  </TaggedValues>

  <Constraints>
    <Constraint name="" type="" notes=""/>
```

```
</Constraints>
</Stereotype>
```

Note the specification of Stereotype name and notes. Also note the use of Tagged Values to set properties for the Profile element. The Tagged Values can have a default value, can be empty and can specify enableable values. Tagged Values are edited in the **Properties** window of an element, method, attribute or link.

You can also specify the default size, default comment and Metafile for drawing an element; see the fragment below:

```
<Stereotype name="Router" cx="130" cy="100" notes="" metafile="router.emf">
```

In the above example, the metafile shape for this element is specified as 'router.emf'; when you load this Profile, the .emf file must be in the same directory as the Profile, otherwise the load fails.

Also note how to specify a default comment for an element. All white space between lines is ignored. To force a line break, use the \n character. To force tabs, use \t.

```
<Comment>
  Some text here about how this works\n\t
  with comments being imported from the XML description
  in one long row.
</Comment>
```

The example above would import like this:

```
Some text here about how this works
with comments being imported from the XML description in one long row.
```

5.7.2.3 Supported Attributes

Attributes Supported by Main XML Element Nodes

The table below lists the three main types of object you can define in an XML Profile document. These are the:

- Stereotype, which creates a visible entry in the *UML Profile* folder in the **Resources** window
- Tagged Values, which are additional properties that an element or connector support
- Constraints that apply to the model element.

Type	Attribute	Optional	Notes
stereotype	name	No	Stereotype name.
	notes	Yes	Notes visible in browser.
	metafile	Yes	Filename of associated metafile; this MUST be in same directory as the Profile XML.
	cx	Yes	Deprecated. Initial x coordinate of element.
	cy	Yes	Deprecated. Initial y coordinate of element.
	_sizeX	Yes	Initial width of the element, in pixels at 100% zoom.
	_sizeY	Yes	Initial height of the element, in pixels at 100% zoom.
	_imageFile	Yes	Location of image file (.wmf).
	_image	Yes	Shape script definition.
tag	name	No	Tag name.
	description	Yes	A description of the tag; appears in the tag tab and for elements in the Properties window setting notes.
	values	Yes	List of possible values; values separated by ' ' (<space> <space>). eg. 'true false'. For elements, populates the drop combo in the tag section of the docked Properties window.
	default	Yes	A default value; eg. 'true'.

Type	Attribute	Optional	Notes
constraint	name	Yes	Constraint name.
	type	Yes	Constraint type (eg. 'pre' for precondition, 'post' for postcondition).
	notes	No	Additional explanatory notes.

5.7.2.4 Example Profile

Below is an example UML Profile showing the structure and use of the file:

```

<?xml version="1.0" encoding="UTF-8"?>
<UMLProfile>
  <Documentation id="EAExample" name="UML Profile for Example" version="1" notes="An example set of
stereotypes and tagged values"/>
  <!-- The profile content -->
  <Content>
    <!-- List of stereotypes used in this profile-->
    <Stereotypes>
      <!--A profile is a list of stereotypes, that apply to elements, links and features in a UML model.
Stereotypes can have set tagged values, constraints,
Valid targets, default dimensions. The examples below are a good starting point -->
      <Stereotype name="SimpleStereotype" notes="Place notes about stereotype here"
metafile="router.emf">
        <!-- Place a list of types that this ill apply to ...
valid types are any UML element (class, interface, component,
aggregation, generalization, association, transition, operation and attribute. Make sure
you use lowercase names, XML is case sensitive-->
        <AppliesTo>
          <Apply type="class"/>
          <Apply type="interface"/>
          <Apply type="node"/>
        </AppliesTo>
        <!--Add one or more tagged values for this stereotype. These are automatically added
to the target element when created
Note that you can specify a default value using "default=" and a pick list of values eg. "
true | false" note the use
of a " | " to separate values -->
        <TaggedValues>
          <Tag name="hasNamespace" description="Indicates element is bound to
Namespace" default="true" values="true | false"/>
          <Tag name="targetNamespacePrefix" description="Prefix associated with
namespace"/>
        </TaggedValues>
        <!-- Zero or more constraints to apply to element - specify name, type and notes -->
        <Constraints>
          <Constraint name="constraint1" type="pre" notes="My Notes"/>
        </Constraints>
      </Stereotype>
      <!-- End of stereotype. When writing your own, you can duplicate a stereotype selection as
above and
change it to start work on a new stereotype-->
    <!-- «AnotherExample» -->
    <Stereotype name="AnotherExample" cx="130" cy="100" notes="This element has a default
height and width specified">
      <AppliesTo>
        <Apply type="class"/>
        <Apply type="operation"/>
        <Apply type="attribute"/>
      </AppliesTo>
      <TaggedValues>
        <Tag name="memberNames" description="Schema version"/>
      </TaggedValues>
      <Constraints>
        <Constraint name="constraint1" type="pre" notes="My Notes"/>
      </Constraints>
    </Stereotype>
  </Content>
</UMLProfile>

```

```

</Stereotype>
<!-- «Aggregation» -->
<Stereotype name="aggregationLink" type="weak" notes="">
  <AppliesTo>
    <Apply type="aggregation"/>
  </AppliesTo>
</Stereotype>
<!-- «Composition» -->
<Stereotype name="compositionLink" type="strong" notes="">
  <AppliesTo>
    <Apply type="aggregation"/>
  </AppliesTo>
</Stereotype>
<!-- «IndexKey» -->
<Stereotype name="UniqueID" notes="">
  <AppliesTo>
    <Apply type="operation"/>
  </AppliesTo>
  <TaggedValues>
    <Tag name="indexed" description="indicates if indexed or not" values="true
| false" default="true"/>
  </TaggedValues>
  <Constraints>
    <Constraint name="constraint1" type="pre" opType="pre" notes="My Notes"/
>
    <Constraint name="constraint2" type="pre" opType="post" notes="My
Notes"/>
  </Constraints>
</Stereotype>
<!-- «Attribute» -->
<Stereotype name="atname" notes="">
  <AppliesTo>
    <Apply type="attribute"/>
  </AppliesTo>
  <Constraints>
    <Constraint name="constraint1" type="pre" notes="My Notes"/>
  </Constraints>
</Stereotype>
<!-- «Association» -->
<Stereotype name="assocname" notes="">
  <AppliesTo>
    <Apply type="association"/>
  </AppliesTo>
  <Constraints>
    <Constraint name="constraint1" type="pre" notes="My Notes"/>
  </Constraints>
</Stereotype>
</Stereotypes>
</Content>
</UMLProfile>

```

5.8 UML Stereotypes


UML supports a large number of *stereotypes*, which are an inbuilt mechanism for logically extending or altering the meaning, display and syntax of a model element. Different model elements have different [standard stereotypes](#) ^[453] associated with them.

For further definition of stereotypes, see the OMG UML specification (*UML Superstructure Specification, v2.1.1, section 18.3.8, pp. 667-672*).


A stereotype is generally displayed as in the example below (where «*myStereotype2*» is the stereotype).



In some cases the stereotype causes the element to be [drawn differently](#)^[454], as below:



A metafile can be associated with the applied stereotype, as in the example below:



New, or customized, stereotypes can be created. Stereotypes can also be associated with new shapes, using either metafiles (image files) and colors or *Shape Scripts*, to apply non-UML shapes to elements and connectors. For further information on [customizing stereotypes](#)^[1300] and applying [Shape Scripts](#)^[1338], see the *Enterprise Architect Software Developers' Kit (SDK)*.

5.8.1 Apply Stereotypes

Enterprise Architect enables you to apply one or more stereotypes to any UML construct, including:

- Elements (such as Classes and Objects)
- Relationships (such as Dependencies and Associations)
- Association Ends
- Attributes and Operations
- Operation Parameters.

To apply a stereotype to any UML construct, using the *Properties dialog*, select any one of the following steps:


1. In the **Stereotype** field, type the stereotype(s) to apply as a comma-separated list.
2. Click on the drop-down arrow and select the required stereotype from the list.
3. Click on the [...] button to use the [Stereotype Selector](#)^[45] dialog.



To apply a stereotype to an element using the *Properties window*, select any of the following steps:

1. In the **Stereotype** field, type the stereotype(s) to apply as a comma-separated list..

- Click on the drop-down arrow and select the required stereotype from the list.




- Select the **browse other stereotypes...** option in the drop-down list to use the [Stereotype Selector](#)^[451] dialog.

5.8.2 Stereotype Selector

The **Stereotype Selector** dialog enables you to [apply one or more stereotypes](#)^[450] to a UML construct, from multiple stereotype sources such as Profiles or the **Custom Stereotypes** list. The appearance of the stereotype list is influenced by the [stereotype visibility](#)^[452] settings on the **Diagram Properties** dialog.

Select Stereotypes to Apply/Remove

- On the element or connector **Properties** dialog, click on the [...] button near the **Stereotype** field. The **Stereotype for:<object type>** dialog displays.



2. Click on the **Profile** drop-down arrow and choose the required stereotype source.
3. In the **Stereotypes** list, enable or disable the required stereotype by selecting or deselecting the checkbox against it.
4. Click on the **OK** button to apply the selection.

You can also define a new stereotype to apply to the required construct by clicking on the **New...** button and entering the name of the new stereotype when prompted.


5.8.3 Stereotype Visibility

You control the visibility of applied stereotypes using three options in the [Diagram Properties](#) ^[278] dialog. Select:


- The **Show Element Stereotypes** checkbox to show or hide all element stereotypes in the current diagram
- The **Show Feature Stereotypes** checkbox to show or hide all attribute and operation stereotypes in the current diagram
- The **Use Stereotype Icons** checkbox to display icons, instead of strings, for those stereotypes that have icons defined.

The example below shows how a Class would appear having multiple stereotypes applied to it:

Use Stereotype Icons disabled: displays all the applied stereotypes in a comma-separated string within gullimments.



Use Stereotype Icons enabled: displays icons for those stereotypes with icons defined. Stereotypes without icons defined are still displayed in the comma-separated string.



5.8.4 Standard Stereotypes

Below is a list of standard element stereotypes (as provided in the *EABase.eap* base model), each enclosed by guillemets (« »):


Stereotype	Base Class
«access»	Permission
«become»	Flow
«call»	Usage
«copy»	Flow
«create»	Message
«derive»	Abstraction
«destroy»	Message
«document»	Abstraction
«executable»	Abstraction
«facade»	Package
«file»	Abstraction
«framework»	Package
«friend»	Permission
«global»	AssociationEnd
«implementation»	Class
«implementation»	Generalization
«import»	Permission
«instantiate»	Usage
«invariant»	Constraint

Stereotype	Base Class
«library»	Abstraction
«local»	AssociationEnd
«metaclass»	Class
«parameter»	AssociationEnd
«postcondition»	Constraint
«powertype»	Class
«precondition»	Constraint
«process»	Classifier
«refine»	Abstraction
«requirement»	Comment
«responsibility»	Comment
«self»	AssociationEnd
«send»	Usage
«stub»	Package
«table»	Abstraction
«thread»	Classifier
«trace»	Abstraction
«type»	Class
«utility»	Classifier

5.8.5 Stereotypes with Alternative Images

You can alter the appearance of elements using stereotypes.

If the stereotype has an associated metafile, when the stereotype is applied to a Class or other element that supports alternative graphical format Enterprise Architect then draws the alternative image instead of the standard one.



5.9 UML Patterns



What is a Pattern?

Patterns are parameterized collaborations; that is, they are a group of collaborating Objects/Classes that can be abstracted from a general set of modeling scenarios. Patterns are an excellent means of achieving re-use and building in robustness. As patterns are discovered in any new project, the basic Pattern template from previous engagements can be re-used with the appropriate variable names modified for the current project.

Patterns generally describe how to solve an abstract problem, and it is the task of the Pattern user to modify the Pattern elements to meet the demands of the current engagement.

Before using a Pattern it must first be [created](#)^[456] as a standard UML diagram and then saved as an XML Pattern file. This XML file can then be [imported](#)^[458] as a UML Resource that can be [used](#)^[458] in any model.


Sparx-Created GoF Patterns

To get you started with Design Patterns in Enterprise Architect, Sparx Systems provide you with a zip file containing the Patterns described in the book *Design Patterns - Elements of Reusable Object-Oriented*

Software by Gamma et al., referred to as the 'Gang of Four' or GoF. Download this zip file of the Gang of Four Patterns for Enterprise Architect from www.sparxsystems.com/uml_patterns.html.

5.9.1 Create a Pattern

To create a Pattern you first must model the Pattern as a standard UML diagram within Enterprise Architect. The following diagram was created from an example in the GoF book *Design Patterns - Elements of Reusable Object-Oriented Software* by Gamma et al.



Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Diagrams](#) ⁶⁴⁰ permission to save a diagram as a Pattern.

Save a Diagram as a Pattern

To save a diagram as a Pattern, follow the steps below:

1. Select the **Diagram | Save UML Pattern** menu option. The **Save Diagram as UML Pattern** dialog displays.

Pattern Name:

Filename: ...

Category: Version:

Notes:

Name	Type	Create	Merge	Instance	Type	Default	Comment
Client	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Client	Uses only the interf...
ProductB1	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ProductB1	Defines a product ...
ProductB2	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ProductB2	Defines a product ...
AbstractProd...	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AbstractProductB	Declares an interfa...
ProductA1	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ProductA1	Defines a product ...
ProductA2	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ProductA2	Defines a product ...
AbstractProd...	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AbstractProductA	Declares an interfa...
ConcreteFact...	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ConcreteFactory2	implements the op...
ConcreteFact...	Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ConcreteFactory1	implements the op...
AbstractFactoryClass		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AbstractFactory	Decalares an interf...


OK Cancel Help

- In the **Pattern Name** field, type the Pattern name.
- In the **Filename** field, type a .XML filename into which to save the Pattern.
- In the **Category** field, type the Category under which the Pattern should be listed in **UML Patterns** (required).
- In the **Version** field, type the Pattern version number, and in the **Notes** field type any notes on the Pattern.
- Select the actions for the elements that are contained in the Pattern by selecting the appropriate checkboxes. These actions are performed when the Pattern is used (for more detail refer to the [Use a Pattern](#) ^[458] topic). The available actions are:
 - Create:** Creates the Pattern element directly without modification
 - Merge:** Merges the Pattern element with an existing element, enabling the existing element to take on the role of the selected Pattern element
 - Instance:** Creates the Pattern element as an instance of an existing element
 - Type:** Creates the Pattern element types as an existing element.

Notes:

- If your Pattern includes an Object element, you would use **Instance** to set the classifier of the Object to one of the Classes in the diagram onto which you are dropping the Pattern.
- If your Pattern includes a Property (Port or Part) you would use **Type** to set the type of the Property to one of the Classes in the diagram onto which you are dropping the Pattern.

- To change the name of one of the elements, double-click on the element to display the **Edit** dialog. From this dialog you can also add comments detailing the element's purpose.



8. Click on the **OK** button to save the Pattern. Once saved you can [load it](#) into Enterprise Architect as a Pattern in the [Resources](#) window.

5.9.2 Import a Pattern

Before using a previously [created Pattern](#) file in a UML model, you must first import it into the current UML model; it is then available from the [Resources](#) window and optionally from the Enterprise Architect UML [Toolbox](#). To import a UML Pattern you have previously saved, follow the steps outlined below:

1. Select the **Resources** window.
2. Right-click on the *UML Patterns* node. The context menu displays.
3. Select the **Import UML Pattern** menu option. The **Select UML Pattern Import Filename** dialog displays.
4. Locate the XML file to import.
5. Click on the **Open** button to import the Pattern.

The imported Pattern is placed in the appropriate category as defined in the XML file. If the category does not already exist under UML Patterns, a new one is created. To download examples of the Gang of Four patterns for Enterprise Architect open the [GoF Patterns zip file](#).


5.9.3 Use a Pattern

Using a Pattern enables you to use items defined in the Pattern with the UML model. Using Patterns enables you to rapidly create template solutions for code structures that perform the same type of task in other situations.

To use a Pattern that you have [previously imported](#) into the model, follow the steps below:

1. Open the diagram into which to add the UML Pattern.
2. Select the **Resources** window.
3. Expand the *UML Pattern* folder and find the Pattern to add.
4. Either:
 - Right-click on the Pattern and select the **Add Pattern to Diagram** menu option or
 - Drag and drop the Pattern from the **Resources** window onto the diagram.(You can also view the Pattern details in read-only mode by selecting the **View Pattern Details** menu option.)

The **Add Pattern** dialog displays.




Panel	Use to
Preview	Display a preview of the Pattern; click on the Preview link to open a view of the Pattern and drag the sides into as large a picture as you require.
Pattern Elements	Access the individual elements contained in the Pattern. From here you can: <ul style="list-style-type: none"> select the action for the individual element (<i>Create</i>, <i>Merge</i>, <i>Instance</i> or <i>Type</i>, as applicable for each element) by clicking on the drop-down arrow, or modify^[459] the default of the Pattern element or - for a merged element - choose the namespace, by clicking on the [...] button on the right of the Default entry.
Element Notes	Display the comments that describe the element in the Pattern. Highlight an element in the Pattern Elements panel to view the notes.

- Once the appropriate selections have been made, click on the **OK** button to import the Pattern into the model, recreating the original diagram with new GUIDs.

Change Pattern Element Default

To change the default of the Pattern element, follow the steps below:

- From the **Add Pattern** dialog select the individual element in the **Pattern Element** panel.
- Click on the [...] button to display the **Edit** dialog. The specific method for changing the element name is dependant upon the entry in the **Action** column of the **Pattern Elements** panel.
- If the **Action** entry is **Create**, then in the **Default** field in the **Edit** dialog delete the existing value and type your own, user-defined value. Click on the **OK** button. The element default is updated on the **Add Pattern** dialog.
- If the **Action** entry for the element is **Merge**, in the **Edit** dialog click on the [...] button to browse to an existing element classifier. The **Set Element Classifier** dialog displays.



5. Select an existing element classifier from the **Classifier** list. You can restrict the number of choices by selecting the elements from a specific namespace; to do this, click on the **In Namespace** drop-down arrow and select a namespace. For more information regarding setting element classifiers see the [Using Classifiers](#)^[383] topic.

5.10 MDG Technologies



The Model Driven Generation (MDG) Technologies enable you to access and use resources pertaining to a specific technology in Enterprise Architect. You have various options for bringing MDG Technologies into use with Enterprise Architect:

- Sparx Systems already provide some in the Enterprise Architect Install directory, such as [ICONIX](#)^[470], [BPMN 1.4](#)^[473], [Data Flow Diagrams](#)^[468] and [Mind Mapping](#)^[467]; you can see which technologies are available using the [MDG Technologies](#)^[462] [dialog](#)^[462]; these are available across Enterprise Architect
- Sparx Systems provide other MDG Technologies for download from www.sparxsystems.com/resources/mdg_tech/, which you can add to those in your Enterprise Architect Install directory; these are available across Enterprise Architect
- You can [access and activate](#)^[463] MDG Technologies remote from Enterprise Architect, in system folders or web sites; these are available across Enterprise Architect
- You can [import](#)^[461] UML Profiles, UML Patterns, code templates and language types from elsewhere to be contained in a single area that you can easily access through the [Resources](#)^[464] [window](#)^[464]; these are available only within the model in which you imported them

- Technology Developers can create new MDG Technologies and deploy them to the project team as appropriate; see the [Enterprise Architect Software Developers' Kit \(SDK\)](#).^[154]

Having made the MDG Technologies available to Enterprise Architect, you can [manage](#)^[462] their availability to users and you can [work](#)^[464] with them.

5.10.1 Import MDG Technologies


To import an MDG Technology you must have a suitable MDG Technology XML file. If the MDG Technology includes references to any metafiles, they should be in the same directory as the MDG Technology XML file.

An imported MDG Technology is available only within the model into which it has been imported, not in every model you have in Enterprise Architect. To make the MDG Technology available across all your models, download it into the Enterprise Architect install directory.

Import an MDG Technology

To import an MDG Technology, follow the steps below:

1. Select the **Tools | Import Technology** menu option. The **Import Technology** dialog displays.



2. In the **Filename** field, type the path and filename of the MDG Technology file to import, or browse for it using the [...] button.

Note:

When you enter the filename, the MDG Technology name displays in the **Technology** field and the option checkboxes become available. Any options that remain grayed out indicate that no examples of that type exist in the MDG Technology XML file.

3. All option checkboxes default to selected. *Clear* those against resources you do not want to import, and *leave selected* the checkbox against each of the resources to import. Leave selected:
 - **Patterns**, to import patterns, if they exist
 - **Images**, to import graphics
 - **Profiles**, to import profiles, if they exist
 - **Element Size**, to import the element size attributes
 - **Alternate Image**, to import the metafile image

- **Tagged Values**, to import Tagged Values
- **Color and Appearance**, to import the color (background, border and font) and appearance (border thickness) attributes
- **Code Modules**, to import the various languages associated with the technology, if they exist
- **Data Types**, to import the data types
- **Code Templates**, to import the code templates, if they exist
- **Code Options**, to import the options that include items such as default file extensions and default file paths.


4. Click on the **Import** button.

If the MDG Technology already exists, Enterprise Architect displays a prompt to overwrite the existing version and import the new one.

Once the import is complete, the MDG Technology is listed in the *MDG Technologies* folder of the [Resources](#) ^[464] [window](#) ^[464], and in the [MDG Technologies](#) ^[462] dialog.

5.10.2 Manage MDG Technologies

You use the **MDG Technologies** dialog to manage the MDG Technologies available and accessible to Enterprise Architect users. To display this dialog, select the **Settings | MDG Technologies** menu option.



The **MDG Technologies** dialog lists the technologies held in the Enterprise Architect Install directory (available in all models), and those imported into the **Resources** window for the current model.

Enable and Disable MDG Technologies

All MDG Technologies listed can be made available (enabled) or removed from use (disabled). To enable or disable a Technology, click on its **Enabled** checkbox.

When an MDG Technology is enabled, three things happen:

- The MDG Technology is added to the list of available options in the profile field of the [Default Tools](#) ^[127] toolbar, so that you can apply the interface profiles of the MDG Technology
- At least one set of [Toolbox](#) pages for the MDG Technology is automatically added to the [Enterprise Architect UML](#) ^[100] [Toolbox](#) ^[100]; you can access the added [Toolbox](#) pages through the **More Tools** menu
- Any MDG Technology-specific diagram templates are added to the [New Diagram](#) ^[248] dialog for selection; when selected, these display the diagram-specific [Toolbox](#) pages.

Note:

Whilst you have to enable an imported MDG Technology to access its [Toolbox](#) groups and interface profile, you do not have to enable it in order to drag its objects from the [Resources](#) window onto diagrams.

You can quickly enable or disable all the listed MDG Technologies by clicking on the **All** or **None** buttons.

Set as Default

You can make an MDG Technology the default interface to Enterprise Architect. Depending on the MDG Technology selected, this can change the way Enterprise Architect windows are displayed and override the Enterprise Architect UML [Toolbox](#) pages with pages specific to that Technology.

To set an MDG Technology as the default interface, click on it in the [Technology](#) panel and click on the **Set Active** button.

This displays an asterisk against the MDG Technology name in the [Technology](#) panel, and selects the MDG Technology in the profile field of the [Default Tools](#) ^[127] toolbar. If the MDG Technology has not been enabled, this also enables it.

MDG Technologies Outside Enterprise Architect

The [MDG Technologies](#) dialog lists technologies that have been loaded into the Enterprise Architect install directory or imported into the [Resources](#) window. You can also add MDG Technologies in folders and websites remote from Enterprise Architect. To do this, click on the **Advanced** button. See [Access Remote MDG Technologies](#) ^[463].

5.10.2.1 Access Remote MDG Technologies

You can access MDG Technologies in folders and websites remote from Enterprise Architect.

If you have not already identified the location of the MDG Technology, you must first do this. You can then [select](#) ^[464] the MDG Technology for use.

Later, if you have no further use for the MDG Technology, you can [remove](#) ^[464] it from the list of identified MDG Technologies.


Note:

If you add or remove remote MDG Technologies, you must restart Enterprise Architect to show them on or remove them from the list on the [MDG Technologies](#) dialog.


Identify Remote MDG Technology

To specify the location of the MDG Technology to access, follow the steps below:

1. Select the **Settings | MDG Technologies** menu option. The [MDG Technologies](#) ^[462] dialog displays.
2. Click on the **Advanced** button. The [MDG Technologies - Advanced](#) dialog displays.



3. Click on the **Add** button. A short context menu displays, offering the options:
 - **Add Path**
 - **Add URL**.
4. To specify an MDG Technology in a directory folder, select the **Add Path** option. The **Browse for Folder** dialog displays. Browse for the MDG Technology folder, click on it, and click on the **OK** button. Go to step 6.
5. To specify an MDG Technology on a web site, select the **Add URL** option. The **Input** dialog displays.



- In the **Enter Value** field, type or copy-and-paste the MDG Technology URL. Click on the **OK** button.
6. The folder path or URL for the MDG Technology displays in the **Path** panel.

Use Remote MDG Technology

To access a remote MDG Technology listed in the **MDG Technologies - Advanced** dialog, double-click on the folder path or URL.

Remove Listed MDG Technology

To remove an MDG Technology listed in the **MDG Technologies - Advanced** dialog, click on the folder path or URL and click on the **Remove** button. The path or URL is deleted.


5.10.3 Work with MDG Technologies

Any MDG Technology listed on the [MDG Technologies](#) dialog can be enabled, which makes their interface profiles and [Enterprise Architect UML Toolbox pages](#) available for your use.

When you *import* an MDG Technology, you can also access its resources immediately through the [Enterprise Architect Resources window](#).

MDG Technology Toolbox Pages

When you enable an MDG Technology, any Technology-specific diagram types are added to the **New Diagram** dialog lists, and the Technology's UML **Toolbox** pages are added to those available through the **More tools** menus in the Enterprise Architect UML **Toolbox**.




If you set the MDG Technology to *Active*, its **Toolbox** pages override any parallel Enterprise Architect UML **Toolbox** pages. For example, the ICONIX *Class* pages would override the Enterprise Architect *Class* pages.

You [create](#)^[248] Technology-specific diagrams and populate them with [elements and connectors](#)^[100] in the same way as for standard Enterprise Architect diagrams.

The Resources Window

The [Resources](#)^[166] [window](#)^[166] (**View | Resources**) displays a tree structure containing nodes such as imported MDG Technologies, Documents, Stylesheets, Matrix profiles and UML Profiles.



MDG Technologies can bundle the functionality provided by UML Profiles, UML Patterns, Code Templates and Model Types.

Profiles contained in MDG Technologies are applied to:

- Elements such as Classes and Interfaces, which are dragged directly from the Enterprise Architect UML **Toolbox** or the **Resources** window to the current diagram
- Attributes, which are dragged over a host element (eg. Class) to be automatically added to the element feature list
- Operations which, like Attributes, are dragged over a host element to add the operation
- Links such as Association, Generalization, and Dependency, which are added by selecting them in the **Toolbox** or **Resources** window, then clicking on the source element in a diagram and dragging to the target element (in the same way as adding normal links); the link is added with the new stereotype and Tagged Value information
- Association Ends, which are added by dragging the link end element over the end of an Association in the diagram.

Patterns contained in MDG Technologies are used to:

- Enable reuse in a model
- Build in robustness.

Code Templates are used to:

- Specify the transformation from UML elements into various parts of a given programming language.

Model Types are used to:

- Define the data types for the model.

5.10.4 Mind Mapping

The following text is derived from the [Mind Map](#) entry in the online Wikipedia.

A Mind Map is a diagram used to represent words, ideas, tasks or other items linked to and arranged radially around a central key word or idea. It is used to generate, visualize, structure and classify ideas, and as an aid in study, organization, problem solving, decision making, and writing.

A Mind Map is an image-centered diagram that represents semantic or other connections between portions of information. By presenting these connections in a radial, non-linear graphical manner, it encourages a brainstorming approach to any given organizational task, eliminating the hurdle of initially establishing an intrinsically appropriate or relevant conceptual framework to work within.

The elements are arranged intuitively according to the importance of the concepts and are organized into groupings, branches, or areas. The uniform graphic formulation of the semantic structure of information on the method of gathering knowledge, may aid recall of existing memories.

The use of the term *Mind Maps* is trademarked in the UK and the USA by The Buzan Organization, Ltd.

For further information on the concepts of Mind Mapping, refer to the [Wikipedia](#) item and its linked sources.


Mind Mapping in Enterprise Architect

Enterprise Architect enables you to develop Mind Maps quickly and simply, through use of an MDG Technology integrated with the Enterprise Architect installer. The Mind Mapping facilities are provided in the form of:

- A Mind Mapping diagram type, accessed through the [New Diagram](#) ^[248] dialog
- A **Mind Mapping** page in the Enterprise Architect UML [Toolbox](#) ^[100]
- Mind Mapping element and relationship entries in the [UML Toolbox Shortcut Menu](#) ^[105] and [Quicklinker](#) ^[184].


Mind Mapping Toolbox Page

You can access the **Mind Mapping** page of the **Toolbox** through the **More tools | Mind Mapping** menu option. The following icons are available:



- *Central Topic* is the main theme of the Mind Map; you would normally have one or two of these on the diagram, but can add as many as are necessary
- *Main Topic* represents the immediate concepts generated by the Central Topic
- *Topic* represents the larger divisions of a Main Topic
- *Sub Topic* represents the finer divisions of a Topic or Main Topic; you could also have Subtopics of Subtopics to represent increasingly finer distinctions
- *Relationship* represents the connection between any two elements; you can have several Relationships per element. Each relationship has three anchor points, so you can curve the lines to develop the flow of concepts more easily.

When dragged onto a Mind Mapping diagram, the elements and relationship have the following appearances:



As the elements can represent any concept, object or relationship, you can use the full range of element properties and features to expand on what the element represents, including adding *Note* elements. However, to preserve the simplicity and readability of the diagram itself, you cannot display the element compartments on the diagram.

Disable Mind Mapping

If you prefer not to use Mind Mapping in Enterprise Architect, you can disable it (and subsequently re-enable it) using the [MDG Technologies](#) ^[462] dialog (**Settings | MDG Technologies**).

5.10.5 Data Flow Diagrams

The following text is derived from the [Data flow diagram](#) entry in the online Wikipedia.

A data flow diagram (DFD) is a graphical representation of the "flow" of data through an information system. A data flow diagram can also be used for the visualization of data processing (structured design). It is common practice for a designer to draw a context-level DFD first which shows the interaction between the system and outside entities. This context-level DFD is then "exploded" to show more detail of the system being modeled.

Data flow diagrams were invented by Larry Constantine ... based on Martin and Estrin's "data flow graph" model of computation. [They] are one of the three essential perspectives of Structured Systems Analysis and Design Method SSADM. The sponsor of a project and the end users will need to be briefed and consulted throughout all stages of a system's evolution. With a dataflow diagram, users are able to visualize how the system will operate, what the system will accomplish, and how the system will be implemented. The old system's dataflow diagrams can be drawn up and compared with the new system's dataflow diagrams to draw comparisons to implement a more efficient system.

Developing a DFD helps in identifying the transaction data in the data model.

For further information on the concepts of Data Flow Diagrams, refer to the [Wikipedia](#) item and its linked sources.

Data Flow Diagrams in Enterprise Architect


Enterprise Architect enables you to develop Data Flow diagrams quickly and simply, through use of an MDG Technology integrated with the Enterprise Architect installer. The Data Flow diagram facilities are provided in the form of:

- A Data Flow diagram type, accessed through the [New Diagram](#) ^[248] dialog

- A **Data Flow Diagram** page in the Enterprise Architect UML [Toolbox](#)^[100]
- Data Flow element and relationship entries in the [UML Toolbox Shortcut Menu](#)^[105] and [Quicklinker](#)^[184].


Data Flow Diagram Toolbox Page

You can access the **Data Flow Diagram** page of the **Toolbox** through the **More tools | Data Flow Diagrams** menu option. The following icons are available:



- *Process* is a process or activity in which data is used or generated
- *External* represents an external source, user or depository of the data
- *Data Store* represents an internal physical or electronic repository of data, into and out of which data is stored and retrieved
- *Data Flow* represents how data flows through the system, in physical or electronic form.

When dragged onto a Data Flow diagram, the elements and relationship have the following appearances:



To preserve the simplicity and readability of the diagram, you cannot display the element compartments on the diagram.

Disable Data Flow Diagrams

If you prefer not to use Data Flow Diagramming in Enterprise Architect, you can disable it (and subsequently re-enable it) using the [MDG Technologies](#)^[462] dialog (**Settings | MDG Technologies**).

5.10.6 ICONIX Process

The following text is derived from the [ICONIX](#) entry in the online Wikipedia.

The ICONIX Process is a minimalist, streamlined approach to Use Case driven UML modeling that uses a core subset of UML diagrams and techniques to provide thorough coverage of object-oriented analysis and design. Its main activity is robustness analysis, a method for bridging the gap between analysis and design. Robustness analysis reduces the ambiguity in use case descriptions, by ensuring that they are written in the context of an accompanying domain model. This process makes the use cases much easier to design, test and estimate.

The ICONIX Process was developed by D. Rosenberg. For more information on the ICONIX Process, see the [ICONIX Software Engineering Inc. website](http://iconixsw.com/) <http://iconixsw.com/>

ICONIX Process in Enterprise Architect

Enterprise Architect enables you to develop models under the ICONIX Process quickly and simply, through use of an MDG Technology integrated with the Enterprise Architect installer. The ICONIX facilities are provided in the form of:

- ICONIX pages in the Enterprise Architect UML [Toolbox](#) ^[100]
- ICONIX element and relationship entries in the [UML Toolbox Shortcut Menu](#) ^[105] and [Quicklinker](#) ^[184].


To further help you develop and manage a project under the ICONIX Process, Enterprise Architect also provides a white paper on the [ICONIX Roadmap](#).

In addition, Enterprise Architect has an alternative [visual layout](#) ^[47] specific to the ICONIX Process.

ICONIX Toolbox Pages

Within the [Toolbox](#), Enterprise Architect provides ICONIX versions of the pages for [Analysis](#) ^[114] ([Robustness](#) ^[115]), [Use Case](#) ^[108], [Class](#) ^[113], [Interaction](#) ^[109], [Activity](#) ^[106] and [Custom](#) ^[114] diagrams. Compared to the standard Enterprise Architect [Toolbox](#) pages, these have slightly different element and relationship sets. You can access them by either:


- Selecting the **More tools | ICONIX | <Diagram Type>** menu option for a specific [Toolbox](#) page, or
- Selecting the **ICONIX** option in the drop-down field of the [Default Tools](#) ^[12] toolbar, which adds all six pages to the [Toolbox](#). The first page and the [Common](#) page are expanded, and the others are closed up.



ICONIX Layout

The ICONIX layout re-organizes the Enterprise Architect work area, opening the:

- **Toolbox** on the right hand side of the screen (follow the instructions above to display the ICONIX pages)
- **Project Browser** and **Model Views** windows nested in the top left of the screen
- **Tasks Pane** and **Resources** window autohidden on the top left of the screen
- **Pan & Zoom**, **Notes** and **Properties** windows nested on the bottom left of the screen, and
- **System** and **Output** windows autohidden on the bottom left of the screen.



To apply this layout, select the **View | Visual Layouts** menu option.

Disable ICONIX

If you prefer not to use the ICONIX Process in Enterprise Architect, you can disable it (and subsequently re-enable it) using the [MDG Technologies](#) ⁴⁶²¹ dialog (**Settings | MDG Technologies**).

This does not affect the ICONIX layout, which you can switch back to your own layout or the Enterprise Architect default layout using the **View | Visual Layouts** menu option.

5.10.7 BPMN 1.4

The following text is derived from the [Business Process Modeling Notation](#) entry in the online Wikipedia.

The Business Process Modeling Notation (BPMN) is a standardized graphical notation for drawing business processes in a workflow. BPMN was developed by Business Process Management Initiative (BPMI), and is now being maintained by the Object Management Group since the two organizations merged in 2005.

The primary goal of BPMN is to provide a standard notation that is readily understandable by all business stakeholders. These business stakeholders include the business analysts who create and refine the processes, the technical developers responsible for implementing the processes, and the business managers who monitor and manage the processes. Consequently BPMN is intended to serve as common language to bridge the communication gap that frequently occurs between business process design and implementation.

... The adoption of BPMN standard notation will help unify the expression of basic business process concepts (e.g. public and private processes, choreographies) as well as advanced modeling concepts (e.g. exception handling, transaction compensation).

BPMN ... supports only the concepts of modeling that are applicable to business processes ... other types of modeling done by organizations for non-business purposes [are] out of scope for BPMN. For example, ... modeling ... the following is not a part of BPMN:

- *Organizational structures*
- *Functional breakdowns*
- *Data models*

In addition, while BPMN shows the flow of data (messages) and the association of data artifacts to activities, it is not a data flow diagram.

For further information on the concepts of BPMN, refer to the [Wikipedia](#) item and its linked sources.

Note:

Version 1.4 of MDG Technology for BPMN is integrated with the Enterprise Architect installer for release 7.0 and above. This configuration does not include model validation. You can also install MDG Technology For BPMN version 1.3 separately, if you require the model validation component. However, this version is intended for - and only correctly integrates with - release 6.5 of Enterprise Architect. If you intend to install MDG Technology for BPMN 1.3, **do not** load it through the BPMN **Add-In** menu.

BPMN in Enterprise Architect



Enterprise Architect enables you to develop BPMN diagrams quickly and simply, through use of an MDG Technology integrated with the Enterprise Architect installer. The BPMN facilities are provided in the form of:

- A BPMN diagram type, accessed through the [New Diagram](#)^[248] dialog
- **BPMN** pages in the Enterprise Architect UML [Toolbox](#)^[100]
- BPMN element and relationship entries in the [UML Toolbox Shortcut Menu](#)^[105] and [Quicklinker](#)^[184].

BPMN Toolbox Pages

You can access the **BPMN** pages of the **Toolbox** through the **More tools | BPMN** menu option. These pages provide the graphical (Core) and non-graphical (Types) BPMN elements for use on business process diagrams. Specifications of these elements and relationships are defined by Tagged Values (for example, as applied to the *Message*, *Timer* and *Default (/)* characteristics in the diagram below).

To define the specifications of the elements and relationships, open the **Tagged Values** window and select the required element or relationship in a diagram. The **Tagged Values** window shows the appropriate Tagged Values and provides a list of values to assign to each one. For example, to change the decoration of a Start Event or Intermediate Event, set the *Trigger* Tagged Value. To change the decoration of an End Event, set the *Result* Tagged Value.



Item	Use to
Business Process	Extend a <i>composite Activity</i> that defines a business process.
Activity	Define an activity within a business process.
Start Event	Define the initiating event in a process.
Intermediate Event	Define an intermediate event in a process.
End Event	Define the terminating event in a process.
Gateway	Define a decision point in a business process. If a condition is true, then processing continues one way; if not, then another.
Pool	Extend a <i>Partition</i> element to logically organize an Activity.
Lane	Extend a <i>Partition</i> element to subdivide a Pool.
Data Object	Extend an <i>Artifact</i> element to define a physical piece of information used or produced by a system.
Group	Extend a <i>Boundary</i> element to group other elements.

Item	Use to
Text Annotation	Create a comment.
Sequence Flow	Extend a <i>Control Flow</i> relationship to define the flow of activity.
Message Flow	Extend a <i>Control Flow</i> relationship to define the flow of communications in the process.
Association	Associate information and artifacts with flow objects.
Message	Extend a Class element to define a message.
Participant	Extend a Class element to define a participant in an activity.
Rule	Extend a Class element to define rule statements.
Transaction	Extend a Class element to define a transaction in an activity.
Web Service	Extend a Class element to define a web service.
Property	Extend an attribute to drag onto another element.

5.11 Business Modeling



Modeling the Business Process


Modeling the business process is an essential part of any software development process. It enables the analyst to capture the broad outline and procedures that govern what it is a business does. This model provides an overview of where the proposed software system being considered fits into the organizational structure and daily activities. It can also provide the justification for building the system by capturing the current manual and automated procedures that are to be rolled up into a new system, and the associated cost benefit.

As an early model of business activity, it enables the analyst to capture the significant events, inputs, resources and outputs associated with business process. By connecting later design elements (such as Use Cases) back to the business process model through Implementation links, it is possible to build up a fully traceable model from the broad process outlines to the functional requirements and eventually to the software artefacts actually being constructed.

As the Business Process Model typically has a broader and more inclusive range than just the software system being considered, it also enables the analyst to clearly map what is in the scope of the proposed system and what is to be implemented in other ways (eg. a manual process).

An Example

The example below is an example of the kind of model that can be built up to represent a business process. In this model, the goal of the business process is to take customer orders and to ship those orders out. A user starts the process with an inquiry, which leads to the involvement of the Book Catalogue, Shopping Cart, On-line pages and warehouse inventory. The output of significance to the business is a customer order.



The second half of the process model is to respond to a customer order and ship the required items. The second process involves the warehouse inventory, shipping company and completes when an order is delivered to the customer.

See

- [Process Modeling Notation](#) ^[476]
- [Inputs, Resources and Information](#) ^[477]
- [Events](#) ^[478]
- [Outputs](#) ^[478]
- [Goals](#) ^[478]
- [A Complete Business Process](#) ^[479]
- [Traceability](#) ^[479]

See Also

- [Business Modeling Stereotypes](#) ^[1238]

5.11.1 Process Modeling Notation

A business process model typically defines the following elements:


- The goal or reason for the process
- Specific inputs
- Specific outputs
- Resources consumed

- Activities that are performed in some order, and
- Events that drive the process.

The business process:

- Can affect more than one organizational unit
- Can have a horizontal organizational impact
- Creates value of some kind for the customer; customers can be internal or external.

A business process is a collection of activities designed to produce a specific output for a particular customer or market. It implies a strong emphasis on how the work is done within an organization, in contrast to a product's focus on what. A process is thus a specific ordering of work activities across time and place, with a beginning, an end, and clearly defined inputs and outputs: a structure for action. The notation used to depict a business process is illustrated below.




The [process notation](#) ^[1247] implies a flow of activities from left to right. Typically an [Event](#) ^[478] element is placed to the left of the process and the output to the right. To specifically notate the internal activities, UML [Activity elements](#) ^[1160] can be placed inside the process element.

5.11.2 Inputs, Resources and Information

Business processes use information to tailor or complete their activities. Information, unlike resources, is not consumed in the process; rather it is used as part of the transformation process. Information can come from external sources, from customers, from internal organizational units and could even be the product of other processes. A resource is an input to a business process and, unlike information, is typically consumed during the processing. For example, as each daily train service is run and actuals recorded, the service resource is 'used up' as far as the process of recording actual train times is concerned.

The notation to illustrate information and resources is shown below.




A Supply link indicates that the information or object linked to the process is not used up in the processing phase. For example, order templates can be used over and over to provide new orders of a certain style; the templates are not altered or exhausted as part of this activity.

An Input link indicates that the attached object or resource is consumed in the processing procedure. As an

example, as customer orders are processed they are completed and signed off, and typically are used only once per unique resource (order).

5.11.3 Events


An [event](#)^[1242] is the receipt of some object, a time or date reached, a notification or some other trigger that initiates the business process. The event might be consumed and transformed (for example a customer order) or simply act as a catalyst (for example, nightly batch job).



5.11.4 Outputs

A business process typically produces one or more outputs of value to the business, either for internal use or to satisfy external requirements. An output might be a physical object (such as a report or invoice), a transformation of raw resources into a new arrangement (a daily schedule or roster) or an overall business result such as completing a customer order.


An output of one business process might feed into another process, either as a requested item or a trigger to initiate new activities.



An Output link indicates that the business process produces some object (either physical or logical) that is of value to the organization, either as an externally visible item or as an internal product (possibly feeding another process).

5.11.5 Goals


A business process has some well defined goal. This is the reason the organization does this work, and should be defined in terms of the benefits this process has for the organization as a whole and in satisfying the business requirements.



A Goal link indicates that the attached object to the business process describes the goal of the process. A goal is the business justification for performing the activity.


5.11.6 A Complete Business Process

The diagram below illustrates how the various model elements can be grouped together to produce a coherent picture of a named business process. Included are the inputs, outputs, events, goals and other resources that are of significance.



5.11.7 Traceability

Traceability defines the way a given business process is to be implemented in the proposed system. In an Implementation diagram, Use Cases, packages and other model artefacts can be linked back to the business process with «*implementation*» links to signify the dependent relationship. The example below illustrates how a Business Process is implemented by a Use Case and a package. As the model develops and functional software components are built and linked to Use Cases, the business justification for each element can be derived from this model.



Note that this model also implies what is NOT being delivered. The Business Process typically includes a wide range of manual and automated procedures. This model illustrates exactly what functionality (Use Cases) are to be built to service a particular business process; any missing functionality must come from other (manual or automated) systems and procedures.

Part

6

6 Model Management



Model Management incorporates the following:

Project Files

An Enterprise Architect project is stored in a data repository. Enterprise Architect enables you to work with [EAP files](#) ^[484] (a Microsoft JET database). In the Enterprise Architect Corporate edition, you can also work with [DBMS repositories](#) ^[484] such as:

- [SQL Server](#) ^[519]
- [MySQL](#) ^[516]
- [Oracle 9i, 10g or 11g](#) ^[521]
- [PostgreSQL](#) ^[522]
- [Adaptive Server Anywhere](#) ^[524]
- [MSDE Server](#) ^[527]
- [Progress OpenEdge](#) ^[528]

Information on how to get started with projects can be found in the [Quick Start - Create a Project](#) ^[24] topic.

Project Sharing

Note:

This functionality is available in the Professional and Corporate editions only. The Desktop edition is intended for single users, so does not support shared files.

Enterprise Architect enables [project sharing](#) ^[566] for efficient management of team development. You can create a replica of your project, make changes to it, then merge your changes back into the master project.

Version Control

Enterprise Architect [version control](#) ^[590] enables you to:

- Coordinate sharing of packages between users, with either read-only access or update access
- Save and retrieve a history of changes to packages.

To use version control in Enterprise Architect, you require a third-party source-code control application such as *Subversion*, *CVS*, or any other version control product that complies with the Microsoft Common Source Code Control standard.

User Security

Note:

This feature is available in the Corporate edition only.

[User security](#) ^[632] in Enterprise Architect provides a means of limiting access to update functions in a project. Elements can be locked per user or per group, and a password defined for login. Enterprise Architect offers two security policies:

- Standard, where each element is considered unlocked until specifically locked
- Rigorous, where each element is assumed to be locked until specifically unlocked.

Auditing

[Auditing](#)^[65†] is a project-level feature, available in the Corporate Edition, that enables you to record model changes in Enterprise Architect. By enabling this option, model administrators can view a range of information regarding changes, such as:

- *Who* changed an element
- *How many* elements they changed
- *When* they changed the data
- *What* the previous values were, and
- *What type* of elements they changed.

Baselines and Differences

The Enterprise Architect Corporate edition provides a facility to '[Baseline](#)^[662†] or snapshot a model branch in XML format at a particular point in time, and store it within the model in compressed format. More than one baseline can be stored against a single Enterprise Architect package. Using Baselines, you can compare packages at the current and earlier stages of development, using the [Compare \(Diff\)](#)^[665†] utility. The Compare utility is available in the Professional and Corporate editions of Enterprise Architect. It enables you to compare the current model with either an exported or a version-controlled Enterprise Architect XML file on disk, as well as with a Baseline.

Project Data Transfer

Note:

This feature is available in the Corporate edition only.

Enterprise Architect enables you to [transfer project data](#)^[548†] between project data repositories, row by row, table by table.

The Automation Interface

The Enterprise Architect [Automation Interface](#)^[1438†] provides a way of accessing the internals of Enterprise Architect models to, for example, perform repetitive tasks or produce custom reports. All development environments capable of generating ActiveX Com clients, such as Microsoft C# or Java, should be able to connect to the Automation Interface.

Add-Ins

Add-Ins are ActiveX COM objects that expose public Dispatch methods. The [Enterprise Architect Add-In model](#)^[1385†] builds on the features provided by the Automation Interface to enable you to extend the Enterprise Architect user interface and add functionality.

Project Discussion Forum

Enterprise Architect provides a [Project Discussion Forum](#)^[210†], which can be used to discuss the development and progress of a project or model. You can switch the forum to other projects, so you can monitor and compare developments in several projects at once.

Replication

Note:

This functionality is available in the Professional and Corporate editions only. The Desktop edition is intended for single users, so does not support replication.

In addition to sharing projects in real time over a network, Enterprise Architect also enables projects to be shared using [replication](#)^[568]. Replication is a simple process that enables data interchange between .EAP based repositories and is suitable for use in situations where many different users work independently. Modelers merge their changes into a Design Master only as required. It is recommended that a backup is carried out prior to replication.

Replication requires the use .EAP based repositories, and cannot be performed on repositories stored on a DBMS server.

See Also

- [Upgrading Models](#)^[544]
- [Project Data Integrity](#)^[546]
- [Setting Up a Database Repository](#)^[489]
- [Model Maintenance](#)^[553]
- [Manage Views](#)^[555]
- [XML Import and Export](#)^[572]
- [Team Development](#)^[565]
- [Spell Checking](#)^[221]
- [Reference Data](#)^[671]

6.1 Enterprise Architect Project Files

An Enterprise Architect [project](#)^[485] is stored in a data repository. In Enterprise Architect Desktop and Professional editions, you work with a single file having a .EAP extension. In Enterprise Architect Corporate edition you can use a suitable DBMS database for project files.

Project Files

.EAP Files

In Enterprise Architect Desktop and Professional editions, a single file with a .EAP extension is used to store projects. A .EAP file is a Microsoft JET database, so you can also open it using MS Access or any other reporting tool that can work with JET databases.

DBMS Repositories

In Enterprise Architect Corporate edition, you can use a suitable DBMS database for project files. DBMS project files have the same logical structure as .EAP files, but must be connected to using ADO/ODBC. See [Connect to a Data Repository](#), below.

Whenever you launch Enterprise Architect, the first thing displayed is the [Start Page](#)^[39]. From here, you can [create a new project](#)^[488], [open a project](#)^[486] and [connect to a data repository](#)^[528] (Corporate edition only).

Create a New Project File

On creating a [new project](#)^[488], the [Model Wizard](#)^[488] enables you to select various model packages.

You can also add models to a project from the **Project Browser** window by:

- Right-clicking on an existing model and selecting the **New Model** or **Add model using Wizard** context menu options
- Right-clicking on a package and selecting the **Add | Add model using Wizard** context menu option
- Clicking on an existing model, pressing **[Insert]** and selecting the **New Model** or **Add model using Wizard** context menu options
- Clicking on a package, pressing **[Insert]** and selecting the **Add model using Wizard** context menu option.

Open an Existing Project

There are various ways to [open a project](#)^[486] in Enterprise Architect. New users are advised to explore the [EAExample file](#)^[486] supplied with Enterprise Architect.

Connect to a Data Repository

Note:

This feature is available in the Corporate edition only.

Enterprise Architect enables you to connect to a data repository. Enterprise Architect currently supports the following data repositories:

- MS Access (in all editions - .EAP files are stored in Microsoft JET databases)
- [SQL Server](#)^[519]
- [MySQL](#)^[516]
- [Oracle 9i, 10g or 11g](#)^[521]
- [PostgreSQL](#)^[522]
- [MSDE](#)^[527]
- [Adaptive Server Anywhere](#)^[524]
- [Progress OpenEdge](#)^[540]

To create a new data repository, you must first create a new database with the DBMS management software, then run supplied scripts to create the logical structure. You should then use Enterprise Architect data transfer functions to move a project from a .EAP or DBMS model into the new project.

Models are of type *package* and belong to a collection of packages. This is the top level entry point to an Enterprise Architect project file. Each model is a *root node* in the **Project Browser** window and can contain items such as Views and packages.

A model is a special form of a package; it has a *ParentID* of 0. By iterating through all models, you can access all the elements within the project hierarchy. You can also use the **Add New** function to create a new model. A model can also be deleted, but remember that everything contained in the model is deleted as well.

6.1.1 What is an Enterprise Architect Project?

An Enterprise Architect project is a mechanism for storing and managing the components of one or more UML models.


A project can be a [.EAP file](#)^[484] in an MS Access database or (in the Enterprise Architect Corporate edition) a structure of files in a [database management system](#)^[484] such as MySQL or Oracle.

A project can contain a single model, or a number of models, each of which defines a particular aspect of the system or process. You [create the model](#)^[488] from a [template](#)^[41] specifically structured to support the aspect that the model represents, such as business process, requirements, or deployment.

A model contains the diagrams, elements, relationships and associated metadata that define the structure and function of a system or process. These components are organized into a hierarchy of packages, which help to group and manage related components.

The top-level packages in a model are [Views](#)^[555], which represent partitions of the model that you define yourself. You can start with standard Views such as Class or Component, or create whatever partitions are appropriate to your model.

So a typical project could have a structure something like the following:



The project **Project** contains two models:

- **Development Model** and
- **Requirements Model**.

Each model contains Views. Requirements Model contains:

- **Requirements View** and
- **Use Case View**.

Each View contains packages. Use Case View contains:

- **Req Package** and
- **Use Case Package**.

Each package contains one or more diagrams, one or more packages, and several elements. Use Case Package contains:

- **Use Case Diagram**
- **New Customer** package
- **Existing Customer** package
- **Use Case 1** element
- **Use case 2** element.


Each subordinate package also contains diagrams, elements and (if necessary) yet further packages. The elements are related by connectors created in the diagrams, and each element and connector has properties, attributes, operations and extensions defined on the respective **Properties** dialog.

6.1.2 Open a Project

Enterprise Architect supports several different methods to open an Enterprise Architect project file.

From the Main Menu

Select the **File | Open Project** menu option. From the **Open Project** dialog, select the path for the file to open and click on the **Open** button.



From the Start Page ³⁹

- Click on **Open a Project File**.
- The **Open Project** dialog displays.
- Use the file browser ([...]) to navigate to the project to open, which has a .EAP file extension (*.EAP). Select the project and click on the **Open** button.

Recently Opened Projects

Enterprise Architect keeps a list of recently opened projects and displays them on the **Start Page** for easy selection. If the project to open is in the **Recent** list, simply click once on the name of the project to open it.

Note:

If you already have a project open, Enterprise Architect prompts you to save changes before loading.

Enterprise Architect Example Project File

New Enterprise Architect users in particular should start by exploring the *EAExample* file supplied with Enterprise Architect. The example model file is stored in your Enterprise Architect installation directory. The default installation directories, depending on which version you have installed, are:

- Registered version: C:\Program Files\Sparx Systems\EA
- Trial version: C:\Program Files\Sparx Systems\EA Trial
- Lite version: C:\Program Files\Sparx Systems\EA Lite

Connect to a Data Repository ⁵²⁸

Note:

This feature is available in the Corporate edition only.

If you are using the Enterprise Architect Corporate edition, you also have the option to connect to [SQL Server](#) ⁵¹⁹, [MySQL](#) ⁵¹⁶, [Oracle 9i, 10g or 11g](#) ⁵²¹ and [Progress OpenEdge](#) ⁵⁴⁰ data repositories.

6.1.3 Create a New Project

Enterprise Architect projects can be created via the **File | New Project** menu option, which displays the **Save New Enterprise Architect Project** dialog. Select a directory and enter a file name for your project, then click on the **Save** button. Once the project has been saved, the **Model Wizard** ^[488] displays. A selection of models are available. Select the models to include and click on the **OK** button.

Alternatively, new projects can be created from the **Start Page** ^[39]; select the **Create a New Project** option.

The Model Wizard

The Model Wizard is used to add a selection of models to the project.

The EABase Project File

The default project file (*EABase.EAP*) is supplied when you install Enterprise Architect. By default, the example project file is stored in your Enterprise Architect installation directory. The default installation directories, depending on which version you have installed, are:

- Registered version: C:\Program Files\Sparx Systems\EA
- Trial version: C:\Program Files\Sparx Systems\EA Trial
- Lite version: C:\Program Files\Sparx Systems\EA Lite

Design a Custom Template

You can customize any Enterprise Architect project and use it as the base for the new project. This enables you or your organization to build a default project with company standards, tutorials, frameworks or any other common piece of modeling already in-built. A default project is no different from an ordinary project; Enterprise Architect simply copies and renames it as a starter for your new project. With careful planning you can save yourself many hours of work at project start-up.


Configure Project

Having created your project, you can set a range of project parameters to define defaults, tailor the project to particular coding languages, and make development and use of the project consistent. See the following topics:

- [The Settings Menu](#) ^[98]
- [Defaults and User Settings](#) ^[187]

6.1.3.1 Model Wizard

The Model Wizard is available on creating a new project. Once you have created a project, you can also access the Model Wizard from the **Project Browser** window. Right-click on a root node and select the **Add Model using Wizard** menu option.



Option	Use to
Select From	Select the model category from which to select the model type to create.
Technology	(If you have advanced Add-Ins and MDG Technologies, this panel lists them). Select the appropriate technology to list the associated templates in the Name panel. To list the standard Enterprise Architect model templates ^[41] , select <default> .
All	Select all of the models.
None	Clear all models selected.
OK	Create the project tree for your project.
Cancel	Create a blank project tree.
Help	Display this help topic.

6.1.4 Set Up a Database Repository

Introduction

The Desktop and Professional versions of Enterprise Architect use an MS JET database as the model repository.

If you purchase the *Corporate* edition, you can create and use a [SQL Server](#) ^[519] 2000 or 2005, [MySQL](#) ^[516], [PostgreSQL](#) ^[522], [Adaptive Server Anywhere](#) ^[527] 8 or 9, [Progress OpenEdge](#) ^[492], [MSDE](#) ^[527] or [Oracle 9i, 10g or 11g](#) ^[527], data repository. You *upsizes* the Enterprise Architect models (either existing or template) to use

your selected DBMS.

The process of upsizing a model is straightforward and comprises the following steps:

1. Install the DBMS software and create a database.
2. Run a [script supplied by Sparx Systems](#)^[542] to create the required tables.
3. Open Enterprise Architect and use the [Project Data Transfer](#)^[548] function (select the **Tools | Data Management | Project Transfer** menu option) to move a model from a .EAP file to the DBMS repository.

This topic details how to do this for [MySQL](#)^[500], [SQL Server](#)^[498], [PostgreSQL](#)^[495], [Adaptive Server Anywhere](#)^[491], [Progress OpenEdge](#)^[492], [MSDE](#)^[494] and [Oracle 9i, 10g or 11g](#)^[496].

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Setting up a database repository is a two- or three-stage process: firstly, you set up an ODBC driver for your database; secondly, you create the repository tables using scripts downloaded from the Sparx Systems web site; and finally, you connect to the repository. Full instructions on all three stages are provided below.

Set Up an ODBC Driver

Setting up an ODBC driver is only necessary for *MySQL*, *PostgreSQL* and *Adaptive Server Anywhere*. The other supported databases connect using OLE DB, so this stage can be skipped. To find out how to set up an ODBC driver, go to:

- [Set Up a MySQL ODBC Driver](#)^[503]
- [Set Up a PostgreSQL ODBC Driver](#)^[506]
- [Set Up an Adaptive Server Anywhere ODBC Driver](#)^[509]
- [Set Up a Progress OpenEdge ODBC Driver](#)^[514].

Create a Repository

To find out how to download the scripts and create the data repository tables, go to:

- [Create a MySQL Data Repository](#)^[516]
- [Create a SQL Server Data Repository](#)^[519]
- [Create an Oracle Data Repository](#)^[521]
- [Create a PostgreSQL Data Repository](#)^[522]
- [Create an Adaptive Server Anywhere Data Repository](#)^[524]
- [Create an MSDE Server Data Repository](#)^[527]
- [Create a Progress OpenEdge Data Repository](#)^[528]

Connect to a Repository

Once the repository is created, you can connect to it. To find out how, go to:

- [Connect to a MySQL Data Repository](#)^[529]
- [Connect to a SQL Server Data Repository](#)^[531]
- [Connect to an Oracle Data Repository](#)^[534]
- [Connect to a PostgreSQL Data Repository](#)^[536]
- [Connect to an Adaptive Server Anywhere Data Repository](#)^[538]
- [Connect to an MSDE Server Data Repository](#)^[540]
- [Connect to a Progress OpenEdge Data Repository](#)^[540]

6.1.4.1 Upsize to Sybase Adaptive Server Anywhere (ASA)

Before you set up Enterprise Architect for use with ASA, it is recommend that you run the project integrity check tool (select the **Tools | Data Management | Project Integrity Check** ^[546] menu option) on the base project to upsize to ASA. This ensures the data is 'clean' before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

There are three stages to upsizing your database for ASA. Work through them in the order defined below:

Stage One: Install ASA Components

1. Install Adaptive Server Anywhere - SQL Anywhere Studio 8 or higher. This also installs the ASA ODBC driver.
2. Create a new database for the Enterprise Architect repository using Sybase Central.
3. Create a suitable ODBC Data Source to point to your new database.

Note:

See [Set up an Adaptive Server Anywhere ODBC Driver](#) ^[509].

Stage Two: Configure the Database

From Sybase Central:

1. Right-click on the newly created database.
2. Open Interactive SQL and load the *ASA_BaseModel.sql* file. This is available to registered users on the Corporate edition **Resources** page of the Sparx website at http://www.sparxsystems.com/registered/reg_ea_corp_ed.html.
3. Run the script to create all required data structures.

Note:

See [Create a New Adaptive Server Anywhere Repository](#) ^[524].

You now have an empty database, and can transfer an existing model into the server.

Stage Three: Transfer the Data

1. Open Enterprise Architect (click on the **Cancel** button on the **Open Project** screen to open with no project loaded).
2. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays.

3. In the **Transfer Type** panel, select **.EAP to DBMS**.
4. In the **Source Project** field, type the name of the .EAP file to upsize to ASA.
5. At the right of the **Target Project** field, click on the [...] (Browse) button. The **Datalink Properties** dialog displays.
6. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list, then click on the **Next** button.
7. In the **Use Data source name** field, click on the drop-down arrow and select the ODBC Data Source you configured to point to your new database.

Note:

See [Connect to an Adaptive Server Anywhere Data Repository](#)^[538] for more information

8. Click on the **OK** button.
9. If required, select the **Logfile** checkbox and enter a path for the data transfer log file.
10. Click on the **Transfer** button to begin the data transfer process.

When the process is complete, you have upsized your model to Adaptive Server Anywhere and can now open it from Enterprise Architect.

6.1.4.2 Upsize to Progress OpenEdge

Before you set up Enterprise Architect for use with OpenEdge, it is recommended that you run the project integrity check tool (select the **Tools | Data Management | Project Integrity Check**^[546] menu option) on the base project to upsize to OpenEdge. This ensures the data is clean before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

There are three stages to upsizing your database for OpenEdge. Work through them in the order defined below:

Stage One: Install OpenEdge Components

1. Install OpenEdge, version 10.0B3 or higher.
2. Install OpenEdge ODBC 10.0B or higher driver.
3. Create a suitable ODBC Data Source to point to your new database.

Note:

See [Setup a Progress OpenEdge ODBC Driver](#) ⁵¹⁴.

Stage Two: Configure the Database

1. Create an empty OpenEdge database, using the scripts *OpenEdge_BaseModel.sql* file. This is available to registered users on the Corporate edition **Resources** page of the Sparx website at http://www.sparxsystems.com/registered/reg_ea_corp_ed.html.
2. Make sure the new database is selected as the current database.
3. Run the script to create all required data structures.

Note:

See [Create a New OpenEdge Repository](#) ⁵²⁸.

Stage Three: Transfer the Data

1. Open Enterprise Architect (click on the **Cancel** button on the **Open Project** screen to open with no project loaded).
2. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays:

3. In the **Transfer Type** panel, select **.EAP to DBMS**.
4. In the **Source Project** field, type the name of the .EAP file to upsize to OpenEdge.
5. At the right of the **Target Project** field, click on the [...] (Browse) button. The **Datalink Properties** dialog displays.
6. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list, then click on the **Next** button.
7. In the **Use Data source name** field, click on the drop-down arrow and select the ODBC Data Source you configured to point to your new database.

Note:

See [Connect to a OpenEdge Data Repository](#)^[540] for more information.

8. Click on the **OK** button.
9. If required, select the **Logfile** checkbox and enter a path and filename for the data transfer log file.
10. Click on the **Transfer** button to begin the data transfer process.

When the process is complete, you have upsized your model to OpenEdge and can now open it from Enterprise Architect.

6.1.4.3 Upsize to SQL Server Desktop Engine (MSDE)

Before you set up Enterprise Architect for use with MSDE, it is recommended that you run the project integrity check tool (select the **Tools | Data Management | Project Integrity Check**^[546] menu option) on the base project to upsize to MSDE. This ensures the data is 'clean' before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

Follow the steps in [Upsizing to SQL Server](#)^[498] to upsize your model to MSDE.

6.1.4.4 Upsize to PostgreSQL

Before you set up Enterprise Architect for use with PostgreSQL, it is recommended that you run the project integrity check tool (select the **Tools | Data Management | Project Integrity Check**^[546] menu option) on the base project to upsize to PostgreSQL. This ensures your data is clean before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

There are three stages to upsizing your database for PostgreSQL. Work through them in the order defined below:

Stage One: Install PostgreSQL Components

1. Install PostgreSQL, version 7.3.2 or higher.
2. Install psqLODBC, version 7.03.01.00 or higher.
3. Create a suitable ODBC Data Source to point to your new database.

Note:

See [Set up a PostgreSQL ODBC Driver](#)^[506].

Stage Two: Configure the Database

1. From the PSQL command line, or using a tool such as EMS PostgreSQL Manager, load the *Postgres_Basemodel.sql* file. This is available to registered users on the Corporate edition **Resources** page of the [Sparx Systems website](#).
2. Run the script to create all required data structures.

Note:

See [Create a New PostgreSQL Repository](#)^[522].

You now have an empty database and can transfer an existing model into the server.

Stage Three: Transfer the Data

1. Open Enterprise Architect (click on the **Cancel** button on the **Open Project** screen to open with no project loaded).
2. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays.

3. In the **Transfer Type** panel, select **.EAP to DBMS**.
4. In the **Source Project** field, type or select .EAP file to upsize to PostgreSQL.
5. At the right of the **Target Project** field, click on the [...] (Browse) button. The **Datalink Properties** dialog displays.
6. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list, then click on the **Next** button.
7. In the **Use data source name** field, click on the drop-down arrow and select the ODBC Data Source you configured to point to your new database.

Note:

See [Connect to a PostgreSQL Data Repository](#)^[536] for more information.

8. Click on the **OK** button.
9. If required, select the **Logfile** checkbox and type a path and filename for the data transfer log file.
10. Click on the **Transfer** button to begin the data transfer process.

When the process is complete, you have upsized your model to PostgreSQL and can now open it from Enterprise Architect.

6.1.4.5 Upsize to Oracle 9i, 10g or 11g

Before you set up Enterprise Architect for use with Oracle, it is recommended that you run the project integrity check tool (select the **Tools | Data Management | Project Integrity Check**^[546] menu option) on the base project to upsize to Oracle. This ensures your data is clean before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

There are three stages to upsizing your database for Oracle. Work through them in the order defined below:

Stage One: Create an Empty Database

1. Install Oracle.
2. Create an empty database.

Note:

See [Create a New Oracle Repository](#) ^[52].

Stage Two: Configure the Database

1. Using a tool such as the SQL*Plus or SQL Plus Worksheet, load the *Oracle_BaseModel.sql* file. This is available to registered users on the Corporate edition **Resources** page of the [Sparx Systems website](#).
2. Make sure the new database is selected as the current database.
3. Run the script to create all required data structures.

Note:

See [Create a New Oracle Repository](#) ^[52].

You now have an empty database and can transfer an existing model into the server.

Stage Three: Transfer the Data

Note:

When transferring a project you must have permission to execute the **CREATE SEQUENCE** command.

1. Open Enterprise Architect (click on the **Cancel** button on the **Open Project** screen to open with no project loaded).
2. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays:

3. In the **Transfer Type** panel, select **.EAP to DBMS**.
4. In the **Source Project** field, type the name of the .EAP file to upsize to Oracle.
5. At the right of the **Target Project** field, click on the [...] (Browse) button. The **Datalink Properties** dialog displays.
6. Select **Oracle Provider for OLE DB** from the list, then click on the **Next** button.
7. On the **Data Source details** page of the **Connection** dialog, type in the database name and security details as required.

Note:

See [Connect to an Oracle Data Repository](#)^[534] for more information.

8. Click on the **OK** button.
9. If required, on the **Project Transfer** dialog, select the **Logfile** checkbox and type a path and file name for the data transfer log file.
10. Click on the **Transfer** button to begin the data transfer process.

Once the process is complete, you have upsized your model to Oracle and can now open it from Enterprise Architect.

6.1.4.6 Upsize to SQL Server

Before you set up Enterprise Architect for use with SQL Server, it is recommended that you run the project integrity check tool (select the **Tools | Data Management | Project Integrity Check**^[546] menu option) on the base project to upsize to SQL Server. This ensure the project data is 'clean' before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

There are three stages to upsizing your database for SQL Server. Work through them in the order defined below:

Stage One: Create an Empty Database

1. Install SQL Server.
2. Create an empty database.

Note:

See [Create a New SQL Server Repository](#) ⁵¹⁹.

Stage Two: Configure the Database

1. Using a tool such as the SQL Query Analyser, load the *SQL Server - Base Model.sql* file. This is available to registered users on the Corporate edition **Resources** page of the [Sparx Systems Website](#).
2. Make sure the new database is the currently active database.
3. Run the script to create all required data structures.

Note:

See [Create a New SQL Server Repository](#) ⁵¹⁹.

You now have an empty database, and can transfer an existing model into the server.

Stage Three: Transfer the Data

Note:

When transferring a project you must have permission to execute the **SET IDENTITY_INSERT [table] {ON | OFF}** command.

1. Open Enterprise Architect (click on the **Cancel** button on the **Open Project** screen to open with no project loaded).
2. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays.

3. In the **Transfer Type** panel, select **.EAP to DBMS**.
4. In the **Source Project** field, type the name of the .EAP file to upsize to SQL Server.
5. At the right of the **Target Project** field, click on the [...] (Browse) button. The **Datalink Properties** dialog displays.
6. Select **Microsoft OLE DB Provider for SQL Server** from the list, then click on the **Next** button.
7. On the **Data Source Details** page of the Connection dialog, type in the server name, database name and security details as required.

Note:

See [Connect to a SQL Server Data Repository](#)^[53] for more information.

8. Click on the **OK** button.
9. If required, select the **Logfile** checkbox and type in a path and filename for the data transfer log file.
10. Click on the **Transfer** button to begin the data transfer process.

When the process is complete, you have upsized your model to SQL Server and can now open it from Enterprise Architect.

6.1.4.7 Upsize to MySQL

Before you set up Enterprise Architect for use with MySQL, it is recommended that you run the project integrity check tool (the **Tools | Data Management | Project Integrity Check**^[54] menu option) on the base project to upsize to MySQL. This ensures data is 'clean' before uploading.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

Before proceeding, ensure MDAC 2.6 or higher is installed on your system.

Upsizing Your Database

There are four stages to upsizing your database for MySQL. Work through them in the order defined below:

Stage One: Install MySQL Components

1. Install MySQL version 4.0.3 or higher.
2. Install MySQL ODBC 3.51 or higher.
3. Create a suitable ODBC Data Source to point to your new database.

Note:

There are two critical non-default settings required; see [Set up a MySQL ODBC Driver](#)^[503] and ensure you select the checkboxes in step 7.

Stage Two: Select Table Type

1. If you are using *InnoDB* tables, set up the *MySQL .ini* file as required and run the *MySQL - InnoDB BaseModel* script.
2. If you are using *MyISAM* tables, set up the *MySQL .ini* file as required and run the *MySQL - MyISAM BaseModel* script.

Notes:

- See the discussion on [MySQL limitations](#)^[542].
- The scripts are available to registered users on the Corporate edition Resources page of the [Sparx Systems website](#).

Stage Three: Create the Database

1. Create an empty database.

Note:

See [Create a New MySQL Repository](#)^[516].

You now have an empty database, and can transfer an existing model into the server as described below.

Stage Four: Transfer the Data

1. Open Enterprise Architect (click on the **Cancel** button on the **Open Project** screen to open with no project loaded).
2. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays:

3. In the **Transfer Type** panel, select **.EAP to DBMS**.
4. In the **Source Project** field, type the name of the .EAP file to upsize to MySQL.
5. At the right of the **Target Project** field, click on the [...] (Browse) button. The **Datalink Properties** dialog displays.
6. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list, then click on the **Next** button.
7. In the **Use Data source name** field, click on the drop-down arrow and select the ODBC Data Source you configured to point to your new database.

Note:

See [Connect to a MySQL Data Repository](#)^[529] for more information.

8. Click on the **OK** button.
9. If required, select the **Logfile** checkbox and type a path and filename for the data transfer log file.
10. Click on the **Transfer** button to begin the data transfer process.

When the process is complete, you have upsized your model to MySQL and can now open it from Enterprise Architect.

6.1.4.8 Set Up an ODBC Driver

This topic details how to set up the following ODBC drivers:

- [MySQL ODBC Driver](#)^[503]
- [PostgreSQL ODBC Driver](#)^[506]
- [Adaptive Server Anywhere ODBC Driver](#)^[509]
- [Progress OpenEdge ODBC Driver](#)^[514]

6.1.4.8.1 Set up a MySQL ODBC Driver


Before you can connect to a MySQL data repository, you must first set up a MySQL ODBC driver for which, in turn, you must first have installed Microsoft MDAC components, a MySQL DBMS system and a MySQL ODBC driver.

Note:


The MySQL ODBC driver version 3.51.14 creates problems in incorporating tests in elements. Use a different version, such as 3.51.12.

To set up your MySQL ODBC Driver, follow the steps below:

1. Select the Windows™ **Control Panel | Administrative Tools | Data Sources (ODBC)** option. The **ODBC Data Sources Administrator** window displays.



2. Click on the **Add** button. The **Create New Data Source** dialog displays, enabling you to add a new DSN.



3. Select **MySQL ODBC 3.51 Driver** from the list.
4. Click on the **Finish** button. The **Connector/ODBC 3.51.12 - Add Data Source Name** dialog displays.
5. Enter the following configuration details:
 - A data source name for the connection
 - A description (optional)
 - The host address of the DBMS server
 - User name and password
 - The database name on the selected server.See the example below

6. Click on the **Advanced** tab and **Flags 1** tab to set the advanced options.


7. Select the **Don't Optimize Column Width** and **Return Matching Rows** checkboxes, then click on the **OK** button.
 8. Click on the **Test** button to confirm that the details are correct.
 9. If the test succeeds, click on the **OK** button to complete the configuration.
 10. If the test does not succeed, review your settings.
- Your MySQL connection is now available to use in Enterprise Architect.

6.1.4.8.2 Set up a PostgreSQL ODBC Driver


Before you can connect to a PostgreSQL data repository, you must first set up a PostgreSQL ODBC driver. To do this, you must have Microsoft MDAC components, PostgreSQL DBMS system and PostgreSQL ODBC driver (version 7.03.01.00 minimum) installed.

To set up your PostgreSQL ODBC driver, follow the steps below:

1. Select the Windows™ **Control Panel | Administrative Tools | Data Sources (ODBC)** option. The **ODBC Data Sources Administrator** window displays.



2. Click on the **Add** button. The **Create New Data Source** dialog displays, enabling you to add a new DSN.



3. Select **PostgreSQL** from the list.
4. Click on the **Finish** button.
5. Enter the following configuration details:
 - A name for the connection
 - The actual name of the database.
 - Description (optional)
 - The host address of the PostgreSQL server.
 - User name and password.

6. Click on the **Datasource** button and set the options on Page 1 and Page 2 as shown on the examples below:

Page 1 Page 2

Disable Genetic Optimizer ConnLog (C:\psqlodbc_xxxx.log)

KSQL(Keyset Query Optimizatior) Parse Statements

Recognize Unique Indexes Cancel as FreeStmt (Exp)

Use Declare/Fetch MyLog (C:\mylog_xxxx.log)

Unknown Sizes

Maximum Don't Know Longest

Data Type Options

Text as LongVarChar Unknowns as LongVarChar Booleans as Char

Miscellaneous

Max Varchar: Max LongVarChar:

Cache Size: SysTable Prefixes:

OK Cancel Apply Defaults

Page 1 Page 2

Read Only Row Versioning

Show System Tables Disallow Premature

LF <-> CR/LF conversion True is -1

Updatable Cursors Server side prepare

bytea as LO

Int8 As

default bigint numeric varchar double int4

Extra Opts

Protocol

7.4+ 6.4+ 6.3 6.2

Level of rollback on errors

Nop Transaction Statement

OID Options

Show Column Fake Index

Connect Settings:

OK Cancel Apply

Note:

On [Page 2](#), For PostgreSQL version 8+ select the **Disallow Premature** checkbox and, in the **Protocol** panel, select the **7.4+** radio button.

- Click on the **OK** button to complete the configuration.


Your PostgreSQL connection is now available to use in Enterprise Architect.

6.1.4.8.3 Set up an Adaptive Server Anywhere ODBC Driver


Before you can connect to a ASA data repository, you must first set up a ASA ODBC driver. To do this, you must have Microsoft MDAC components, the ASA DBMS system and the ASA ODBC driver (installed with the ASA DBMS) installed.

To set up your ASA ODBC Driver, follow the steps below:

- Select the Windows™ **Control Panel | Administrative Tools | Data Sources (ODBC)** option. The **ODBC Data Sources Administrator** window displays.



- Click on the **Add** button. The **Create New Data Source** dialog displays, enabling you to add a new DSN.



3. Select **Adaptive Server Anywhere 8.0** from the list.
4. Click on the **Finish** button.
5. Enter the following configuration details:
 - A name for the connection on the **ODBC** tab.

ODBC | Login | Database | Network | Advanced

Data source name: asa_base_model

Description:

Isolation level:

Microsoft applications (Keys in SQLStatistics)

Delphi applications

Suppress fetch warnings

Prevent driver not capable errors

Delay AutoCommit until statement close

Describe Cursor Behavior

Never If required Always

Translator: <No Translator>

Select Translator...

Test Connection

OK Cancel

- The username and password on the **Login** tab (**dba**, **sql** are the defaults when ASA is installed).

The image shows a screenshot of the ODBC Login dialog box, specifically the Database tab. The dialog has a title bar with tabs for ODBC, Login, Database, Network, and Advanced. The Database tab is active. It contains two radio buttons: 'Use integrated login' (unselected) and 'Supply user ID and password' (selected). Below the radio buttons are two text input fields: 'User ID:' containing 'dba' and 'Password:' containing '****'. There is also a checkbox labeled 'Encrypt password' which is unchecked. At the bottom right, there are 'OK' and 'Cancel' buttons.

- The server name and the path to the database, on the **Database** tab.

The screenshot shows the ODBC configuration dialog box, specifically the Database tab. The fields are as follows:


- Server name: asa_localserver
- Start line: (empty)
- Database name: (empty)
- Database file: \\Server\asa8\ea_base.db
- Encryption key: (empty)

There are two checked options:

- Automatically start the database if it isn't running
- Automatically shut down database after last disconnect

Buttons at the bottom: OK, Cancel, and a Browse... button next to the Database file field.

- The network protocol on the **Network** tab (if the database is on a network location).



6. You can now return to the **ODBC** tab and test the connection.

7. Click on the **OK** button to complete the configuration.


Your Adaptive Server Anywhere connection is now available to use in Enterprise Architect.

6.1.4.8.4 Set up a Progress OpenEdge ODBC Driver


Before you can connect to an OpenEdge data repository, you must first set up an OpenEdge ODBC driver. To do this, you must have Microsoft MDAC components, OpenEdge DBMS system and DataDirect ODBC driver for OpenEdge (version 4.20 minimum) installed.

To set up the ODBC Driver, follow the steps below:

1. Select the Windows™ **Control Panel | Administrative Tools | Data Sources (ODBC)** option. The **ODBC Data Sources Administrator** window displays.



- Click on the **Add** button. The **Create New Data Source** dialog displays, enabling you to add a new DSN.



- Select the **DataDirect/OpenEdge SQL** driver from the list.
- Click on the **Finish** button. The **DSN Configuration** dialog displays.
- Enter the following configuration details:
 - The **Data Source Name**
 - The **Description** (optional)
 - The **Host Name** and **Port Number** of the DBMS server

- The **Database Name** on the selected server
- The **User ID**.

See the example below:

The screenshot shows a configuration dialog box with the following fields and values:

Field	Value
Data Source Name:	openedge_users
Description:	
Host Name:	dbserver02
Port Number:	4141
Database Name:	ea
User ID:	oe_user

Buttons: Test Connect, OK, Cancel, Apply, Help

6. Click on the **Test Connect** button to confirm that the details are correct.
7. If the test succeeds, click on the **OK** button to complete the configuration.
8. If the test does not succeed, review your settings.

Your OpenEdge connection is now available to use in Enterprise Architect.

6.1.4.9 Create a Repository

This topic details how to create the following data repositories:

- [MySQL](#) ^[516]
- [SQL Server](#) ^[519]
- [Oracle 9i, 10g or 11g](#) ^[521]
- [PostgreSQL](#) ^[522]
- [Adaptive Server Anywhere \(ASA\)](#) ^[524]
- [MSDE Server](#) ^[527]

6.1.4.9.1 Create a MySQL Repository

Note:

This feature is available in the Corporate edition only.

Before creating a MySQL data repository in Enterprise Architect, you must set up the MySQL and MySQL ODBC drivers. For further information on setting these up, see [Setup a MySQL ODBC Driver](#) ^[503].

To create a new MySQL repository, you must first create a database into which to import the table definitions for Enterprise Architect. Sparx Systems provide SQL scripts to create the required tables; how you create the database and execute that script are up to you.

- Registered users can obtain the scripts from the Registered Corporate edition **Resources** page of the Sparx Systems website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.
- Trial users can obtain the scripts from the Corporate edition **Resources** page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>

Create the Data Repository

Once you have created the database and executed the script, you should have an empty Enterprise Architect project to begin working with. You can transfer data from an existing .EAP file or simply start from scratch.


Third Party Tools

If you are unfamiliar with MySQL and DBMS systems in general, you might want to consider a suitable front end tool.


PremiumSoft Navicat (formerly *PremiumSoft MySQLStudio*) is one such tool, and is available at www.navicat.com. Navicat provides a convenient graphical user interface to enable the creation of databases, execution of scripts, backups and restores.

To get started with Navicat, follow the steps below:


1. Create a new database.



2. Open and execute the MySQL script.



3. Below is an example showing the tables created in the MySQL repository after running the script in Navicat.



6.1.4.9.2 Create a SQL Server Repository

Note:

This feature is available in the Corporate edition only.

Before creating a SQL Server data repository, you must have SQL Server and MDAC 2.6 or higher installed, and access permission to create a new database. Please note that setting up SQL Server and the issues involved are beyond the scope of this user guide. Consult your program's documentation for a guide to this.

Sparx Systems provide SQL scripts to create the required tables; how you create the database and execute that script are up to you.


- Registered users can obtain the scripts from the Registered Corporate edition **Resources** page of the Sparx Systems website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.
- Trial users can obtain the scripts from the Corporate edition **Resources** page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>

Create a SQL Server Repository


SQL Server repositories are created without any data, so you must perform a [project data transfer](#)^[548] in Enterprise Architect to copy a suitable starter project. If you are starting from scratch, [EABase.EAP](#)^[484] is a good starting point. If you are using an existing .EAP model, you can [upscale](#)^[489] it.

To use SQL Enterprise Manager to create a SQL Server repository, follow the steps below:

1. In SQL Enterprise Manager, locate the server on which to create your new Enterprise Architect model; in the example below this is (LOCAL).




2. Right-click and choose **New Database** from the context menu.
3. Enter a suitable name for the database. Set any file options as required.


**Note:**

Ensure that the database collation is case-insensitive.

4. Click on the database to select it, then select the **Tools | SQL Query Analyzer** menu option.



5. In Query Analyzer, use the **File Find** dialog to locate the supplied Enterprise Architect SQL Server Model script file. Click on the **Open** button.



6. Check that you have selected the correct database to run the script in. In this example the tables are being added to the *Base Model* database as shown in the drop-down menu below.



7. Click on the **Run** button; SQL Server executes the script, which creates the base model for an Enterprise Architect Project.

Tip:

Use the [Project Data Transfer](#) ^[548] function to upload a basic model into the repository.

6.1.4.9.3 Create an Oracle Server Repository

Note:

This feature is available in the Corporate edition only.

Before creating an Oracle data repository, you must have the appropriate version of Oracle (9i, 10g or 11g) and MDAC 2.6 or higher installed, and access access permission to create a new database. Please note that setting up Oracle and the issues involved are beyond the scope of this manual. Consult your program documentation for guidance.

Sparx Systems provide SQL scripts to create the required tables; how you create the database and execute that script are up to you.

- Registered users can obtain the scripts from the Registered Corporate edition **Resources** page of the Sparx Systems website at http://www.sparxsystems.com/registered/reg_ea_oracle_instructions.html.
- Trial users can obtain the scripts from the Corporate edition **Resources** page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>

Create the Data Repository

Oracle repositories are created without any data, so you must perform a [project data transfer](#) ^[548] in Enterprise Architect to copy a suitable starter project. If you are starting from scratch, [EABase.EAP](#) ^[488] is a good starting point. If you want to use an existing .EAP model, you can [upscale](#) ^[496] it; follow the steps below:

1. Create a new database on the Oracle server.

2. Connect to the newly created database with a program such as Oracle SQL*Plus or SQL Plus Worksheet.
3. Execute the script Oracle_BaseModel.sql, which creates the base model tables and indexes for an Enterprise Architect Project.

Note:

Use the [Project Data Transfer](#) ^[548] function to upload a basic model into the repository.

6.1.4.9.4 Create a PostgreSQL Repository

Note:

This feature is available in the Corporate edition only.

Before creating a PostgreSQL data repository in Enterprise Architect, you must set up PostgreSQL and PostgreSQL ODBC drivers. For further information on setting these up, see [Set up a PostgreSQL ODBC Driver](#) ^[506].

To create a new PostgreSQL repository, you must first create a database into which to import the table definitions for Enterprise Architect. Sparx Systems provide SQL scripts to create the required tables; how you create the database and execute that script are up to you.

- Registered users can obtain the scripts from the Registered Corporate edition **Resources** page of the Sparx Systems website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.
- Trial users can obtain the scripts from the Corporate edition **Resources** page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>

Create the Data Repository

After you create the database and execute the script, the result should be an empty Enterprise Architect project to begin working with. You can transfer data from an existing .EAP file or simply start from scratch.

Third Party Tools

If you are unfamiliar with PostgreSQL and DBMS systems in general, you might want to consider a suitable front end tool.

EMS PostgreSQL Manager is one such tool, and is available at www.sqlmanager.net/products/postgresql/manager. It provides a convenient graphical user interface to enable creation of databases, execution of scripts and restores.

To get started with EMS PostgreSQL Manager, follow the steps below:

1. Create a new database.

General Options
Create Database

Set new database name:
new_db

Set host properties:

Host: 192.168.0.3 Register After Creating
 Port: 5432
 Login: postgres
 Password:

Set database properties (can be blank):

Location:
 Template:
 Encoding:
 Owner (7.3 or higher):

Cancel Back Next Create Help

2. Open and execute the PostgreSQL sql script.

```


--PostgreSQL
--Database:    basemodel
--Date:       5/3/2003
--Reserved Words:  Default, Constraint, User

-----
-- Create sequences for auto-increment
-----

CREATE SEQUENCE id_seq;
CREATE SEQUENCE propertyid_seq;
CREATE SEQUENCE categoryid_seq;
CREATE SEQUENCE connector_id_seq;
CREATE SEQUENCE datatypeid_seq;
CREATE SEQUENCE diagram_id_seq;
CREATE SEQUENCE instance_id_seq;
CREATE SEQUENCE glossaryid_seq;
CREATE SEQUENCE imageid_seq;
CREATE SEQUENCE issueid_seq;
CREATE SEQUENCE object_id_seq;
CREATE SEQUENCE reqid_seq;
CREATE SEQUENCE operationid seq;

```

3. Below is an example showing the tables created in the PostgreSQL repository after running the script in EMS PostgreSQL Manager.



6.1.4.9.5 Create an Adaptive Server Anywhere Repository

Note:

This feature is available in the Corporate edition only.

Before creating an ASA data repository in Enterprise Architect, you must set up ASA and ASA ODBC drivers. For further information on setting these up, see [Setup an Adaptive Server Anywhere ODBC Driver](#) ^[509].

To create a new ASA repository, you must first create a database into which to import the table definitions for Enterprise Architect. Sparx Systems provide SQL scripts to create the required tables - how you create the database and execute that script are up to you.

- Registered users can obtain the scripts from the Registered Corporate edition **Resources** page of the Sparx Systems website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.
- Trial users can obtain the scripts from the Corporate edition **Resources** page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>

Create the Data Repository

After you create the database and execute the script, the result should be an empty Enterprise Architect project to begin working with. You can transfer data from an existing .EAP file or simply start from scratch.


Third Party Tools

If you are unfamiliar with ASA and DBMS systems in general, you might want to consider a suitable front end tool.


Sybase Central is one such tool, that can be installed along with the DBMS. It provides a convenient graphical user interface to enable creation of databases, execution of scripts and restores.


To get started with Sybase Central, follow the steps below:

1. Create a new database.




2. Open and execute the ASA SQL script.





Below is an example showing the tables created in the ASA repository after running the script in EMS ASA Manager.



6.1.4.9.6 Create an MSDE Server Repository

Note:

This feature is available in the Corporate edition only.

Before creating a SQL Server MSDE data repository, you must have MSDE Server and MDAC 2.6 or higher installed. Please note that setting up MSDE Server and the issues involved are beyond the scope of this user guide. Consult your program documentation for guidance.

Sparx Systems provide SQL scripts to create the required tables; how you create the database and execute that script are up to you.

- Registered users can obtain the scripts from the Registered Corporate edition [Resources](#) page of the Sparx Systems website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.
- Trial users can obtain the scripts from the Corporate edition [Resources](#) page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>

Use the SQL Server 2000 and 2005 script for MSDE, and follow the steps to [Create a New SQL Server Data Repository](#) ^[519].

6.1.4.9.7 Create a Progress OpenEdge Repository

Notes:

- This feature is available in the Corporate edition only.
- The OpenEdge database must be either version 10.0B03 or version 10.1B01, or later.

Before creating a Progress OpenEdge data repository, you must have OpenEdge and MDAC 2.6 or higher installed, and access permission to create a new database. Please note that setting up OpenEdge and the issues involved are beyond the scope of this manual. Consult your OpenEdge documentation for guidance.

Sparx Systems provide SQL scripts to create the required tables; how you create the database and execute that script is up to you.

- Registered users can obtain the scripts from the Registered Corporate edition **Resources** page of the Sparx Systems website at http://www.sparxsystems.com/registered/reg_ea_openedge_instructions.html
- Trial users can obtain the scripts from the Corporate edition **Resources** page of the Sparx Systems website at <http://www.sparxsystems.com/resources/corporate/>.

Create the Data Repository

OpenEdge repositories are created without any data, so you must perform a [project data transfer](#)^[548] in Enterprise Architect to copy a suitable starter project. If you are starting from scratch, [EABase.EAP](#)^[488] is a good starting point. If you want to use an existing .EAP model, you can [upsized](#)^[492] it.

1. Run proenv from the **OpenEdge** menu: **Start->Programs->OpenEdge->proenv**.
2. Create database: `prodb <database_name> empty`.
3. Start database server: `proserve <database_name> -S <port_number>`
4. Open Data Administration to add a user:

```
prowin32 -db <database_name> -S <port_number> -p _admin -rx
```

5. Open **Admin->Security->Edit User List**.
6. Close Data Administration.
7. Open SQL Explorer Tool, connect as 'sysprogress'.
8. Add user:

```
create user 'user', 'password';
commit;
```

9. Grant privileges:

```
grant dba, resource to <user>;
commit;
```

Tip:

Use the [Project Data Transfer](#)^[548] function to upload a basic model into the repository.

6.1.4.10 Connect to a Data Repository

This topic describes how to connect to the following data repositories:

- [MySQL Data Repository](#)^[529]
- [SQL Server Data Repository](#)^[531]
- [Oracle Data Repository](#)^[534]
- [PostgreSQL Data Repository](#)^[536]
- [Adaptive Server Anywhere Data Repository](#)^[538]
- [MSDE Server Data Repository](#)^[540]

- [Progress OpenEdge](#)^[540]

6.1.4.10.1 Connect to a MySQL Data Repository


Note:

This feature is available in the Corporate edition only.


In order to use a MySQL data repository, you must connect to it in Enterprise Architect first. Before connecting to the repository, you must [set up a MySQL ODBC driver](#)^[503]. Be aware, there are some [limitations with using MySQL](#)^[542] with Enterprise Architect.

To connect to a MySQL data repository in Enterprise Architect, follow the steps below:


1. In the [Open Project](#)^[486] [dialog](#)^[486], select the **Connect to Server** checkbox.
2. Click on the [...] (Browse) button, as you normally would to browse for a project. As you have selected the **Connect to Server** checkbox, the **Data Link Properties** dialog displays instead of the **Browse Directories** dialog.



3. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list.
4. Click on the **Next** button. The **Connection** tab displays.



5. Click on the **Use data source name** radio button and on the drop-down arrow in its field. Select the ODBC driver you have set up to connect to your MySQL repository from the list. In the [setup example](#) ^[503] the driver title is **MySQL-EABASE**.
6. If required, type in a **User name** and **Password**.
7. If required, type in an initial catalog.
8. Click on the **Test Connection** button to confirm that the details are correct.
9. If the test succeeds, click on the **OK** button.
10. If the test does not succeed, revise your settings.
11. After you have clicked on the **OK** button, the **Connection Name** dialog displays. Give the connection a suitable name so that you can recognize it in the **Recently Opened Project** list on the [Open Project](#) ^[486] [dialog](#) ^[486].



12. Click on the **OK** button to complete the configuration.


6.1.4.10.2 Connect to a SQL Server Data Repository

Note:


This feature is available in the Corporate edition only.

Before you can use a SQL Server data repository, you must connect to it in Enterprise Architect. To connect to your SQL Server data repository in Enterprise Architect, follow the steps below:


1. In the [Open Project dialog](#), select the **Connect to Server** checkbox.
2. Click on the [...] (Browse) button, as you normally would to browse for a project. As you have selected the **Connect to Server** checkbox, the **Data Link Properties** dialog displays instead of the **Select Enterprise Architect Project to Open** dialog.



3. Select **Microsoft OLE DB Provider for SQL Server** from the list.
4. Click on the **Next>>** button. The **Connection** tab displays.



5. Type in the server details, including **Server Name**, **User Name** and **Password**.
6. Click on the **Select the database on the server** option and on the drop-down arrow. From the list, select the model to connect to.
7. Click on the **Test Connection** button to confirm that the details are correct.
8. If the test succeeds, click on the **OK** button. If the test does not succeed, revise your settings.
9. When you click on the **OK** button, the **Connection Name** dialog displays.



10. In the **Name** field, type a suitable name for the connection so that you can recognize it in the **Recently Opened Projects** list on the [Open Project](#) ^[486] dialog.
11. Click on the **OK** button to complete the configuration.


6.1.4.10.3 Connect to an Oracle Data Repository

Note:

This feature is available in the Corporate edition only.

In order to use an Oracle data repository, you must connect to it in Enterprise Architect first. To connect to your Oracle 9i, 10g or 11g data repository in Enterprise Architect, follow the steps below:

1. In the [Open Project](#) ^[486] dialog ^[486], select the **Connect to Server** checkbox.
2. Click on the [...] (Browse) button, as you normally would to browse for a project. As you have selected the **Connect to Server** checkbox, the **Data Link Properties** dialog displays instead of the **Browse Directories** dialog.



3. Select **Oracle Provider for OLE DB** from the list.


Note:

Do not select **Microsoft OLE DB Provider for Oracle**; Enterprise Architect might not work as expected.

4. Click on the **Next** button. The **Connection** tab displays.



5. Enter the **Data Source** name (the service name of the Oracle database), the database **User Name** and the **Password**. The **Location** field is not required.
6. Click on the **Test Connection** button to confirm that the details are correct.
7. If your test succeeded, click on the **OK** button.
8. If your test did not succeed, revise your settings.
9. After you have clicked on the **OK** button, the **Connection Name** dialog displays



10. Give the connection a suitable name so that you can recognize it in the **Recently Opened Projects** list on the [Open Project](#) ^[486] [dialog](#) ^[486].

11. Click on the **OK** button to complete the configuration.


6.1.4.10.4 Connect to a PostgreSQL Data Repository

Note:


This feature is available in the Corporate edition only.

In order to use a PostgreSQL data repository, you must connect to it in Enterprise Architect first. Before connecting to the repository, you must have [set up a PostgreSQL ODBC driver](#)^[506]. To connect to a PostgreSQL data repository in Enterprise Architect, follow the steps below:


1. In the [Open Project dialog](#)^[486], select the **Connect to Server** checkbox, or on the **Start Page**, click on the **Connect to Server Repository** link.
2. Click on the [...] (Browse) button, as you normally would to browse for a project. As you have selected the **Connect to Server** checkbox, the **Data Link Properties** dialog displays instead of the **Browse Directories** dialog.



3. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list.
4. Click on the **Next** button. The **Connection** tab displays.



5. Click on the **Use data source name** drop-down arrow and, from the list, select the ODBC driver you have set up to connect to your PostgreSQL repository.
6. Click on the **Test Connection** button to confirm that the details are correct.
7. If your test succeeded, click on the **OK** button.
8. If your test did not succeed, revise your settings.
9. After you have clicked on the **OK** button, the **Connection Name** dialog displays. Give the connection a suitable name so that you can recognize it in the **Recently Opened Projects** list on the [Open Project dialog](#) ^[486].



10. Click on the **OK** button to complete the configuration.


6.1.4.10.5 Connect to an Adaptive Server Anywhere Data Repository

Note:


This feature is available in the Corporate edition only.

In order to use an ASA data repository, you must connect to it in Enterprise Architect first. Before connecting to the repository, you must have [set up an ASA ODBC driver](#)^[509]. To connect to an ASA data repository in Enterprise Architect, follow the steps below:


1. In the [Open Project](#)^[486] [dialog](#)^[486], select the **Connect to Server** checkbox or, on the **Start Page**, click on the **Connect to Server Repository...** link.
2. Click on the **[...]** (Browse) button, as you normally would to browse for a project. As you have selected the **Connect to Server** checkbox, the **Data Link Properties** dialog displays instead of the browse directories dialog.



3. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list.
4. Click on the **Next** button. The **Connection** tab displays.



5. In the **Use data source name** field, click on the drop-down arrow and select the ODBC driver you set up to connect to your ASA repository.
6. Click on the **Test Connection** button to confirm that the details are correct.
7. If your test succeeded, click on the **OK** button.
8. If your test did not succeed, revise your settings.
9. After you have clicked on the **OK** button, the **Connection Name** dialog displays.



10. Give the connection a suitable name so you can recognize it in the **Recently Opened Projects** list on the [Open Project dialog](#) ⁴⁸⁶.

11. Click on the **OK** button to complete the configuration.

6.1.4.10.6 Connect to an MSDE Server Data Repository

Follow the steps in [Connect to a SQL Server Repository](#).


6.1.4.10.7 Connect to a Progress OpenEdge Repository

Note:

This feature is available in the Corporate edition only.

In order to use an OpenEdge data repository, you must connect to it in Enterprise Architect first; follow the steps below:


1. In the [Open Project](#) dialog, select the **Connect to Server** checkbox.
2. Click on the [\[...\]](#) (Browse) button, as you normally would to browse for a project. As you have selected **Connect to Server**, the **Data Link Properties** dialog displays instead of the **Browse Directories** dialog.



3. Select **Microsoft OLE DB Provider for ODBC Drivers** from the list.
4. Click on the **Next** button. The **Connection** tab displays.

5. In the **Use data source name** field, click on the drop-down arrow and select the ODBC driver you have set up to connect to your OpenEdge repository. In the [setup example](#) ⁽⁵⁰³⁾ the driver title is **openedge_users**.
6. Enter the **User name** and **Password**.
7. Enter the initial catalog.
8. Click on the **All** tab.
9. In the **Property Value** field, edit the Extended Properties value to: **DefaultSchema=PUB**.

10. Click on the **Test Connection** button to confirm that the details are correct.
11. If the test succeeds, click on the **OK** button. If the test does not succeed, revise your settings.
12. After you have clicked on the **OK** button, the **Logon to Progress** dialog displays.



Host Name:


Port Number:

Database Name:

User ID:

Password:

13. Give the connection a suitable name so you can recognize it in the **Recently** panel on the [openStart Page dialog](#) ^[486].



Name:

Database Server

ODBC Connection...

Progress OpenEdge 10.0B

14. Click on the **OK** button to complete the configuration.

6.1.5 Create and Open Model Files Discussion

MySQL Limitations

Note that use of MySQL has the following limitations:


1. If MyISAM table types are used (default), transactional support is disabled. To enable transactions you must set up MySQL to use InnoDB tables and create the database tables as InnoDB type. Sparx provide a suitable script to create InnoDB based repository tables, as well as the more common MyISAM. These are available to registered users on the Corporate edition **Resources** page of the Sparx website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.
2. Due to limitations of the SQL query engine, some advanced search capabilities in the **Model Search** dialog are disabled.
3. Only MySQL 4.0.10 or later is supported.
4. MySQL ODBC Driver 3.50 or higher is required. This is the development version, but again the earlier version does not provide sufficient support to run Enterprise Architect.

SQL Scripts

Sparx Systems provide various SQL scripts to assist with creating data repositories. These are available to registered users on the Corporate edition **Resources** page of the Sparx website at www.sparxsystems.com/registered/reg_ea_corp_ed.html.

6.1.6 Copy a Base Project

To copy an existing Base Project, from the [Start Page](#)^[39] select the **Copy a Base Project...** option. The **Create New Enterprise Architect Project** dialog displays.



To create a new Enterprise Architect project, you must select a project template to form the base model for the new project. When you install Enterprise Architect a default model is installed called *EABase.eap*

- To select the file path for saving your project, click on the **Browse** button after the **New Project** field. If this is to be a shared project, store the file on a shared network resource such as a Network Server or Workgroup Server.
- To replace all GUIDs in the source model with fresh GUIDs, select the **Reset New Projects GUIDs** checkbox.

Note:

If the new project is based on one that is already under version control, it is recommended that the **Reset New Projects GUIDs** checkbox be deselected. This prevents duplication of packages when the **Get Latest** facility is used.

- To select the [base model for your project](#)^[488], click on the **Browse** button after the **Model Project** field. The field defaults to *EABase.eap*; however you can select any existing model file (see [Design a Custom Template](#)^[488]).

When you have entered the filenames, click on the **Create Project** button to create your project. Click on the **Cancel** button to close the dialog without creating a new project.

Tip:

You can copy any Enterprise Architect project using Windows Explorer, and open the copied project as a new project.

6.2 Upgrade Models



The structure of Enterprise Architect project files is occasionally changed to support more features. When this happens, existing project files must be upgraded to the new format to ensure correct operation and to take advantage of all the new features.

Upgrading is a simple and quick process. You can use the [Upgrade Wizard](#)^[544], which alerts you to the upgrade required and takes you through the upgrade process. This brings your project to the current level to support all the latest Enterprise Architect features.

6.2.1 The Upgrade Wizard

When you try to load a project that has to be updated to the latest format, the Upgrade Wizard opens and guides you through the required steps. You cannot load a previous Enterprise Architect version model without upgrading.


Note:

For replicated models: If the wizard detects the project you are opening is a replica and not a Design Master, [a different upgrade path](#)^[545] is required.

Upgrading Enterprise Architect

The project you have selected to open was created with an older version of Enterprise Architect. To work correctly it must now be upgraded to the latest version.

This wizard will guide you through the upgrade procedure.



Note:

Upgrading is essential when a new major version is released. Once upgraded, the project cannot be opened with earlier versions of Enterprise Architect.

The Wizard:

- Advises you of the necessity to upgrade
- Advises you to back up the current project; backing up before any changes are made is essential
- Checks that the current project can be upgraded; all projects can be upgraded, except replicas that are not Design Masters
- Performs the upgrade
- Opens the newly converted project.

6.2.2 Upgrade Replicas

Models that have replication features added might have to be handled differently from regular projects.

If the model is a [Design Master](#)^[569] (the root model of all other replicas) then you can upgrade the model to the current version. After upgrading a Design Master you should re-create the replicas, rather than synchronizing.

If the model is not a Design Master, the model cannot be upgraded in the normal manner. First Enterprise Architect must remove the replication features, then upgrade the project in the normal manner. Use the [Upgrade Wizard](#)^[544] to guide you through the steps.

The Upgrade Wizard should handle the upgrade process for you, and detect which upgrade method is the best.

6.3 Project Data Integrity



If you have a failed XML import, network crash or other unforeseen event that could disrupt the integrity of information in the model, it is recommended to run the [Project Integrity Check function](#)^[546]. This examines all database records and ensures there are no 'orphaned' records or inaccurate or unset identifiers. You can run the integrity checker first in report mode to discover if anything should be corrected, and then run it again in repair mode.

When Enterprise Architect checks the model, it attempts to recover lost packages and elements, and generates a new package at the model root level called `_recovered_`. Check through any elements that are found and, if required, drag them into the model proper. If they are not required, delete them.

Note:

This function does NOT check UML conformance, only the data relationships and repository structure.

You can select a variety of items to check, and select either to just report on the state of your model, or to try and repair any inconsistencies. The recovery process tries to restore elements where possible, but in some cases simply deletes the lost records.

See Also

- [Run SQL Patches](#)^[548]


6.3.1 Check Project Data Integrity

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Check Project Data Integrity](#)^[640] permission to perform a data integrity check.

To check the data integrity of your project, follow the steps below:

1. Select the **Tools | Data Management | Project Integrity Check** menu option. The **Project Integrity Check** dialog displays.



2. Select the checks to run; the basic checks available are:
 - Package Structure
 - Object Structure
 - Object Features
 - GUIDs
 - Cross References
 - Connectors
 - UML 2.0 Migration
3. Select either:
 - the **Report Only** option to just view a report on the state of your model, or
 - the **Recover/Clean** option to attempt to recover and clean your project.

Warning:

If you intend to select the **Recover/Clean** option, you should back up your project file first.

Click on the **Go** button to run the check.


UML 2.0 Migration

The UML 2.0 Migration check enables you to migrate the project from UML 1.3 semantics to UML 2.0 semantics. The migration process currently converts activities that are invocations of operations into called operation actions as per the UML 2.0 specification. The UML 2.0 Migration option is an exclusive process that does not enable any of the other checks to be selected. To perform the UML 2.0 migration follow the steps below:

1. Select the **Tools | Data Management | Project Integrity Check** menu option. The **Project Integrity**

Check dialog displays.


2. Select the **UML 2.0 Migration** checkbox and click on the **Go** button. The following message box displays:



3. To proceed, click on the **OK** button, or to cancel the migration click on the **Cancel** button.
4. If you are proceeding, click on the **Go** button to perform the migration.

6.3.2 Run SQL Patches

Occasionally, Sparx Systems might release a patch to correct a model fault. To load such patches and run them, select the **Tools | Run Patch** menu option. The patch generally checks how many records are to be updated, and reports on what is to be done.



6.4 Project Data Transfer



The Corporate edition of Enterprise Architect supports [SQL Server](#)^[519], [MySQL](#)^[516] and [Oracle 9i, 10g and 11g](#)^[521] data repositories. At some point, it might become necessary to move a complete model from one

repository to another, row by row, table by table.

The project data transfer function enables you to perform the following tasks:

- Upload an existing .EAP file to SQL Server or MySQL
- Download a repository in MySQL or SQL Server to a .EAP file
- Move a repository from SQL Server to MySQL or from one server to another
- Move all records from a .EAP file with replication to a model with none (Remove Replication)
- Copy all records from a .EAP file to another (recommended after serious network crash or repeated database corruption)
- Copy all records from a JET 3.5 to JET 4 (Access 2000 or XP) - or back the other way.

See the [Perform a Project Data Transfer](#)^[649] topic for instructions.

Note:

You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

Warning:

All records in the target repository are overwritten.

6.4.1 Perform a Project Data Transfer

Warning:

During a project data transfer, all records in the target project are overwritten. Before performing the transfer, take a backup of the target project to ensure that you can recover any important information it contains.

Notes:

- In the Corporate edition of Enterprise Architect, if security is enabled you must have [Transfer Data](#)^[640] permission to transfer project data between repositories.
- You cannot move a model from a source .EAP file of a version earlier than 3.5.0.

To perform a project data transfer, follow the steps below:

1. Select the **Tools | Data Management | Project Transfer** menu option. The **Project Transfer** dialog displays.

2. Click on the option for the required transfer type. You can choose from:
 - **.EAP to .EAP**
 - **DBMS to .EAP**
 - **.EAP to DBMS**
 - **DBMS to DBMS**
3. In the **Source Project** and **Target Project** fields, type or select the name or connection string for the Source and Target projects.
4. Click on the **Transfer** button.

It is good practise to do a [Project Compare](#)^[550] after this process to verify that all records are written.

6.4.2 Why Compare Projects?

It is sometimes useful to compare the size and row counts of two projects; for example, after a database crash, after import from XML or after performing a deletion of model elements.

You can compare .EAP files to other .EAP files or to DBMS based repositories, or compare two DBMS repositories. Enterprise Architect examines the number of rows in each database and produces a report indicating the total records in each and the difference between the two. No examination is made of the data in the table, just the record count.

Comparing projects this way is a convenient 'sanity check' after restoring a backup or doing a project data transfer. If discrepancies are found, you must investigate further manually.

See the [Compare Projects](#)^[550] topic for instructions.

6.4.3 Compare Projects

To compare projects, follow the steps below:

1. Select the **Tools | Data Management | Project Compare** menu option. The **Project Compare** dialog displays:

2. Select the option for the required comparison type. You can choose from:
 - **.EAP to .EAP**
 - **DBMS to .EAP**
 - **.EAP to DBMS**
 - **DBMS to DBMS**
3. In the **Source Project** and **Target Project** fields, type the name or connection string for the Source and Target projects.
4. Click on the **Compare Projects** button. The results of the comparison display in the panel at the bottom of the dialog.
5. If required, click on the **Print List** button to print the results.


6.4.4 Copy Packages from One Project to Another

Using the XML import/export capabilities of Enterprise Architect, you can copy and move packages between Enterprise Architect models. This gives you a high level of flexibility in building a model from re-usable parts and from elements produced in widely-dispersed geographic regions.


Procedure

To copy a package from one Enterprise Architect model to another, follow the steps below:

1. Open the Enterprise Architect model to copy from.
2. In the **Project Browser** window, right-click on the package to copy. The context menu displays.
3. Select the **Import/Export | Export package to XMI file** menu option. The **Export Package to XMI** dialog displays.



4. Select the appropriate options and filename (see [Export Package to XMI](#)^[573] for further information).
5. Click on the **Export** button to begin the export process.
6. When the export is complete, open the recipient Enterprise Architect model. In the **Project Browser** window, navigate to the location to import the package into.
7. Right-click to display the context menu, and select the **Import/Export | Import package from XMI file** menu option. The **Import Package from XMI** dialog displays.




8. Select the appropriate options and filename (see [Import Package from XMI](#)^[575] for further information).
9. Click on the **Import** button. The package is copied from the source project to the destination project.

Note:

If the package you are importing already exists in the target model (that is, it has been imported previously), you must either import over the existing package or select the **Strip GUIDs** option, in which case Enterprise Architect creates a replica of the original package. You can also use this technique to copy an entire package within the same model.

6.5 Model Maintenance



This topic highlights some administrative functions you might have to carry out to maintain your model. Note that this maintenance applied to models created as .EAP files. The processes are not required for models stored in a DBMS.:

- [Rename a Project](#) ⁵⁵³
- [Compact a Project](#) ⁵⁵³
- [Repair a Project](#) ⁵⁵⁴

6.5.1 Rename a Project

Important:

The only way to rename an Enterprise Architect project is at the Windows file system level.

To rename an Enterprise Architect project .EAP file, follow these steps.

1. If you have the project open, shut it down.
2. Ensure no other users have the file open.
3. Open Windows Explorer and navigate to the project.
4. Rename the project file using Windows Explorer.
5. You should keep the .EAP extension the same to preserve compatibility with the default project type, as installed in the registry at installation time.

6.5.2 Compact a Project

After some time, a project .EAP file might benefit from compacting to conserve space.

Notes:

- Compacting shuffles the contents of the model around, eliminating unused space and generally reducing the size of your model file.
- In the Corporate edition of Enterprise Architect, if security is enabled you must have [Administer Database](#) ⁶⁴⁰ permission to compact a project.

To compact a project, follow the steps below:

1. Ensure that no users have the target project open.

2. Select the **Tools | Manage .EAP File | Compact .EAP File** menu option.
3. Follow the on-screen instructions to complete the process.

Warning:

Always compact and repair projects on a local drive, never on a network drive.

6.5.3 Repair a Project

If a project has not been closed properly, such as during system or network outages, on rare occasions the .EAP file does not open correctly. In this case a message displays informing you the project is of an unknown database format or is not a database file.

Warning:

Never attempt to repair a project over a network connection; copy it to a local drive first.

Notes:

- Poor network connections can also cause this symptom.
- In the Corporate edition of Enterprise Architect, if security is enabled you must have [Administer Database](#) permission to repair a project.

Repair a Project That Has Not Closed Correctly

To repair a project that was not closed properly, follow the steps below:

Note:

All users must be logged off the project you are attempting to repair.

1. Copy the project file to a local drive on your PC.
2. In Enterprise Architect, select the **Tools | Options** menu option and on the **General** page deselect the **Use Jet 4.0 - requires restart** checkbox.
3. Close and restart Enterprise Architect and open a place holder project to enable access to the **Repair .EAP File** facility.

Note:

This is NOT the project you intend to repair, it is a copy of it.

4. Select the **Tools | Manage .EAP File | Repair .EAP File** menu option.
5. Follow the on-screen instructions.

Ensure Integrity of the Repaired Project

An additional step you can use to ensure the integrity of your project is to use the **Remove Replication** feature.

1. Open Enterprise Architect, but when you are prompted to open a project, click on the **Cancel** button.
2. Select the **Tools | Manage .EAP File | Remove Replication** menu option.
3. Follow the prompts. When you are prompted for the **Replica Project Browser** window for your problem project, you might be given a warning about the project not being the *Design Master*; accept this warning. Click on the **Next** button.
4. Browse for the clean project (e.g. *EABase.eap*). Click on the **Next** button.
5. Enter the path and name of the new project to be created, then click on the **Next** button.


6. Click on the **Run** button to run the removal process.
7. Once the removal process has been completed, open the project and do a check of the project contents. If the data is intact, backup the old project and replace it with the new version.

6.5.4 Manage Views

The top level packages in a model (below the model root node) are created as *Views*. Views are used simply to subdivide the model into partitions such as Business Process, Logical View or Dynamic View. They are a good way to extend the model depending on specific requirements and modeling techniques.

There are 6 main types of View, each with their own package icon:


- [Use Case](#) ^[1237] View - eg. [Use Case diagram](#) ^[1082], [Analysis diagram](#) ^[1141], [Robustness diagram](#) ^[1150]
- Dynamic View - eg. [Activity diagram](#) ^[1080], [Communication diagram](#) ^[1124], [Sequence diagram](#) ^[1115], [State diagram](#) ^[1084]
- Class View - eg. [Class Model](#) ^[1131], [Code Engineering](#) ^[763], [Data Model](#) ^[1149]
- Component View - eg. [Component diagram](#) ^[1137]
- Deployment View - eg. [Deployment diagram](#) ^[1139]
- [Simple View](#) ^[1143]



You can use the first five categories or devise your own based on the Simple View. You can [create](#) ^[555] Views, [rename](#) ^[556] them, move them into a different order, or [delete](#) ^[557] them. Do this by right-clicking the mouse on the selected View to open the context menu, and choose the appropriate option.

6.5.4.1 Add Views


The example below shows an additional view called *Java Code View*, which has been appended to the end of the Views list.



Create a View

To create a View, follow the steps below:

1. Right-click on the model root node in the **Project Browser** window. The context menu displays.
2. Select the **New View** menu option. The **Create New View** dialog displays.



3. In the **Name** field, type the name of the View.
4. In the **Set View Icon Style** panel, click on the radio button for the required View icon.
5. If the model root node is under [version control](#)⁵⁹⁰, the **Add to Version Control** checkbox displays, defaulted to selected. If you do not want the new View to also be under version control, deselect the checkbox.
6. Click on the **OK** button.

6.5.4.2 Rename Views

If required, you can rename a view.

Procedure

To rename a view, follow the steps below:

1. Right-click on the View in the **Project Browser** window. The context menu displays.
2. Select the **Properties** menu option. The **Package Properties** dialog displays.

The screenshot shows a dialog box with the following fields and values:

- Name: Business Modeling View
- Stereotype: (empty dropdown)
- Author: Frank McIver
- Status: Proposed
- Scope: Public
- Complexity: Easy
- Language: Java
- Phase: 1.0
- Version: 1.0

Buttons at the bottom: OK, Cancel, Apply, Help.

3. In the **Name** field, type the new name and click on the **OK** button.

6.5.4.3 Delete Views

If necessary, you can delete a view.


Warning:

If you delete a view, all its contents are deleted at the same time. It CANNOT be restored.

Procedure

To delete a view, follow the steps below:

1. In the **Project Browser** window, right-click on the view to delete. The context menu displays.
2. Select the **Delete <viewname>** option. The following warning displays:



3. To delete the view and its contents, click on the **Yes** button. To cancel the deletion, click on the **No** button.

6.6 Model Validation



You use Model Validation to check UML models against known [UML rules](#)^[567] (which you identify in [configuring validation](#)^[568]) as well as any constraints defined within the model, using the Object Constraint Language (OCL). You can run Model Validation against a single UML element, a diagram or an entire package, as described below.

Validating a UML:


- **Element** validates the element and its children, features (attributes and operations) and relationships (connectors and links)
- **Diagram** validates the diagram itself (for correctness) as well as any elements and connectors within the diagram
- **Package** validates the package and all subpackages, elements, connectors and diagrams within it.

To use Model Validation, follow the steps below:

1. Select the package, diagram or element either from the **Project Browser** window or within an open diagram.
2. Select the **Project | Model Validation | Validate Selected** menu option, or press **[Ctrl]+[Alt]+[V]**.

Enterprise Architect performs the validation, and displays the results in the **Output** window. To display the **Output** window, select the **View | Output** menu option.


While performing the validation, Enterprise Architect also displays a progress window containing the **Cancel Validation** button, which enables you to cancel the validation process at any time.




Alternatively, select the **Project | Model Validation | Cancel Validation** menu option.

Example Model Violations.

The following UML diagram contains several basic violations.



If you run Model Validation on this diagram, Enterprise Architect displays the following violations in the **Output** window:



The validation results show that the diagram:

- Contains a UML ExpansionRegion (*ExpansionRegion1*) with an invalid value for its 'mode' property (in this case, the valid values are *iterative*, *parallel* or *stream*)
- Contains an invalid self-generalization on *Class2* (UML elements cannot be self-generalized)
- Contains an OCL violation for the anonymous Association (between *Class2* and *Object1*)
- Contains a UML ExceptionHandler (*ExceptionHandler1*) that is missing its child input *ObjectNode*.


Note:

If you double-click on an error in the **Output** window, you select the diagram element that the error message refers to.

6.6.1 Configure Model Validation

Use the **Model Validation Configuration** dialog to enable and disable the [rules](#)^[567] that are run with the model validator. You can define additional rules in this dialog from any additional Add-Ins that might be installed besides Enterprise Architect.

To display the **Model Validation Configuration** dialog, select the **Project | Model Validation | Configure** menu option.



Click on the checkbox against each Validation Rule to apply in performing a [model validation](#)^[558].

Tip:

To disable UML syntax ("The requested connection is not UML compliant"), select the **Tools | Options** menu option, click on **Diagram** in the hierarchy, and in the **General** panel deselect the **Strict UML Syntax** checkbox.

When you perform a validation, each violation listed on the **Output**^[559] window has a violation ID of the format *MVRxxnnnn*, where:

- *MVR* stands for Model Validation Rule
- *xx* is a hexadecimal number corresponding to the position of the validation rule in the **Model Validation Configuration** dialog, thus indicating which rule is applied and violated
- *nnnn* is the number of the violation message.

Therefore, messages with the ID *MVR01nnnn* indicate that the **Element: Well-Formedness** checkbox is selected and a violation of that rule has been detected. Messages with the ID *MVR0Annnn* indicate that the

Feature: OCL Conformance checkbox (10th in order on the dialog, or Ath in hexadecimal) is selected and a violation of that rule has been detected.

6.6.2 Rules Reference

Model Validation works against a set of validation rules, arranged in the following groups:

- [\(Element, Relationship, Feature, Diagram\): Well-Formedness](#)^[561]
Checks whether or not an element, relationship, feature or diagram is well-formed. This group of rules includes checks such as whether the item is a valid UML item and whether a diagram contains valid elements within it
- [Element: Composition](#)^[562]
Checks whether or not a UML element contains valid children, whether it contains the right number of valid children, and whether or not the element is missing any required children
- [\(Element, Relationship, Feature\): Property Validity](#)^[562]
Checks whether or not the item has the correct UML properties defined, and whether the properties contain incorrect or conflicting values; for more information on these properties see the [Custom Properties](#)^[297] topic
- [\(Element, Relationship, Feature\): OCL Conformance](#)^[562]
Validates an item against any defined constraints in OCL.

6.6.2.1 Well-Formedness (Element, Relationship, Feature, Diagram)

This group of rules checks whether or not an element, relationship, feature or diagram is well-formed. The rules includes checks such as whether the item is a valid UML item and whether a diagram contains valid elements within it. Reported violations include:

Violation ID	Description	Information
MVR01000 1	«Element» is not a valid UML Element	The element is not a recognized UML 2.1.1 element.
MVR05000 1	«Relationship» is not a valid UML Relationship	The relationship is not a recognized UML 2.1.1 relationship.
MVR05000 2	«Relationship» is not legal for «Start Element» --> «End Element»	The relationship between the given start and end elements is not valid for those elements.
MVR05000 3	«Parent Element»:isLeaf=true and cannot be generalized by «Child Element»	The Generalization relationship cannot exist between parent and child elements because the parent element is defined as a leaf element.
MVR05000 4	«Child Element»:isRoot=true and cannot generalize «Parent Element»	The Generalization relationship cannot exist between parent and child elements because the child element is defined as a root element.
MVR05000 5	«Element» cannot generalize self	The element cannot be self-generalized.
MVR0B000 1	Statechart violation: «extended information»	The State diagram contains a UML violation; see the extended information for more information about the detected violation.

6.6.2.2 Element Composition

This group of rules checks whether or not a UML element contains valid children, whether it contains the right number of valid children, and whether or not the element is missing any required children.

Error ID	Description	Information
MVR02000 1	«Element» is missing required child element «Child Element»	The element is missing a child element of type <i>Child Element</i> .
MVR02000 2	Invalid UML package child.	The element cannot be a direct package child and must be a child of another element (for example: Ports must be children of other elements, and not direct UML package members).
MVR02000 3	Invalid child «Child Element name» («Child Element Type»).	The child element is invalid on the tested parent element.

6.6.2.3 Property Validity (Element, Relationship, Feature)

This group checks whether or not the item has the correct UML properties defined for it and whether they contain incorrect or conflicting values. For more information about these properties see [Custom Properties](#)^[1499] in the *Enterprise Architect Software Developers' Kit (SDK)*.

Error ID	Description	Information
MVR03000 1	«Element»:«Property» property is undefined	The element property contains no value.
MVR03000 2	«Element»:«Property» property has invalid value: "«Value»"	The element property contains an invalid value.
MVR03000 3	«Element»:isLeaf=true and cannot be abstract	The element's <i>isLeaf</i> and <i>isAbstract</i> properties are both set to true , which is invalid.
MVR06000 1	«Relationship»:«Property» property is undefined	The relationship property contains no value.
MVR06000 2	«Relationship»:«Property» property has invalid value: "«Value»"	The relationship property contains an invalid value.
MVR09000 1	Attribute/AssociationEnd mismatch, «Attribute»: «Mismatch description»,...	The given attribute has an <i>associationEnd</i> of the same name but they differ in the listed details.

6.6.2.4 OCL Conformance (Element, Relationship, Feature)

This group validates an item against any defined constraints in the Object Constraint Language (OCL). OCL is used to describe expressions on UML models, and to express side-effect free constraints. You can add OCL constraints to any element, relationship or attribute in Enterprise Architect.

Error ID	Description	Information
MVR040001	OCL violation: «violated OCL»	The element violates the OCL constraint specified.
MVR070001	OCL violation: «violated OCL»	The relationship violates the OCL constraint specified.
MVR0A0001	OCL violation: «violated OCL»	The attribute violates the OCL constraint specified.

Important:

To have a valid OCL constraint, the syntax must be correctly formed. If the expression is not correct, Enterprise Architect displays a message stating that the OCL constraint is not valid.

Define OCL Constraints for an Element

You can add OCL constraints to an element using the **Properties** dialog (**Element | Properties**). Select the **Constraints** tab, click on the **Type** drop-down arrow and select **OCL**.


The screenshot shows the 'Constraints' tab of the Properties dialog. At the top, there are tabs for 'General', 'Details', 'Require', 'Constraints', 'Links', 'Scenario', and 'Files'. The 'Constraints' tab is active. Below the tabs, there is a 'Constraint:' section with a text box containing 'oclConstraint', a 'Type:' dropdown menu set to 'OCL', and a 'Status:' dropdown menu set to 'Validated'. Below this, there is a larger text box containing the OCL expression: 'inv: self.oclIsKindOf(DirectedRelationship)'. At the bottom of the dialog, there is a 'Defined Constraints' section with a table listing the defined constraints. The table has columns for 'Constraint', 'Type', and 'Status'. The table contains one row: 'oclConstraint', 'OCL', and 'Validated'. Below the table are buttons for 'New', 'Save', and 'Delete'. At the very bottom of the dialog are buttons for 'OK', 'Cancel', 'Apply', and 'Help'.

Constraint	Type	Status
oclConstraint	OCL	Validated

To perform an OCL Validation, display the [Model Validation Configuration](#) ^[560] dialog and select the **Element: (OCL) Conformance** checkbox. Any OCL violations are recorded in the [Model Validation](#) ^[559] [Output](#) ^[559] [window](#) ^[559].

Define OCL Constraints for a Relationship


You can add OCL constraints to a relationship using the **Properties** dialog (right-click, **<type> Properties**). Select the **Constraints** tab, click on the **Type** drop-down arrow and select **OCL**.



To perform an OCL Validation, display the **Model Validation Configuration** dialog and select the **Relationship: (OCL) Conformance** checkbox. Any OCL violations are recorded in the **Model Validation Output** window.


Define OCL Constraints for an Attribute

You can add OCL constraints to a feature using the **Properties** dialog (**Element | Attributes**). Select the **Constraints** tab, click on the **Type** drop-down arrow and select **OCL**.



To perform an OCL Validation, display the **Model Validation Configuration** dialog and select the **Feature: (OCL) Conformance** checkbox. Any OCL violations are recorded in the **Model Validation Output** window.

6.7 Model Sharing and Team Deployment



Introducing Team Development

Enterprise Architect offers a diverse set of functionality designed specifically for [sharing projects](#)^[566] in team-based and [distributed development](#)^[567] environments. Project sharing can be achieved through network deployment of model repositories, [replication](#)^[568], [XMI Import/Export](#)^[572], [Version Control](#)^[590], [Package Control](#)^[578] and [User Security](#)^[631].

Network deployment can be undertaken using two different schemas for deployment, using either:

- .EAP based repositories or
- DBMS server based repositories.

Replication requires the use .EAP based repositories, and cannot be performed on repositories stored on a DBMS server. DBMS server based repositories offer better response times than .EAP files on networks due to the inherent structure of the DBMS. DBMS also offers a better solution when networking problems are encountered, as they have the ability to backtrack transactions caused by external breakdowns.

Replication

Replication is a simple process that enables data interchange between .EAP based repositories (not DBMS) and is suitable for use in situations where many different users work independently. Modelers merge their changes into a Design Master only as required. It is recommended that a backup is carried out prior to replication.

XMI Import Export

XMI Import/Export can be used to model discrete packages that can be exported and shared between developers. XMI enables the export of packages into XML files which can then be imported into any model.

Package control can be used to set up packages for version control and to enable batch export of packages using XMI. Version Control enables a repository to be maintained by a third-party source code control application that is used to control access and record revisions.

Security

User security is used to limit the update access to model elements. It provides control over who in a project can make changes to model elements.

Further Information

For more information regarding the use of Enterprise Architect with shared models and team deployment please see the *Deployment of Enterprise Architect* white paper available from: www.sparxsystems.com/downloads/whitepapers/EA_Deployment.pdf.

Note:

DBMS Repository support and User Security are only available with the Corporate edition of Enterprise Architect.

6.7.1 Share an Enterprise Architect Project

Note:

Project Sharing and Replication are only enabled in the Professional and Corporate versions of Enterprise Architect.

Sharing a project among a team of designers, developers and analysts is the most efficient way of using Enterprise Architect to manage a team development. Many people can work on the model at the same time and contribute their particular skill. Team members can always see what the latest changes are, keeping the team informed and up to date with the project status.

You can share an Enterprise Architect project in three ways:

1. Using a [shared network directory](#)^[567]. In this scenario you place the project file on a shared network drive. Individual developers and analysts can then open and work on the project concurrently. Note that some project views (especially the **Project Browser** window) require occasional refreshing to see changes made by other users.
2. Using replication. [Replication](#)^[568] is a powerful means of sharing projects between isolated or mobile users. In the replication scenario a project is converted to a design master, then replicas made of the master. Users take the replicas away, modify the project, then bring their replicas back to be

synchronized with the master file.

3. Using a shared DBMS-based repository (Corporate edition only).

6.7.2 Share a Project on Shared Network Drive

The easiest way to share a project amongst a work group of developers and analysts is to place the project file on a shared network drive and have people connect concurrently from their Workstation.

Note:

Enterprise Architect accepts a number of concurrent connections without issue, although there can be occasional 'lock-outs' when one user tries to access or update something another user is in the process of modifying.

Network Issues

The main issues with shared network access are:

- Changes to the **Project Browser** window are not automatically updated. To compensate for this, users must occasionally reload their project to view any project changes at this level.
- If two or more people work on the same diagram concurrently, unexpected results can occur. It is best to enable only one analyst to work on a diagram at a time.
- If a user's machine crashes, the network suffers an outage or a machine is turned off unexpectedly, the project file might require repair to compensate for the sudden inconsistency. A [repair](#)^[554] facility is provided (select the **Tools | Manage .EAP File | Repair .EAP File** menu option) to carry out this task. This only applies to the file-based version of Enterprise Architect; the DBMS-based version does not suffer this problem.

6.7.3 Distributed Development

Enterprise Architect supports distributed development using two different techniques, as described below.

Replication

Use the Replication features to enable geographically separated analysts to update and modify parts of the model in replicas, then merge these back together at a central location.


For further information see the [Replication](#)^[568] topic.

XMI Import/Export

Use the XMI based Import/Export facility to model discrete packages, export to XML and share among the development team. This approach has several benefits over replication:

1. You can assemble a model from only the parts necessary to get your job done.
2. You can assemble a full model if required.
3. You can assemble a model from different package versions for different purposes (eg. customer visible, internal release only).
4. You can roll-back parts of a model as required.
5. There is less chance of 'collisions' between developers if each works on a discrete package.
6. The process is controllable using a [version control](#)^[590] system.

Use the [Import and Export menu options](#)^[78] (below) to access this feature; they are available through the **Project | Import/Export** submenu. Also see the [XMI](#)^[572] topic for further information on XMI-based import and export.



The [Controlled Package](#)^[578] feature can also be used to assist in the process.

Note:

XMI based import/export is UML1.3 / XMI1.1 compliant. You can also write XML based tools to manipulate and extract information from XML files to enhance the development process.

6.7.4 Replication

In addition to sharing Enterprise Architect projects in real time over a network, you can also share projects using Replication, options for which are available through the **Tools | Manage .EAP File** menu.

Replication enables different users to work independently of one another, and to merge their changes at a later time. To avoid difficulties in this inevitably hazardous process, please read all sections of this topic carefully.

Enterprise Architect Merge Rules

Enterprise Architect follows these rules in merging:

- Additions are cumulative; i.e. two replicas each creating three new Classes result in six new Classes after merging.
- Deletions prevail over modifications; if one replica changes a Class name and other deletes the Class, performing a merge results in both files losing the Class.

Conflicting modifications appear in the **Resolve Replication Conflicts** dialog (**Tools | Manage EAP File | Resolve Replication Conflicts** menu option). See [Resolve Conflicts](#)^[579] for details on how to deal with conflicting modifications.

Use Replication

To use replication, follow the steps below:

1. Convert the base project to a [design master](#)^[569] using the **Tools | Manage .EAP File | Make Design Master** menu option.
2. [Create replicas](#)^[569] from the design master using the **Tools | Manage .EAP File | Create New Replica** menu option.
3. Take the replica away and work on it as required, then bring it back for synchronization with the design master.
4. [Synchronize the replicas](#)^[570]. During synchronization, all changes to both the master and the replica are propagated in both directions, so at the end they both contain the same information.

Upgrades and Replicas

When you upgrade your version of Enterprise Architect, you must not open a replica until you have opened the design master and then synchronized the replicas with the master. You cannot directly [upgrade a replica](#)

[571](#)

Avoid Change Collisions

If two or more people make changes to the same element, eg. a Class, Enterprise Architect arbitrarily overwrites one person's change with another's. To avoid this, different users should work on different packages.

However, since Enterprise Architect does not enforce this rule, it is possible for users' work to conflict. To minimize the difficulties this causes, please note the following guidelines:

- If users are likely to have worked in the same area of the model, they should both witness the synchronization and confirm that they are happy with the net result.
- If small pieces of information have been lost, they should be typed into one of the merged models after synchronization.
- If a large piece of information has been lost (for example, a large Class note that was overwritten by another user who had made a minor change to the same Class) use the [Resolve Replication Conflicts](#) [571](#) dialog.

Disable or Remove Replication Features

If you have converted a project to a design master but now want to [disable the replication](#) [570](#) features, use the **Tools | Manage .EAP File | Remove Replication** menu option. Make sure you back up all your files first!

6.7.4.1 Design Masters

A *design master* is the first converted Enterprise Architect project that supports replication. From the design master you can create replicas, which can be modified independently of the master project and re-merged at a later date.

Create a Design Master

To create a design master, follow the steps below:

1. Take a back-up of the required Enterprise Architect project.
2. Select the project in the **Project Browser** window.
3. Select the **Tools | Manage .EAP File | Make Design Master** menu option and follow the on-screen instructions.

Tip:

Replication is a powerful means of using Enterprise Architect in a work group or multi-user scenario.

6.7.4.2 Create Replicas

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Replicas](#) [640](#) permission to create a replica.

To create a replica, follow the steps below:

1. First create a [design master](#) [569](#), then select the **Tools | Manage .EAP File | Create New Replica** menu option and follow the on-screen instructions.
2. This process creates a replica of the current project which can then be modified independently, and afterwards re-merged with the main project.

6.7.4.3 Synchronize Replicas

To copy changes from one member of the replica set to another, use the **Synchronize Replicas** menu option. Note that information is copied both ways, including deletes, updates and inserts.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Replicas](#)^[640] permission to synchronize a replica.

Synchronize a Replica

To synchronize a replica and a design master, follow the steps below:

1. Open the design master project file.
2. Select the **Tools | Manage .EAP File | Synchronize Replicas** menu option.
3. Locate and select the required replica to merge the open project and the replica.

Note:

When you synchronize, both projects end up containing identical information.

Change Collisions

Note that if two or more people work on the same element (or package or diagram) then the replication engine has problems in resolving which change is the master. To avoid this, always work on separate areas in the model when you are using replicas. You can also use the **Tools | Manage .EAP File | Resolve Replication Conflicts**^[57] menu option.

6.7.4.4 Remove Replication

Replication makes many changes to the database structure of your model. As a consequence the model file becomes considerably larger with additional information. If you no longer require a model to be replicable, you can remove all replication features.

Remove Replication

To remove replication, follow the steps below:

1. If a repository is not open, the menu option for removing replication is not enabled. A temporary repository (not the one having replication removed) must be open at the time. Ensure you have a repository open at the time of creation.
2. Select the **Tools | Manage .EAP File | Remove Replication** menu option, to open the **Remove Replication Wizard**.
3. Enter the full path and file name of the project to have replication removed. Click on the **Next** button.
4. Enter the full path and file name of the base Enterprise Architect model (with no replication) to act as template. Click on the **Next** button.
5. Enter the full path and required file name for the output file. Click on the **Next** button.
6. Select whether to have a log file created, and enter a file name for the log file.
7. Click on the **Run** button to begin removing replication. Enterprise Architect creates a new project containing all the model information.

Your model has now had replication removed, and should be considerably smaller.

6.7.4.5 Upgrade Replicas

With new releases of Enterprise Architect there could be changes to the underlying project structure, such as more tables or changed queries. If you are using replicas to share and work with Enterprise Architect projects, it is very important that you open the [design master](#) before opening any of the replicas with an updated version of Enterprise Architect.

Warning:

Upgrading Replicas takes special care!


Changes to the database design in a replica set can ONLY be done to the design master. Next time the replicas are [synchronized](#) with the master, the design changes are propagated through to the replicas. Trying to update a replica first at best does nothing, and at worst causes the update of the master to fail.

One other strategy is to [remove](#) replication from a copy of the replica set, upgrade that project and convert it into a new design master from which new replicas are created.

6.7.4.6 Resolve Conflicts

When two or more people have changed the same element between synchronization points, Enterprise Architect has trouble resolving which change to accept and which to discard. The choice is made based on some rules within the JET replication manager, but the discarded changes are also stored so you can manually override that choice.

After synchronizing replicas, open the **Resolve Conflicts** dialog and determine if there were any conflicts. Select whether to accept each change or use one of the discarded changes instead.



Recommendations for Resolving Conflicts

Enterprise Architect stores model information in database records. When two records have been modified in different ways by different users, they appear in this dialog.

Normally it is not necessary or desirable to examine conflicts, since they represent relatively inconsequential pieces of information that can very easily be modified through the normal Enterprise Architect interface; for example, by moving a diagram element.

The only case in which this dialog should be used is where a substantial piece of information has been overridden by another user, and you want to retrieve it. Follow the steps below:

1. In the **Table with Conflicts** list, click on the entry that is likely to contain the lost information.
2. Click on each entry in the **Conflicting Records** list.
3. When the lost information appears in the **Conflict Details** list, click on the **Overwrite with Conflict** button.

6.8 XMI Import and Export

What is XMI?

XML Metadata Interchange (XMI) is an open standard file format that enables the interchange of model information between models and tools. XMI is based on XML, and is defined by the OMG. Enterprise Architect uses XMI as a method of importing and exporting model specifications between different UML packages, Enterprise Architect projects and other tools that support XMI.

Enterprise Architect supports the XMI 1.1, 1.2 and 2.1 specifications, but does not fully support the older 1.0 specification. When importing or exporting to XMI 1.0, some loss of data occurs due to the limitations of XMI 1.0. XMI 1.1 has support for UML 1.3, whereas XMI 2.1 has support for UML 2.0 and UML 2.1.

With XMI, model details can be exchanged between different UML tools and other tools that are capable of using XMI. Limited support for export to Rational Rose is provided using the Rose version of the XMI 1.1 specification, as implemented by Unisys for Rational products.

Packages can be exported from and imported into Enterprise Architect models. This greatly improves the flexibility and robustness of Enterprise Architect models by enabling Analysts and Modelers to externalize model elements in XMI for version control, distributed development, post processing and transferring packages between models. When performing Enterprise Architect-to-Enterprise Architect transfers, ensure that the XMI version selected is 1.1 or 2.1.

XMI Tasks

Tasks you might perform in importing and exporting XMI include:

- [Setting XML Options](#)^[204]: XMI import, export and package control all rely on saving and loading XML files; you can set a number of options to streamline this process
- [Exporting a package](#)^[573] to XMI in XMI 2.1 (and earlier)
- [Importing from XMI](#)^[573] with support for XMI 2.1 (and earlier)
- [Setting up controlled packages](#)^[578]
- [Manually controlling a package](#)^[585] by linking it to an XMI file
- [Batch exporting](#)^[583] controlled packages
- [Batch importing](#)^[575] controlled packages
- [Factoring in the limitations of XMI](#)^[578]
- [Applying a UML Data Type Definition](#)^[578] (DTD)

For further information on XMI, including specifications, see the OMG [XML/XMI Technology](#) topic.

Notes:

- XMI 2.1 exported by Enterprise Architect 7.0 (or later) might not be correctly imported into earlier versions of Enterprise Architect.
- When you select to apply a DTD during an XMI 1.1 export, the UML_EA.DTD file is written to the output directory into which the XML files are written (unless the UML_EA.DTD file is already present in the directory). No error is generated if the UML_EA.DTD file is not present in this directory during the XMI export.

However, an error does occur if you are importing an XMI 1.1 file that has been exported with the UML_EA.DTD file, and the UML_EA.DTD file is not present in the same directory as the XMI file.

Important:

When you import an XML file over an existing package, ALL information in the current package is deleted first. Before you import the XML file, please make sure you do not have important changes that you do not want to lose.

6.8.1 Export to XMI

You can export a package to an XMI (XML based) file. This enables you to move Enterprise Architect Model elements between models, for [distributed development](#)^[567], [manual version control](#)^[585] and other benefits. It also enables limited export of Enterprise Architect model elements to Rational Rose and other tools that implement the UML 2.1 XMI 2.1 standard, the UML1.4 XMI 1.2 standard, or the UML 1.3 XMI 1.1 / XMI 1.0 standard.

For more information regarding the limitations of XMI exporting read the [Limitations of XMI](#)^[578] topic.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Export XMI](#)^[640] permission to export to XMI.

Export a Package to XMI

To export a package to XMI, follow the steps below:

1. In the **Project Browser** window, select the package to export.
2. Either:
 - Right-click and select the **Import/Export | Export Package to XMI** menu option, or
 - Select the **Project | Import/Export | Export Package to XMI** menu option.

The **Export Package to XMI** dialog displays.

The screenshot shows a dialog box with the following fields and options:

- Root Package:** Package2
- Filename:** (empty text field)
- Stylesheet:** (empty dropdown menu)
- General Options:**
 - Export Diagrams
 - Export Alternate Images
 - Format XML Output
 - Write Log file
 - Use DTD
 - Generate Diagram Images
 - Format:** (empty dropdown menu)
- For Export to Other Tools:**
 - Enable full EA Roundtrip
 - XMI Type:** UML 1.3 (XMI 1.1)
 - Unisys/Rose Format
 - Exclude EA Tagged Values
 - Warning: These options are for exporting EA model elements to other tools only.

Buttons at the bottom: View XML, Export, Close, Help. A Progress bar is located at the bottom left.

3. In the **Filename** field, type the directory path and filename into which to output the XMI file.
4. In the **Stylesheet** field, click on the drop-down arrow and select a stylesheet to post-process XMI content before saving to the file.
5. Select the **Export Diagrams** checkbox to export diagrams in the file.
6. Select the **Export Alternate Images** checkbox to export the alternative images used in the diagrams.

Note:

This checkbox is enabled only for XMI 1.1 and XMI 2.1.

7. Select the **Format XML Output** checkbox to format output into readable XML (this takes a few more seconds at the end of the run).
8. Select the **Write Log file** checkbox to write a log of export activity (recommended); the log file is saved to the directory into which you export the XMI file.
9. Select the **Use DTD** checkbox to use the UML1.3 DTD (recommended). Setting this option validates the correctness of the model and checks that no syntactical errors have occurred. For more information regarding the use of DTDs, see the [UML DTD](#) ¹⁵⁷⁸ topic.
10. Leave the **Enable full EA Roundtrip** checkbox selected to keep data specific to Enterprise Architect in the XMI file.
11. In the **XMI Type**: field, click on the drop-down arrow and select the appropriate XMI format:
 - **XMI 1.0**, to generate output in XMI 1.0 format.
 - **XMI 1.1**, to generate output in XMI 1.1 format.
 - **XMI 1.2**, to generate output in XMI 1.2 format.
 - **XMI 2.1**, to generate output in XMI 2.1 format.
12. Select the **Unisys/Rose Format** checkbox to export in Rose UML 1.3, XMI 1.1 format.
13. Select the **Exclude EA Tagged Values** checkbox to exclude Enterprise Architect-specific information from the export to other tools.
14. Click on the **Export** button.

Notes:

- XMI 2.1 exported by Enterprise Architect 7.0 (or later) might not be correctly imported into earlier versions of Enterprise Architect.
- When you select to apply a Data Type Definition (DTD) during an XMI 1.1 export, the UML_EA.DTD file is written to the output directory into which the XML files are written (unless the UML_EA.DTD file is already present in the directory). No error is generated if the UML_EA.DTD file is not present in this directory during the XMI export.

Important:

When exporting and importing with XMI 1.0 with Enterprise Architect, some loss of data occurs due to the limitations of XMI 1.0.

6.8.2 Import from XMI

You can import a package from an XMI (XML based) file. This enables you to move Enterprise Architect Model elements between models, for distributed development, [manual version control](#)^[585] and other benefits.

Important:

- When you import an XML file over an existing package, ALL information in the current package is deleted first. Before you import the XML file, please make sure you do not have important changes that you do not want to lose.
- If you are *importing* an XMI 1.1 file that was previously *exported* with a UML_EA.DTD file, the UML_EA.DTD file must be present in the directory into which the XMI file is being written. An error occurs if the UML_EA.DTD file is absent.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Import XMI](#)^[640] permission to import packages from XMI.

You can import the following formats:

- UML 1.3 (XMI 1.0)
- UML 1.3 (XMI 1.1)
- UML 1.4 (XMI 1.2)
- UML 2.0 (XMI 2.1)
- UML 2.1 (XMI 2.1)
- MOF 1.3 (XMI 1.1)
- MOF 1.4 (XMI 1.2)


Enterprise Architect can also [import the *.emx and *.uml2 files](#)^[576] generated by tools such as Rational Software Architect (RSA) and Rational Software Modeler (RSM).

Import From XMI

To import a package from XMI, follow the steps below:

1. In the **Project Browser** window, select the package into which to import the file.
2. Either:
 - Right-click and select the **Import/Export | Import Package from XMI** menu option, or
 - Select the **Project | Import/Export | Import Package from XMI** menu option.

The **Import Package from XMI** dialog displays.

**Note:**

To import .emx or .uml2 files, click on on the **Import EMX / UML2 Files** button. Go to [Import EMX/UML2 Files](#)^[576].

3. In the **Filename** field, type the directory path and filename from which to import the XML file.
4. Select the **Import diagrams** checkbox to import diagrams.
5. Select the **Strip GUIDs** checkbox to remove Universal Identifier information from the file on import. This enables the import of a package twice into the same model; the second import requires new GUIDs to avoid element collisions.
6. Select the **Write log file** checkbox to write a log of import activity (recommended); the log file is saved in the directory from which the file is being imported.
7. Click on the **Import** button.

6.8.3 Import EMX/UML2 Files


Rational Software Architect (RSA) enables you to add many UML models under a single root. These models can have cross references between them. However, RSA cannot save the entire root as one file; it saves each UML model as a separate EMX file. This means that an EMX file with cross-references is not self-contained as it references elements in another EMX file.

In releases earlier than release 7.0, Enterprise Architect treats each EMX file as a separate model and hence does not allow for cross-references between them. From release 7.0, Enterprise Architect enables these cross-references. You therefore have the option of importing a single EMX/UML2 file or a group of EMX/UML2 files. This option enables you to select a group of related files and import them together, thereby retaining the cross-references between the different files.


To import single or multiple *.emx /*.uml2 files into Enterprise Architect, follow the steps below:

1. In the **Project Browser** window, select the package into which to import the file.
2. Either:
 - Right-click and select the **Import/Export | Import Package from XMI** menu option, or
 - Select the **Project | Import/Export | Import Package from XMI** menu option.

The **Import Package from XMI** dialog displays.



3. Click on the **Import EMX / UML2 Files** button. The **Import Package from XMI** dialog redisplay, formatted for .EMX/.UML2 file imports.



4. Click on the [...] (Browse) button next to the **Directory** field. The **Select Import EMX / UML2 File(s)** dialog displays, which enables you to select multiple files.
5. Select the file or files (use **[Ctrl]+click** or **[Shift]+click** to select several files) and click on the **Open** button. The **Import Package from XMI** dialog redisplay; the **Selected File(s)** panel lists the selected files.
6. Select the **Write Log File** checkbox to write a log of import activity (recommended); the log file is saved in the directory from which the file is being imported, with the name *import.log*.
7. Click on the **Import** button. Enterprise Architect indicates the progress of the import in the **Import Progress** field.

6.8.4 Limitations of XMI

Whilst XMI is a valuable means of specifying a UML model in a common format, it is relatively limited in the amount of additional information it can tolerate using the standard syntax. A lot of information from an Enterprise Architect Model must be converted to Tagged Values, which import into other modeling systems as additional information or are ignored completely.

Enterprise Architect can both generate and read XMI 1.0 and 1.1 using UML 1.3 format, XMI 1.2 using UML 1.4 format, and XMI 2.1 using UML 2.0 and UML 2.1 format. Note that round-tripping model elements using XMI (for example, to version control or for controlled package) is only possible using XMI 1.1/UML 1.3 - Enterprise Architect format, which uses the additional Tagged Values to store the UML 2.0 information.

Notes for Exporting to Rose and other tools

- There are also discrepancies in the Unisys/Rose implementation with regard to spelling mistakes and slightly different syntax to the official XMI 1.1 specification, so problems might occur.
- The way packages are arranged in different models can impact successful import into other systems. Experimentation is the only work around for this problem.
- Some parts of the XMI import/export process do not work as expected in products like Rational Rose; for example, note links are not supported, and state operations import but do not appear in diagrams. In addition, Rational Rose only supports import of a full project, not a single package.
- For best results, it is recommended that you keep the model elements to export to Rose simple and conforming as closely as possible to the UML 1.3 specification.

6.8.5 The UML DTD

When you import or export Enterprise Architect packages to XMI, the import or export process can be validated using a Data Type Definition (DTD). The XML parser uses this document to validate the correctness of the model and to check that no syntactical errors have occurred. It is always best to use a DTD when moving packages between Enterprise Architect models as it ensures correctness of the XMI output, and prevents attempted imports of incorrect XML.

Several DTDs for XMI/UML exist. The OMG defines a standard UML1.3 DTD for use in XMI 1.1. Enterprise Architect uses an extension of this with some additional element extensions for non-standard UML types, such as testing details.

Whenever you read an XML file, the XML parser looks in the current directory for the DTD - if specified - using the DOCTYPE element in the XML file. If the parser cannot find the DTD, it records an error and aborts processing. You must ensure the UML_EA.DTD file is in the current XML output path (generated by default).

6.8.6 Controlled Packages

Controlled packages are a powerful means of 'externalizing' parts of an Enterprise Architect model. Using controlled packages you can:

- Support widely distributed development by having team members submit packages in the form of XML for import into a central Enterprise Architect repository.
- Support [version control](#)^[590], by writing model elements in XML text files suitable for version control using standard version control software. Using XMI this way enables you to manually connect to third-party version control software outside the Enterprise Architect environment. Enterprise Architect internally supports the configuration of version control through SCC and CVS.
- Support import and export of model elements between different models; for example, a Class library can be re-used in many models and kept up to date in target models using controlled packages, reloading packages as required when new versions of the Class model become available.

Package XML is standard XMI-compliant output that can be loaded into any XML viewer, or used by any XML-based tool to perform manipulations and extracts, such as document or code generators.

Controlled packages appear in the **Project Browser** window with a small colored rectangle to the left of the package icon, as shown below for the CIM package:



A controlled package is a package configured to save and load in XML format to a named file. The XML output is UML1.3 compliant XML, with Enterprise Architect extensions to support diagrams and additional model elements.

Note:

When you select to apply a Data Type Definition (DTD) during an XML 1.1 export, the UML_EA.DTD file is written to the output directory into which the XML files are written (unless the UML_EA.DTD file is already present in the directory). No error is generated if the UML_EA.DTD file is not present in this directory during the XML export.

Important

If you are importing an XML 1.1 file that was previously exported with a UML_EA.DTD file, the UML_EA.DTD file must be present in the directory into which the XML file is being written. An error occurs if the UML_EA.DTD file is absent.

6.8.6.1 Controlled Package Menu


The **Package Control** sub-menu is available from the **Project Browser Package** context menu. This menu is for a package that itself is not under version control (but that might contain child packages that are under version control). For a package that is directly under version control, see [Version Control Submenu](#) ^[593].

Menu Option & Function Keys	Use to
Configure (various settings for the package) [Ctrl]+[Alt]+[P]	Display the Package Control Options ^[580] dialog, which enables you to specify whether this package (and its child packages) is controlled and which file it is controlled through.
Manage Baselines [Ctrl]+[Alt]+[B]	Create a Baseline ^[663] of the current package, or compare the current package with a previous Baseline.
Check In Branch	For the selected branch of the model, (i.e. the selected package and all of its child packages) display the Select Packages to Check In ^[626] dialog, listing all version controlled packages <i>within</i> that branch that are checked out to you. You can then select packages in the displayed list, to be submitted for check-in.
Save package to file [Ctrl]+[Alt]+[S]	Save a controlled package ^[582] to an XML file.
Load package from file [Ctrl]+[Alt]+[L]	Load ^[583] a previously-saved XML file.
View package XML [Ctrl]+[Alt]+[X]	Display the package XML after the package has been exported to XML.
Compare with XML file	(Package not under version control.) Compare ^[665] the current package with a previously-saved XML file of the package.
Compare with Controlled Version	(Version controlled package.) Compare ^[665] the current package with the head revision of the version-controlled package file.
Add Branch to Version Control	Apply version control to all packages within a selected model branch ^[619] , in a single operation.
Export as Model Branch	Export ^[620] a newly created model branch from your own private copy of a model.

Menu Option & Function Keys	Use to
Import a Model Branch	Retrieve [627] a model branch and import it into either the source model or another model.
Get package (for version control) [590]	Enables you to gain access from packages in the version-controlled [590] repository that is currently available in your model.
Get All Latest (for version control)	Retrieve the latest version [590] of the package from the repository. Available only for packages that are checked in. The alternative option Get Latest - if displayed - is not intended for sharing .EAP files and should only be used when users have their own individual databases.
Version Control Settings	Display the Version Control Settings [593] dialog.
Update Package Status [759]	Provide a bulk update on the status of a package [759]. This includes status options such as Proposed , Validate and Mandatory .

6.8.6.2 Configure Packages

Before you can use a controlled package, you must configure it with options such as the filename to save to/load from, the type of export and the version number. Once a package is configured and marked as controlled, it is displayed in the **Project Browser** window with a small colored rectangle next to the package icon, indicating it is a controlled package. In the example below, the *RQ01: Formal Requirements* package is a controlled package.



Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Configure Packages](#) [640] permission to configure controlled packages and package properties.

Configure a Controlled Package

To configure a controlled package, follow the steps below:

1. In the **Project Browser** window, right-click on the package to control or configure. The context menu displays.
2. Click on the **Package Control | Configure** menu option. The **Package Control Options** dialog displays.

3. Set the required options, as follows:

- Select the **Control Package** checkbox to indicate that this is a controlled package
- Click on the **Version Control** drop-down arrow and select the version control repositories; this connects the package to a specific version control configuration
- In the **XMI Filename** field, type or browse for the path and XMI file for importing and exporting XMI files. The field accepts Local Path Substitution strings; for example, use an XMI local path definition where:

```
myLocalPath="C:\Documents and Settings\John\Desktop\EA Models"
```

Then %myLocalPath%\CIM.xml is equivalent to C:\Documents and Settings\John\Desktop\EA Models\CIM.xml

- In the **UML/XMI Type** field, click on the drop-down arrow and select the type of XMI generated; options include Enterprise Architect XMI/UML 1.3, Rational Rose/Unisys UML 1.3 and Generic XMI 1.0/UML 1.3. Currently only Enterprise Architect UML 1.3 is supported for complete import/export round tripping of packages
 - In the **Version ID** field, type the version ID number
 - In the **Owner** field, type or select the name of the package owner
 - If required, click on the **Use DTD** checkbox to use a Data Type Definition (DTD)
 - If required, click on the **Log Import/Export** checkbox to log import and export activity to a log file
 - If required, click on the **Batch Import** checkbox to mark the package as a Batch Import package
 - If required, click on the **Batch Export** checkbox to mark the package as a Batch Export package.
4. Click on the **OK** button to set the Package Control options.

Note:

For batch import, the file date of the XMI file is stored. You can bypass the batch import if the file date of the last import matches that of the current file (ie. there is no change).

6.8.6.3 Remove Package from Control

If required, you can remove the control from a package. Before removing the package control, you must [check in](#) ^[625] the package if it is being used for version control.

To remove control from a package:

1. In the **Project Browser** window, right-click on the controlled package. The context menu displays.

2. Select the **Package Control | Configure** menu option, or press **[Ctrl]+[Alt]+[P]**. The **Package Control Options** dialog displays.
3. Deselect the **Control Package** checkbox. If the package is under version control, this sets the **Version Control** field to **(None)**.

Control Package:

Version Control: (None)

XML Filename: CVSPackage.xml

UML/XMI Type: Enterprise Architect XMI/UML 1.3

Version ID:

Owner: John

Last Load Date:

Last Save Date:

Other Options

Use DTD

Log Import/Export

Batch Import

Batch Export

OK Cancel Help

4. Click on the **OK** button to remove package control.
- Package control for the selected package has now been removed.

Note:

When disconnecting a package from version control, the association between the package and the exported XML file is removed from your model. However, the XML file itself is not removed from version control, nor is it deleted from your local version control working copy folder. This is because it is possible for another model to be using the version controlled package and still referencing the associated version controlled XML file.

6.8.6.4 Save a Package

You can save a controlled package to an XMI file. Once you have correctly [configured](#) the package, follow the steps below:

1. In the **Project Browser** window, right-click on the package to save. The context menu displays.
2. Select the **Package Control | Save Package to File** menu option.
3. The export process executes automatically according to your configured preferences, overwriting any existing file.

Note:

If you are using a version control package in conjunction with the exported package files, you must check out the XMI file first to enable Enterprise Architect to overwrite the existing version.

6.8.6.5 Load a Package

Using the *Controlled Packages* facility, you can save and load packages to a named file. If a package has been marked for control it is displayed in the **Project Browser** window with a red rectangle to the left of the package icon. If you have previously saved a controlled package, you can reload it using the **Load package from file** menu option.

To load a controlled package, follow the steps below:

1. In the **Project Browser** window, right-click on the package to load. The context menu displays.
2. Select the **Package Control | Load package from file** menu option.
3. If you have configured the package control details, Enterprise Architect prompts you to confirm the import.

Warning:

Importing deletes the current package entirely from the model, and the action cannot be undone. You must be careful not to lose any current changes or information.


4. Click on the **Yes** button to confirm the import. The current package is deleted and the saved package is imported.

6.8.6.6 Batch XMI Export

You can export a group of controlled packages in one step, using the *Batch XMI Export* facility.

To export a group of controlled packages, follow the steps below:

1. Select the **Project | Import/Export | Batch XMI Export** menu option. The **Batch XMI Export** dialog displays.



2. Select the checkbox against each package to include in this export run. Select the **Select All** checkbox to select all packages in the list.
3. To save this configuration as the default, click on the **Save Settings** button.

- Click on the **Run Export** button.


Enterprise Architect cycles through each checked package and exports it using the options specified in the [Controlled Package](#) dialog. As long as a valid filename exists, Enterprise Architect exports the package to XML and proceeds to the next package.

6.8.6.7 Batch XMI Import

You can import a group of controlled packages in one step, using the Batch XMI Import facility.

To import a group of controlled packages, follow the steps below:

- Select the **Project | Import/Export | Batch XMI Import** menu option. The **Batch XMI Import** dialog displays.



- Select the checkbox against each package to include in the import. Select the **Select All** checkbox to select all packages in the list.

Tip:

To avoid re-importing the same module multiple times, select the **Check file date before import** checkbox. Enterprise Architect then does not import a file if the last import file date matches that of the one currently on disk.

- To save this configuration as the default, click on the **Save Settings** button.
- Click on the **Run Import** button. Enterprise Architect cycles through the packages and imports each selected package

As Enterprise Architect processes each package, it updates the **Status** column against each package name on the **Batch XMI Import** dialog.

- If the import is successful, Enterprise Architect updates the package status to **Imported**.
- If the import is unsuccessful, Enterprise Architect updates the package status to **Not Imported**.

Common reasons for an import to fail include:

- The package not being correctly configured

- The last import file date matches the import date of the file currently on disk.

6.8.6.8 Manual Version Control with XMI

You can use XMI to support version control by writing model elements in XML text files suitable for use with standard version control software. Using XMI in this manner enables you to manually connect to third-party version control software outside the Enterprise Architect environment. Enterprise Architect internally supports the configuration of version control through SCC and CVS configurations.

To use XMI for version control, you must first:

1. Select suitable packages in the **Project Browser** window, to be marked as controlled packages.
2. Configure these with filenames that are visible to a version control system of your choice.
3. Save the controlled packages to establish a model base and check these into the version control system.

When Versioning is Required

Continue working on a package until versioning is required then follow the steps below:

1. Check out the package XMI file from the version control system.
2. Save the relevant package using the controlled package support.
3. Check the package back into the version control system.

Recover an Earlier Version

To recover an earlier version, follow the steps below:

1. Save the current version first (**important**, because the package is completely deleted during the import process) and manually update the version control system if necessary.
2. Get the required package version from the version control system.
3. Select the package to reload.
4. Select the **Package Control | Load package from file** menu option to import the previous version. Enterprise Architect deletes the controlled package and restores the previous version.

6.9 CSV Import and Export

You can [import](#)^[589] and [export](#)^[587] information about Enterprise Architect elements in CSV format. You must define [CSV specifications](#)^[585] to do this.

6.9.1 CSV Specifications

To [import](#)^[589] and [export](#)^[587] element data from Enterprise Architect using CSV files, you must first set up one or more file specifications. A file specification lists the fields in the order they are imported or exported, the filename (optional) and the delimiter between columns. Once you have defined one or more specifications, it can be selected in the **CSV Import/Export Specification** dialog as the current specification to apply during an import or export action. CSV only imports and exports elements (within packages) and their properties; items such as Class attributes cannot be imported or exported through this mechanism. [XMI](#)^[572] provides a solution to this limitation, as does use of the [Automation Interface](#)^[1439].

To define a specification, select the **Project | Import/Export | CSV Import/Export Specifications** menu option. The **CSV Import/Export Specification** dialog displays.

The **CSV Import/Export File Specification** dialog provides the following functionality:

Option	Use to
Specification Name	Select the unique name for this specification.
Delimiter	Specify the character delimiter to use between record fields. Note: If a field contains an instance of the delimiter, the field is exported wrapped in " (quotation marks) and all instances of " in the field are doubled (ie. " becomes """)
Notes	Record a brief description of the specification.
Default Filename	Select the default filename.
Default Direction	Set the default action - Import or Export . A specification can be used in either direction, but this enables you to set the default type.
Default Types	Limit the element types being exported, by entering a comma-separated list: eg.

Option	Use to
	<i>class, requirement, component, node, object.</i>
Preserve Hierarchy	Include fields generated by Enterprise Architect to embed/reconstruct the package hierarchy. Please see the Using Preserve Hierarchy ^[587] section for more details.
Available Fields	Select from a list of possible record fields, not yet allocated.
File Specification	List the record fields (in order) already assigned.
Add Field	Move all selected fields in the top list to the bottom list.
Remove Field	Move all selected fields in the bottom list back to the available list.
New	Create a new specification.
Save	Save changes to the currently selected specification.
Save As	Save the current specification with a new name.
Delete	Delete the current specification.
Close	Close this dialog.

Using Preserve Hierarchy

When selected, the **Preserve Hierarchy** option inserts two fields into the CSV specification that are:

- automatically populated by Enterprise Architect on export and
- used to reconstruct the exported package's hierarchy upon import.

Field	Description
CSV_KEY	A unique identifier for the current element. Note: This key is unique per export; subsequent exports produce different keys for the same set of elements.
CSV_PARENT_KEY	The corresponding CSV_KEY of the current element's parent. If the field is left blank or references a non-existent CSV_KEY, the element is added to the top level of the package.

Note:

It is highly recommended that you do not change these fields by hand if they have been automatically generated by Enterprise Architect's CSV exporter.

6.9.2 CSV Export

It is possible to export information about Enterprise Architect elements in CSV format. Once you have defined a CSV [export specification](#)^[585] it is possible to write out major element attributes to a CSV text file.

Export Data in CSV Format

To export data in CSV format, follow the steps below:

1. In the **Project Browser** window, right-click on the package containing the elements to export.
2. Select the **Import/Export | CSV Import/Export** menu option. The **CSV Import/Export** dialog displays.

Package:

Specification: ▼

File:

Types:

Action

Import Export

Progress:

Results

3. Set the required options, as outlined below:

Option	Use to
Package	Confirm the name of the current selected package.
Specification	Specify the name of the export specification ⁵⁸⁵ to use.
Edit/New	Edit the export specification or create a new one.
File	Specify the filename to export to.
Types	List the element types to export: leave blank for all, or enter a comma-separated list of types.
Action	Select the Export radio button to export to file.
Print Results	Print out the result list.
View File	View the CSV file with default windows application for CSV files.
Run	Perform the export.
Close	Exit this dialog.

6.9.3 CSV Import

It is possible to import information about Enterprise Architect elements in CSV format. Once you have defined a CSV [import specification](#)^[585] you can read in major element attributes from a CSV text file.

Note:

You import the CSV file into a selected package; if this package or any element within the package has a lock on it, you cannot import the CSV file into it. The **Import** option on the dialog is grayed out.

When importing, Enterprise Architect checks the specification to see if there is a **GUID** field included. If there is, Enterprise Architect attempts to locate the element identified by the GUID and, if successful, updates the current element rather than creating a new one. If no **GUID** field is defined, or Enterprise Architect cannot locate the identified element, a new element is created and placed in the current package. Note that during import, **Type** is a mandatory field and must match one of the legal Enterprise Architect element types.

Import Data in CSV Format

To import data in CSV format, follow the steps below:

1. In the **Project Browser** window, right-click on the package to import into.
2. Select the **Import/Export | CSV Import/Export** menu option. The **CSV Import/Export** dialog displays.

3. Set the required options; as outlined below:

Option	Use to
Package	Confirm the name of the current selected package.

Option	Use to
Specification	Specify the name of the import specification ⁵⁸⁵ to use.
Edit/New	Edit the import specification or create a new one.
File	Specify the filename to import from.
Types	Not used for import.
Action	Select the Import radio button to import from file. (Grayed-out if the package or a child item in the package is locked)
Print Results	Print out the result list.
View File	View the CSV file with the default windows application for CSV files.
Run	Perform the import.
Close	Exit this dialog.

6.10 Version Control

Enterprise Architect supports version control of packages and their component sub-packages to a central version control repository. You can place any individual packages, View nodes or model root nodes under version control.

Version Control provides two key facilities:

- Coordinating sharing of packages between users
- Saving a history of changes to Enterprise Architect packages, including the ability to retrieve previous versions.

There are four basic ways in which the version control facility might be used:

Use	Description
Single Shared model	Users share an Enterprise Architect model, stored in a central .EAP file or DBMS repository. This configuration enables you to see other users' packages without explicitly having to retrieve them. <ul style="list-style-type: none"> • Version control regulates access to packages, and maintains package revision history.
Multiple Private models	An Enterprise Architect model is created by a single user who configures it for version control. The model file is then distributed to other users, with each user storing their own private copy of the model. <ul style="list-style-type: none"> • Users update their model's packages through version control • Version control regulates access to packages, and maintains package revision history • Other users' new packages are retrieved using the Get Package command.
Shared packages	Individual users create separate Enterprise Architect models but share one or more packages. <ul style="list-style-type: none"> • Users share packages through version control.
Standard packages	A company might have a standard set of packages which are broadly shared (on a read-only basis). <ul style="list-style-type: none"> • Individual users retrieve packages with the Get Package menu option.

Note:

Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.

[Controlled packages](#)^[578] configured for version control appear in the **Project Browser** window with a small figure eight (8) to the left of the package icon, as in the example below. [Checked out](#)^[625] packages have just the figure 8, and checked in packages also have a blue rectangle with a key overlaid on the package icon. The version control icons in the **Project Browser** are fully explained in the [Project Browser Icon Overlays](#)^[56] topic.



Version Control Products

The version control repository is maintained by third-party version control software that controls access to and stores revisions of the controlled packages. Version controlled packages are packages that have been configured for use with version control software. Version Control products supported by Enterprise Architect include CVS, MS TFS, Subversion and all other products that provide an interface that complies with the Microsoft Common Source Code Control standard (version 1.1 or higher).

Note:

Although Enterprise Architect directly supports TFS through its command line interface, we recommend the use of Microsoft's TFS-SCC client instead.

- Subversion is available from <http://subversion.tigris.org/>
- CVS is available from <http://www.wincvs.org/>.

See Also

- [Version Control Setup](#)^[591]
- [Using Version Control](#)^[592]
- [Version Control Reference](#)^[593]
- [Offline Version Control](#)^[617]

6.10.1 Version Control Setup

Before using Enterprise Architect's version control facility, your version control product must be installed on each machine where it is intended to be used. Version Control products supported by Enterprise Architect include MS Team Foundation Server, Subversion, CVS or any other version control product that provides an MS SCC-compliant interface.

Notes:

- Although Enterprise Architect directly supports TFS through its command line interface, it is recommended that you use Microsoft's TFS-SCC client instead.
- If you are using the Corporate version of Enterprise Architect with security enabled, you must also set up permissions to configure and use version control. See [List of Available Permissions](#)^[641] for further information.

Typically there should be:

- A server component that manages a version control repository
- Client components on the workstations that Enterprise Architect uses to communicate with the server.

A version control client must be installed on every machine where you run Enterprise Architect and want to access your version control system. Once the version control software has been installed and configured, to use your installed version control product you must define a Version Control Configuration within Enterprise

Architect.

Version control can be assigned to individual packages, view nodes or root nodes in Enterprise Architect. Each package can only be linked to one Version Control Configuration at a time, although it is possible to connect multiple control configurations for each model. You can use the [Version Control Configurations](#) dialog to set up a connection to your version control application.

To set the Version Control Configuration, select the **Project | Version Control | Version Control Settings** menu option, and see the [Version Control Settings Dialog](#) topic.

See Also

- [Version Control Options SCC](#)
- [Version Control With CVS](#)
- [Version Control with Subversion](#)
- [Version Control with TFS](#)
- [Configure Packages \(for version control\)](#)

6.10.2 Use Version Control

The following topics describe the most common activities using the version control features of Enterprise Architect:

- [Version Control Options SCC](#)
- [Version Control Options CVS](#)
- [Version Control with Subversion](#)
- [Version Control with TFS](#)
- [Configure Packages \(for version control\)](#)
- [Check In and Check out Packages](#)
- [Offline Version Control](#)
- [Apply Version Control to Branches](#)
- [Export Version Controlled Model Branch](#)
- [Import Version Controlled Model Branch](#)
- [Review Package History](#)
- [Remove Package from Version Control](#)
- [Add a Previously Defined Version Control Configuration to a Package](#)
- [Include Other Users Packages](#)
- [SCC Version Control Upgrade for 4.5](#)
- [Specify Private or Shared Models](#)

General Notes

- The export/import facility is not fast and submitting packages containing many sub-nodes to version control should be avoided. It is recommended version control is applied to individual packages. See [Use Nested Version Control Packages](#) for more information.
- [Replication](#) should not be combined with version controlled packages.
- Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.

6.10.3 Version Control Reference

The following references are available for Version Control.

Menus

- [Version Control Setup Menu](#) ^[593]
- [Version Control Menu](#) ^[595]

Dialogs

- [Version Control Settings Dialog](#) ^[593]

Product Options

- [Version Control Options SCC](#) ^[597]
- [Version Control with CVS](#) ^[607]
- [Version Control with Subversion](#) ^[608]
- [Version Control with TFS](#) ^[614]

6.10.3.1 Version Control Setup Menu

You access the **Version Control Setup** menu through the **Project | Version Control** menu option. It provides the following options:

Menu Option & Function Keys	Use to
Configure Current Package [Ctrl]+[Alt]+[P]	Display the Package Control Options ^[580] dialog, which enables you to specify whether this package (and its children) is controlled, and which file it is controlled through.
Version Control Settings	Display the Version Control Settings ^[593] dialog ^[593] .
Work Offline	Work independently of the version control server, if it is unavailable to you.

6.10.3.2 Version Control Settings Dialog

The **Version Control Settings** dialog enables you to specify the information required to create a Version Control Configuration, which can then be used to establish a connection to a Version Control provider. Enterprise Architect supports version control through MS Team Foundation Server, Subversion, CVS or any SCC-compliant version control product.

It is possible to use multiple version control configurations in the same Enterprise Architect model. It is also possible to use the same version control configuration across different models, to facilitate sharing 'standard' packages between those models, through the version control system.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Configure Version Control](#) ^[640] permission to set up version control options for the current model.

Setting Up Version Control

When you display the **Version Control Settings** dialog for the first time in any given model, it displays as shown below.

The screenshot shows a dialog box titled "Model Management" with two main sections: "Model Settings" and "Configuration Details".

Model Settings:

- This model is private (for Shared models, it is best to disable this check box)
- Save nested version controlled packages to stubs only (recommended)

Configuration Details:

Unique ID:

Type: SCC CVS Subversion TFS

Buttons: New, Save, Delete

Defined Configurations:

Unique ID	Type	Files	Location
-----------	------	-------	----------

Buttons: Close, Help

To begin defining a new version control configuration, follow the steps below:

1. Click on the **New** button.
2. In the **Unique ID** field, type a suitable name.
3. Against the **Type** field, click on the radio button corresponding to the version control product to connect to.

At this point, the middle section of the dialog changes to display a collection of fields relating to the type of Version Control Configuration you are defining. Go to the relevant topic below:

- [Version Control Options SCC](#)^[597]


- [Version Control Options CVS](#) ^[602]
- [Version Control Subversion](#) ^[608]
- [Version Control with TFS](#) ^[614]

To import a previously defined configuration for use in the current model, follow the steps below:

1. Click on the **New** button.
2. In the **Unique ID** field, click on the drop-down arrow and select one of the previously defined version control configurations.
3. Click on the **Save** button to save the selected version control configuration in this model.

6.10.3.3 Version Control Menu

To display the **Version Control** menu, right-click on a version controlled package in the **Project Browser** window and select the **Package Control** menu option.



Menu Option & Function Keys	Use to
Configure [Ctrl]+[Alt]+[P]	Display the Package Control Options ^[580] dialog which enables you to specify whether this package (and its children) is controlled, and which file it is controlled through.
Check In Branch [Ctrl]+[Alt]+[B]	For the selected branch of the model, (i.e. the selected package and all of its child packages) display the Select Packages to Check In ^[626] dialog, listing all version controlled packages within that branch that are checked out to

Menu Option & Function Keys	Use to
	you. You can then select packages in the displayed list, to be submitted for check-in.
Check In	Submit the currently selected package and all sub-packages to the central repository. Enterprise Architect prompts you to enter optional comments describing changes to the packages.
Check Out	Retrieve the latest version of the currently selected package and sub-packages from the central repository, overwriting the current packages. After check out the packages are available for editing.
Undo Check Out	Cancel all changes you have made to the currently selected package and sub-packages. This restores the model to the state it was in before the package was checked out, leaving the select package and sub-packages locked.
Get Latest	Retrieve the latest revision of the package from the repository. Available only for packages that are checked in. Available only on Private Models.
Get All Latest	Retrieve the latest revision of the all version controlled packages in the project. Only retrieves packages that are checked in. Available only on Private Models.
Put Latest	Update the central repository with the currently selected package (which you have checked out), while retaining checkout status on the package. This is equivalent to checking a package in and immediately checking it back out again.
File Properties	Ask the version control provider to show the version control properties associated with the XML export file pertaining to the currently selected package.
File History	Where the controlling package has been configured by an SCC provider, this provider shows a change history for the package. See your provider's documentation for details on how to use the control. Otherwise if the version control is CVS the history is shown via Enterprise Architect's internal CVS history menu.
Compare with version on disk	Compare the current package with the XMI version on disk.
Add Branch to Version Control	Apply version control to all packages within a selected <i>model branch</i> , in a single operation. In this context, a model branch is a package that is currently selected in the Project Browser , and all of the packages contained within it.
Export as Model Branch	Export ^[620] a newly created model branch from your own private copy of a model.
Import a Model Branch	Retrieve ^[621] a model branch and import it into either the source model or another model.
Get Package	Access packages in the version control repository that are not currently available in your model.
Version Control Settings	Display the Version Control Settings ^[593] dialog ^[593] .
Update Package Status	Provide a bulk update on the status of a package, including status options such as Proposed, Validate and Mandatory.

Menu Option & Function Keys	Use to
	Note: This option is a generic package option not specific to version control.

6.10.3.4 Version Control Options SCC

To set up an SCC version control configuration, you must:

- Set up the source code control provider with SCC, and
- Connect the Enterprise Architect model to version control with SCC.

Set Up the Source Code Control Provider with SCC

To set up the third-party source code control provider, see the documentation provided with that application. A repository must be set up using the SCC provider and access to that repository must be available to all intended users.

Connect an Enterprise Architect Model to Version Control with SCC

To connect an Enterprise Architect model to version control, follow the steps below:

1. Open or create the Enterprise Architect model to place under version control.
2. Select the **Project | Version Control | Version Control Settings** menu option. The **Version Control Settings** dialog displays

Model Settings

This model is private (for Shared models, it is best to disable this check box)

Save nested version controlled packages to stubs only (recommended)

Configuration Details:


Unique ID:

Type: SCC CVS Subversion TFS


Defined Configurations:

Unique ID	Type	Files	Location
-----------	------	-------	----------

3. Click on the **New** button.
4. In the **Unique ID** field, type a suitable name. Click on the **SCC** radio button.
5. To the right of the **Local Project** path field, click on the **Select Path...** button. The **Browse for Folder** dialog displays.



6. Locate and click on the local folder in which to keep local working copies of the XML files to be stored in the Version Control repository.
7. Click on the **OK** button. The **Select SCC Provider** dialog displays.

**Note:**

All users of the shared database must specify the same SCC provider.

8. Click on an SCC provider, and click on the **OK** button to return to the **Version Control Settings** dialog.
9. Click on the **Save** button to save the configuration you have defined.

The SCC provider is likely to prompt you for various details including the name of the project to connect

to, and perhaps the user name to use when you log in.

10. The new configuration is added to the list in the **Defined Configurations** panel.

Note:

A new entry is also created in the [Local Paths](#) ^[786] list, with the same ID as the new version control configuration. The **Local Path** entry records the Local Project path, for use in subsequent path substitutions.

11. When you have finished defining your version control configurations, click on the **Close** button.

For further information on the fields on the **Version Control Settings** dialog, see the following table.

Field	Use to
This model is private	Enable or disable the Get Latest and Get All Latest menu options (recommend deselect to disable). For an explanation, see Specify Private or Shared Models ^[619] .
Save nested version controlled packages to stubs only	Set nested version controlled packages to stubs or fully expanded trees. Defaults to selected. For a full explanation of this option, see Use Nested Version Control Packages ^[618] .
Unique ID	Specify a configuration name that readily distinguishes this configuration from other configurations. The unique ID is displayed as a selection in the list of Version Control configurations a package can connect to. You can also click on the drop-down arrow and select a previous version control configuration, providing the configuration is not in the current model.
Local Project Path	Specify the folder in which the XML files representing the packages are stored. This folder should already exist before it is specified here. Every PC using version control should have its own local SCC project folder, and this should not be a shared network folder. Particularly bear this in mind if you are creating a .EAP file that is to be shared (eg. a SQL database).
Current User	Read only. Shows your user name as the user currently logged into the SCC provider.
SCC Provider	Read only. Shows the name of the provider specified in the database.
SCC Project	Read only. Shows the project selected during the initial setup of the connection to the SCC provider.

Note:

Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.

6.10.3.5 SCC Version Control Upgrade at Enterprise Architect Release 4.5


When a version-controlled project created under a release of Enterprise Architect earlier than 4.5 is opened in Enterprise Architect release 4.5 or later, you must identify the SCC connection with a new unique ID. You can assign a name to the existing SCC configuration or associate the project with a configuration that has previously been assigned a unique ID.

By having a unique ID for Version Control Configurations, you can assign a configuration quickly and efficiently using configurations that have been created previously for other version controlled repositories. This enables you to configure the many packages to use an existing version control repository; this can apply to packages created for more than just one model enabling a great deal of flexibility.


To upgrade an existing SCC version control project created before release 4.5, in Enterprise Architect release

4.5 or later, follow the steps below.

1. Open the project that has an SCC Version Control Configuration created in Enterprise Architect earlier than version 4.5.
2. The **Select or Create Unique ID for Version Control** dialog prompts you to create an ID for an existing configuration or to choose a previously created one from the **Unique ID** drop-down list.
3. The existing SCC configuration is the initial value, represented by **SCC-XXXXX**; this number is not especially meaningful, therefore it is recommended that the configuration be given a meaningful name.



4. You can associate the version controlled package with a previously-defined configuration by selecting an existing configuration from the **Unique ID** drop-down list (if one exists).



5. After you have assigned the unique ID, click on the **OK** button to load the model.

6.10.3.6 Version Control with CVS

CVS is used to manage files and directories and is an open source, version control system. In order to use CVS version control with Enterprise Architect, you must install version control software on your local machine. Also, you must create a working directory (using your version control software) before you can configure Enterprise Architect. You can have as many working directories as you like on your local machine.

You must also connect to a repository, which can be either a [remote repository](#)^[602] or [local](#)^[605], to your machine. If your repository is local, it must be created with your version control software.

Each working folder you create contains information on connection to a repository. This connection information includes the path to the local or remote repository, the user name and password in order to make a connection.

6.10.3.6.1 CVS with Remote Repositories

Before you can connect to a remote repository, you must:

- Have version control setup on your local machine
- Have version control setup on a remote server
- Have a working directory on your local machine that points to the repository on the server.

To set up CVS version control with a remote repository, follow the steps below:

1. Ask your system administrator to install CVS and create a remote repository with a module that you can use to control your Enterprise Architect package files. Your administrator must create a username and password for you before you can make a connection.
2. Open a command prompt window and navigate to, or create, a suitable directory to hold your CVS working copy directory; for example:

```
C:\> cd myCVSWorkSpace
```

3. Connect to the remote CVS repository. An example connection command is:
C:\myCVSWorkSpace> cvs -d:pserver:myUserID@ServerName:/repositoryFolder login

Note:

Replace myUserID with your CVS username, replace ServerName with the name of your CVS server and replace repositoryFolder with the path to the repository on the server. Enterprise Architect prompts you to enter your password.

4. Create a local CVS workspace, derived from the remote repository. An example command is:
C:\myCVSWorkSpace> cvs -d:pserver:myUserID@ServerName:/cvs checkout moduleName

Note:

The above command creates a subdirectory in your current working directory, called moduleName. (Replace moduleName with the name of the module created by your system administrator). It creates local copies of all files contained in the CVS module found at ServerName:/cvs.

It also creates a subdirectory beneath moduleName, called CVS. This subdirectory contains a file called Root, that contains your CVS connection information. Enterprise Architect uses this file to obtain your CVS userID.

5. Verify that your CVS installation is working correctly.
6. Change directory to the one you specified as the working copy, in the cvs checkout command above, i.e.
C:\myCVSWorkSpace\moduleName
7. Now create a test file, eg. **Test.txt**, containing the text *CVS Test*. You can do this with the command:
echo CVS Test > Test.txt
8. Execute the following CVS commands:
 - cvs add Test.txt
 - cvs commit -m"Commit comment" Test.txt
 - cvs update Test.txt
 - cvs edit Test.txt
 - cvs editors Test.txt
9. The editors command should produce output resembling the following:
Test1.txt myUserID Tue Aug 9 10:08:43 2009 GMT myComputer C:\myCVSWorkSpace\moduleName
10. Take note of the userID that follows the filename. Enterprise Architect must find and use this userID when you create your version control configuration. (See the example dialog below.)
11. Launch Enterprise Architect and open or create the model containing the packages to place under version control.
12. Select the **Project | Version Control | Version Control Settings** menu option. The **Version Control Settings** dialog displays
13. Click on the **New** button, enter a suitable name in the **Unique ID** ⁽⁶⁰⁴⁾ field, then click on the **CVS** radio

button in the **Type** field.

Model Settings

This model is private (for Shared models, it is best to disable this check box)

Save nested version controlled packages to stubs only (recommended)

Configuration Details:

Unique ID:

Type: SCC CVS Subversion TFS

Working Copy path:

Current User:


Workstation Settings:

CVS Exe Path:

Defined Configurations:

Unique ID	Type	Files	Location

14. To specify the **Working Copy path** value, click on the **Select Path** button. Select the local folder in which to keep local working copies of the XML files to be stored in the Version Control repository.
15. The **Current User** field should display the user name used to log into the remote CVS repository. If this does not happen, it indicates that Enterprise Architect cannot extract the user name from the file `..\WorkingCopyPath\CVS\Root` and the configuration does not work correctly.
16. If necessary, set the **CVS Exe Path** by clicking on the **Select Path...** button and browsing to the file path for the file `cvs.exe`, the CVS executable.



17. Click on the **Save** button to save the configuration you have defined. The new configuration is added to the list of **Defined Configurations**.

Note:

A new entry is also created in the **Local Paths** list, with the same ID as the new version control configuration. The **Local Path** entry records the Local Project path, for use in subsequent path substitutions.

Options	Use to
This model is Private	Enable or disable the Get Latest and Get All Latest menu options. For further information, see the Specifying Private or Shared Models ^[619] topic.
Save nested version controlled packages to stubs only	Set nested version controlled packages to stubs or fully expanded trees. Defaults to selected. For a full explanation of this option, see Use Nested Version Control Packages ^[618] .
Unique ID	Specify a configuration name that readily distinguishes it from other configurations. The unique ID displays as a selection in a list of Version Control configurations a package can connect to. In addition it is possible to select a previous version control configuration from this drop-down menu providing the configuration is not in use in the current model.
Working Copy Path	Specify the folder where the XML files representing the packages are stored. This folder should already exist before it is specified here. Every version control configuration you define in Enterprise Architect, should have its own local working copy folder in which to store working copies of the XMI package files; this should not be a shared network folder. Particularly bear this in mind if you are creating a .EAP file which is to be shared (eg. A SQL database).
Current User	Specify the CVS user name associated with all CVS commands that are issued. This name is used by Enterprise Architect, to determine who has a package 'checked-out'.
CVS EXE Path	Specify the full path of the CVS client's executable file.

Note:

Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.

6.10.3.6.2 CVS with Local Repositories

Before you can set up Enterprise Architect, you must have a working directory that points to a local repository, i.e. one that is installed on your local machine. See your version control software help files for more information.

To set up CVS version control follow the steps below:

1. Launch Enterprise Architect and open or create the Enterprise Architect model for which packages are to be placed under version control.
2. Select the **Project | Version Control | Version Control Settings** menu option. The **Version Control Settings** dialog displays.
3. Click on the **New** button.
4. In the **Unique ID** field, type a suitable name for the configuration.
5. Against the **Type** field, click on the **CVS** radio button.

Model Settings

This model is private (for Shared models, it is best to disable this check box)

Save nested version controlled packages to stubs only (recommended)

Configuration Details:

Unique ID:

Type: SCC CVS Subversion TFS

Working Copy path:

Current User:


Workstation Settings:

CVS Exe Path:

Defined Configurations:

Unique ID	Type	Files	Location
-----------	------	-------	----------

6. Click on the **Select Path...** button to the right of the **Working Copy path** field and browse for and select the local folder in which to keep local working copies of the XML files to be stored in the Version Control repository.
7. If necessary, click on the **Select Path...** button to the right of the **CVS Exe Path** field and browse to the file path for the file `cv.exe`, the CVS executable.



8. Click on the **Save** button to save the configuration you have defined.
9. The new configuration is added to the list in the **Defined Configurations** panel.

Note:

A new entry is also created in the [Local Paths](#) ^[786] list, with the same ID as the new version control configuration. The **Local Path** entry records the Local Project path, for use in subsequent path substitutions

For further information on the fields in the **Version Control Settings** dialog, see the following table.

Field	Use to
This model is Private	Enable or disable the Get Latest and Get All Latest commands. For further information, see the Specifying Private or Shared Models ^[619] topic.
Save nested version controlled packages to stubs only	For a full explanation of this option, see Using Nested Version Control Packages ^[618] .
Unique ID	Specify a name that readily distinguishes the configuration from other configurations. The Unique ID is displayed as a selection in the list of Version Control configurations a package can connect to. In addition it is possible to select a previous version control configuration from the drop-down menu providing the configuration is not in use in the current model.
Working Copy Plan	The folder where the XML files representing the packages are stored. This folder should already exist before it is specified here. Every version control configuration you define in Enterprise Architect, should have its own local Working Copy Folder in which to store working copies of the XML package files - this should not be a shared network folder. Particularly bear this in mind if you are creating a .EAP file which is to be shared (eg. a SQL database).
Current User	The CVS user name associated with all CVS commands that are issued. This name is used by Enterprise Architect, to determine who has a package 'checked-out'.

Field	Use to
CVS EXE Path	The full path name of the CVS client's executable file.

Note:

Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.

6.10.3.7 Version Control with Subversion

Subversion is used to manage files and directories and is an open source version control system. To make use of Subversion control you must have Enterprise Architect version 6.0 or greater.

Tasks in setting up version control with subversion include:

- [Set up Subversion](#) ^[608]
- [Create a new Repository Sub-Tree](#) ^[609]
- [Create a Local Working Copy](#) ^[610]
- [Configure Version Control with Subversion](#) ^[611]
- [TortoiseSVN](#) ^[613]

6.10.3.7.1 Set up Subversion

Obtain and Install Subversion

Note:

Enterprise Architect relies on exclusive file locking when applying version control to its packages. File locking was not introduced into Subversion until version 1.2. Enterprise Architect does not work with Subversion releases earlier than Subversion 1.2.

Before Enterprise Architect can be used with Subversion, the appropriate software must be installed by a Subversion administrator. Ask your system administrator to obtain and install the Subversion server and client applications.

Official Subversion documentation can be found at: <http://svnbook.red-bean.com/en/1.1/index.html>, while executable files for Subversion can be obtained from: http://subversion.tigris.org/project_packages.html#binary-packages.

You require the Windows executables for your client machines running Enterprise Architect in the windows environment. If you plan to run your Subversion server on a non-windows platform, you must download a binary suitable for that platform as well.

Chapter 6 in the Subversion documentation provides guidance on how to configure the server for different methods of access by the client. Secure connection methods are also covered in this chapter.

Your administrator should set up user IDs and passwords for everybody that is to access the repository. Your administrator should then provide all users with the path to the repository, and ensure that they can all connect.

Before users can make use of Subversion, they must [create local working copies](#) ^[610] from the repository by checking-out a [repository sub-tree](#) ^[609].

Steps for setting up a repository and creating a local working copy can be found at: <http://svnbook.red-bean.com/en/1.1/ch01s07.html>.

Note:

Sparx Systems recommend that each new Enterprise Architect model being added to version control with Subversion should have a separate repository sub-tree created for it, and users should create a new local working copy from the sub-tree to be used with that model.

Repository URLs

Subversion repositories can be accessed using many different methods, on local disk or through various network protocols. A repository location, however, is always a URL. The table below describes how different URL schemas map to the available access methods.

Schema	Access Method
file://	Direct repository access (on local disk)
http://	Access via WebDAV protocol to a Subversion-aware Apache server.
https://	Same as http://, but with SSL encryption.
svn://	Access via custom protocol to an svnserve server
svn+ssh://	Same as svn://, but through an SSH tunnel.

For more information on how Subversion parses URLs, see <http://svnbook.red-bean.com/en/1.1/ch07s07.html>.

See Also

- [Configure Version Control with Subversion](#)^[61†]
- [TortoiseSVN](#)^[61‡]

6.10.3.7.2 Create a new Repository Sub-tree

If a repository sub-tree has already been created for your Enterprise Architect model, skip this topic and see [Create a Local Working Copy](#)^[61‡]. If your Enterprise Architect model has not previously been added to version control, create a sub-tree for it in your SVN repository by following the steps below:

1. Create a temporary directory structure to import into the SVN repository, which initializes the repository sub-tree for this Enterprise Architect model. The directory structure should look like this:

```
tempDir
|
+--<EA_Model_Name>
|
|  +--trunk
|  |
|  +--branches
|  |
|  +--tags
```

2. Open a command prompt, navigate to *tempDir* and issue the command:


```
svn import. <repositoryURL> --message "A Comment of your choice"
```

Note:

After the import is finished, the original tree is not converted into a working copy. To start working, you must still **svn checkout** a fresh working copy of the tree.

3. Delete the directory *tempDir* and all its contents.

For further information see <http://svnbook.red-bean.com/en/1.1/svn-book.html#svn-ch-5-sect-6>

6.10.3.7.3 Create a Local Working Copy

Once you have created a sub-tree in the repository for this model, or if one already exists, you are ready to create the local Working Copy for use with this model. Follow the steps below:

1. Choose a suitable directory on your system, in which to create your Subversion Working Copy. The directory that contains your model's .EAP file is probably a good choice.
2. Open a command line window, navigate to the directory to hold your Working Copy directory and check-out the model's sub-tree from the repository, with the following command;


```
svn checkout <repositoryURL>/<EA_Model_Name>
```

 where *<EA_Model_Name>* is the directory name that you used in setting up the repository sub-tree above.

After you have created your working copy, you should verify everything is working correctly before you attempt to use it from within Enterprise Architect. You must be able to commit files to the repository, without being prompted for ID or passwords.

Enterprise Architect interacts with Subversion using its command line client. Firstly, create a file in your working copy folder then, from a command prompt, add and commit the file to the repository. Use the following commands:

```
svn add <fileName>
svn commit <fileName> -m"A meaningful comment."
```

Now, update the file from the repository, lock the file, edit it and commit once more. Use the following commands:

```
svn update <fileName>
svn lock <fileName>
```

Then edit and save the file using your favorite editor:

```
svn commit <fileName> -m"A meaningful comment."
```

6.10.3.7.4 Using Subversion with Enterprise Architect Under Linux-Crossover

Enterprise Architect uses the Subversion command line client to communicate with your Subversion server. Enterprise Architect is a Windows application (running in a Windows emulation) and, as such, requires the Windows version of the Subversion command line client. You should use the normal Subversion command line client for Windows:

```
svn.exe
```

This is available from http://subversion.tigris.org/project_packages.html#binary-packages.

Sparx Systems has tested with CrossOver 6.2.0; however, the particular version should not affect the operation of Subversion with Enterprise Architect.

You can use the Linux client for Subversion to perform most of your Subversion set up. However, you should create the local working copy that Enterprise Architect is to use, by performing a Subversion *checkout* command using the Windows client under CrossOver. When doing this, you supply your username and password as command line options, and Subversion then caches your authentication details on disk. Any subsequent operations performed by Enterprise Architect using that working copy have the 'author' designated as the user specified in the *checkout* operation.

(For reference, the user credentials are cached in `.../drive_c/windows/profiles/crossover/Application Data/Subversion/auth/svn.simple`.)

Because you cannot see any output from Subversion commands run under CrossOver, the best way to run the Subversion commands is to create a Windows batch file containing the command to run, then run that batch file as a Windows command under CrossOver.

It is important to verify that your Windows command line client for Subversion is working correctly before attempting to connect from Enterprise Architect. (See the [Create a Local Working Copy](#)^[610] topic for steps on verifying your set up.)

The following is an example of a Windows batch file that can be used under CrossOver to run Subversion commands. Simply uncomment the command to execute. Each command should be a single line - the '\ ' is

intended as a continuation character.

```
rem "C:\Program Files\Subversion\bin\svn.exe" checkout --username "UserName" --password "myPassword" \  
    "svn://myServerName:3690/myProject" "C:\SVN-test\workcopy" >"C:\SVN-test\stdout.txt" \  
&2>"C:\SVN-test\stderr.txt" \  
  
rem "C:\Program Files\Subversion\bin\svn.exe" add "C:\SVN-test\workcopy\myTestFile.xml" \  
    >"C:\SVN-test\stdout.txt" &2>"C:\SVN-test\stderr.txt" \  
  
rem "C:\Program Files\Subversion\bin\svn.exe" commit -m"a message" "C:\SVN-test\workcopy\myTestFile.xml" \  
    >"C:\SVN-test\stdout.txt" &2>"C:\SVN-test\stderr.txt" \  
  
rem "C:\Program Files\Subversion\bin\svn.exe" lock "C:\SVN-test\workcopy\myTestFile.xml" \  
    >"C:\SVN-test\stdout.txt" &2>"C:\SVN-test\stderr.txt"
```

6.10.3.7.5 Configure Version Control with Subversion

This topic assumes that you have already installed Subversion (both the server and the client parts), and that you have a [local working copy](#)^[610], derived from a [repository sub-tree](#)^[609], already set up for use with your Enterprise Architect model. If this is not the case, please see the [Set up Subversion](#)^[608] topic.

Once you have set up and tested the Local Working Copy, you are ready to define a Version Control configuration for use with the Enterprise Architect model to place under version control.

To apply version control to your Enterprise Architect model using the Subversion working copy that you have set up, follow the steps below:

1. Launch Enterprise Architect and open the model for which this Working Copy was created.
2. Select the **Project | Version Control | Version Control Settings** menu option.
3. Click on the **New** button, enter a suitable name in the **Unique ID** field, then click on the **Type: Subversion** radio button.

Model Settings

This model is private (for Shared models, it is best to disable this check box)

Save nested version controlled packages to stubs only (recommended)

Configuration Details:

Unique ID:

Type: SCC CVS Subversion TFS

Working Copy path:

Workstation Settings:

Subversion Exe Path:

Defined Configurations:

Unique ID	Type	Files	Location
-----------	------	-------	----------

4. To the right of the **Working Copy path** field, click on the **Select Path** button and select the local folder in which to keep local working copies of the XML files to be stored in the Version Control repository.
5. In the **Workstation Settings** panel, click on the **Select Path** button to specify the path for your Subversion client executable.
6. Click on the **Save** button to save the configuration you have defined; the new configuration is added to the **Defined Configurations** list.

Note:

A new entry is also created in the [Local Paths](#) ^[785] list, with the same ID as the new version control configuration. The Local Path entry records the Local Project path, for use in subsequent path substitutions.

- When you have finished defining your version control configurations, click on the **Close** button.

Additional Information on the dialog fields:

Option	Use to
This model is private	Enable or disable the Get Latest and Get All Latest menu options (recommend deselect to disable). For an explanation, see Specifying Private or Shared Models ^[619] topic.
Save nested version controlled packages to stubs only	Set nested version controlled packages to stubs or fully expanded trees. Defaults to selected. For a full explanation of this option, see Using Nested Version Control Packages ^[618] .
Unique ID	Specify a configuration name that readily distinguish this configuration from other configurations. The Unique ID displays as a selection in the list of Version Control configurations a package can connect to. In addition you can select a previous version control configuration from this drop-down menu, providing the configuration is not in the current model.
Working Copy path	Specify the folder where the XML files representing the packages are stored. This folder should already exist before it is specified here. Every PC using Subversion version control should have its own Subversion working copy folder in which to store working copies of the XMI package files; this should not be a shared network folder. Particularly bear this in mind if you are creating a .EAP file that is to be shared (eg. A SQL database).
Subversion Exe Path	Specify the full path name of the Subversion client executable file.

Note:

Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.

6.10.3.7.6 TortoiseSVN

TortoiseSVN is a Windows shell extension for Subversion that is external to Enterprise Architect and not integrated. The icon overlays that it provides in Windows Explorer are useful as a tool for observing the status of your Subversion controlled files. It enables you to create your repository sub-trees and check out local working copies from within Windows Explorer using simple menu commands.

Note:

- Sparx Systems recommend that you test your local working copies, by adding and committing a dummy file from the command prompt window.
- Manipulating Enterprise Architect's package files, using tools that are external to Enterprise Architect, could leave those files in a state that Enterprise Architect cannot use.

You can download TortoiseSVN from: <http://tortoisesvn.tigris.org/>.

6.10.3.8 Version Control with TFS

In order to use Team Foundation Server for version control with Enterprise Architect, all users must have a TFS client installed on their local machine and each intended user must have an account that provides read/write access to a workspace on the server.

Each user must set up a local working folder on their own machine that is mapped, through the workspace, to a Source Control folder on the server.

These preliminary steps should be performed on each PC and for each user, before making any attempt to define a Version Control Configuration within Enterprise Architect that uses TFS.

Connect an Enterprise Architect Model to Version Control using TFS.

1. Open or create the Enterprise Architect model to place under version control.
2. Select the **Project | Version Control | Version Control Settings** menu option. The **Version Control Settings** dialog displays.
3. Click on the **New** button, in the **Unique ID** field enter a suitable name, then select the **TFS** radio button.

Model Settings

This model is private (for Shared models, it is best to disable this check box)

Save nested version controlled packages to stubs only (recommended)

Configuration Details:

Unique ID: TFS-config

Type: SCC CVS Subversion TFS

Working Copy path: C:\WC_WorkSpaces\TFS\WorkFolder1

Server Name:

Workspace Name:

User Name: SPARXSYSTEMS\userOne

Password: ●●●●●●

Workstation Settings:

TFS Exe Path: Files\Microsoft Visual Studio 8\Common7\IDE\Tf.exe

Defined Configurations:

Unique ID	Type	Files	Location

- Click on the **Select Path...** button to the right of the **Working Copy path** field, and select the local folder in which to keep local working copies of the XML files to be stored in the Version Control repository.

Note:

Enterprise Architect queries TFS to retrieve the Server and Workspace names associated with this folder, when attempting to save the configuration data.

- In the **User Name** and **Password** fields, type values that enable access to the TFS workspace associated with the Working Copy path specified above.
- The **TFS Exe Path** field displays the default installation path. Click on the **Select Path...** button if it is necessary to modify this field.

7. Click on the **Save** button to save the configuration you have defined.
8. The new configuration is added to the list in the **Defined Configurations** panel.

Note:

A new entry is also created in the [Local Paths](#)^[785] list, with the same ID as the new version control configuration. The Local Path entry records the Local Project path, for use in subsequent path substitutions.

9. When you have finished defining your version control configurations, click on the **Close** button.

Additional Information on the Dialog Fields

Option	Use to
This model is private	Enable or disable the Get Latest and Get All Latest menu options (recommend deselect to disable). For an explanation, see Specify Private or Shared Models ^[619] .
Save nested version controlled packages to stubs only	Set nested version controlled packages to stubs or fully expanded trees. Defaults to selected. For a full explanation of this option, see Use Nested Version Control Packages ^[618] .
Unique ID	Specify a configuration name that readily distinguishes it from other configurations. The Unique ID is added to the list of Version Control configurations a package can connect to. In addition it is possible to select a previous version control configuration from this drop-down menu providing the configuration is not in the current model.
Working Copy Path	Specify the folder where the XML files representing the packages are stored. This folder should already exist before it is specified. Every PC using TFS version control should have its own TFS Local Folder in which to store working copies of the XMI package files - this should not be a shared network folder. Particularly bear this in mind if you are creating a .EAP file which is to be shared (eg. a SQL database).
Server Name	Specify the name of the Team Foundation Server to connect to.
Workspace Name	Specify the name of a pre-defined TFS workspace that you are using
User Name	Specify the user name that you use to connect to the Team Foundation Server. The user name that you specify should give you read/write permissions in the specified workspace.
Password	Specify the password associated with the user name you specify. Enterprise Architect stores this password, in encrypted form, as part of the VC configuration data.
TFS Exe Path	Type in the full path name of the TFS client's executable file.

Notes:

- Sparx Systems strongly urge you not to manipulate version controlled package files outside of Enterprise Architect. It is possible to leave the package files in a state that Enterprise Architect cannot recognize.
- Visual Studio Integration (MDG Integration for Visual Studio 2005) enhances TFS support by providing access to, for example, work items and bugs within both Enterprise Architect and the MDG Integration product.

6.10.4 Offline Version Control

When loading a model that uses version control, Enterprise Architect normally initializes a connection to the version control system for each Version Control Configuration defined in the model. If Enterprise Architect is unable to connect a Version Control Configuration for any reason, it displays warning messages to notify you and provides 'offline' version control functionality for all packages associated with the failed connection.

You can prevent Enterprise Architect from attempting to make any version control connections by selecting the **Project | Version Control | Work Offline** menu option before loading a model. This is useful if you know that Enterprise Architect cannot connect to your version control system. For example, if you are working on a laptop computer that is disconnected from your network and you have an Enterprise Architect model that uses a large number of Version Control Configurations, choosing to work offline before you load the model enables you to avoid all the error messages that Enterprise Architect would normally display as each version control connection attempt fails.

You can switch between working offline and working online at any time, either before or after a model is loaded. Enterprise Architect disconnects or reconnects version control (depending on connection availability) according to your selection.


Use Version Control Whilst Disconnected From Your Version Control Server

Enterprise Architect 'remembers' the status of a model's version controlled packages. Packages that were [checked out](#) to you prior to disconnecting from the server are still shown as checked out to you, even though you are no longer connected to the server. You can still edit these packages as you normally would.

Packages that were not checked out to you prior to disconnecting from the server are shown as version controlled and locked. You cannot edit these packages until you check them out.

Offline Check Out

In releases of Enterprise Architect from release 6.0 onwards, you can 'check-out' and edit a version controlled package even when your machine is disconnected from the version control server. In the example below, the [colored 'figure 8' icon](#) for *Pkg2* indicates that you have checked it out whilst offline (the gray 'figure 8' icon shown against *Pkg1* indicates that you have checked out a version-controlled package online).



Important:

You should be aware that the version control system - and therefore other users - have no way of knowing that you have 'checked-out' a package whilst offline. It is not possible to merge changes to an XML file that result from two users editing the same package at the same time. If an offline checkout leads to two people editing the same package at the same time, when the changes are brought back online the first-saved set of changes is lost.

Check in a Package That Was Checked Out Offline

Once you reconnect your machine to the version control server, if the package you checked out offline is not currently checked out by another user, you can check in that package. However, before Enterprise Architect checks in such a package, it compares the local working copy of the package file with the latest revision in the repository. (These package files remain unchanged in your work area until Enterprise Architect exports the package again before checking in.) If the repository version remains unchanged from when you last updated your local copy, Enterprise Architect exports and checks in your package without further prompting.

On the other hand, if the repository now contains a file that has changed since you last updated your local copy, checking in your package overwrites whatever those changes might be. Enterprise Architect displays a message warning you of the pending data loss and giving you the opportunity to abort the check in. At this point, you must decide whether to discard your own changes, using the **Undo Check Out** command, or continue with your check in and overwrite the changes that have been committed to the repository since you last updated your local copy from the repository.

You can use the **File Properties** command to determine who checked in the last changes to this package. This might help you to discover what changes have been uploaded and decide whose changes take precedence.

Update Before You Disconnect

Whenever you are connected to the version control server, you are always working with the latest version of a package. This is because you cannot modify a package until you check it out from version control, and checking it out loads the latest revision from the repository into your model.

These rules do not apply when you are disconnected from the version control server. You are working on whatever versions you have on your machine, dating back to the last time you updated your local copy of each version controlled package. So, if you are planning to work on a model whilst disconnected from version control, it is a very good idea to make sure that you have the latest versions of all packages before you disconnect. The [Get All Latest command](#)^[595] makes this a simple task.

6.10.5 Use Nested Version Control Packages

In releases of Enterprise Architect later than version 4.5, when you save a package to the version control system only stub information is exported for any nested packages. This ensures that information in a nested package is not inadvertently over-written by a top level package.


When checking out a package, Enterprise Architect does not modify or delete nested packages; only the top level package is modified.

As a consequence of this behavior, if you check out or get a version controlled package with nested packages not already in your model, you see stubs in the model for the nested packages only. If you select the **Get All Latest** option from the version control menu, Enterprise Architect populates these new stubs from the version control system.

Using the above technique you can populate a large and complex model from only the root packages, using **Get All Latest** to recursively iterate through the attached and nested packages.

This is a powerful and efficient means of managing your project and makes handling very large models, even in a distributed environment, simple.

It is recommended you do not mix versions of Enterprise Architect later than version 4.5 with earlier versions when sharing a version controlled model. If this is necessary it is best to go to the [Version Control Settings](#)^[593] dialog and deselect the **Save nested version controlled packages to stubs only** checkbox, defaulting Enterprise Architect to the version 4.5 behavior (for the current model only).



6.10.6 Specify Private or Shared Models

In the **Version Control Settings** dialog, the **This model is private** option affects the availability of the **Get Latest / Get All Latest** menu options, and display of the **Import Package** ^[625] dialog. These options cannot be used with shared models. This is to prevent the possibility of overwriting any new modifications to a package with out-of-date versions of the package that are retrieved from version control.

Consider the following scenario, with two users both working on a shared model at the same time.

If *user1* checks-out and modifies a package within Enterprise Architect, *user2*, who also has this shared model open in Enterprise Architect, can see the changes to the model immediately.

If, at this point, *user2* performs a **Get Latest** or **Get All Latest** on the package, they retrieve from Version Control a package that is now out of date. (*User1* has it checked-out and has made changes that are yet to be checked-in.) The out-of-date package would be imported into the model loaded on *user2*'s machine, immediately updating the model database (either the shared .EAP file or the DB repository) and overwriting the modifications that *user1* has just made.

Similarly, if a user checked-out and modified a package and then performed a **Get Latest** on that package, the modifications would be overwritten by the version of the package retrieved from version control.

The **Get Latest** option is consequently disabled for packages that you have checked out.


6.10.7 Apply Version Control To Branches

Enterprise Architect enables you to apply version control to all packages within a selected *model branch*, in a single operation. In this context, a model branch is a package that is currently selected in the **Project Browser**, and all of the packages contained within it.

The **Version Control Configuration** ^[593] to be used in this operation must be defined within the model before selecting this command.

To apply version control to a model branch, follow the steps below:

1. Right-click on the required package and select the **Add Branch to Version Control** ^[595] context menu option. The **Apply VC to Branch** dialog displays.



2. In the **Select a Version Control Configuration** field, click on the drop-down arrow and select the Version Control Configuration to use.

3. If required, select the **Export as Model Branch** checkbox to [export the selected package \(and sub-packages\) as a Model Branch](#) ^[620].
4. Click on the **OK** button. Enterprise Architect creates a number of sub-folders within the version control working copy folder, before exporting all of the packages within the selected model branch. Enterprise Architect generates package filenames using the package GUIDs, before adding the resulting files to version control.

If you have selected the **Export as Model Branch** checkbox, once the version control operation is complete Enterprise Architect also creates a Model Branch file. You can subsequently [import the version-controlled Model Branch](#) ^[621].

6.10.8 Export Version Controlled Model Branch

You might want to export a newly created model branch from your own private copy of a model so that, for example:


- Another user can import that branch into their own private copy of the same model, or
- It can be imported for inclusion as a common branch in a number of different models.

Applying version control to an Enterprise Architect model can result in many XML files placed under version control. It could then be hard to locate and import the file corresponding to the root of a particular model branch. Enterprise Architect's Model Branch Files overcome this problem by simplifying the retrieval of model hierarchies for use in other models.

The facility is only enabled for packages that are already under version control. The exported Model Branch File is also placed under version control, using the same version control configuration that is controlling the selected package.

To export a model branch, follow the steps below:

1. Right-click on the version controlled package to export as a model branch.
2. Select the **Package Control | Export as Model Branch** context menu option. The **Export as Model Branch** dialog displays.



3. In the **EAB Filename** field, type a name for your Model Branch File. Alternatively, click on [...] and browse for the file location.

Note that the package name is supplied as a default.

You can specify any file name, including sub-folder names, as long as the file is contained in or below the working folder of your version control configuration.

6.10.9 Import Version Controlled Model Branch

It might be necessary to either:

- Retrieve a model branch created by another user in a private copy of a model, to import it into your own private copy of the same model or
- Retrieve a model branch that is common in many models, for inclusion in a new model.

Applying version control to an Enterprise Architect model can result in many XMI files placed under version control. It could then be hard to locate and import the file corresponding to the root of a particular model branch. Enterprise Architect's Model Branch files overcome this problem by simplifying the retrieval of model hierarchies for use in other models.

The **Import a Model Branch** context menu option uses Enterprise Architect's Model Branch Files, of which there are few, to retrieve information about the root package file and import the model branch. The Model Branch File records information such as the name and type of the version control configuration for the selected package, and the relative filename of the version controlled XMI file associated with the package.


Before attempting to import a model branch, you must have access to the version controlled XMI files that represent the model branch to be imported. That is, there must be a working copy folder, accessible from the machine on which Enterprise Architect is running, that is associated with the Version Control repository containing those XMI files.

It is not necessary to have the relevant Version Control Configuration set up within Enterprise Architect before issuing this command - Enterprise Architect prompts you to complete specification of the configuration if necessary.

The **Import a Model Branch** context menu option is only enabled for packages that you (the current user) are able to edit, as the imported model branch is inserted into the model under the selected package.

To import a model branch, follow the steps below:

1. Right-click on the package into which the model branch is to be imported.
2. Select the **Package Control | Import a Model Branch** context menu option. The **Import VC Model Branch** dialog displays.



3. Either:
 - Click on the **Find a Model Branch (.EAB) file** button and browse for the Model Branch File. If the version control configuration used by the file has not been fully set up, Enterprise Architect prompts you to complete and save the configuration. The model branch import then proceeds. OR
 - If the version control configuration used by the file has been fully set up in the current model, click on the drop-down arrow in the **Select a Version Control Configuration** field and select the configuration, then select the Model Branch File from the **Select a Model Branch (.EAB) file** list. Click on the **OK** button to import the model branch.

Enterprise Architect imports the root package specified in the Model Branch File and recursively imports and populates all the sub-packages contained in the root package.


6.10.10 Include Other Users' Packages

You can retrieve packages that have been created by other users, or by you in another model, from version control and import them into your current model.

Other users might be creating packages to use in your model. If you are not sharing a SQL database or .EAP file, those packages do not automatically become part of your model. If the packages have been placed into version control, you can retrieve them and import them into your model as children of an existing package, using the **Get Package** command.

1. You must have access to the package files through the version control system and you must define a Version Control Configuration through which to access those files. The version control configuration must use the same unique ID that was originally used to add the package to version control.

2. In the **Project Browser** window, right-click on the package to use as the parent of the incoming package.
3. Select the **Package Control | Get Package** menu option. The **Get Shared File** dialog displays.



4. In the **Select a Version Control Configuration** field, click on the drop-down arrow and select the version control configuration associated with the package to retrieve. The file list is populated with the names of files available through that configuration, for retrieval and import into your model.
5. Select the package file to import into your model and click on the **OK** button.

6.10.11 Add Previously Defined Version Control Configurations


Once a version control configuration has been defined in one model it is possible to add the configuration to other models. To use this feature follow the steps below:

1. Open the model that is to have the predefined version control configuration added to it.
2. Right-click on any package in the **Project Browser** window and select the **Package Control | Version Control Settings** menu option. The **Version Control Settings** dialog displays.
3. Click on the **New** button.
4. In the **Unique ID** field, click on the drop-down arrow and select one of the previously-defined version control configurations.
5. Click on the **Save** button to confirm the version control configuration.


6.10.12 Review Package History

Reviewing package history enables you to view the history of checked in package revisions. This opens up the package in read-only mode, enabling you to view the package contents but not make any changes to the package. To review package history follow the steps below:

1. In the **Project Browser** window, right-click on the package configured for version control. The context menu displays.
2. Select the **Package Control | File History** menu option.
 - If the package has been configured through SCC, you access the history through the mechanism offered by the third party SCC provider
 - If the package has been configured for CVS, the **CVS File History** dialog displays and the following steps apply.



3. In the **Revisions** field, click on a revision number to view the log entries for that revision.
4. To view the package history select a revision and then click on the **Check Out** button. A warning dialog displays, indicating that the model will be opened in read-only mode.
5. Click on the **Yes** button to continue or the **No** button to cancel the action. The **Add Comments** dialog displays.



6. In the text field, type comments regarding the retrieval of the package history. Click on the **OK** button to proceed.
7. The package is retrieved in read only mode to enable you to view the history of the package at the specified version.
8. To go back to the latest version, in the **Project Browser** window right-click on the package and select

the **Package Control | Check In..** menu option to check in the package.

6.10.13 Check In and Check out Packages.

To work on a version controlled package you must have the package checked out. When a package is checked out to a specific user other users cannot make changes to the package until it has been checked in again.


Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Use Version Control](#)^[640] permission to check files in and out using version control.

Check In/Check Out

1. In the **Project Browser** window, right-click on the package icon.
2. Select the **Package Control | Check In, Check Out** or **Undo Checkout** menu options, as appropriate.
3. If required, enter a comment when prompted to do so.

If you are working in a [private \(not shared\)](#)^[619] model and you select the **Check Out** menu option, the **Import Package** dialog displays.



Option	Use to
Force reload from XMI	Reload the package content from the XMI file in the central repository, even though the package and XMI file are synchronized. This ensures that links and dependencies that might not have been refreshed are updated as well.
Accept current package	(The default.) Leave the package content in its current state.
Refresh model view	Refresh the model view to show any changes from other checked out packages.
Always apply above settings	Apply the settings in the above three fields every time you check out a package that is found to be up to date, and therefore do not display this dialog again.
	<p>Note:</p> <p>To display the dialog if, for example, you want to change the settings, press [Ctrl] while you select the Package Control Check Out menu option.</p>

The package icon in the **Project Browser** window should change. When you check out a package this is


represented by a figure 8 to the left of the package icon. When you check in a package the package icon is overlaid with a colored rectangle and key. In the example below, the upper package is checked out whilst the lower package is checked in.

**Note:**

If you check out a version controlled package whilst offline, the package icon has a red figure 8 in front of it. See [Offline Version Control](#)^[617].

Check In Branch

1. In the **Project Browser** window, right-click on the package icon at the root of the model branch that is to be checked in and select the **Package Control | Check In Branch** context menu option. The **Select Packages to Check-in** dialog displays, listing all version controlled packages within the branch that you have checked out.



2. Click on the package to check in, or use:
 - **[Ctrl]+click** to add or remove several individual packages
 - **[Shift]+click** to select a range of packages
 - **All** to select all packages listed
 - **None** to clear all selected packages.
3. Click on the **OK** button to check-in the selected packages.
4. If required, enter a comment when prompted to do so. (This comment applies to all packages that you have checked in.)


5. Each package icon changes to indicate that the packages have been checked-in.

6.11 MOF

Enterprise Architect offers support for exporting packages to XMI under the *Meta-Object Facility (MOF)* 1.3 and 1.4 standards. MOF models are created by assigning the stereotype *metamodel* to the package. MOF models can be exported to MOF 1.3 or MOF 1.4 XMI file specification.

Background Knowledge

MOF is an Object Management Group (OMG) standard that originated in the UML, when the OMG required a Meta-Modeling architecture to define the UML. MOF is designed as a four-layered architecture, as illustrated in the following diagram.



Because of the similarities between the MOF-model and UML structure models, MOF meta-models are usually modeled as UML [Class diagrams](#)^[113]. You can also use the [Metamodel](#)^[117] page of the Enterprise Architect UML [Toolbox](#) to create MOF model elements and connectors. A supporting standard of MOF is XMI, which defines an XML-based exchange format.

MOF is a closed, strict meta-modeling architecture; every model element on every layer is strictly an instance of a model element of the layer above. MOF only provides a means to define the structure or abstract syntax

of a languages or of data.

Simplified, MOF uses the notion of Classes, as known from object orientation, to define concepts (model elements) on a meta-layer. These Classes (concepts) can then be instantiated through objects (instances) of the model layer below. Because an element on the M2 layer is an object (instance of an M3 model element) as well as a Class (an M2 layer concept) the notion of a *clabject* is used. *Clabject* is a merge of the words *Class* and *object*.

Another related standard is OCL, which describes a formal language that can be used to define model constraints by means of predicate logic.

See Also

- [Getting Started](#) ⁶²⁹
- [Export MOF to XML](#) ⁶³¹

6.11.1 Getting Started

MOF diagrams are [Class](#) ¹¹³¹ diagrams that are contained in packages with a metamodel stereotype. To create a MOF diagram, follow the steps below.

1. Create a package to contain your MOF elements.
2. If the **Properties** dialog does not immediately display, right-click on the package element and select the **Properties** context menu option.


The screenshot shows a 'Properties' dialog box for a 'PackageMOF' element. The dialog has several tabs: 'General', 'Require', 'Constraints', 'Links', 'Scenario', and 'Files'. The 'General' tab is selected. The fields are as follows:

- Name: PackageMOF
- Stereotype: metamodel (dropdown menu)
- Author: Suzanne Pearson (dropdown menu)
- Status: Proposed (dropdown menu)
- Scope: Public (dropdown menu)
- Complexity: Easy (dropdown menu)
- Language: Java (dropdown menu)
- Keywords: (empty text field)
- Phase: 1.0 (text field)
- Version: 1.0 (text field)
- Abstract: (unchecked checkbox)
- Notes: (empty text area)

At the bottom of the dialog are four buttons: 'OK', 'Cancel', 'Apply', and 'Help'.

3. In the **Stereotype** field type the value **metamodel**.
4. Click on the **OK** button.
5. Right-click on the package in the **Project Browser** window and, from the context menu, select **Add | Add Diagram**. Create a Class diagram (the default diagram).
6. Give your MOF Class diagram an appropriate name.
7. In the Enterprise Architect UML **Toolbox**, select the **More tools | UML | Metamodel** menu option and add the required [Metamodel](#)^[117] elements to the diagram.

The following is an example of a MOF diagram. A MOF diagram can typically contain Package, Class, Enumeration and Primitive elements, and Generalization, Association, Compose and Aggregate relationships.



6.11.2 Export MOF to XMI

Once you have created your MOF diagram you can export the diagram to XMI, specifying the MOF 1.3 or MOF 1.4 standard.

1. Right-click on the package in the **Project Browser** window. The context menu displays.
2. Select the **Import/Export | Export Package to XMI file** menu option. The **Export Package to XMI** dialog displays

3. In the **Filename** field, type a name for the XMI file.
4. De-select the **Enable full EA Roundtrip** checkbox.
5. In the **XMI Type** field, click on the drop-down arrow and select **MOF 1.3** or **MOF 1.4**.
6. Click on the **Export** button and wait until the **Progress** bar reads **100%**.
7. Once your file has been created, you can view it by clicking on the **View XMI** button.

MOF diagrams exported to XMI can be imported using the regular import XMI features of Enterprise Architect. See [Import from XMI](#) ^[575]

6.12 User Security

What is User Security in Enterprise Architect?

User security in Enterprise Architect can be used to limit the access to update functions within the model. Elements can be locked per user or per group. Where user security is enabled a password is required to log in to the model. Security in Enterprise Architect is not designed to prevent unauthorized access; rather it is intended as a means of improving collaborative design and development by preventing concurrent editing and limiting the possibility of inadvertent model changes by users not designated as model authors.

User Security Basics

User security is available only in the Corporate edition of Enterprise Architect. User security in Enterprise Architect offers two policies, the standard security model and the rigorous security model. In the standard security model all elements are considered unlocked and, as necessary, a user can lock any element or set of elements at the user or group levels depending on permission rights that the user has to the model. The rigorous security model assumes that everything in the model is locked until explicitly checked out with a user lock. In this mode, an Enterprise Architect model is read-only until a user applies an editing lock on one or more elements. For more detailed information on the security policies see the [Security Policy](#) topic.

User Security Tasks

A number of security tasks can only be performed by users with Administrative rights to the model. These tasks include:

- [Security Policy](#)
- [Enable Security](#)
- [Maintain Users](#)
- [Change User Passwords](#)
- [Assign User To Groups](#)
- [View All User Permissions](#)
- [Maintain Groups](#)
- [View and Manage Locks](#)
- [Password Encryption](#) (for the third-party DBMS connection password; only available for Oracle and SQL Server Repositories for Enterprise Architect releases prior to 7.1).

Other Security tasks can be performed by users who do not have Administrative rights. These tasks include:

- [Lock Model Elements](#)
- [Lock Packages](#)
- [Apply a User Lock](#)
- [Identify Who Has Locked An Object](#)
- [Locked Element Indicators](#)
- [Manage Your Own Locks](#)
- [Change Your Own Password](#)


Notes:

- User security is not enabled by default in Enterprise Architect; you must [enable it](#) first.
- For a number of operations in Enterprise Architect, if security is enabled a user must have the appropriate user or group access permission to perform the operation. However, if security is not enabled, the user does not have to have access permissions. See [List of Available Permissions](#).

6.12.1 Enable Security

User security is not enabled by default in Enterprise Architect. To enable security for a project in Enterprise Architect for the first time, follow the steps below.

1. Access the *Registered Users* section of the Sparx Systems website (http://www.sparxsystems.com/registered/reg_ea_corp_ed.html), and obtain the Authorization Key. (You must have the Registered Users login and password to access this web site.)
2. Select the **Project | Security | Enable Security** menu option.



The **Authorization** dialog displays.

3. In the **Enter authorization key** field, type the authorization key from the Sparx Systems website.
4. Click on the **OK** button. Security is enabled, and an Admin user and user group are created with full permissions (all access rights listed in [List of Available Permissions](#)^[64b]) and a password of **password**.



5. Select the **Project | Security | Login as Another User** menu option, and log in as **Admin** with the initial password of **password**.

Note:

To change the Admin password, see the [Change Password](#)^[64d] topic.

6. Set up users and permissions as required.

Note:

Once security has been enabled, you must have the **Security - Enable/Disable** access right to turn it off. The initial administrator automatically has this access right.

7. To disable security, click on the **Enable Security** menu option, and again type the authorization key in the **Authorization** dialog. Click on the **OK** button. Security is disabled.

Notes:

- The system prompts you to log off the project and log on again, but this is not strictly necessary.
- To re-enable security, follow the procedure above, but be aware that any changes you have made to the admin user (password and reduced access rights) are reset to **password** and full access.

6.12.2 Security Policy


There are two possible security policies in Enterprise Architect:

1. In the first mode, all elements and diagrams are considered unlocked and, as necessary, you can lock any element or set of elements at the user or group level. This mode is good for cooperative work groups where there is a solid understanding of who is working on which part of the model, and locking is

used mainly to prevent further changes or to limit who has access to a part of the model.

2. The second mode is more rigorous. It assumes everything is locked until explicitly checked out with a user lock. In this mode, an Enterprise Architect model is read-only until you apply an editing lock to one or more elements. A single 'check out' function is available on a diagram to check out the diagram and all contained elements in one go. There are also functions on the context (right-click) menus of packages, diagrams and elements in the model browser to apply a user lock when this form of mode is in use. You would use this mode when there is a strict requirement to ensure only one person can edit a resource at one time. This is suitable for much larger projects where there might be less communication between users.

Toggle between these modes using the **Project | Security | Require User Lock to Edit** menu option:



Notes:

- When you add new elements in Mode 1 (elements editable by default), no user lock is created automatically for the newly created element.
- When you add new elements in Mode 2 (elements locked by default), a user lock is created on the new element to enable instant editing.

6.12.3 Maintain Users

If you enable security you have access to the **Security Users** dialog, which you can use to set up more users for your model.

Note:

You must have [Security - Manage Users](#)^[640] permission to maintain users, and [Change Password](#)^[640] permission to change the password of the current user; the initial **Admin** administrator automatically has these permissions.

Set Up a User

To set up a user for your model, follow the steps below:

1. Select the **Project | Security | Manage Users** menu option. The **Security Users** dialog displays.

User Details

Login:

Firstname:

Surname:

Department:

Set Permissions

Accept Windows Authentication

Users:

Surname	Firstname	Login
Administrator	The	admin

- You can use the **System Users** dialog to set up new users by providing their name and other details. You can also [assign them to groups](#)^[636], set up [Single Permissions](#)^[637] or [View All](#)^[637] permissions for the currently selected user.
- To set the user's password, click on the **Change Password** button. The **Change Password** dialog displays.

Enter old password:

New password:

Retype new:

- In the **New password** field, type the user's password.
- In the **Retype new** field, type the user's password again, for confirmation.
- Click on the **OK** button.
- A *'Password Changed'* message displays. Click on the **OK** button.


Notes:

- If you select the **Accept Windows Authentication** checkbox, on opening the model Enterprise Architect checks the users database for your Windows ID and, if it matches automatically, logs you in without prompting for a password. The Enterprise Architect model administrator must ensure that all Windows IDs are entered in the user database with the appropriate permissions, and have a password set-up to prevent rogue access to the model. The User ID should be in the following format: <DOMAIN>\<username>.
- You can transport these user definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.12.4 Assign User To Groups

To set up user groups follow the steps below:

1. Select the **Project | Security | Manage Users** menu option. The **Security Users** dialog displays.
2. Click on the **Group Membership** button. The **User Groups** dialog displays.
3. Select the checkbox against each group this user belongs to.



4. Click on the **OK** button to assign the user to each group.

Notes:

- To create new user groups, see the [Maintain Groups](#)^[638] topic.
- You can transport these user groups between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.12.5 Set Up Single Permissions


You can set specific user permissions from the **User Permissions** dialog. Specific user permissions are added to permissions from group membership to provide an overall permission set.

Note:

You must have [Security - Manage Users](#) ^[640] permission to assign permissions to users; the initial **Admin** administrator automatically has this permission.

To set up single permissions for a user follow the steps below:

1. Select the **Project | Security | Manage Users** menu option. The **Security Users** dialog displays.
2. Click on the **Single Permissions** button. The **User Permissions** dialog displays.




3. Select the checkbox against each specific permission to apply to this user. Click on the **Select All** button to select all permissions for the user, or click on the **Deselect All** button to clear all selected permissions.
4. Click on the **OK** button to assign the selected permissions to the user.

Notes:

- A user's total permissions are those granted by Group Membership plus those granted by specific permission assignment.
- You can transport these user permissions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu.

6.12.6 View All User Permissions

The **All user permissions** dialog shows a list of all permissions a user has, derived from their individual profile and from their membership of security groups. To display the dialog, select the **Project | Security | Manage Users** menu option, then select the required user and click on the **View All** button.



6.12.7 Maintain Groups

Security groups make it easy to configure sets of permissions and apply them to a number of users in one action.

Notes:

- You must have [Security - Manage Users](#)^[640] permission to manage user groups; the initial **Admin** administrator automatically has this permission.
- You do not define groups as group logins with passwords. If you intend to use a group login, you can define a [single-user login and password](#)^[634] that all group members use (that is, Enterprise Architect allows multiple logins under one user ID).

Set Up a Security Group

To set up a security group, follow the steps below:

1. Select the **Project | Security | Manage Groups** menu option. The **Security Groups** dialog displays.

Group Name: BusinessDept

Description: Business department users

Buttons: Set Group Permissions, New, Save, Delete

Group Name	Description
Administrators	System Administrators

Buttons: Close, Help

2. In the **Group Name** and **Description** fields, type the security group name and a description of the group.
3. Click on the **Save** button.

Note:

You can transport these security group definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.


6.12.8 Set Group Permissions

Note:

You must have [Security - Manage Users](#)^[640] permission to assign permissions to user groups; the initial **Admin** administrator automatically has this permission.

To set up permissions to apply to a security group, follow the steps below:

1. Select the **Project | Security | Manage Groups** menu option. The **Security Groups** dialog displays.
2. Click on the **Set Group Permissions** button. The **Group Permissions** dialog displays.



3. Select the checkbox against each required permission. Click on the **Select All** button to select all permissions for the user, or click on the **Deselect All** button to clear all selected permissions.
4. Click on the **OK** button to assign the permissions. All of the users assigned to this group share in this set of permissions.

Note:

You can transport these group permission definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.12.9 List of Available Permissions

The following table lists the available permissions in the Corporate edition of Enterprise Architect. These permissions are required for the corresponding operations if security is enabled.

Note:

Some permissions take precedence over others. For example, if you set **Use Version Control** permission for a user, that user can modify model elements on import even if they do not have **Update Element** permission.

Permission	Enables the user to
Administer Database	Compact ^[553] and repair ^[554] project database.
Audit Settings	Change the audit settings in the Audit Settings ^[652] dialog.
Audit View	Enable auditing and display data in the Audit View ^[657] and Audit History ^[660] tab.
Baselines - Manage	Create, delete, import and export Baselines ^[662] .
Baselines - Restore	Merge data ^[662] into the project model from a Baseline or XML file.
Change Password	Change their password ^[634] .
Check Data Integrity	Check and repair project integrity ^[546] .
Configure Datatypes	Add, modify and delete datatypes ^[695] .

Permission	Enables the user to
Configure Images	Configure alternative element images [272].
Configure Packages	Configure controlled packages [580] and package properties.
Configure Resources	Create and manage Resources [166] window [166] items: RTF templates, patterns, profiles, favorites.
Configure Stereotypes	Add, modify and delete Stereotypes [691].
Configure Version Control	Set up version control options [593] for the current model.
Export XMI	Export [573] model to XMI.
Generate Documents	Generate RTF [1001] and HTML [1072] documents from model packages.
Generate Source Code and DDL	Generate source code [773] and DDL [917] from model element. Synchronize [771] code against model elements if it already exists.
Import XMI	Import [573] model from XMI.
Lock Objects	Lock an element [646] or package [647].
Manage Diagrams	Create [248] new diagrams, copy existing [257] and delete [253] diagrams. Also save diagram as UML Pattern [456].
Manage Issues	Update and delete Issues [742].
Manage Project Information	Update and manage resources [716], metrics, risks.
Manage Reference Data - Update	Update and delete reference items [671].
Manage Replicas	Create [569] and synchronize [570] replicas.
Manage Tests	Update and delete Test records [726].
Reverse Engineer from DDL and Source Code	Reverse engineer [764] from source code or ODBC, and synchronize model elements against code.
Security - Enable/Disable	Disable [632] user security in Enterprise Architect.
Security - Manage Locks	View and delete [642] element locks.
Security - Manage Users	Maintain users [634], groups [636] and assigned permissions [637].
Spell Check	Spell check [221] package and set spell check language.
Transfer Data	Transfer model [549] between different repositories.
Transform Package	Perform transformations [933] of packages and elements.
Update Diagrams	Update diagram appearance, properties [278] and layout, including the Page Setup [290] dialog [290].
Update Element	Save model changes (including delete) for elements [306], packages [239], and relationships [402].
Use Version Control	Check files in and out [625] using version control.

6.12.10 View and Manage Locks

From time to time it might be necessary to examine or delete locks placed on elements by users. Enterprise Architect provides a function to view and manage active locks.


Notes:

- You must have [Security - Manage Locks](#) ^[640] permission to view and delete user locks; the initial **Admin** administrator automatically has this permission.
- If an element is locked, connectors attached to it are also locked. To unlock the connector, you must unlock the element. However, under certain circumstances you can [add new connectors to a locked element](#) ^[646].

Delete a Lock

To view locks and, if necessary, delete them, follow the steps below:

1. Select the **Project | Security | Manage Locks** menu option. The **Active Locks** dialog displays.



2. In the **View Locks For** panel, click on the radio button for the type of lock to view: **All**, **Groups Only** or **Users Only**. Locks of the appropriate type are listed in the **Active Locks** panel.
3. To remove a lock, click on it and click on the **Unlock Selected** button.
4. When finished, click on the **Close** button to close the dialog.

6.12.11 Password Encryption


Note:

This topic is retained to support regression to releases of Enterprise Architect prior to version 7.1. For password encryption for all repositories at and beyond release 7.1, please refer to [Save Model Copy or Shortcut](#)^[66].

Users of SQL Server or Oracle repositories have the option of encrypting the password used to set up the connection between Enterprise Architect and the repository. The Enterprise Architect user does not have the real password, thereby preventing them from accessing the repository using other tools such as Query Analyzer or SQLPlus.

Once security is enabled, the administrator must log on to access the dialog to create encrypted passwords. To encrypt a password, follow the steps below:

1. Select the **Project | Security | Encrypt Password** menu option. The following dialog displays:




The screenshot shows a dialog box with a light beige background. It has two text input fields. The first field is labeled "Password:" and contains the text "password123". The second field is labeled "Encrypted:" and contains the text "qcvtyrsf435". Below the fields is an "OK" button.

2. In the example above, the password **password123** is used to access the repository.
3. To connect Enterprise Architect to the repository, the user enters the encrypted password prefixed with **\$\$**, so the encrypted password becomes **\$\$qcvtyrsf435**.

For more information relating to connecting to Oracle and SQL Server, see the [Connect to Oracle Data Repository](#)^[534] and [Connect to SQL Server Data Repository](#)^[531] topics respectively.

Notes:

- Do not use the **Test Connection** button as it can cause an error with encrypted passwords.
- For SQL Server repositories, you must enter the *Initial Catalog* details from the **All** tab of the **Data Link Properties** dialog.



6.12.12 Change Password

There are two ways in which a user's password can be changed, when security is set:

- A user can select the **Change Password** menu option and change their own password
- The Administrator can set or change any user's password, on the **Maintain Users** dialog.

Note:

A user must have [Change Password](#) ^[640] permission to change a password; the initial **Admin** administrator automatically has this permission.

User Change

If security is set and you want to change your own password, follow the steps below:

1. Select the **Project | Security | Change Password** menu option. The **Change Password** dialog displays.

Enter old password:

New password:

Retype new:

OK Cancel

2. In the **Enter old password** field, type your current password.
 3. In the **New password** field, type your new password.
 4. In the **Retype new** field, type your new password again, for confirmation.
 5. Click on the **OK** button.
 6. A *'Password Changed'* message displays. Click on the **OK** button to clear the message.
- Your new password is effective next time you log in.

Administrator Change

To set or change any user's password, follow the steps below:

1. Select the **Project | Security | Manage Users** menu option. The **Security Users** dialog displays.

User Details

Login:

Firstname:

Surname:

Department:

Accept Windows Authentication

Set Permissions

Users:

Surname	Firstname	Login
Administrator	The	admin
Walter	Frederick	Frederick

2. Click on the user name in the **Users:** panel, to display the user details in the dialog fields.
3. Click on the **Change Password** button. The **Change Password** dialog displays.

Enter old password:

New password:

Retype new:

4. In the **New password** field, type the user's password.

Note:

You do not have to enter the user's current password, as they might have forgotten it and therefore it is possible that nobody can provide that value.

5. In the **Retype new** field, type the user's password again, for confirmation.
6. Click on the **OK** button.
7. A 'Password Changed' message displays. Click on the **OK** button.


6.12.13 Lock Model Elements

Note:

When security is enabled, you must have [Lock Objects](#) ^[640] permission to lock an element.

You can lock a package, element or diagram using the corresponding **Lock** context menu option in the **Project Browser**, and you can lock an element or diagram using the corresponding **Lock** context menu option in the diagram.

When you select the **Lock** option, the **Element Lock** dialog displays:



The four lock options available are:

- **No lock** - do not lock this element; clear any existing lock
- **Full lock** - lock this element so that no-one can edit it
- **User lock** - lock this element so that only the locking user can make further edits
- **Group lock** - lock this element so that any member of the specified group (in the **GroupID** field) can update the element, but others are excluded.

Select the appropriate lock and click on the **OK** button.

If the item is already locked, only the appropriate lock option and **No lock** are available. You have to release the lock in order to set a different type of lock.

6.12.14 Add Connectors Between Locked Elements

When working with locked elements, the ability to add connectors depends on the locked status of the source and target elements. The rules are:

- **Source unlocked, target unlocked:** any kind of connector can be added
- **Source unlocked, target locked:** allowed, except for composition connectors
- **Source locked, target unlocked:** prohibited, except for composition connectors

- **Source locked, target locked:** prohibited for all connectors.

That is, a connector can be added if its source is unlocked, regardless of the locking state of the destination (think of it as modifying what the source can see). The exception is composition connectors, where the target (i.e. parent) must be unlocked (think of it as modifying the parent by adding children).

Connectors with locked source or target elements are also locked. To unlock the connector, you must [unlock](#) ^[642] the source and/or target element.

6.12.15 Lock Packages

Note:

If security is enabled you must have [Lock Objects](#) ^[640] permission to lock a package.

You can lock all the contents of a package (and optionally all contents in child packages) in one step, using the *Lock Package* function. The locks are automatically applied to elements and to diagrams, as if they had been individually set or cleared. Lock types and details are the same as for [locking a single element](#) ^[646].

Lock a Package

To lock a package, follow the steps below:

1. Deselect the **Project | Security | Require User Lock to Edit** menu option.
2. In the **Project Browser** window, right-click on the package to lock. The context menu displays.
3. Select the **Lock Package** menu option. The **Lock/Unlock Package(s)** dialog displays.


The screenshot shows the 'Lock/Unlock Package(s)' dialog box. It is divided into two main sections. The top section, titled 'Lock Type', contains four radio button options: 'No lock, general editing allowed', 'Full lock, no-one may edit', 'User lock, locking user may still edit', and 'Group lock, locking group may still edit'. The 'Group lock' option is selected. Below these options is a 'GroupID:' label and a dropdown menu currently showing 'Administrators'. The bottom section, titled 'What to Process', contains three checked checkboxes: 'Lock Elements', 'Lock Diagram', and 'Process Child Packages'. At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'. A mouse cursor is visible over the 'OK' button.

4. In the **Lock Type** panel, select the appropriate radio button for the lock to apply.
5. As required, select the checkboxes to lock elements and/or diagrams, and to process child packages (ie. lock the whole branch).
6. Click on the **OK** button to apply the lock.

6.12.16 Apply a User Lock

In the [Require User Lock to Edit](#)⁽⁶³³⁾ security mode, where a User Lock is required before any edit can occur, you can set or release the lock in either a diagram or the **Project Browser**. Enterprise Architect adjusts the lock for the element, or for the diagram and any elements contained in the diagram.

In a diagram, you right-click on the element or diagram; in the **Project Browser** window, you right-click on the package, diagram or element. In each case, select the **Apply/Release User Lock** context menu option for the selected item. The following dialog displays.




Select the appropriate radio button to apply or release a user lock on the selected item.

Note:

For a package, you can elect to also lock all child packages at the same time. If any elements in the package tree are locked by other users, a list of elements that couldn't be locked displays at the end of the process.

6.12.17 Locked Element Indicators

When an item is locked through Project Security, the lock is indicated in the **Project Browser** by a marker against the item, as shown below.



The meaning of the marker depends on the security mode.

If you are using the [Require User Lock to Edit](#)^[633] security mode:

- **No** marker - there is no lock, the item is *not* editable, but any user can now [apply a user lock](#)^[646] to edit the item
- **Blue** exclamation mark - the current user has applied a user lock and can edit the item; no other user can edit the item
- **Red** exclamation mark - another user has applied a user lock, and the current user cannot edit the item.

If you are using the [standard](#)^[633] [security mode](#)^[633]:

- **No** marker - there is no lock, the item *is* editable, but any user can now [apply a user or group lock](#)^[648]
- **Blue** exclamation mark - the item has a lock set by the current user or a group having the current user as a member, and the user can edit the item
- **Red** exclamation mark - the item has a lock set by another user, or a group of which the current user is not a member; the current user cannot edit the item.


If another user has locked an item, you can [identify who has locked it](#)^[650].

6.12.18 Identify Who Has Locked An Object

If you find that a diagram, package or element is locked, you can find out which group or user currently holds the lock on that item. To do this, follow the steps below:

1. In the **Project Browser** window, right-click on the diagram, package or element that is locked by another user or user group. The context menu displays.
2. Select the **Lock...** menu option.


A message box displays showing which group or user currently holds the lock on that item.



6.12.19 Manage Your Own Locks

You can view and delete your own user-level locks in Enterprise Architect. This is especially useful when working in [Mode 2 security](#) (user locks required to edit).

To manage your locks select the **Project | Security | My Locks** menu option. The **My Locks** dialog displays.



In the **My Locks** dialog you can select one or more locks and delete them (i.e. unlock the object) by clicking on the **Unlock Selected** button.

6.13 Auditing

Auditing is a project-level feature, available in the Corporate Edition, that enables you to record model changes in Enterprise Architect. By enabling this option, model administrators can view a range of information regarding changes, such as:

- *Who* changed an element
- *How many* elements they changed
- *When* they changed the data
- *What* the previous values were, and
- *What type* of elements they changed.

Note:

Auditing does not record changes to RTF Templates, Model documents, Baselines or Profiles.

Warning:

On a site running separate editions of Enterprise Architect, when Auditing is turned on for a project, any Desktop or Professional edition users are locked out of the project. To restore access, turn Auditing off in the project from a Corporate edition instance of Enterprise Architect.

Auditing Quickstart

To quickly enable auditing and see it in action, see [Auditing Quickstart](#) ^[652].

Audit Settings

Once auditing is enabled within a project, you have a variety of options available for customizing what is recorded by the audit. See [Audit Settings](#) ^[652] for more information on the different settings available.

The Audit View

To view what has been recorded by the audit, use the [Audit View](#) ^[655], which provides an interface to everything recorded by auditing.

Note:

If security is enabled, you must have [Audit View](#) ^[640] permission to display data in the Audit View.

RTF Report

You can generate an RTF report that includes the audit history information for the selected element or package, by choosing the *basic + audit* [RTF template](#) ^[1004].

Audit History

Using Auditing, you can track changes to an element or connector over time. However, enabling Auditing also enables an [Audit History](#) ^[660] tab in the **Output** window, which summarizes all changes made to the selected element or connector.

Performance Issues

By enabling auditing on a project, you increase the time taken for most actions. For most modeling tasks, this increase is insignificant. However, there are some instances where the difference is more substantial. See [Performance Issues](#) ^[667] for more information.

6.13.1 Auditing Quickstart

To quickly enable auditing and see it in action, follow the instructions below.

Enable Auditing

To enable Auditing:

1. Select the **View | Audit View** menu option to open the [Audit View](#)^[655].
2. Click on the **Audit Settings** button. The [Audit Settings](#)^[652] dialog displays.
3. Select the **Enable Auditing** checkbox.
4. Click on the **OK** button to close the **Audit Settings** dialog.
5. Close the **Audit View** dialog.

You can also open the **Audit View** by clicking on the **Audit View** button in the [Other Views](#)^[133] toolbar.



Make Changes

Change and save your project; for example:

- Add a new package
- Add a new Class
- Add a new connector
- Change the name of an element
- Delete an element.

View Changes in the Audit View

Open the **Audit View** again (**View | Audit View**), and click on the **Refresh** (or **Load**) button to display a record of the changes you made.

6.13.2 Auditing Settings


The **Audit Settings** dialog enables you to change what is recorded by the Auditing facility.

Note:

If security is enabled, you must have Audit View permission to turn Auditing on, and [Audit Settings](#)^[640] permission to change Audit settings.

To open the **Audit Settings** dialog:

1. Select the **View | Audit View** menu option to open the **Audit View**.
2. Click on the **Audit Settings** button. The **Audit Settings** dialog displays.



The settings on this dialog are described in the following topics:

- [Audit Scope](#) ^[653]
- [Audit Logs](#) ^[653]
- [Auditing Level](#) ^[654]
- [Audit Options](#) ^[654]

6.13.2.1 Audit Scope

The **Audit Settings** dialog provides checkbox options for turning Auding on, and for including or excluding areas of processing in Enterprise Architecture.

- **Enable Auditing** - select this checkbox to turn the Auditing facility on
- **Audit XMI Import** - select this checkbox to include XMI importing in the audit
- **Audit XMI Export** - select this checkbox to include XMI exporting in the audit

Note:

As version control uses XMI, these options must be selected to record changes from checking out packages.

- **Audit Reverse Engineering** - select this checkbox to include reverse engineering in the audit
- **Use Database Timestamp** - select this checkbox to use the database server's timestamp instead of each user's local timestamp; this improves security.

Note:

The **Use Database Timestamp** option is not available for projects stored in .EAP Files.

6.13.2.2 Audit Logs

The **Audit Settings** dialog enables you to administer your audit records. As the number of records increases, the performance of the [Audit View](#) ^[655] reduces. It is recommended that audit records that are not regularly required are saved to file, then cleared from the project. This helps ensure high performance.

- **Clear Logs** - removes all log data from the current project; all data is permanently deleted. To keep the audit records outside the project, click on the **Save Logs** button to save the records before clearing them from the project
- **Save Logs** - saves a copy of the log items currently held in the database; these items remain in the

database. To remove the items after saving the copy, click on the **Clear Logs** button

- **Load Logs** - enables you to load a previously saved set of logs back into the project. The file is not deleted by this operation. If duplicate logs exist in both the project and the file, these are skipped.

Note:

Some of these functions can be accessed through the Automation Interface. For more information, see the [Repository](#) ^[1453] topic in the *Enterprise Architect Software Developers' Kit (SDK)*.

If you save or clear the log items, Enterprise Architect prompts you to specify whether to save or clear the items covering a specific period of time.

- If you click on the **No** button, you save or clear all log items currently held in the database.
- If you click on the **Yes** button, the **Time Filter** dialog displays, on which you select a standard time period or define your own.

6.13.2.3 Auditing Level

The **Auditing Level** panel provides three options that determine what kind of model changes are recorded.

- **Core** - select this radio button to record changes to elements (including attributes and operations), packages, connectors and some model-level information
- **Standard** - select this radio button to record the same changes as the **Core** option, plus changes to diagrams
- **Extended** - select this radio button to record the same changes as the **Standard** option, plus changes to security.

6.13.2.4 Audit Options

The following elements are always audited:

- Packages
- Notes
- Boundary
- Text
- Diagrams (if on **Standard** ^[654] level)
- Security (if on **Extended** ^[654] level)

The audit options enable you to configure auditing to record changes to only certain types of elements.

- **Maintenance** - select this radio button to audit maintenance elements; that is:
 - Package
 - Requirement
 - Feature
 - Use Case
 - Actor
 - Note
 - Issue
 - Change
- **Core Structural** - select this radio button to audit maintenance elements plus some structural elements; that is:
 - Package
 - Class
 - Interface
 - Signal
 - Node
 - Component
 - Artifact
 - Part
 - Port
 - Device
- **All** - select this radio button to audit all elements
- **Custom** - select this radio button to audit element types that you specify.

If you select the **Custom** option, the **Customize** button is made available. Click on this button to display a list of element types, and select the checkbox against each element type to include in the audit (or click on the **Select All** button to select every element type). Click on the **OK** button to save the selection.

Note:

Connectors are audited when they are connected to an element that is included in the Audit Options.

6.13.3 The Audit View

The **Audit View** provides an interface to the information that has been recorded by auditing. Open the **Audit View** by clicking on the:

- **View | Audit View** menu option, or
- **Audit View** button in the [Other Views](#)^[133] toolbar.



The **Audit View** is divided into three main areas:

- View controls
- Audit tree
- Record display.

The data in the Audit tree and Record display is determined by the view controls and [mode](#)^[659] and, if [synchronizing](#)^[660] with the **Project Browser**, by the package, diagram or element you have selected.

View Controls

The view controls provide a variety of settings for controlling auditing and the display of audit records.




For information on these controls, see [Audit View Controls](#)^[657].

Audit Tree

The audit tree displays the logs that have been recorded by auditing. What is displayed in the tree is affected by the settings of the [View Controls](#)^[657] section, such as:

- Sorting
- Filter (by time)
- Mode
- [Auditing settings](#)^[652] (what was actually recorded)



In the audit tree:


- The green tick indicates a creation
- The yellow pencil indicates an edit
- The red cross indicates a deletion.

If you right-click on an element in the audit tree (eg. *MyClass*) a context menu displays. This menu enables you to locate the selected element in:

- The **Project Browser** window
- Any diagrams in which it exists.

Record Display

The record display is in two parts: the identity of the selected change, and the actual change made.



Property	Original	Change
name	Use Case1	Manage Cases
stereotype		testcase

Identity

The identity of a change consists of:

- The Windows username of the user that made the change

Note:


If security is enabled, the name is of the format: *WindowsUsername(SecurityUser)*.

- When the change was made
- The *path* of the change (eg. Class *Class1* - Attribute *Att1* - Attribute Constraint *Constraint*).

Changes


The changes are displayed in a table format, showing the Property (or data item) name, its original value before the change and its value after the change.

If you double-click on an item in the list of changes (or right-click and select the **Show Differences** context menu option) the **Difference** dialog displays. This shows the specific changes that have been made, highlighting the edited, created or deleted characters.



6.13.3.1 Audit View Controls

The **Audit View** controls provide a variety of settings for controlling auditing and the display of audit records.




- The **Refresh** ([Standard](#)^[659] mode) or **Load** ([Advanced or Raw](#)^[659] modes) button reloads the Audit Tree, updated with any new audit results.

- The **Search** button enables you to search through log items for a particular area. Log Items can be searched by Name, Type or GUID. The items are loaded and filtered with the current **Sort By**, **Time Filter** and **Mode** settings. If you refresh the **Audit View**, you must run the search again.
- The **Audit Settings** button opens the [Audit Settings](#)^[652] dialog.


Sort-by Panel

The **Sort By** panel enables you to select one of three display settings:

- **Type** - changes are grouped under element type (such as Class or Requirement), and then grouped under the changed element.



- **User** - changes are grouped under user name. The number of changes for each user is also displayed. Under each user name, changes are grouped as for the **Type** sort.



- **Deletions** - displays only deletions, shown in chronological order. If used with the **Search** button, this can be useful for recovering information on missing elements.



Filter by

The **Filter By Date/Time** checkbox enables filtering by time periods, which you set using the **Time Filter** dialog; click on the **Filter Settings** button to display this dialog.

Select:

- **Today** - to display changes occurring today
- **Previous Hour** - to display changes occurring in the last 60 minutes
- **Previous 24 Hours** - to display changes occurring in the last 24 hours
- **Previous Week** - to display changes occurring in the last 7 days
- **Previous 30 Days** - to display changes occurring in the last 30 days
- **Previous Year** - to display changes occurring in the last 365 days
- **Custom** - to define your own time period, using the **From** and **To** fields.

Note:

The six pre-configured time periods automatically update when you click on the **Refresh** button. Custom periods are static and do not automatically update.

Changes that occur *outside* the filter period you select are not shown in the **Audit View**. Once you have set a filter period, it remains set if you deselect the **Filter By Date/Time** checkbox. The Custom time period, too, is retained so that you can re-use it or modify it later if required.

Status Text

Beneath the **Filter By Date/Time** checkbox, status text displays to show which [mode](#)^[659] has been selected, and which [time filter](#)^[658] is being applied to the data.

Mode Button

The **Mode** button enables you to change the mode of the **Audit View**. The button displays a drop-down menu from which you can select:

- **Standard** - to interact with the **Project Browser**
- **Advanced** - to load large sets of log items

Note:

When in **Advanced** mode, a special Audit Settings group can be displayed in the [Audit Tree](#)^[655]. This records when Auditing has been enabled and disabled, along with who made the change, and the date and time of the change.

- **Raw** - to display all audit records without sorting (although any search and filtering you define still apply). Additional database information is displayed; this additional information might be unimportant.

Standard Mode

In **Standard** mode, Auditing is automatically synchronized with the **Project Browser** window.

When synchronized, and where changes have been made, the **Audit View** reflects your selection from the **Project Browser** window. If you click on:

- An element, the **Audit View** displays the history for that element
- A package, the **Audit View** displays the history for that package and its immediate children (but not the contents of nested packages)
- A diagram, the **Audit View** displays the history for that diagram and its contents (which could be drawn from a wide area of the **Project Browser**).

Advanced Mode

In **Advanced** mode, you can load sets of audit data independent of the **Project Browser**. These sets of data display all significant changes, but you can reduce the selection by filtering by time or by running a search. **Advanced** mode also displays:

- changes to the Audit Settings
- when Audit Operations are executed
- security changes (which can be browsed in the same way as other changes).

Raw Mode

In **Raw** mode, all data recorded by auditing is displayed in chronological order. This enables you to see a progression of changes, which can be especially useful in determining date-time inconsistencies. Search and filters can still be applied, enabling you to view all of today's changes in order, or all changes for a particular element in order, or both.

Note:

Some information displayed in **Raw** mode might be insignificant or only in machine-readable format.

6.13.4 Audit History Tab

When Auditing is turned on, an **Auditing History** tab is enabled in the **Output window**. To see this tab, you must have one or both of the **Auditing** and **Element List** views open.

Note:

If security is enabled, you must have **Audit View** permission to display data on the **Audit History** tab.

User	Timestamp	Property	Original	Change
rchester	2007-05-15 11:35:17	name	Class8	Repository
rchester	2007-05-15 11:35:05	name		Class8
		object_type		Class
		author		Frederick Walter
		status		Proposed
		abstract		0
		gentype		Java
		phase		1.0
		scope		Public
		version		1.0

The information in the **Audit History** tab provides a history of changes to whichever element or connector you have selected in the:

- current diagram
- **Project Browser**

- [Audit View](#), or
- [Element List](#).

As you select different elements or connectors, the [Audit History](#) automatically updates to reflect your current selection. The information shows, for each change made to the element or connector:

- Who made the change
- When the change was made
- Where the change was made
- The value of the characteristic before the change
- The value of the characteristic after the change.

6.13.5 Auditing Performance Issues

Impact of Auditing on Other Facilities

Enabling auditing on a project increases the time taken for most actions. For most modeling tasks, this increase is insignificant; however, there are some situations where the difference is more substantial.

Large Deletions

Deleting large packages or package structures, or large numbers of elements, takes significantly longer with auditing on. You might [disable auditing](#) ^[652] before performing such a deletion.

XMI Imports

[Importing XMI](#) ^[575] takes longer with auditing enabled. A [project-level option](#) ^[652] is provided for disabling auditing of XMI Imports.

Reverse Engineering

[Reverse engineering](#) ^[764] code takes longer with auditing enabled. A [project-level option](#) ^[652] is provided for disabling auditing of reverse engineering.

6.13.6 Audit View Performance Issues

Most operations in the [Audit View](#) are affected by the volume of use of the database - both by other facilities and by auditing itself. Some potential problems and their solutions are outlined below.

Navigating the Project Browser Within Auditing is Slow

- Try setting the [time filter](#) ^[658] to a period in the immediate past, such as **Today**, **Previous 24 Hours** or **Previous Week**. This time period updates each time you open or refresh the [Audit View](#).
- [Save log items](#) ^[653] outside the project with the **Save Logs** button. If you then clear the logs you have just saved, the load time of the [Audit View](#) is reduced. You can reload logs into the project at any time, using the **Load Logs** button.

Navigating the Audit Tree is Slow

- Close the [Audit History](#) ^[660] tab in the **Output** window.

The Audit View is Slow in Loading and Changing Modes

- Try setting the [time filter](#) ^[658] to a period in the immediate past, such as **Today**, **Previous 24 Hours** or **Previous Week**. This time period updates each time you open or refresh the [Audit View](#).
- [Save log items](#) ^[653] outside the project with the **Save Logs** button. If you then clear the logs you have just saved, the load time of the [Audit View](#) is reduced. You can reload logs into the project at any time, using the **Load Logs** button.

6.14 Baselines, Differencing and Merges

Enterprise Architect (Corporate Edition) includes tools to help you manage and review changes to your models over time. These tools apply the concepts of *Baselines*, *Differencing* and *Merges*.

Baselines

Enterprise Architect (Corporate edition) provides a facility to create a [Baseline](#)^[662] or snapshot of the contents of a selected package and its child packages at a particular point in time, enabling you to later compare that branch of the model at that time with the current state of the branch. Baselines are stored in the same XML format as is used for version control, but are stored *within* the project in compressed format. You can also have parallel copies of parts of your model for team development, and create Baselines within each copy to merge changes into the project master.

Differencing

Differencing (*Diff*, or [Compare](#)^[663]) enables you to explore the differences between the current state of a specific part of your project, and previous or parallel versions captured in a Baseline or an XML file on disk.

Merges

Once Differencing is complete, you can merge information from the Baseline into the current project; it is not possible to go the other way. You can merge information manually, change by change, or automatically by electing to merge in all changes in one batch procedure. You can also revert completely to the original Baseline by importing the stored XML directly, and merge in information and elements from a Baseline in a different project, making it possible to keep multiple versions of a single model in synch.

Notes:

- You use Baselines, Differencing and Merges essentially to compare two snapshots of a specific part of your project, to capture the differences between them and either roll back or incorporate selected changes or all changes. Enterprise Architect Corporate edition has another facility, [Auditing](#)^[651], which you can switch on to perform continuous monitoring of changes across the project. You can dovetail your use of each facility to meet the range of your change management requirements.
- If a package under version control forms part of a Baseline, and that package is checked in to the model, you cannot merge the original data from the Baseline into that package.
- If security is enabled you must have [Manage Baselines](#)^[640] permission to create, import and delete Baselines, and **Restore From Baseline** permission to merge data from a Baseline. Security permissions are not required to select an existing Baseline and perform a comparison with the model,

6.14.1 Baselines

Enterprise Architect (Corporate edition) provides a facility to 'Baseline' (snapshot) a model branch at a particular point in time for later comparison with the current package state. This is most useful for determining changes made to the model during development compared to some Baseline saved at a crucial point - for example the completion of a phase or version iteration. Baselines are stored within the model in compressed XML format. More than one Baseline can be stored against a single Enterprise Architect package.

You can also save a Baseline to an XML file for storage or archive, or for distributing to other users working on models derived from a master project.

Baselines are particularly useful during requirements management to check for changes, additions and deletions that have occurred since the start of the current work phase. Knowing how a model has changed is an important part of managing change and the overall development process.

Baselines are generally used in conjunction with the [Compare utility \(diff\)](#)^[665], which is built into the Corporate and Professional versions of Enterprise Architect.

A typical scenario for [using Baselines](#)^[663] would be to:

1. [Create](#) ⁶⁶³ the base model branch to a sufficient point to create a Baseline (checkpoint). Create and store the Baseline as Version 0.1a.
2. As work continues on development, managers and developers can check the current model branch against the Baseline for important modifications, additions and deletions. The Compare (diff) tool can be invoked from the [Baseline](#) dialog to check the current model branch against the stored version.
3. As required, minor Baselines can be created to check recent progress. These 'temporary Baselines' are useful for managing change when a lot of work is being done and it is important to only see what has changed in, for example, the last 24 hours.
4. At sign-off or the move to a new version/phase, a major Baseline can be created to capture the new state of the model. Minor Baselines created earlier can be deleted if required to save space.


Important Considerations

- Baselines are based on the GUID or unique ID of a particular package. Enterprise Architect checks for that ID as the root element within the XML document being used as a Baseline. When you export a package to XML, the package you export is the root element. Likewise when you create a Baseline, the current package is the root package of the XML Baseline. When you save information in a version control system, the current version controlled package is again the root package of the document.
- Version controlled packages that themselves have version controlled child packages are not useful for Baseline comparisons, as Enterprise Architect expects a Baseline to contain all the information about child elements and child packages. Future versions of Enterprise Architect might relax this condition.
- XML files must be in the same format used by the Baseline engine - currently the UML 1.x format (plus Enterprise Architect extensions), which contains all the information necessary to reconstruct a UML model, even a UML 2.x model.

6.14.1.1 Manage Baselines

Enterprise Architect provides a range of facilities for working with and managing Baselines, through the [Manage Baselines](#) dialog.

To open this dialog, right-click on the package at the head of the appropriate model branch and select the **Package Control | Manage Baselines** menu option.



Option	Use to
Current Baselines For Package: <Name>	Review the baselines for the current model branch, listed by version reference ^[665] with the highest alphabetical/numerical value at the top. If an entry is longer than the display area, a horizontal scroll bar displays at the bottom of the panel. Use this to scroll to the text that is not shown.
Show Differences	Run the Compare ^[665] utility on the selected Baseline and the current model branch, and to display the differences ^[667] between the two.
Restore to Baseline	Completely restore the model branch from the selected Baseline.
New Baseline	Create a new Baseline ^[665] .
Delete Selected	Delete the selected Baseline.
Load Other Baselines	Display a drop-down menu that enables you to load Baselines from another model, in either an .EAP file or a DBMS file. <ul style="list-style-type: none"> For .EAP files, a browser displays; locate the required project file For DBMS files, the Windows Data Link Properties dialog displays; select the data provider and click on the OK button to display the Select Data Source dialog, from which you select the required project. <p>In either case, the <i>Connected To:</i> message at the bottom of the Manage Baselines dialog changes to the name of the alternative model. To return the dialog to the original project, select the third option on the drop down list: Load From Selected Package.</p>

Option	Use to
Import File	Import an XML file from the file system as a new Baseline for this current model branch.
Export File	Export the selected Baseline to an XML file on disk.
Compare Model to File	Compare the selected model branch with an XML file on disk. A browser displays, which you use to locate the file.
Options	Set filters ^[666] to make the comparison more specific.

6.14.1.2 Create Baselines

Open the **New Baseline** dialog by clicking on the **New Baseline** button on the [Manage Baselines](#) ^[663] dialog.

The screenshot shows a dialog box with three input fields and two buttons. The 'Name' field is 'Standard Test Data', 'Version' is '1.0.2', and 'Note' is 'Baseline time: 27/04/2005 1:56:36 PM'. The 'OK' and 'Cancel' buttons are at the bottom.

Option	Use to
Name	Display the package name of the currently selected model branch.
Version	Type a unique version reference for this Baseline. This can consist of any alphanumeric characters. The Manage Baselines dialog sorts the Baselines according to the value of this field.
Note	Edit the default current time and date to any other value. The field is a single-line entry, for display on the Manage Baselines dialog (a one-line-per-entry list).

Click on the **OK** button to create a new baseline and return to the **Manage Baselines** dialog.

6.14.2 The Compare Utility (Diff)

Note:

This utility is available in the Corporate and Professional editions of Enterprise Architect.

Enterprise Architect has a comprehensive and powerful differencing utility built in. This utility enables you to compare a model branch in Enterprise Architect with:

- A Baseline created using the Baseline functionality (Corporate edition)
- A Baseline stored in a *different* model
- A file on disk created previously using the Enterprise Architect XML export facility (user selects file), or
- The current version-controlled XMI file on disk as created when using Version Control in Enterprise Architect (file automatically selected).

Compare (diff) lets you explore what has changed within a model over time and how previous versions of a model branch differ from what is currently in the model. It is even possible to do a full model comparison by exporting all of Model A to XML, then using **Compare to File** from within the current model (Model B).

Comparing and checking model development at various points in the process is an important aspect of managing change and development, keeping track of what is being modified and ensuring the development and design process is on track.

Access to the *Compare* utility is available from:

1. The [Baseline dialog](#) (from the **Project Browser** window context menu, select the **Package Control | Manage Baselines** option).
2. The **Project Browser** window context menu; select **Package Control | Compare with XML File** (for a package not under version control)
3. The **Project Browser** window context menu; select **Package Control | Compare with Controlled Version** (for a package under version control).

Differencing With Baselines


As a Baseline is stored within a model and contains all the information, elements and connections for a package at a point in time, it can be used within Enterprise Architect to track changes to model elements over time. The Differencing engine first builds a representation of the current package in memory, based on what is currently in the model. It then compares this with the stored Baseline, highlighting changes, new elements, missing elements and elements that have been moved to other packages. It is possible to [filter the resultant output](#) to display only one particular kind of change: for example, additions to the model.

See [Example Comparison](#) for an example of a model comparison.

6.14.3 Compare Options

The **Compare Options** dialog enables you to refine the output of the Compare utility when it compares the current model with a Baseline. To display the dialog, either:

- Click on the **Options** button on the **Manage Baselines** dialog, or
- Click on the [Compare Options icon](#) on the **Compare Utility** tab toolbar.



Option	Use to
Always Expand to Differences	Always display the list of elements fully expanded to show changes. If you deselect the checkbox, when the Compare Utility tab is first opened it lists the package contents to element level, and you expand each element as required to show

Option	Use to
	<p>the changed items.</p> <p>For large branches of the model, it is better to leave the checkbox unselected.</p>
Show Elements that are	<p>List elements that:</p> <ul style="list-style-type: none"> • Have been changed since the Baseline was created • Are in the Baseline only (that is, have been deleted from the model since the baseline was created) • Are in the model only (that is, have been created since the Baseline was created) • Have not changed since the Baseline was created (you might generally leave this checkbox unselected).
Suppress these Changes	<p>Exclude:</p> <ul style="list-style-type: none"> • Changes to diagrams • Changes to the Date Modified field for an item • Changes to the Date Created field for an item • Child items of a deleted item.

If the **Compare Utility** tab shows the results of a Baseline comparison, when you click on the **OK** button the display refreshes to refine the information according to the options you have selected.

6.14.4 Example Comparison


The diagram below shows the result of a comparison between a package (*Class Model*) in the current project and that package in a Baseline (*version 0.1*) captured at an earlier date. Notice that:

- The results are displayed on the **Compare Utility** tab.
- A hierarchy of model elements is displayed in the left-hand pane. It is clearly visible, from the **Status** column and from the triangular icon, which items in the hierarchy have been changed (*Status Changed*), deleted from the model (*Baseline only*), added to the model (*Model only*) and switched to different packages (*Moved*) since the Baseline was captured.
- If you click on an item with a **Status** entry in the left hand pane, the right-hand pane displays a table of properties showing the values of those properties in the current model and in the Baseline. For each property where there is a difference between the model and the Baseline, the row is highlighted. This example shows that the Entity element now named *CreateLog* was called *Object1* in the Baseline, and the element was last modified on November 7 2007.

Comparing package Class Model against baseline version 0.1

Model Elements	Status	Property	Model	Baseline
Class Model		Abstract	false	false
System		Alias		
Class3	Changed	Author	Frederick Walter	Frederick Walter
Implementation...	Changed	Date Modified	7/11/2007 2:29:42 PM	11/04/2007 1:54:24 PM
CreateLog	Changed	Complexity	1	1
Class7		Filename		
Tagged Val...		Language	<none>	<none>
Handic...	Changed	IsLeaf	false	false
Author ...	Changed	IsSpec	false	false
BusinessActor2	Baseline only	IsRoot	false	false
		Keywords		
		Multiplicity		
		Name	CreateLoq	Object1
		Notes		
		Parent Package	Class Model	Class Model
		Persistence		
		Phase	1.0	1.0
		Scope	Public	Public
		Status	Proposed	Proposed
		Stereotype	entity	entity
		Type	Sequence	Sequence
		Version	1.0	1.0
		Classifier		
		Visibility		
		Concurrency		
		Cardinality		
		Style		
		Advanced Properties	\$\$XREFPROP=\${XID}={850F6778-546F-4a7...	\$\$XREFPROP=\${XID}={850F6778-546F-4a7...

The right panel might, for some fields, display only part of the value (such as **Advanced Properties**, above). It might also not be immediately obvious what a change is. In either case, you can double-click on the property to display full details and to highlight the exact differences. The following example shows the expanded and highlighted changes to **Advanced Properties**.



The **Compare Utility** tab enables you to perform operations on the reported information, using the [toolbar, context menu and keyboard](#) ^[669].

6.14.4.1 Compare Utility Tab Options

The **Compare Utility** tab enables you to perform operations on the reported information, using the toolbar, context menu and certain keyboard keys.

Note:

If a package under version control forms part of a Baseline, and that package is checked in to the model, you cannot merge the original data from the Baseline into that package.

Toolbar

The toolbar is at the top of the left-hand panel. The icons operate either on the comparison as a whole or on the currently-selected item in the left hand panel.



The toolbar icon names and functions are, from left to right:


Option	Use to
Refresh	Re-run the comparison to refresh the current display.
Merge To Model	Merge the values of the currently-selected item in the Baseline back into the model.
Next Change	Highlight the next changed item (skips <i>Moved</i> items).
Previous Change	Highlight the previously-changed item.
Expand All	Fully expand the selected item.
Collapse All	Collapse the changed items in the selected item.
Expand To Changed Items	Expand the selected item to show changed items only.
Find in Project Browser	Highlight the item in the Project Browser .
Log To XML	Log the changes to an XML file. A browser displays, on which you specify the file name and location.
Compare Options	Display the Compare Options ^[666] dialog.
Manage Baselines	Display the Manage Baselines ^[663] dialog.

Context Menu

Each item in the hierarchy has a context menu, which you display by right-clicking on the item. The options displayed depend on the level of the item in the hierarchy, but include some or all of the following:

Option	Use to
Merge from Baseline Add from Baseline	Restore the item in the model to the Baseline state, or restore a deleted item from the Baseline.
Delete from Model	Remove a recently-created item from the model.
Merge From Baseline (with Options)	(For the root node of the hierarchy on the Compare Utility tab.) Display the Merge dialog (see below) which enables you to specify options for rolling back the whole model branch to the Baseline state.
Refresh	(Object-level items). Re-run the comparison to refresh the current display.
Find in Project browser	Locate and highlight the item in the Project Browser .
Expand All	Fully expand the selected item.
Expand To Changed Items	Expand the selected item to show changed items only.
Collapse All	Collapse the changed items in the selected item.
Log To XML	Log the changes to an XML file. A browser displays, on which you specify the file name and location.

Option	Use to
Compare Options	Display the Compare Options ^[666] dialog.



Select the appropriate checkbox against each type of difference to roll back in the model from the Baseline.

Option	Use to
Changed	Restore all changed items in the model branch to the Baseline state.
In Baseline Only	Restore all deleted items to the model branch from the Baseline.
In Model Only	Remove all recently-created items from the model branch.
Moved	Restore all moved items to their original locations, as identified in the Baseline.
Full Restore from XMI	Completely restore the model branch to the version held in the Baseline XMI file, (using the XMI Import function). (Automatically selects all the other options.)

Keyboard

You can also use the following keyboard keys to move up and down the hierarchy, or to roll back changes:

- **[Ctrl]+[↓]** - expand and highlight the next changed item
- **[Ctrl]+[↑]** - expand and highlight the previous changed item
- **[Ctrl]+[←]** - undo the changes for a selected item (roll back to the Baseline values).

6.15 Reference Data


Reference data is used in many places to provide content for drop-down list boxes. Setting up a project often involves setting up the base set of reference types to use. Reference data options can be set up from the **Settings** menu, including:

- [People](#) ^[672]
- [General Types](#) ^[681]
- [Maintenance](#) ^[688]
- [Metrics and Estimation](#) ^[691]
- [UML](#) ^[691]
- [Data Types](#) ^[695]

- [Import and Export Reference Data](#) ^[696].

Note:


In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Reference Data Update](#) ^[640] permission to update and delete reference items.



6.15.1 People

The **People** dialog enables you to control the following for your project:

- [Project Authors](#) ^[673]
- [Project Roles](#) ^[676]
- [Project Resources](#) ^[678]
- [Project Clients](#) ^[679]



To display this dialog, select the **Settings | People** menu option.

6.15.1.1 Project Authors

You can define the people who are working on a project, such as the authors of specific elements.

To define the project authors, select the **Settings | People** menu option. The **People** dialog displays, defaulted to the **Project Author(s)** tab.

People

Project Author(s) | Project Roles | Resources | Project Clients

Name(s): ...

Role:

Notes:

New Save Delete

Defined Authors

Name	Description
Benjamin Hutton	Application Analyst
Frank McIver	Use Case Modeller
Greg Nichols	Project Manager
Jane Ward	VB Programmer
Ken Nielsen	Deployment
Leanne Harrison	Use Case Modeller
Pat Taylor	C++ Programmer
Paulene Dean	Business Analyst
Tim Howard	QA Testing

Close Help

Complete the fields as described below:

Option	Use to
Name	<p>Type the name of the person registered as a Project Author.</p> <p>If you are using a Windows Active Directory, you can select names from the directory. Click on the [...] (Browse) button to display the Select Users ^[675] dialog.</p> <p>You can also type a list of names separated by semi-colons. This enables you to define a group of people sharing a role, such as a team of Developers, Testers or Analysts. Do not leave any spaces between the names and the semicolon.</p> <p>Note:</p> <p>If you enter multiple names, Enterprise Architect adds them separately and in alphabetical order to the Defined Authors list. If you then click on one of these names, Enterprise Architect displays that name only in the Name field.</p>

Option	Use to
Role	Specify the role the Project Author plays in the project (eg. Designer, Analyst, Architect). You can type a role name or click on the drop-down arrow and select a role defined through the Project Roles ^[676] tab. Note: If you type a role, this is not added to the roles on the Project Roles tab.
Notes	Type any additional notes concerning the Project Author.
Defined Authors	Review the Project Authors already defined.

Click on the **Save** button to add the new names to the **Defined Authors** list.

To add further Authors, click on the **New** button.

To delete a Project Author, click on the name in the **Defined Authors** list and click on the **Delete** button.

Note:


You can transport these author definitions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu.

Select from User Directory

If your company is using a Windows Active Directory, you can select the Project Author names from the local or corporate-wide directory. To do this, follow the steps below:

1. On the **Project Author(s)** tab, click on the **[...]** button. The **Select Users** dialog displays.

2. Click on the **Object Types** button and select the checkbox for the object type **User**.
3. Click on the **OK** button to return to the **Select Users** dialog.
4. Click on the **Locations** button. The **Locations** dialog displays.



5. Click on the appropriate area or level of the directory, and click on the **OK** button. The **Select Users** dialog redisplay.
6. In the **Enter the object names to search** field, type the first letter of the user name to search for.
7. Click on the **Check Names** button. The **Multiple Names Found** dialog displays, listing the names starting with the specified letter found in the directory location.
8. Click on the required name (or press and hold **[Ctrl]** and click on several names), and click on the **OK** button. The simple **Select Users** dialog redisplay, with the selected names listed.
9. Click on the **OK** button. The **Project Authors** tab redisplay, with the selected name or names in the **Name(s)** field.

6.15.1.2 Project Roles

People associated with a project play a *role* in analysis, design or implementation, such as Application Analyst, Architect, Developer and Project Manager. Project roles define the activities that resources can undertake.

To define the role types that are captured within Enterprise Architect, select the **Settings | People** menu option and, on the **People** dialog, click on the **Project Roles** tab.

Project Author(s) Project Roles Resources Project Clients

Role: Description:

Notes

New Save Delete

Defined Roles

Type	Description
Application Analyst	Define and model the application s...
Business Analyst	Model business processes
C++ Programmer	Programming in Visual C++
Developer	Application development
Java Programmer	Java programming
Project Manager	Manage schedule
Solution Architect	Lead Technical and Project Archit...
Use Case Modeller	Use Case modelling
VB Programmer	Visual Basic Programming

Close Help

To add further roles, click on the **New** button and complete the fields as described below:

Option	Use to
Role	Type the name of the role.
Description	Type a short description of the role.
Notes	Type any additional information related to the role.
Defined Roles	Review all roles that have been previously defined in Enterprise Architect.

Click on the **Save** button to add the new role to the **Defined Roles** list.

The **Defined Roles** list is available for selection for any element in the model; for example, you can select roles on the [Project Author](#) ^[673] tab of the **People** dialog, and the [Resource Allocation](#) ^[717] tab of the **Project Management** window. You can also specify other roles on these dialogs, but such roles are not added to the **Defined Roles** list.

To delete a role, click on the role type in the **Defined Roles** list and click on the **Delete** button.

Notes:

- Deleting a role has no effect on any Project Author definition having this role; the deleted role becomes a simple text entry in the Project Author definition.
- You can transport these role definitions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu.

6.15.1.3 Project Resources

Resources are, for example, project authors, analysts, programmers and architects. That is, anyone who might work on the system over time, either adding to the model or programming and designing elements of the system outside Enterprise Architect.

To record information on project resources, select the **Settings | People** menu option and, on the **People** dialog, click on the **Resources** tab.

Name	Role(s)
Craig Bass	Programmer
Jane Ward	VB Programmer
Ken Nielsen	Deployment
Leo Burns	Developer
Pat Taylor	C++ Programmer
Paul Ivers	Testor
Tim Howard	QA Testing

Complete the fields as described below:

Option	Use to
Name	Type the name of the person listed as a resource. The resource name is available for use in Resource Management .
Organization	Type the name of the organization employing the resource.
Role(s)	Type the role the resource plays in the project (eg. Designer, Analyst, Architect).
Phone 1, Phone 2, Mobile, Fax	Type the contact telephone numbers for the resource.
Email	Type the email address for the resource.
Notes	Type any additional notes on the resource.
Available Resources	Review resources that have already been defined.

Click on the **Save** button to add the new resource to the **Available Resources** list.

To add further resources, click on the **New** button.

To delete a resource, click on the name in the **Available Resources** list and click on the **Delete** button.

Note:

You can transport these resource definitions between models, using the [Export Reference Data](#) and [Import Reference Data](#) options on the **Tools** menu.

6.15.1.4 Project Clients

Project clients are the eventual owners of the software system.

To capture client details associated with the current model, select the **Settings | People** menu option and, on the **People** dialog, click on the **Project Clients** tab.

The screenshot shows a software interface with a tabbed menu at the top containing 'Project Author(s)', 'Project Roles', 'Resources', and 'Project Clients'. The 'Project Clients' tab is active, displaying a form with the following fields:

- Name: [Text Input]
- Organisation: [Text Input]
- Role(s): [Text Input]
- Phone 1: [Text Input] | Phone 2: [Text Input]
- Mobile: [Text Input] | Fax: [Text Input]
- Email: [Text Input]
- Notes: [Text Area]

Below the form are three buttons: 'New', 'Save', and 'Delete'. Underneath these is a table titled 'Defined Clients':

Name	Role(s)
Ralph Spencer	Client Project Manager

At the bottom of the window are two buttons: 'Close' and 'Help'.

Complete the fields as described below:

Option	Use to
Name	Type the name of the client.
Organization	Type the name of the organization that employs the client.
Role(s)	Type the role the client plays in the project (eg. Manager, Sponsor).
Phone 1, Phone 2, Mobile, Fax	Type the contact telephone numbers for the client.
Email	Type the email address of the client.
Notes	Type additional notes on the client.
Defined Clients	Review clients that have already been defined.

Click on the **Save** button to add the new client to the **Defined Clients** list.

To add details of further clients, click on the **New** button.

To delete a client record, click on the name in the **Defined Clients** list and click on the **Delete** button.

Note:


You can transport these client definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.2 General Types

The **General Types** dialog enables you to configure:

- [Status types](#)^[682]
- [Constraint types](#)^[683]
- [Constraint Status types](#)^[684]
- [Requirement types](#)^[685]
- [Scenario types](#)^[686]


To display the **General Types** dialog, select the **Settings | General Types** menu option.



6.15.2.1 Status Types

You can configure a basic list of status types used in Enterprise Architect. Note that whilst most dialogs use this list, not all do so.

To configure status types, select the **Settings | General Types** menu option. The **General Types** dialog displays at the **Status** tab.



Create New Status Type

When you display the **Status** tab, the fields default to the definition of the first type in the **Type** list. To add a new type, click on the **New** button and:

- In the **Status** field, type the name of the status
- In the **Description** field, type a short description of the status
- Click on the **Save** button.

The status type displays in the **Type** list. Add the status definition as described in the following sections.

Note:

You can transport the status types (and the colors assigned to status types) between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

Status Type Color


It is possible to assign a color to each status type, which gives a visual indication of the status of each diagram object. Select a named status type from the **Type** list, click on the **Status Type Color** drop-down list and select the color for that status. Click on the **Save** button to keep your changes.

Note:

To ensure status colors display on your diagrams, open the **Options** dialog at the [Objects](#) ^[197] page and select the **Show status colors on diagrams** checkbox.

Apply Colors to UML Elements

By default, status colors only apply to [Requirement, Issue and Change](#) ^[1248] elements. You might decide to also apply these colors to other UML elements, such as Use Cases or Classes. To do this, click on the **Applies to...** button and select the checkbox against each required element type in the **Applied Status Colors** list.



Note:

Requirement, Issue and Change elements have a status color compartment, but other elements do not. The status color for these elements is applied to the element shadow. Therefore, on the **Options** dialog [Objects](#) ^[197] page you must also select the **Shadows on** checkbox.

6.15.2.2 Constraint Types

The **Constraint** tab of the **General Types** dialog enables you to define constraints. These are picked up in a variety of places where constraints might fall into more categories than the basic (default) *Pre-*, *Post-* and *Invariant* conditions.

To access this dialog, select the **Settings | General Types** menu option. Click on the **Constraint** tab.

The screenshot shows a dialog box titled 'Constraint' with the following elements:

- Tabs: Status, **Constraint**, Constraint Status, Requirement, Scenario
- Constraint: [Text Field]
- Description: [Text Field]
- Note: [Text Field with scroll arrows]
- Buttons: New, Save, Delete
- Defined Constraint Types Table:

Name	Description
Invariant	A state the object must always be in
Post-condition	An ending state that must be met
Pre-condition	A starting state that must be met
Process	A process that must occur
- Buttons: Close, Help

To add a new constraint, click on the **New** button and:

- In the **Constraint** field, type the name of the constraint; for example, *Assumption*
- In the **Description** field, type a brief description of the constraint
- In the **Note** field type any additional information required
- Click on the **Save** button.

The constraint displays in the **Defined Constraint Types** list.


Note:

You can transport these constraints between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.2.3 Constraint Status Types

You can configure the basic list of *constraint status types* used in Enterprise Architect, using the **Constraint Status** tab of the **General Types** dialog.

To access this dialog, select the **Settings | General Types** menu option. Click on the **Constraint Status** tab.



To add a new constraint status type, click on the **New** button, type the status type in the **Status** field, and click on the **Save** button. The constraint status type displays in the **Status** list.

Note:

You can transport these constraint status types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.2.4 Requirement Types

The **Requirement** tab of the **General Types** dialog enables you to specify the generic set of requirement types that can be entered into the requirements sections of dialogs. This helps to maintain a single set of typed requirements.

To access this dialog, select the **Settings | General Types** menu option. Click on the **Requirement** tab.

Name	Description	Weight
Display	System will display in a specific...	1.0
Functional	Functional Requirement	1.0
Performance	Performance based requirement	1.0
Printing	System printing requirement	1.0
Report	The system will reduce a report	1.0
Testing	Testing requirement	1.6
Validate	Validate a particular rule	1.0

To add a new requirement, click on the **New** button and:

- In the **Requirement** field type the name of the requirement
- In the **Description** field type a short description of the requirement
- In the **Weight** field type the weighting to apply to the requirement
- In the **Note** field, type any additional information on the requirement
- Click on the **Save** button.

The requirement displays in the **Defined Requirement Types** list.

Note:

You can transport these requirement types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.2.5 Scenario Types

A drop-down list of scenario types is available in the [scenario dialog](#)^[377], with the standard types *Basic Path* and *Alternate Flow*. You can set additional scenario types using the **Scenario** tab of the **General Types** dialog.

To access this dialog, select the **Settings | General Types** menu option. Click on the **Scenario** tab.

Scenario Type: Description: Weight: 1

Defined Scenario Types

Scenario Type	Description	Weight
Alternate	Alternate pathway	1.0
Basic Path	Basic execution path	1.0
Simple	Standard scenario	1.0

To add a new scenario, click on the **New** button and:

- In the **Scenario Type** field type the name of the scenario type
- In the **Description** field type a short description of the scenario type
- In the **Weight** field type the weighting to apply to the scenario type
- In the Note field, type any additional information on the scenario type
- Click on the **Save** button.


The constraint displays in the **Defined Scenario Types** list.

Note:

You can transport these scenario types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.3 Maintenance

To control [Problem types](#)^[688] and [Testing types](#)^[690] for your project, select the **Settings | Maintenance** menu option to display the **Maintenance** dialog.




Note:

You can transport problem types and test types together between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu. The combined file is a *Maintenance Types* file.

6.15.3.1 Problem Types

For the maintenance and change control screens, you can use the **Maintenance** dialog to set the base *Problem Types* that are handled. Examples are hardware-related issues, performance problems, software bugs and network problems.

To access this dialog, select the **Settings | Maintenance** menu option. The **Maintenance** dialog displays, defaulting to the **Problem Types** tab.



To add a new problem type, click on the **New** button and:

- In the **Problem Type** field type the name of the problem type
- In the **Description** field type a short description of the problem type
- In the **Weight** field type the weighting to apply to the problem type
- In the **Note** field, type any additional information on the problem type
- Click on the **Save** button.

The problem type displays in the **Defined Types** list.

Note:

You can transport these problem types between models, using the [Export Reference Data](#)⁶⁹⁷ and [Import Reference Data](#)⁶⁹⁸ options on the **Tools** menu. You transport the problem types together with test types as a *Maintenance Types* file.

6.15.3.2 Testing Types

Use the **Test Types** tab of the **Maintenance** dialog to add testing types to the basic set that comes with Enterprise Architect. Typical test types are load tests, performance tests and function tests.

To access this dialog, select the **Settings | Maintenance** menu option. The **Maintenance** dialog displays. Click on the **Test Types** tab.

The screenshot shows the 'Test Types' tab in the Maintenance dialog. It features a form with three input fields: 'Test Type', 'Description', and 'Weight'. The 'Weight' field is currently set to '1'. Below the form are three buttons: 'New', 'Save', and 'Delete'. A table titled 'Defined Types' is displayed below the buttons, listing four test types with their descriptions and weights. At the bottom of the dialog are 'Close' and 'Help' buttons.

Test Type	Description	Weight
		1

Name	Description	Weight
Load	Performance under load	1.0
Regression	Regression Testing	1.0
Re-test	Code has been update - re-run the test	1.0
Standard	Simple Test procedure	1.0

To add a new test type, click on the **New** button and:

- In the **Test Type** field type the name of the testing type
- In the **Description** field type a short description of the testing type
- In the **Weight** field type the weighting to apply to the testing type
- In the **Note** field, type any additional information on the testing type
- Click on the **Save** button.

The testing type displays in the **Defined Types** list.

Note:

You can transport these test types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu. You can either export the test types together with problem types, as a *Maintenance Types* file, or separately as a *Test Types* file.

6.15.4 Metrics and Estimation

TCF values, EFC values and Default Hour Rate for a project are controlled from the **Estimation Factors** dialog.

Risk, metric and effort types for a project are controlled from the **Project Indicators** dialog.

For further information on these see the [Project Management](#)^[710] and [Resource Management](#)^[716] topics, or specifically:

- [Technical Complexity Factors](#)^[711]
- [Environment Complexity Factors](#)^[713]
- [Default Hours](#)^[716]
- [Effort Types](#)^[722]
- [Metric Types](#)^[723]
- [Risk Types](#)^[724]

6.15.5 UML Types

The **UML Types** dialog enables you to configure [stereotypes](#)^[691], [Tagged Value types](#)^[693] and the [cardinality list](#)^[694] for your project.

Select the **Settings | UML** menu option to display this dialog.

6.15.5.1 Stereotype Settings


Enterprise Architect has an extensive set of [Standard Element Stereotypes](#)^[453] that you can [apply](#)^[450] to any UML construct. Using the **Stereotypes** tab of the **UML Types** dialog, a Technical Developer can also [customize the stereotypes](#)^[1300] for your project by adding, modifying and deleting them.

Stereotypes can be modified to make use of metafiles (image files) or customized colors, or to make use of the Enterprise Architect [Shape Scripts](#)^[692] to make new element shapes to determine the shape and dimensions of the element.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Configure Stereotypes](#)^[640] permission to add, modify or delete stereotypes.


To display the **Stereotypes** tab, select the **Settings | UML** menu option. The **UML Types** dialog displays, showing the **Stereotypes** tab.



For information on customizing stereotypes, see the [Enterprise Architect Software Developers' Kit \(SDK\)](#)¹³⁰⁰¹.

6.15.5.1.1 Shape Editor

The **Shape Editor** enables a Technology Developer to specify custom shapes via a scripting language. These custom shapes are drawn instead of the standard UML notation. Each script is associated with a particular Stereotype, and is drawn for every element of that stereotype.

**Notes:**

- Shapescrpts adopt the same color gradient settings as normal elements, as defined in the [Standard Colors](#) page of the [Options](#) dialog.
- Custom shapes do not function in Sequence (Interaction) diagrams.

For information on creating Shape Scripts, see the [Enterprise Architect Software Developers' Kit \(SDK\)](#)^[1338].

6.15.5.2 Tagged Value Types

Tagged Values are used in a variety of places within Enterprise Architect to specify additional information about an element. The [Tagged Value Types](#) tab of the [UML Types](#) dialog enables a Technology Developer to rapidly create masked Tagged Values, using a range of [predefined Tagged Values](#)^[1356], and then to [create structured tags](#)^[1355] that adhere to a specific format. For example, for model features that use the *predefined* tag *Boolean* you can use the [Tagged Values](#) window to assign a value of *True* or *False* and no other value.

You can also add default Tagged Value names and create [predefined reference data Tagged Value types](#)^[1358] and [custom Tagged Value types](#)^[1360].

Any Tagged Value names created display in the drop-down lists of Tagged Value names in the [Tagged Value](#) dialogs for elements, operations and attributes. For more information regarding the use of Tagged Values see the [Tagged Values Window](#)^[174] topic.

To display the [Tagged Value Types](#) tab, select the **Settings | UML** menu option to display the [UML Types](#) dialog, and click on the [Tagged Value Types](#) tab.

Tag Name: Description:

Detail:

Defined Tag Types:

Type	Description
Activity	
AssignedResource	Bug Report Assignee
Assignee	Bug Report Assignee
Assignments	Assignments
Author	Author
Bug	Bug
BuildAffected	1st build affected by bug
BuildImplemented	Build number that the change was implemented
BuildResolved	EA build number
Cardinality	Cardinality
Categories	Categories
Customer dimension	Name or email address

For further information on adding and modifying Tagged Values, see the [Enterprise Architect Software Developers' Kit \(SDK\)](#) ^[1354].

Note:

You can transport these Tagged Value Type definitions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu. Tagged Value Types are exported as *Property Types*.

6.15.5.3 Cardinality

The **Cardinality Values** tab of the **UML Types** dialog enables you to add, modify and delete values in the default cardinality list.


The cardinality values are used to define the multiplicity of [source](#) ^[419] and [target](#) ^[421] elements in relationships. This is the range of instances of the role that can be active in the relationship; for example, one employee can be assigned to tasks; for the target role you define the range of instances (e.g. tasks) the employee could be assigned to.

The values have the following formats:

- *, or **0..*** - zero, one or many instances

- **0..n** - zero or up to n instances, but no more than n
- **n** - exactly n instances
- **n..*** - n, or more than n instances.

To access this dialog, select the **Settings | UML** menu option. Click on the **Cardinality Values** tab.



To add a new cardinality value, click on the **New** button. To modify an existing value, click on it in the **Cardinality** list.

In the **Cardinality** field, type the required cardinality value. Click on the **Save** button.

Note:

You can transport these cardinality values between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.6 Data Types

Different programming languages support different inbuilt data types. The **Programming Languages Datatypes** dialog enables you to extend and manage the set of inbuilt data types associated with a language as well as create new programming languages for use within Enterprise Architect.

Notes:

- In the Corporate edition of Enterprise Architect, if security is enabled you must have [Configure Datatypes](#)^[640] permission to update and delete data types.
- You can delete data types that you have defined, but you cannot delete any of the predefined data types.

To access this dialog, select the **Settings | Code Datatypes** menu option.

Product Name:

Datatype:

Common Type:

Size

None Default: Max:

Length

Precision & Scale

Defined Datatypes for Programming Languages

Product	Datatype	Size Unit	Default	Max
Java	boolean			
Java	byte			
Java	char			
Java	double			
Java	float			
Java	int			
Java	long			
Java	short			

Option	Use to
Product Name	Specify the name of the programming language.
Add Product	Add a new programming language to the drop-down fields for Class elements within the Enterprise Architect model and enable the new language to be made available to the Code Template Editor ^[807] once at least one datatype has been added to the language.
Datatype	Specify the name of the datatype; this is the language-specific name of the datatype.
Common Type	Specify the common type, the generic name of the datatype; for example, the Java <i>boolean</i> datatype has a common datatype <i>Boolean</i> .
New	Create a new data type.
Save	Save the newly created datatype.
Delete	Delete the selected datatype.

Note:

You can transport these data types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

6.15.7 Import and Export Reference Data

Reference data (including Glossary and Issue information) can be [imported](#)^[698] and [exported](#)^[697] to XML files for convenient update of models.

Examples of where this can be useful include:

- Copying glossaries from one model to another

- Adding additional stereotype profiles by merging new stereotypes into the model
- Updating reference data from files supplied by Sparx Systems as a maintenance release
- Copying resources, clients and so on from one model to another.


6.15.7.1 Export Reference Data

When reference and project data is exported, Enterprise Architect writes it out to a custom XML file. This includes table information, filter information, rows and columns.

Procedure

To export data, follow the steps below:

1. Select the **Tools | Export Reference Data** menu option. The **Data Exporter** dialog displays.



2. From the **Name** list, select the table to export. You can select one or more tables for a single file.
3. Click on the **Export** button.
4. When prompted to do so, enter a valid file name with a .XML extension.

This exports the data to the file. You can use any text or XML viewer to examine this file.

The data exported includes all instances of the data type in the project; for example, all defined cardinality values, or all RTF Style Templates.

Note:

If there are no instances of a selected data type in the project, the export does not generate any output for that data type in the XML file.

For information on each category of data you can export, refer to the following topics:

- [Cardinality Types](#) ^[694]
- [Constraint Status Types](#) ^[684]
- [Defined Metric Types](#) ^[723]
- [Defined Problem Types](#) ^[688]

- [Diagram Matrix Profiles](#) ^[269] (Model Profiles)
- [Estimation - Environment Complexity Factor Values](#) ^[713]
- [Estimation - Technical Complexity Factor Values](#) ^[711]
- [General Constraint Types](#) ^[683]
- [General Effort Types](#) ^[722]
- [Import Component Types](#) ^[781]
- [Linked Document Templates](#) ^[395]
- [Macro List](#) ^[786] (Preprocessor macros)
- [Maintenance Types](#) ^[688] (both Problem Types and Test Types)
- [Model Authors](#) ^[673]
- Model Data Types - [Code](#) ^[695] and [DDL](#) ^[917]
- [Model Images](#) ^[272]
- [Project Clients](#) ^[679]
- [Project Glossary](#) ^[753]
- [Project Issues](#) ^[746]
- [Project Resources](#) ^[678]
- [Project Roles](#) ^[676]
- [Project Tasks](#) ^[746]
- [Property Types](#) ^[1354] (Tagged Value Types)
- [Requirement Types](#) ^[685]
- [Risk Types](#) ^[724]
- [Scenario Types](#) ^[686]
- [Security - Group Permission](#) ^[639]
- [Security - Groups](#) ^[638]
- [Security User Groups](#) ^[636]
- [Security - User Permissions](#) ^[637]
- [Security - Users](#) ^[634]
- Standard Complexity Types - currently, these cannot be directly edited and are therefore effectively standard for all models; they can be listed using the [Predefined Reference Data Tagged Value type](#) ^[1357] *ComplexityTypes*.
- [Status Colors](#) ^[682] (the colors defined for status types)
- [Status Types](#) ^[682]
- [Stereotypes](#) ^[1300] (all those listed on the [Stereotypes](#) page of the [UML Types](#) dialog)
- Templates - HTML Style (exports the [web templates](#) ^[1074] listed in the *Templates* folder of the [Resources](#) window)
- Templates - HTML Style Detail (exports the content of the HTML report templates)
- Templates - RTF Document (exports the [Extended RTF Style templates](#) ^[1008] in the *Templates* folder of the [Resources](#) window)
- Templates - RTF Style (exports [the Legacy RTF Style templates](#) ^[1045] in the *Templates* folder of the [Resources](#) window)
- Templates - RTF Style Detail (exports the content of the RTF templates)
- Templates - RTF Tag and Language Options (exports RTF [word substitution](#) ^[1048] templates)
- [Test Types](#) ^[690]

6.15.7.2 Import Reference Data


When you import data into Enterprise Architect, the system merges the incoming data with the existing data. If a record already exists it is updated to the new values. If the record does not exist, Enterprise Architect adds a new record. Enterprise Architect never deletes records.

For a list and explanation of data types you could import, see [Export Reference Data](#)^[697].

Import Data

To import data, follow the steps below:

1. Select the **Tools | Import Reference Data** menu option. The **Import Reference data** dialog displays.



2. Click on the **Select File** button and select the filename to import data from. This must be an XML file produced by the Enterprise Architect [Data Exporter](#)^[697].
3. If you have entered the name of a valid file, a list of available tables to import displays.
4. Select one or more of the tables to import.
5. Click on the **Import** button to start the process. A message displays when the import is complete. Generally the process is quite fast.

Part

7

7 License Management




The **License Management** dialog in Enterprise Architect enables you to upgrade Enterprise Architect and to register Add-Ins.

Note:

From Enterprise Architect release 7.0, support for Add-Ins created before 2004 is no longer available. If an Add-In subscribes to the *Addn_Tmpl.tlb* interface (2003 style), it will fail on load.

To access License Management from within Enterprise Architect, select the **Help | Register and Manage License Key(s)** menu option. The **License Management** dialog displays, listing the currently-registered keys, their expiration date and the product each key applies to.



Use the buttons on the dialog as required:

Option	Use to
Add Key	Display the Add Registration Key dialog, which enables you to: <ul style="list-style-type: none"> • Add a new key, either to update to a higher version of Enterprise Architect or to register a new Add-In. • Obtain a key from the Enterprise Key Store (available for version 4.51 and above). For more information on adding keys see the Add License Key ^[702] topic.
Upgrade	Enable the Enterprise Architect Desktop and Enterprise Architect Professional editions to be

Option	Use to
	upgraded.
Remove Key	Make the Add-In or current version of Enterprise Architect inoperable.
Copy	Place the highlighted key into the clipboard.
Close	Close the dialog.
Help	Display the help for this topic.

You can also run the following tasks from the **License Management** dialog:

- [Register a Full License](#)^[17]
- [Upgrade an Existing License](#)^[705]
- [Register an Add-In](#)^[707]

7.1 Finding Your License Information

You can find information on your Enterprise Architect license in the **About Enterprise Architect** dialog; select the **Help | About EA** menu option.



7.2 Add License Key

Two types of key can be used in conjunction with Enterprise Architect:

- Private keys allow you to register an Enterprise Architect license (Desktop, Professional or Corporate) or an Add-In product key (such as MDG Link for Eclipse or MDG Link for Visual Studio.NET) to the machine

and user account that you are currently using.

- Shared keys allow you to temporarily obtain a product key from a central shared key store on your site. Shared Keys are only available with the purchase of a floating license edition and require Enterprise Architect version 4.51 or higher. For more information, see [Enterprise Architect Corporate Floating License](#).

Add a Private Key

To add a private key, follow the steps below:

1. Select the **Help | Register and Manage License Key(s)** menu option. The [License Management](#) ^[701] dialog displays.
2. Click on the **Add Key** button. The **Add Registration Key** dialog displays.

3. Click on the **Enter Private Key** tab.
4. In the **Name** and **Company** fields, type your user name and company name. Into the registration key field, copy the registration key.
5. Click on the **OK** button to confirm the key selection.

Add a Shared Key

Shared Keys require a shared license file to be configured on your network by your license administrator. Only the Key Administrator is required to install the Sparx Enterprise Key Store application. End users simply connect to the configured key file using Enterprise Architect as described below. No additional software is required to be installed.

Note:

If any error messages are displayed while attempting to obtain a shared key, see [Keystore Troubleshooting](#) ^[704].

To add a shared key, follow the steps below:

1. Select the **Help | Register and Manage License Key(s)** menu option. The [License Management](#) ^[701] dialog displays.
2. Click on the **Add Key** button. The **Add Registration Key** dialog displays.
3. Click on the **Get Shared Key** tab.

4. In the **Name** and **Company** fields, type your user name and company name.
5. In the **Shared key store** field, click on the [...] (Browse) button to locate and select the shared key store.
6. In the **Select a Product** field, click on the appropriate product name
7. Click on the **OK** button.

7.3 Keystore Troubleshooting

Message Displayed:	Explanation
<i>Error reading Key Store file: (Access is denied.)</i>	<p>All users who are to use the shared key facility require Read, Write and Modify access to the <i>sskeys.dat</i> file containing the shared keys. Please verify that all required users have sufficient permissions to the file and try again.</p> <p>If the problem continues, contact Sparx Support.</p> <p>Tip: Closely examine the effective permissions calculated at the key file location for the user account reporting the problem. It is possible that one or more permissions have been overridden at some point in the directory tree.</p>
<i>Error reading Key Store file: (Key File has been moved)</i>	<p>As a security measure in the key store, the hard drive serial number is recorded when the file is created. The file then cannot be moved from the original location in which it was created. If the key store has to be re-located for any reason, the administrator should re-create the key store in the new location using the original license keys.</p> <p>This issue is commonly seen after a file server has undergone a hardware upgrade in which the physical hard drives have been replaced. Problems could also occur if the drive used is part of a RAID configuration.</p> <p>This message could also appear where the key store exists on a Novell-based file system. When creating the key store, the administrator is prompted to confirm that the key store is to be located on a Novell Netware file server. If the administrator clicks on the Yes button, the key store instead records the logical path used to create it, and all users must connect to the key store using this same path. The recorded path is case-sensitive and must be an exact match.</p>

7.4 Upgrade an Existing License

Enterprise Architect comes in three editions: Desktop, Professional and Corporate. If you are using the Desktop or Professional edition, you can upgrade your license at a future date. You can do this by purchasing an upgrade key from Sparx Systems (see the [Sparx Systems](#) website for purchase details).

An upgrade key is a special key that upgrades an existing license to a higher *edition*. Once you have purchased and received the appropriate key, use the following procedures to unlock additional features. The procedure for Enterprise Architect version [7.0 and later](#)^[706] releases differs from the procedure for [earlier releases](#)^[705].

Note:

The Lite version and the Trial version cannot be registered or upgraded. If you have purchased Enterprise Architect, you must download the registered version from www.sparxsystems.com/securedownloads/easetupfull.exe before you can enter your registration key.


Tip:

Once you have successfully completed the upgrade, select the **Help | About EA** menu option. Copy the registration key shown and store it somewhere safe; this is a key to the full license of the edition you have upgraded to. If you ever have to reinstall Enterprise Architect, you can register it with this key, so you won't have to go through the upgrade process again.

Upgrade Enterprise Architect Version 6.5 and Earlier


To upgrade from one license edition to another, follow the steps below:

1. Make sure you have a valid upgrade key purchased from Sparx Systems; you typically receive this in an email or PDF format.
2. Open Enterprise Architect.
3. Select the **Help | Register and Manage License Key(s)** menu option. The **License Management** dialog displays



4. Click on the **Add Key** button or the **Upgrade** button to enter a new license key.
5. If you selected the **Add key** option, the **Add Registration Key** dialog displays. Enter the key you received for the upgraded edition of Enterprise Architect, including the { and } bracket characters (use copy and paste from an email to avoid typing mistakes).
6. If you selected the **Upgrade** option, the **Upgrade Key** dialog displays. Enter the key you received for the

upgraded edition of Enterprise Architect, including the { and } bracket characters (use copy and paste from an email to avoid typing mistakes).



Enter your upgrade key (including { and } characters.)

Current Version: Professional Version

Upgrade Key:


OK Cancel Help

7. Click on the **OK** button. If the key is valid, Enterprise Architect modifies the **Current Version** field to reflect the upgrade.
8. Close Enterprise Architect and restart to enable the unlocked features.

Upgrade Enterprise Architect Version 7.0 and Later

To upgrade from one license edition to another, follow the steps below:

1. Make sure you have a valid upgrade key purchased from Sparx Systems; you typically receive this in an email or PDF format.
2. Open Enterprise Architect.
3. Select the **Help | Register and Manage License Key(s)** menu option. The **License Management** dialog displays.



Use the Add Key button to enter a new registration key.

Currently Registered Keys:

Key	Expires	Product
{ADF8D83B-0683-4d1f-BB60-FF66D-...	Never	EA Corporate Edition

Add Key Upgrade Remove Copy Close Help

4. Click on the **Add Key** button; the **Add Registration Key** dialog displays

The screenshot shows a dialog box titled "Enter Private Key" with a sub-tab "Get Shared Key". The dialog contains three input fields: "Name:", "Company:", and a larger text area labeled "Copy registration key into space below, then press OK button". At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".


5. In the **Name** and **Company** fields, type your name and company name.
6. To avoid typing mistakes, copy the key you received for the upgraded edition of Enterprise Architect - including the { and } bracket characters - from the email and paste the key into the **Copy registration key** field.
7. Click on the **OK** button. Enterprise Architect displays a *Registration succeeded – Thank you for purchasing Enterprise Architect Professional Edition* message.
8. Click on the **OK** button, and then on the **Close** button to continue working in Enterprise Architect.

7.5 Register Add-In

To register Add-Ins for Enterprise Architect, follow the steps below:


Register an Add-In for Enterprise Architect

1. Purchase one or more licenses for the Add-In from your Add-In provider. Once you have paid for a licensed version of the Add-In, you receive (via email or other suitable means) a license key for the product.
2. Save the license key and the latest full version of the Add-In.
3. Run the Add-In's setup program to install the Add-In.
4. In Enterprise Architect, select the **Help | Register and Manage License Key(s)** menu option, or the **Add-Ins | Enter License Key for <Add-In name>** menu option.




The [License Management](#) dialog displays.

- Click on the **Add Key** button. The **Enter Registration Key** dialog displays.



- Type in the key you received with the Add-In, including the { and } characters.
- When the Add-In has been added successfully, close down Enterprise Architect and restart it to apply the changes.

Part



8 Project Management



Enterprise Architect provides strong support for managing your project. Project Managers can use Enterprise Architect to estimate project size, measure risk and effort, and assign resources to elements. Enterprise Architect also provides support for testing, change control and maintenance.

Metrics and Estimation

Project [estimation](#)^[717] is working out how much time and effort is required to build and deploy a solution. Enterprise Architect provides the *Use Case metrics* facility as a means of roughly measuring the complexity of a system and getting an indication of the effort required to implement the model, and the project timescale. You base these estimates on carefully-calibrated metrics.

Resource Management

[Resources](#)^[716] are the people who work on a project. You can assign roles and allocate tasks to them, which enables tracking of effort and estimation of time to complete.

Project Maintenance

During a project you monitor and manage the development and progress of individual model elements. You can record [problems, changes, issues and tasks](#)^[738] that affect these individual elements as they arise, and document the solution and associated details.

Similarly, Enterprise Architect helps you to manage [changes and issues](#)^[742] that apply to the whole system.

Project Tasks and Issues

In the course of a project, there are various non-technical [tasks](#)^[746] that are vital to the successful management and completion of the project, such as meetings. Enterprise Architect helps you to record and monitor these, and to manage non-technical [project issues](#)^[748] as they arise.


Testing

Enterprise Architect enables you to [create and manage test scripts](#)^[726] for model elements, covering unit, integration, scenario, system and acceptance tests. You can import tests from other elements, generate them from scenarios, and generate test documentation and reports. You can also indicate the presence of tests on an element by displaying test information on the element in a diagram.

See Also

- [Project Glossary](#)^[753]
- [Update Package Status](#)^[759]
- [Manage Bookmarks](#)^[760]

8.1 Estimation



Metrics and Estimation

Project estimation is the task of working out how much time and effort is required to build and deploy a solution.

The Use Case metrics facility in Enterprise Architect provides a starting point for estimating project effort. Using this facility you can get a rough measure of the complexity of a system and some indication of the effort required to implement the model. Like all estimation techniques, this one requires some experience with previous projects to 'calibrate' the process.

There is additional information available on Use Case metrics at www.sparxsystems.com/UCMetrics.htm.

Calibrating

The following values must be carefully calibrated in order to gain the best possible estimates:

- [Technical Complexity Factors](#)^[711], which are values that attempt to quantify the difficulty and complexity of the work in hand
- [Environment Complexity Factors](#)^[713], which are values that attempt to quantify non-technical complexities such as team experience and knowledge
- [Default Hour Rate](#)^[716], which sets the number of hours per Use Case point.

Estimating

Once you have entered all the calibration values, you can estimate the project timescale through the [Use Case Metrics](#)^[714] [dialog](#)^[714].

8.1.1 Technical Complexity Factors

Technical Complexity Factors are used in the *Use Case Metrics* estimation technique. You can add or modify these factors using the **Estimation Factors** dialog.

To open this dialog, select the **Settings | Estimation Factors** menu option. Click on the **Technical Complexity Factors** tab.

Technical Complexity Factors | Environment Complexity Factors | Default Hour Rate

Factor Number: Description: Weight: Assigned Value:

TCF04	Complex internal processing	1.00	4.00
-------	-----------------------------	------	------

New Delete Save

Defined Technical Types

Type	Description	Weight	Value
TCF01	Distributed System	2.00	5.00
TCF02	Response or throughput performan...	1.00	4.00
TCF03	End user efficiency (online)	1.00	2.00
TCF04	Complex internal processing	1.00	4.00
TCF05	Code must be re-usable	1.00	2.00
TCF06	Easy to install	0.50	5.00
TCF07	Easy to use	0.50	3.00
TCF08	Portable	2.00	3.00
TCF09	Easy to change	1.00	3.00
TCF10	Concurrent	1.00	2.00
TCF11	Includ special security features	1.00	2.00
TCF12	Provide direct access for third parties	1.00	5.00
TCF13	Special user training facilities are req	1.00	3.00

Unadjusted TCF: 47.00

Close Help

Defined Technical Types

This editable list should contain all factors that could affect the technical complexity of the project environment.

These configured factors, whose summed **Ex Values** yield the **Unadjusted TCF** value, work together with the [Environment Complexity Factors](#)^[713] to skew the overall complexity up or down, depending on the level of technical complexity and the corresponding level of environmental support.

Note:

You can transport the Technical Complexity Factors between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

Weight

The TCF **Weight** indicates how much technical complexity you assign to a factor. For example, *'the system is to be developed in ADA'* might warrant a higher weight than *'the system is to be a shell script'*. A weight evaluates its respective factor, but is irrelevant to a project; the **Value** field assesses each factor's role within a project. The supplied factors and their associated weights are defined by the *Use Case Points Method*, although they can be adjusted to suit a project's specific requirements.

Value

For most purposes, the only table column requiring adjustment is **Value**, which indicates the degree of influence a particular factor has on the project. As a suggested gauge, a value of **0** indicates no influence, **3** indicates average influence and **5** indicates strong influence.

8.1.2 Environment Complexity Factors

Environment Complexity Factors are used in the *Use Case Metrics* estimation technique. You can add or modify these using the **Estimation Factors** dialog.

To open this dialog, select the **Settings | Estimation Factors** menu option. Click on the **Environment Complexity Factors** tab.

Technical Complexity Factors | **Environment Complexity Factors** | Default Hour Rate

Factor Number: Description: Weight: Value:

ECF04	Lead analyst capability	0.50	4.00
-------	-------------------------	------	------

↑ ↓

New Delete Save

Defined Environment Types

Type	Description	Weight	Value
ECF01	Familiar with Rational Unified Process	1.50	4.00
ECF02	Application experience	0.50	3.00
ECF03	Object-oriented experience	1.00	4.00
ECF04	Lead analyst capability	0.50	4.00
ECF05	Motivation	1.00	3.00
ECF06	Stable requirements	2.00	4.00
ECF07	Part-time workers	-1.00	0.00
ECF08	Difficult programming language	-1.00	3.00

Unadjusted ECF: 21.50

Close Help

Defined Environment Types

This editable list should contain all factors affecting the general design and development environment, including team experience and knowledge, team size, expertise and other non-functional environmental factors.

These configured factors, whose summed **Ex Values** yield the **Unadjusted ECF** value, work together with the

[Technical Complexity Factors](#) (TCFs) to skew the overall complexity up or down, depending on the level of technical complexity and the corresponding level of environmental support.

Note:

You can transport the Environment Complexity Factors between models, using the [Export Reference Data](#) and [Import Reference Data](#) options on the **Tools** menu.

Weight

A **Weight** evaluates its respective factor's complexity in comparison to other factors, but is irrelevant to a project; the **Value** field assesses each factor's role within a project. The supplied factors and their associated weights are defined by the *Use Case Points Method*, although they can be adjusted to suit a project's specific requirements.

Value

For most purposes, the only table column requiring adjustment is **Value**, which indicates the degree of influence a particular factor has over the project. As a suggested gauge, a value of **0** indicates no influence, **3** indicates average influence and **5** indicates strong influence.

8.1.3 Estimating Project Size

Note:

This technique is of value only once you have developed a couple of known projects to use as a baseline. Please **DO NOT** use the provided 'guesstimates' as a real world measure until you have some real world base lines to measure against.

Enterprise Architect uses a simple estimation technique based on the number of Use Cases to be built, the difficulty level of those Use Cases, some project environment factors and some build parameters. Once the parameters are set up and the Use Cases defined, open the [Use Case Metrics](#) dialog by:

- Navigating to the package of interest and selecting the **Project | Use Case Metrics** menu option, or
- Right-clicking on the package of interest in the [Project Browser](#) window and selecting the **Documentation | Package Metrics** menu option.

Use Cases

Root Package:

Phase like: Bookmarked:

Keyword like: Use Cases: Include Actors

Package	Name	Type	Complexity	Pha
Fulfill Orders	Ship Order	UseCase	5	1.0
Fulfill Orders	Process Order	UseCase	5	1.0
Fulfill Orders	Package Order	UseCase	5	1.0
Fulfill Orders	List Current Orders	UseCase	5	1.0
Manage Inventory	Manage Publishers	UseCase	5	1.0
Manage Inventory	Edit Titles	UseCase	5	1.0
Manage Inventory	Add New Titles	UseCase	5	1.0
Manage Inventory	Create Orders	UseCase	5	1.0
Manage Inventory	List Stock Levels	UseCase	5	1.0

Unadjusted Use Case Points (UUCP) = Sum of Complexity Ave Hours per Use Case Easy: 40 Med: 80 Diff: 121

Technical Complexity Factor

Unadjusted TCF Value (UTV):

TCF Weight Factor (TWF):

TCF Constant (TC):

TCF = TC + (TWF x UTV):

Environment Complexity Factor

Unadjusted ECF Value (UEV):

ECF Weight Factor (EWF):

ECF Constant (EC):

ECF = EC + (EWF x UEV):

Total Estimate

Use Case Points (UCP) = UUCP * TCF * ECF = * * = UCP

Estimated Work Effort (hours) = * = Hours

Estimated Cost = EWE * Default hourly Rate = * = Cost

Option	Use to
Root Package	Confirm the root package in the hierarchy. All Use Cases under here could potentially be included in the report.
Reload	Re-run the search, usually after you change the filter criteria.
Phase like	Include Use Cases with a phase that matches the wildcard value in the field (use * to match any characters, for example 1.* for 1.1 and 1.2).
Keyword like	Include Use Cases with a keyword that matches the wildcard value in the field (use * to match any characters).
Use Cases	Check the total count of Use Cases in estimate.
Technical Complexity Factor	Review the parameters that describe the degree of technical complexity of the project. While the unadjusted TCF value comes from the Technical Complexity Factor ^[711] tab of the Metrics and Estimation Types dialog, the other values compose the Use Case Points Method formula. Modify these fields with caution. The final project estimate is directly proportional to the TCF.
Environment Complexity Factor	Review the parameters that calculate the degree of environmental complexity of the project, from factors such as programmer motivation or experience. The listed parameters compose the formula calculating the ECF, defined by the Use Case Points Method; the only parameter affected by the project is the unadjusted ECF value, derived from the Environment Complexity Factors ^[713] tab of the Metrics and Estimation Types dialog. The final project estimate is directly proportional to the ECF.
Unadjusted Use Case Points (UUCP)	Check the sum of the Use Case complexity numbers.

Option	Use to
Ave Hours per Use Case	Check the average of the number of hours assigned to easy, medium and difficult Use Cases; for information purposes only.
Total Estimate	Review the detailed breakdown of the final figure. Note that you must tailor the hours per Use Case point figure to the level that matches your type of project and capability based on known previous project outcomes.
Default Rate	Set the default hours fed into the final calculation.
Re-Calculate	Re-run the estimate, usually after you change the hours or Use Case point number.
Report	Produce a rich text formatted report from the current estimate.

8.1.4 Default Hours

Set the default hour rate per adjusted Use Case point using the **Default Hour Rate** tab of the **Estimation Factors** dialog. To access this tab:

- Click on the **Default Rate** button on the [Use Case Metrics](#) dialog (displays the tab as the only tab of the **Settings** dialog), or
- Select the **Settings | Estimation Factors** menu option and click on the **Default Hour Rate** tab.

Type values in the **Duration** and default **Hourly Rate** fields, and click on the **OK** button to save the current values.

Notes:

- The values you enter are stored as local settings on your computer only.
- This option is also active in the 'Lite', read-only version of Enterprise Architect.

Setting an hourly rate is the most difficult factor in an accurate estimation. Typical ranges can vary from 10 to 30 hours per Use Case point. Studying the *Use Case Points Method*, from which this variable is defined, can help you to understand its role in the estimation and facilitate selection of a suitable initial value. The best way to estimate this value is through analysis of previous completed projects. By calculating the project estimation on a completed project for which the Use Cases and environment are configured within Enterprise Architect, you can adjust the hour rate to render an appropriate value for your unique work environment.


8.2 Resource Management

What is a Resource?

Resources are the people who work on a project. They can be assigned roles and allocated tasks, which enables tracking of effort and estimation of time to complete.

Project Management Window

Resources are added, modified and deleted from the **Project Management** window. To access this window, select the **View | Project Management** menu option, or press **[Ctrl]+[Shift]+[7]**. (If the window does not display as shown, click on the **Show/Hide Properties** button in the toolbar.)



What to Do?

To find out more information about Project Resource Management tasks, see the following topics:

- To allocate a resource to an element, see [Resource Allocation](#) [717]
- To record additional project management information for an element, see:
 - [Effort Management](#) [718] to record effort expended on the element
 - [Risk Management](#) [719] to record risk associated with the element
 - [Metrics](#) [720] to record metrics measured for an element
- To obtain a report of resource allocation details, see [Resource Report](#) [720]
- To configure Project Management data and populate the drop-down lists used on the **Project Management** dialog tabs, see:
 - [Roles](#) [676]
 - [Clients](#) [679]
 - [Effort Types](#) [722]
 - [Metric Types](#) [723]
 - [Risk Types](#) [724]
- To find out about the functions of the **Project Management** toolbar, see [The Project Management Window](#) [180].


Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Project Information](#) [640] permission to update and manage project resources, effort, metrics and risks.

8.2.1 Resource Allocation

Enterprise Architect enables you to link a named resource in a named role to a given model element. This enables the Project Manager to track how far development of required components and Classes has progressed (provided the programmers and others keep their figures up to date).

To enter Resource Allocation details for an element, select the element and select the **View | Project Management** menu option. The **Project Management** window displays, showing the **Resource Allocation** tab. Click on the **New** button on the **Project Management** window toolbar. (If the window does not display as shown, click on the **Show/Hide Properties** button on the toolbar.)



This tab enables you to enter the following data:


- The name of the resource (click on the drop-down arrow and select, or type the name in)
- The role of the resource (click on the drop-down arrow and select, or type the name in)
- The start and end date for the resource availability
- The time allocated to the resource
- The percentage of the task the resource has completed
- The expected time allocated to the resource
- The actual time expended by the resource
- A description of the work being done by the resource
- Notes on the activity history of the resource.

To edit existing items, click on the required item in the list on the left of the window.

8.2.2 Effort Management

To enter *effort* details for an element, follow the steps below:

1. Select the element.
2. Select the **View | Project Management** menu option. The **Project Management** window displays, showing the **Resource Allocation** tab.
3. Click on the **Effort** tab.
4. Click on the **New** button on the **Project Management** window toolbar. (If the window does not display as shown, click on the **Show/Hide Properties** button on the toolbar.)



The **Effort** tab enables you to enter the following data:

- A name for the effort (short description)
- The type of effort (click on the drop-down arrow and select, or type the name in; typed names are not added to the [global effort type](#) ^[722] list)
- The time the effort will expend
- Some notes on the effort.

To edit an existing item, click on the required item in the list on the left of the window.


Notes:

- The drop-down arrow on the **Type** field displays a list of effort types as defined on the **Effort** tab of the **Metric and Estimation Types** dialog. If required, you can type in alternative effort types, but these are not added to the drop-down list of defined types.
- Although Enterprise Architect does not currently provide detailed reports on effort within a model, you can use the Automation Interface or similar tools to create your own custom reports based on effort information you enter.

8.2.3 Risk Management

To enter risk details for an element, follow the steps below:

1. Select the element.
2. Select the **View | Project Management** menu option. The **Project Management** window displays, showing the **Resource Allocation** tab.
3. Click on the **Risks** tab.
4. Click on the **New** button on the **Project Management** window toolbar. (If the window does not display as shown, click on the **Show/Hide Properties** button on the toolbar.)



The **Risks** tab enables you to enter the following data:

- A name for the risk (short description)
- The type of risk (click on the drop-down arrow and select, or type the name in; typed names are not added to the [global risk type](#) ^[724] list)
- A weighting for the risk
- Some notes on the risk.

To edit an existing item, click on the required item in the list on the left of the window.


Note:

Although Enterprise Architect does not currently provide detailed reports on risks within a model, you can use the Automation Interface or similar tools to create your own custom reports based on risk information you enter.

8.2.4 Metrics

To enter metrics for an element, follow the steps below:

1. Select the element.
2. Select the **View | Project Management** menu option. The **Project Management** window displays, showing the **Resource Allocation** tab.
3. Click on the **Metrics** tab.
4. Click on the **New** button on the **Project Management** window toolbar. (If the window does not display as shown, click on the **Show/Hide Properties** button on the toolbar.)



The **Metrics** tab enables you to enter the following data:

- A name for the metric (short description)
- The type of metric (click on the drop-down arrow and select, or type the name in; type names are not added to the [global metric type](#) ^[723] list))
- A weighting for the metric
- Some notes on the metric.

To edit an existing item, click on the required item in the list on the left of the window.

Note:

Although Enterprise Architect does not currently provide detailed reports on metrics within a model, you can use the Automation Interface or similar tools to create your own custom reports based on metric information you enter.

8.2.5 Resource Report

To generate a resource report on a package, either:

- In the **Project Browser** window, right-click on the package to create a report for and, from the context menu, select the **Documentation | Resource Allocation** option, or

- If the diagram currently active belongs to the package to create a report for, select the **Project | Documentation | Resource and Tasking Details** menu option.

The **Resource and Tasking Details** dialog displays a list of all elements that have resources allocated to them. The result list includes the resource allocated, the start and end dates, the percentage complete and other relevant information. You can print out the results if required.

Root Package: Cartwright package

Resource: Frederick Walter

As at date: 19/03/2007

Cut Off: 0

Show where

Complete

Above Cut Off

Below Cut Off

All

Refresh

Close

Locate Object

Print

Help

Resourcing Details


Resource	Role	Object	Type	Time	%Done	Start Date	End Date
Frederick Walter	C++ Progra...	Component	Class	10.0	20	19/03/2007	2/04/2007

Option	Use to
Root Package	Confirm the name of the root package for which resourcing is being determined.
Resource	Change the (optional) name of a specific resource assigned to the project.
As At Date	Select the date to run the resource report for.
Cut Off	Set the percentage complete limit to include or exclude resource details; see Show Where .
Show Where	Show resourcing where percentage complete is Complete , Above the cut-off , Below the cut-off , or any of these three.
Refresh	Refresh the form.
Locate Object	(Click on an entry in the report.) Find the selected element from the results list in the Project Browser window.
Print	Print the report.
Resourcing Details	Review the list of resources that meet the search criteria.

8.2.6 Effort Types

You can specify the *effort types* used when assigning effort to an element in Enterprise Architect, using the **Effort** tab of the **Project Indicators** dialog. Creating an effort type using this dialog adds to a global list of effort types that can be added to any element in the model. This list of types displays in the **Type** field drop-down list on the **Effort** tab of the **Project Management** ⁽⁷¹⁰⁾ window.

To open the **Project Indicators** dialog, select the **Settings | Project Indicators** menu option. Click on the **Effort** tab.



The screenshot shows the 'Effort' tab of the 'Project Indicators' dialog. It features three input fields: 'Effort' (containing 'Construction'), 'Description' (containing 'Design and build system components'), and 'Weight' (containing '1'). Below these is a text area with the note: 'The construction phase is concerned with designing and building the components necessary to implement the system as specified.' There are 'New', 'Save', and 'Delete' buttons. At the bottom, there is a 'Close' and 'Help' button.

Defined Effort Types		
Name	Description	Weight
Analysis	Analyzing System	1.0
Coding	Developing code	1.0
Construction	Design and build system components	1.0
Design	Designing specifications	1.0
Elaboration	Refine specification. Set up project	1.0
Transition	Implementation, acceptance testing	1.0

To create a new effort type, click on the **New** button, or to edit an existing effort type, click on the effort type name in the **Defined Effort Types** list. Complete the fields as follows:

- In the **Effort** field type the name of the effort type
- In the **Description** field type a short description of the effort type
- In the **Weight** field type the weighting to apply to the effort type
- In the Note field, type any additional information on the effort type
- Click on the **Save** button.

Notes:

- Although Enterprise Architect does not currently provide detailed reports on effort within a model, you can use the Automation Interface or similar tools to create your own custom reports based on effort information you enter.
- You can transport these effort types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

8.2.7 Metric Types

You can specify the *metric types* used when assigning metrics to an element in Enterprise Architect, using the **Metric** tab of the **Project Indicators** dialog. Creating a metric using this dialog creates a global list of metrics that can be added to any element in the model. You can define a metric on other screens, such as the [Metrics](#)^[720] tab of the **Project Management** window, but such metrics are not added to the global list.

Select the **Settings | Project Indicators** menu option. On the the **Project Indicators** dialog, click on the **Metric** tab.

The screenshot shows the 'Metric' tab of the 'Project Indicators' dialog. It features three tabs: 'Risk', 'Metric', and 'Effort'. The 'Metric' tab is active. The dialog contains a form with three input fields: 'Metric Type' (containing 'Change'), 'Description' (containing 'Change control, stability'), and 'Weight' (containing '1'). Below these fields is a text area containing 'Change requests,' with a vertical scrollbar. At the bottom of the form are three buttons: 'New', 'Save', and 'Delete'. Below the form is a table titled 'Defined Metrics' with the following data:

Name	Description	Weight
Breakage	Convergence, rework, software scrap	1.0
Change	Change control, stability	1.0
Cost	Budget, cost, expenditure	1.0
Progress	Iteration, planning, actuals	1.0
Team	Staffing, team dynamics	1.0

At the bottom of the dialog are two buttons: 'Close' and 'Help'.

To create a new metric type, click on the **New** button, or to edit an existing metric type, click on the metric type

name in the **Defined Metrics** list. Complete the fields as follows:

- In the **Metric Type** field type the name of the metric type
- In the **Description** field type a short description of the metric type
- In the **Weight** field type the weighting to apply to the metric type
- In the Note field, type any additional information on the metric type
- Click on the **Save** button.

Notes:

- Although Enterprise Architect does not currently provide detailed reports on effort within a model, you can use the Automation Interface or similar tools to create your own custom reports based on metric information you enter.
- You can transport these metric types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

8.2.8 Risk Types

You can specify the *risk types* used when assigning risk to an element in Enterprise Architect, using the **Risk** tab of the **Project Indicators** dialog. Creating a risk type using this dialog creates a global list of risk types that can be added to any element in the model. You can define a risk type on other screens, such as the [Risks](#)^[719] tab of the **Project Management** window, but such risks are not added to the global list.

Select the **Settings | Project Indicators** menu option. On the **Project Indicators** dialog, click on the **Risk** tab.

Risk Metric Effort

Risk Type: Description: Weight:

| | 1

Defined Risks

Name	Description	Weight

New Save Delete

Close Help

To create a new risk type, click on the **New** button, or to edit an existing risk type, click on the risk type name in the **Defined Risks** list. Complete the fields as follows:

- In the **Risk Type** field type the name of the risk type
- In the **Description** field type a short description of the risk type
- In the **Weight** field type the weighting to apply to the risk type
- In the Note field, type any additional information on the risk type
- Click on the **Save** button.

Notes:

- Although Enterprise Architect does not currently provide detailed reports on effort within a model, you can use the Automation Interface or similar tools to create your own custom reports based on risk information you enter.
- You can transport these risk types between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

8.3 Testing

Introduction to Testing

Enterprise Architect enables you to create test scripts for model elements.

Basic Tasks

Simple tasks that you might perform include:

- [Open the Testing Workspace](#) ^[726]
- [Use the Test Details Dialog](#) ^[727].

Categories

Typically you create:

- [Unit tests](#) ^[728] for things that are being built, such as Classes and components
- [Integration tests](#) ^[729] to test how components work together
- [System tests](#) ^[730] to ensure the system meets business requirements
- [Acceptance tests](#) ^[731] to test user satisfaction, and
- [Scenario tests](#) ^[731] to test the end-to-end suitability and functionality of the application.

Using Tests

Other tasks that you might perform when working with tests include:

- [Import Scenario as Test](#) ^[732]
- [Import Test from Other Elements](#) ^[734]
- [Generate Test Details Report](#) ^[735]
- [Show Test Scripts in Compartments](#) ^[736]
- [Create Test Documentation](#) ^[737].


8.3.1 The Testing Workspace

The **Testing** window, or Workspace, provides a quick and convenient method of working with element tests. When you select an element in a diagram or in the **Project Browser** window, if the **Testing** window is visible the lists of tests for that element are loaded ready for modification or addition.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Tests](#) ^[640] permission to update and delete test records.

To open the **Testing** window, select the **View | Testing** menu option. Alternatively, press **[Alt]+[3]**. (If the window does not display as shown, click on the **Show/Hide Properties** button in the toolbar.)



This window can be docked to the application workspace.


Click on an existing item to edit the details, or click on the **New** icon in the **Testing** window toolbar to add further items. Alternatively, use the [Test details](#) ^[727] dialog.

There are five tabs along the base of the window; one for each of the following types of testing:

- [Unit testing](#) ^[728]
- [Integration testing](#) ^[729]
- [System testing](#) ^[730]
- [Acceptance testing](#) ^[731]
- [Scenario testing](#) ^[731]

8.3.2 The Test Details Dialog

The **Test details** dialog opens from the **Testing** window in *list* mode. (The **Testing** window displays as shown below in list mode. If it does not display like this, click on the **Show/Hide Properties** icon in the window toolbar.)



Double-click on an existing test case or click on the **New** icon in the window toolbar. The **Test Details** dialog displays.

Test Details and Execution Status

Test: Type:

Description: **B I U A** | | x^2 x_2

Input:

Acceptance Criteria:

Execution

Status: Last Run Date:

Run By: Checked By:

Results:

Notes:

- Add multiple test cases in one batch by using the **New** and **Apply** buttons.
- You can format the text in the **Description** field using the [Rich Text Notes](#) ⁽¹³⁴⁾ toolbar at the top of the field.

8.3.3 Unit Testing

Use Unit Testing to test Classes, Components and other elements as programmers build them.

The **Unit** testing tab is displayed in the **Testing** window by default. To open the **Testing** window, select the **View | Testing** menu option. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window.

Option	Use to
Test	Specify the name of the test.
Status	Specify the current status of the test.
Type	Specify the type of test.
Run By	Specify the name of the person who ran the test.
Checked By	Specify the name of the person who checked the test run.
Last Run	Select the date on which the test was last run.
Description	Type a description of the test. You can format the text using the Rich Text Notes ⁽¹³⁴⁾ toolbar at the top of the field.
Input	Type in the input data.
Acceptance Criteria	Type the acceptance or test success conditions.
Results	Type the results of the last test.

8.3.4 Integration Testing

Use Integration Testing to test how the constructed components work together.

To display Integration Testing details select the **View | Testing** menu option to display the **Testing** window. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window. Click on the **Integration** tab.

Option	Use to
Test	Specify the name of the test.

Option	Use to
Status	Specify the current status of the test.
Type	Specify the type of test.
Run By	Specify the name of the person who ran the test.
Checked By	Specify the name of the person who checked the test run.
Last Run	Select the date on which the test was last run.
Description	Type a description of the test. You can format the text using the Rich Text Notes ¹³⁴ toolbar at the top of the field.
Input	Type in the input data.
Acceptance Criteria	Type the acceptance or test success conditions.
Results	Type the results of the last test.

8.3.5 System Testing

Use System Testing to test that the system performs the right business functions correctly.

To display System Testing details select the **View | Testing** menu option to display the **Testing** window. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window. Click on the **System** tab.

The screenshot shows a software interface for system testing. On the left, there is a table with columns 'Test' and 'Status'. The first row contains 'Display Custo...' and 'Pass'. The main area on the right is a form for editing a test script. The 'Test' field is 'Display Customer Data'. The 'Status' dropdown is set to 'Pass', and the 'Type' dropdown is set to 'Standard'. The 'Run By' field is 'Frederick', 'Checked By' is 'John Redfern', and 'Last Run' is '6/12/2007'. Below these fields are tabs for 'Description', 'Input', 'Acceptance Criteria', and 'Results'. The 'Description' tab is active, showing a rich text editor with a toolbar containing icons for bold (B), italic (I), underline (U), text color (A), list (bulleted and numbered), and text alignment (left, center, right). The description text reads: 'Operator can access customer information.'

Option	Use to
Test	Specify the name of the test.
Status	Specify the current status of the test.
Type	Specify the type of test.
Run By	Specify the name of the person who ran the test.
Checked By	Specify the name of the person who checked the test run.
Last Run	Select the date on which the test was last run.
Description	Type a description of the test. You can format the text using the Rich Text Notes ¹³⁴ toolbar at the top of the field.
Input	Type in the input data.
Acceptance Criteria	Type the acceptance or test success conditions.
Results	Type the results of the last test.

8.3.6 Acceptance Testing

Use Acceptance Testing to ensure that users are satisfied with the system.

To display Acceptance Testing details select the **View | Testing** menu option to display the **Testing** window. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window. Click on the **Acceptance** tab.

Test	Status
Users can acc...	Not Run

Test: Users can access customer data

Status: Not Run Type: Load

Run By: Checked By: Last Run: 6/12/2007

Description Input Acceptance Criteria Results


Users can access customer data as and when required under busy business conditions.

Option	Use to
Test	Specify the name of the test.
Status	Specify the current status of the test.
Type	Specify the type of test.
Run By	Specify the name of the person who ran the test.
Checked By	Specify the name of the person who checked the test run.
Last Run	Select the date on which the test was last run.
Description	Type a description of the test. You can format the text using the Rich Text Notes ¹³⁴ toolbar at the top of the field.
Input	Type in the input data.
Acceptance Criteria	Type the acceptance or test success conditions.
Results	Type the results of the last test.

8.3.7 Scenario Testing

Use Scenario Testing to test the application with real-world situations and scenarios. An end-to-end test of all functions.

To display Scenario Testing details select the **View | Testing** menu option to display the **Testing** window. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window. Click on the **Scenario** tab.



Option	Use to
Test	Specify the name of the test.
Status	Specify the current status of the test.
Type	Specify the type of test.
Run By	Specify the name of the person who ran the test.
Checked By	Specify the name of the person who checked the test run.
Last Run	Select the date on which the test was last run.
Description	Type a description of the test. You can format the text using the Rich Text Notes ¹³⁴ toolbar at the top of the field.
Input	Type in the input data.
Acceptance Criteria	Type the acceptance or test success conditions.
Results	Type the results of the last test.

8.3.8 Import Scenario as Test

You can import a scenario from a Use Case or other element into the Test Scenarios list, or from all elements in a package. This avoids having to duplicate the scenario information manually.

Import Element Scenarios

To import one or more scenarios from a specific element, follow the steps below:

1. Select the **View | Testing** menu option to display the [Testing](#) ⁷²⁶ [window](#) ⁷²⁶. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window. Click on the **Scenario** tab, at the bottom of the window.
2. Right-click on the list of tests to display the context menu, and select the **Import element scenario(s)** menu option. The **Import Scenario** dialog displays.

3. Select the scenarios to import from the **Select items to import** list. You can import scenarios from any element in the model by clicking on the **Select element** drop-down arrow and selecting the required element.
4. Click on the **OK** button to import the selected scenario(s).

The **Import Scenario** dialog has the following additional options:

Option	Use to
Show related elements only	Filter selection to apply only to related elements.
Limit selection to these Object Types only	Type in specific element types, separated by commas, to filter for only those element types.
Refresh	Refresh the list of available scenarios.

Import Package Scenarios

To import scenarios from all elements in a package, follow the steps below:

1. Select the **View | Testing** menu option to display the **Testing window**. Open a diagram and select the parent package element or an element in the package; all of the test scripts for that element display in the **Testing** window. Click on the **Scenario** tab, at the bottom of the window.
2. Right-click on the list of tests to display the context menu, and select the **Import Package Scenario(s)** menu option. The **Import Scenario** dialog displays.



This version of the **Import Scenario** dialog lists all scenarios against all elements in the package. It does not enable you to select a specific element, but does enable you to filter the list of scenarios to those from specific types of element.

3. In the **Limit selection to these Object Types only** field, type a comma-separated list of the object types for which to show scenarios. Click on the **Refresh** button.
4. Click on the **OK** button to import the scenarios from each element as test scenarios for that element.


8.3.9 Import Test From Other Elements

You can import any test from a Use Case or other element into the **Testing** window. This avoids having to duplicate the test information manually.

Import a Test

To import a test, follow the steps below:

1. Select the **View | Testing** menu option to display the **Testing** window. Open a diagram and select the required element; all of the test scripts for that element display in the **Testing** window.
2. Right-click on the list of test cases to display the context menu, and select the **Import Tests from Other Element** menu option. The **Import Element Tests** dialog displays



3. Select the test to import from the **Select items to import** list. You can import tests from any element in the model by clicking on the **Select element** drop-down arrow and selecting the required element.
4. Click on the **OK** button to import the selected test(s).

The **Import Element Tests** dialog has the following additional options:

Option	Use to
Show related elements only	Filter selection to apply only to related elements.
Limit Selection to these Object Types only	Type in specific element types, separated by commas, to filter for only those element types.
Refresh	Refresh available options.

8.3.10 Testing Details Report

You can view the **Testing Details** dialog for a package, which enables you to run filtered reports on all elements in the package hierarchy under your selection. You can also print the report details.

To access the **Testing Details** dialog, right-click on a package in the **Project Browser** window to display the context menu, and select the **Documentation | Testing Details** menu option.

Root Package: Michael

Run By: Ashley Kim

Checked By: Phil Bachmann

Test Type

Unit Integration Scenario

System Acceptance All

Status

Passed Failed Not Run All

Test Details

Test	Type	Status	Run By	Checked By	Date Run
02 Test techdiagram change	Unit	Pass	Michael Fraser		Invalid DateTime
01 Test change diagram	Unit	Pass	Michael Fraser		Invalid DateTime
01 Test DiffMerge	Unit	Pass	Michael Fraser		Invalid DateTime
01 Test details test	Unit	Pass	Michael Fraser		Invalid DateTime
02 Add package to diagram	Unit	Pass	Michael Fraser		Invalid DateTime
01 Test new package	Unit	Pass	Michael Fraser		Invalid DateTime
01 ALT-DOWN, ALT-UP test	Unit	Pass	Michael Fraser		Invalid DateTime
03 Test drawing of Interrupt...	Unit	Pass	Michael Fraser		Invalid DateTime
02 Test rotation on embedd...	Unit	Pass	Michael Fraser		Invalid DateTime
01 Test rotation	Unit	Pass	Michael Fraser		Invalid DateTime
01 Test pattern import	Unit	Pass	Michael Fraser		Invalid DateTime


The **Testing Details** dialog includes the following options:

Options	Use to
Run By	Select a name to filter for tests run by that person. Click on the x button to clear the field.
Checked By	Select a name to filter for tests checked by that person. Click on the x button to clear the field.
Test Type	Select the radio button for the required test type.
Status	Select the radio button for the required status.
Locate Object	(After clicking on an element in the Test Details list) locate the element in the Project Browser window.
Refresh	Re-run the report query.
Print	Print a summary of the test results.

8.3.11 Show Test Scripts in Compartments


Any element that is capable of displaying a compartment can be used to show test scripts in a diagram. To make use of the feature the element must have an attached test. To use this feature follow the steps below:

1. Open a diagram containing the element with the attached test items.
2. Double-click on the diagram background to display the **Diagram Properties** dialog. Click on the **Elements** tab.



3. In the **Show Compartments** panel, select the **Testing** checkbox.
4. Click on the **OK** button to save the setting.


The tests now appear as an item in the test scripts compartment of the diagram element.



8.3.12 Test Documentation

Enterprise Architect enables you to output the test scripts and results you have entered against elements in the model, in Rich Text format. For more information on entering test scripts and details see the previous sections of the [Testing](#) topic.

To create the documentation, right-click on a package in the **Project Browser** window and select the **Documentation | Testing Report** context menu option. The **Create Test Documentation** dialog displays.

**Note:**

You can also access the **Create Test Documentation** dialog by selecting the **Project | Documentation | Testing Report** menu option.

The **Create Test Documentation** dialog enables you to set up your report. You can configure which tests to include or exclude in the report, whether to include child packages and what file to output to.

8.4 Maintenance

Maintenance Elements

Maintenance elements are defects, changes, issues and tasks. They all apply to individual model elements and can be used to record and capture problems, changes, issues and tasks as they arise, and document the solution and associated details. They are defined as follows:

- A **defect** can be considered as a failure to meet a requirement for the current model element
- A **change** can be considered as a change in requirement for the current model element
- An **issue** is a record of a risk or other factor that might affect the project being recorded for the current model element
- A **task** is a means of recording work in progress and work outstanding for the current model element.

Note that each of these maintenance elements applies at the model element level. For *changes*, *defects* and *issues* that apply to the whole system, see the [Changes and Defects](#)^[742] topic; for *tasks* that apply to the whole system, see the [Project Tasks](#)^[746] topic.


The following topics explain how to create and edit Maintenance elements:

- [The Maintenance Workspace](#)^[738], which describes the **Maintenance** window
- [Maintenance Element Properties](#)^[739], which shows how to complete the **Properties** dialog for the various maintenance elements
- [Show Maintenance Scripts in Compartments](#)^[740], which shows how to display maintenance elements on diagrams.

8.4.1 The Maintenance Workspace

Enterprise Architect makes it easy to record and capture problems and issues as they arise, and document the solution and associated details. The **Maintenance** window provides a quick method of viewing and modifying the [list of changes, issues defects and 'to do' items](#)^[738] associated with a particular model element. Access this window by selecting the **View | Maintenance** menu option, or by pressing **[Alt]+[4]**.

Four tabs provide access to **Element Defects**, **Element Changes**, **Element Issues** and **Element Tasks**; click on the required tab and select model elements in diagrams or in the **Project Browser** window to see the associated maintenance items. You can include defects, changes, issues and tasks in the main RTF documentation and HTML produced by Enterprise Architect. The **RTF Setup** dialog has checkboxes to show or hide element defects, changes, issues and tasks.



Using the toolbar, you can [add or delete](#) ^[739] items and show or hide the **Properties** window to enable you to [edit](#) ^[739] each item in the list. You can also display the Maintenance items in a [compartment](#) ^[740] of each appropriate element in a diagram.


8.4.2 Maintenance Element Properties

Notes:

- This topic describes the **Element Defects** tab of the **Maintenance** window. The **Element Changes**, **Element Issues** and **Element Tasks** tabs differ only in minor details such as field names.
- For information on element-level Defects, Issues, Changes and Tasks, see the [Maintenance](#) ^[738] topic. For information on the **Maintenance** window, see the [Maintenance Workspace](#) ^[738] topic.

Element defect details are recorded via the **Element Defects** tab. To access this tab, follow the steps below:

1. Select the **View | Maintenance** menu option. The **Maintenance** window displays. (If the window does not have the format shown below, click on the **Show/Hide Properties** button in the **Maintenance** window toolbar.)



2. Open a diagram and select an element. All of the maintenance entries for that element are shown in the **Maintenance** window, under the various tabbed sections.
3. Click on the **Element Defects** tab.
4. To:
 - Add a new item, click on a blank line in the **Defect** list and complete the fields as described in the

table below

- Modify an existing item, click on that item in the **Defect** List and edit the fields as described in the table below
- Delete an existing item, right-click on the item in the **Defect** list and select the **Delete** context menu option.

5. Click on the **Save** button in the window toolbar.

Complete or edit the following fields on the **Maintenance** window:


Option	Use to
Defect	Display a list of recorded defects associated with the element.
Name	Type the name or a short description of the defect.
Reported by	Select the name of the person who reported the defect.
Reported	Select the date on which the defect was reported.
Status	Select the defect status, such as Complete or Approved .
Resolved by	Select the name of the person who fixed the defect.
Resolved	Select the date on which the defect was resolved.
Priority	Select the priority assigned to resolving the defect.
Version	Type the version number associated with this fix.
Description	Type a longer description of the defect.
History	Enter any notes or references to previous occurrences of this defect.

8.4.3 Show Maintenance Scripts in Compartments

Any element that is capable of displaying a compartment can show [maintenance scripts](#) ^[738] in a diagram. To make use of the feature the element must have an attached maintenance item.


To use this feature follow the steps below:

1. Open a diagram containing the element with the attached maintenance items.
2. Double-click on the diagram background to display the **Diagram Properties** dialog. Click on the **Elements** tab.



3. In the **Show Compartments** panel, select the **Maintenance** checkbox.
4. Click on the **OK** button to save the setting.

The Maintenance Items now appear as items in the maintenance scripts compartment of the diagram element.



8.5 Changes and Defects



Change and Defect Elements


[Changes](#)^[743] and [Defects](#)^[742] are structured comments that can be used in managing change in a project. A *Defect* element (also known as an *Issue* element) corresponds to a failure to match the requirements for the current system. A *Change* element corresponds to a change in requirements for the current system.

Using Structured Comments

You can track changes and defects (issues) in an Enterprise Architect model. Change and Defect elements can be created in UML diagrams and linked using Realization, Dependency, Aggregation and other relationships to show what model element each affects and how each is resolved. You can edit the element [properties](#)^[744], and [assign people](#)^[745] (as *Actor* elements) to changes and defects.

8.5.1 Defects (Issues)

A *Defect* (or *Issue*) element is a structured comment that contains information about defects and issues that relate to the system or model. This corresponds in some sense to a failure to meet defined requirements for the current system. An Issue element looks the same as a Requirement element:



Enterprise Architect enables you to generate and handle issues in much the same way as you can handle and [color code](#)^[426] Requirements. See the [Requirements Management](#)^[423] topic for more information.

You can link Issues using *Realization* connectors to model elements that are responsible for the defect. You can even structure a hierarchy of Issues using aggregation.

Note:

Issue elements can be created with or without an identifying **I** in the top right corner of the element. To toggle display of the this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the [Options](#) dialog, [Objects](#)^[197] page.

Add an Issue Using the Enterprise Architect UML Toolbox


To add an Issue to the model using the Enterprise Architect UML [Toolbox](#):

1. Open a *Custom* diagram.
2. From the [Custom pages](#)^[119] or [Common page](#)^[107] of the Enterprise Architect UML [Toolbox](#), drag the *Issue* icon onto the diagram.
3. Enter the details as required.

Add an Issue Using the Insert New Element Dialog

To add an Issue to the model using the **Insert New Element** dialog, follow the steps below:


1. Right-click on a package in the **Project Browser** window.
2. Select the **Insert | New Element** menu option. The **New Element** dialog displays.



3. In the **Type** field, click on the drop-down arrow and select **Issue**.
4. In the **Name** field, type a name for the element.
5. Click on the **OK** button.

8.5.2 Changes

A *Change* element is a structured comment that contains information about requested changes to the system/model. This corresponds in some sense to a change in requirements for the current system. A Change element looks the same as a Requirement element:



Enterprise Architect enables you to generate and handle Changes in much the same way as you can handle and [color code](#)^[426] Requirements. See the [Requirements Management](#)^[423] topic for more information.

You can link *Changes* using *Realization* connectors to model elements that implement the Change, and you can structure a hierarchy of changes using aggregation.

Note:

Change elements can be created with or without an identifying **C** in the top right corner of the element. To toggle display of this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the **Options** dialog, [Objects](#)^[197] page.

Add a Change Using the Enterprise Architect UML Toolbox


To add a Change to the model using the Enterprise Architect UML **Toolbox**:

1. Open a *Custom* diagram.
2. From the [Custom pages](#)^[119] or [Common page](#)^[107] of the Enterprise Architect UML **Toolbox**, drag the *Change* icon onto the diagram.
3. Enter the details as required.

Add a Change Using the Insert New Element Dialog

To add a Change to the model using the **Insert New Element** dialog, follow the steps below:

1. Right-click on a package in the **Project Browser** window.
2. Select the **Insert | New Element** menu option. The **New Element** dialog displays.



3. In the **Type** field, click on the drop-down arrow and select **Change**.
4. In the **Name** field, type a name for the element.
5. Click on the **OK** button.

8.5.3 Element Properties

The **Properties** dialog for Changes and Issues is similar to that used by Requirements. It has a **Properties** tab containing the name of the Issue and relevant management details (such as owner and dates). You can also [associate files](#)^[378] with the issue and [add Tagged Values](#)^[382].

Properties Files

Short Description: Problem with password encryption

Status: Proposed Type: Functional

Difficulty: Medium Phase: 1.0

Priority: Medium Last Update: 1/11/2004

Author: John Redfern Created: 1/11/2004

Version: 1.0

Details:

When the user enters a password...

OK Cancel Help

8.5.4 Assign People to Defects or Changes

As an example of how you might use the Relationship Matrix to monitor issues or changes, the screen below illustrates staff (actors) being linked through *Realization* connectors to *Issues*. Each highlighted square indicates a responsibility of a staff member to work on or correct a named issue.

This same approach can be used for any mix of model elements.

	Collaborations	Customer	Data Entry	Incompatability	Login Screen	Registration	Security	Update Versions	Workbench
Andrew Sutton								X	
Claire Owens				X					

8.6 Project Tasks List



The *Project Tasks List* is a convenient 'To Do' list of major project work items that are not recorded elsewhere. It can also be used to track things like requests or meetings.

The Project Tasks List is available as a tab on the **System** window. Open the **System** window by selecting the **View | System** menu option, or by pressing **[Alt]+[2]**. Select the **Project Tasks** tab.

Priority	Task	Type	Status	Owner	Description
3: Low	RM - Define System Re...	Request	In Progress		All System (Non Fur
2: Medium	Create development e...	Release	Complete	Craig Bass	Deployment diagram
1: High	PM Send weekly status...	Request	In Progress		Weekly status repo
1: High	DM - Create Data Model	Request	New		cre
3: Low	Structure the Use Cas...	Request	Deferred		ode
2: Medium	Refine Use Case Model	Request	Complete		el by

Right-click on the list to view the context menu, which enables you to add, modify and delete list items, and to

set a status filter. You can also set the sort order by clicking the title-bar of the column on which to index the tasks.

For more information see the [Add, Modify and Delete Tasks](#)^[747] topic.

Tip:

Select the **Print List** menu option to print out the currently displayed items.

Note:

You can transport these task definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

8.6.1 Add, Modify and Delete Tasks

From the **Project Tasks** tab on the **System** window, display the **Task Detail** dialog to [Add](#)^[747], [Modify](#)^[748] and [Delete](#)^[748] tasks.

Add a Task

To add a task, follow the steps below:

1. Double-click in a blank area of the **Project Tasks** tab, or right-click and select the **Add New** context menu option. The **Task Detail** dialog displays.

The screenshot shows the 'Task Detail' dialog box with the following fields and values:

- Task:** View user locks failed (with an 'Auto' button)
- Type:** Defect
- Owner:** Suzanne Pearson
- Start:** 15/11/2007
- Status:** New
- Assigned to:** (empty)
- End:** 15/11/2007
- Priority:** Medium
- Total Time:** (empty)
- Percent:** 0
- Phase:** (empty)
- Actual Time:** (empty)

Below the details section are two text areas: 'Description' and 'History'. At the bottom of the dialog are five buttons: 'New', 'Apply', 'OK', 'Cancel', and 'Help'.

2. Enter the details for the task. You can define the following:

- The task name
 - [Auto counters](#) ^[308] (if you have configured these, click on the **Auto** button)
 - The task type
 - The task owner
 - The expected start and end date for the task
 - The current status of the task
 - The person this task has been assigned to
 - The task priority: high, medium or low
 - The expected total time for the task
 - The percent complete
 - The phase associated with this task
 - The actual time expended.
3. Click on the **Apply** button.
 4. To create another entry, click on the **New** button.
 5. To close, click on the **OK** button.

Modify a Task

To modify a task, on the **Project Tasks** tab, either:

- Double-click on the task to modify, or
- Right-click on the task to modify and, from the context menu, select the **Modify Selected** menu option.

The **Task Detail** dialog displays, and you can edit the task data.

Delete a Task

To delete a task, follow the steps below:

1. On the **Project Tasks** tab, right-click on the task to delete. The context menu displays.
2. Select the **Delete** menu option.

8.7 Project and Model Issues

Any identified issues can be recorded against the current project. Issues are raised with a description, date, owner and status.

Note:

You can transport these issue definitions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu.

You can [add, delete and modify](#) ^[751] Issues using either the [Project Issues](#) ^[749] dialog ^[749], or the [Issue Detail](#) ^[750] dialog from the **Project Issues** tab of the **System** window. You can also generate and view an RTF report of your issue list, using either the [Project Issues](#) ^[751] dialog ^[751] or the [Project Issues](#) ^[752] tab ^[752].

Tip:

You can view sample report output in the [Report Output Sample](#) ^[752] topic.

8.7.1 Project Issues Dialog

The **Project Issues** dialog is accessed from the **Project | Documentation | Issues** menu option. This dialog enables you to record a description, date, owner and status of any identified issues against the current project. You can [add, modify and delete issues](#)^[75], and [generate a report](#)^[75] of your project issues in Rich Text Format.

Details

Issue: Auto

Priority: ▼ Date: ▼

Status: ▼ Owner: ▼

Desc:

Resolution

Resolver: ▼ Date: ▼ Close Issue

Comments:

New Save Delete

Project Issues & Discussion

Issue	Date	Owner	Status
The test servers will be delayed	13/10/2005	Frank McIver	Under Review
Pre-production Environment Model...	12/08/2005	Frank McIver	Open
Missing Training material	13/06/2005		Open
Compiler Version disparity	13/06/2005		Under Review
Public Holidays	13/06/2005	Frank McIver	Open

Show Closed Issues View RTF Report Close Help

8.7.2 Project Issues Tab

The **Project Issues** tab in the **System** window enables any identified issues to be recorded against the current project. Issues are raised with a description, date, owner and status.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Manage Issues](#)^[64] permission to update and delete Issues records.

To access this tab, select the **View | System** menu option or press **[Alt]+[2]** to display the **System** window, and click on the **Project Issues** tab.

Tip:

You can right-click on the list and select the **Print List** context menu option to print out the currently displayed items.

Priority	Issue	Date	Status	Owner	Description
1: High	Missing Training material	13/06/2005	Open		A number of the tra
2: Medium	Compiler Version disparity	13/06/2005	Under Re...		A number of the de
2: Medium	Public Holidays	13/06/2005	Open	Frank Mc...	The schedule includ
1: High	The test servers will be...	13/10/2005	Under Re...	Frank Mc...	The test server buil
3: Low	Pre-production Environ...	12/08/2005	Open	Frank Mc...	This model is yet to

To [add](#) a new issue, double-click on an empty row of the **Project Issues** tab. To [modify](#) an issue, double-click on the required item in the list. In each case, the **Issue Detail** dialog displays.

Details	
Issue:	Compiler Version Disparity Auto
Priority:	Medium Date: 15/11/2007
Status:	Under Review Owner: Suzanne Pearso
Description:	A number of developers have downloaded a different version of the compiler. This has led to unpredictable builds, impacting on testing.
Resolution:	
Date:	<input checked="" type="checkbox"/> 15/11/2007 Resolved By: John Redfern
Comments:	
<input type="button" value="New"/> <input type="button" value="Apply"/> <input type="button" value="OK"/> <input type="button" value="Cancel"/> <input type="button" value="Help"/>	

You can also [delete](#) an issue and [generate a report](#) of your issues in Rich Text Format.

8.7.3 Add, Delete and Modify Issues

Issues can be added, deleted and modified using either the [Project Issues](#) ^[749] dialog ^[749], or the [Issue Detail](#) ^[750] dialog from the **Project Issues** tab of the **System** window.

To *add* an issue, click on the **New** button and complete the following fields:

Component	Description
Issue	The name of the issue.
Auto	Click on the Auto button if you have auto counters ^[308] configured.
Priority	The priority of this issue: low, medium or high.
Date	The date the issue arose.
Status	The issue's current status.
Owner	The person owning the issue.
Description	Description of the issue.
Resolution	Notes on the resolution of the issue.
Date	The date the issue was resolved.
Resolved By	Person who resolved the issue.
Comments	Any comments regarding the resolution of the issue.
Close Issue	Click on this button to close the issue.
Apply	Save and apply the issue.

To *modify* an issue, double-click on it in the **Project Issues** tab or **Project Issues & Discussion** list, then edit the fields as indicated in the above table.

To *delete* an issue, click on it in the **Project Issues** tab or **Project Issues & Discussion** list, then:

- Click on the **Delete** button (**Project Issues** dialog) or
- Right-click on the issue and select the **Delete** option from the context menu.

8.7.4 Reports - Using the Project Issues Dialog

To generate an RTF document of your issue log using the **Project Issues** dialog, follow the steps below:

1. Select the **Project | Documentation | Issues** menu option. The **Project issues** dialog displays.
2. Click on the **Report** button. The **Save As** dialog displays.
3. Browse for the appropriate file location and, in the **File name** field, type the file name for the report.
4. Click on the **Save** button.
5. To view the report, click on the **View RTF** button.

Tip:

For information on viewing sample report output, see the [Report Output Sample](#) ^[752] topic.

8.7.5 Reports - Using the Project Issues Tab

To generate an RTF document of your issue log using the **Project Issues** tab of the **System** window, follow the steps below:

1. Select the **View | System** menu option, or press **[Alt]+[2]**. The **System** window displays.
2. Click on the **Project Issues** tab.
3. Right-click on a blank line of the **Project Issues** tab and select the **Create RTF Report** context menu option. The **Save As** dialog displays.
4. Enter the directory location and file name to save your report to and click on the **Save** button. Enterprise Architect generates the report. This should only take a few moments to complete.

Tip:

For information on viewing sample report output, see the [Report Output Sample](#)⁷⁵² topic.

8.7.6 Report Output Sample

An example of the output from an Issues report is shown below:

List of Project Issues: 24-Jul-2007 9:47:00 AM

Issue	Date/Owner	Description	Resolution
Test servers will be delayed	24/07/2007 Elosie Norman	The test server builds have been delayed because the particular (unusual) memory requirements to match the customer's site are not available on shore. They are being sourced from Singapore but it will delay the builds and delivery of the machines.	Closed: 24/07/2007 Geoffrey Sparks The machines will be built and delivered using standard memory and the proprietary memory will be added later. All performance tests will be delayed until the memory is available.
Public Holidays	24/07/2007 Joanna Stoa	The schedule includes staff working on public holidays. A number of staff have indicated that contrary to what they stated earlier they are not available.	Open: 24/07/2007
Compiler Version disparity	24/07/2007 Elosie Norman	A number of the developers have downloaded different versions of a number of the compilers. This has lead to unpredictable builds impacting on testing.	Under Review: 24/07/2007

8.8 Project Glossary



The glossary enables you to set up a list of defined terms for your project. You can further divide the items by category; for example, Business terms and Technical terms. The glossary can be saved in Rich Text format for inclusion as part of a larger project document.

You can add, delete and modify the project glossary entries through the [Glossary](#) ^[754] [dialog](#) ^[754] or through the [Project Glossary](#) ^[755] [tab](#) ^[755] on the **System** window.

Tip:

Include a [Glossary Report](#) ^[757] in your project requirements or functional specifications documents.

Note:

You can transport these glossary definitions between models, using the [Export Reference Data](#) and [Import Reference Data](#) options on the **Tools** menu.

8.8.1 The Glossary Dialog

To open the **Glossary** dialog, select the **Project | Documentation | Glossary** menu option. Use this dialog to [add](#), [modify](#) and [delete](#) glossary entries. You can also [limit the display](#) to show only technical or business related entries.

Type	Term
Business	Accounting Periods
Technical	Association
Technical	Class
Technical	Component Model
Business	Customer
Technical	Deployment Architecture
Technical	Deployment Model
Technical	Extends Relationships
Technical	Includes Relationship
Technical	Use Case

Option	Use to
Glossary Term	Type the term to include in the glossary.
Glossary Type	Select either Technical or Business .
Description	Type the definition or description of the term.
Limit Display To	Select the appropriate radio button to filter the list of entries on the dialog to show Technical or Functional entries, or both.
Type Term	Review the list of defined glossary terms.
Report	Print a glossary report.

Add a Glossary Entry

To add an entry to the glossary, follow the steps below:

1. Enter the details for the glossary item: the **Glossary Term**, the **Glossary Type** and the **Description**.
2. Click on the **Save** button.
3. To enter another item, click on the **New** button.

Modify a Glossary Entry

To modify a glossary entry, follow the steps below:

1. Select the entry to modify from the bottom panel of the dialog. The details of the entry display in the fields in the top half of the window.
2. Change the details as required.
3. Click on the **Save** button.

Delete a Glossary Entry

To delete a glossary entry, follow the steps below:

1. Select the entry to delete from the bottom panel of the dialog. The details of the entry display in the fields in the top half of the window.
2. Click on the **Delete** button.

Limit the Display

You can select which entry categories are displayed in the list. To:

- View all glossary entries, select the **All** option
- View Technical categorized entries only, select the **Technical** option
- View Business categorized entries only, select the **Business** option.

8.8.2 Project Glossary Tab

The **Project Glossary** tab in the **System** window shows all of the items in your model's glossary. This tab lists all the defined technical and business terms already defined for a model. You can add to the list, delete or change items and filter the list to exclude by type.

Access this tab by opening the **System** window; select the **View | System** menu option or press **[Alt]+[2]**. Select the **Project Glossary** tab.

Tip:

To print out the currently displayed items, right-click on the list and select the **Print List** menu option.

Term	Type	Meaning
Accounting Periods	Business	A defined period of time whereby performance reports may be extracted. (normally 4 week periods).
Association	Technical	A relationship between two or more entities. Implies a connection of some type - for example one entity uses 1
Class	Technical	A logical entity encapsulating data and behavior. A class is a template for an object - the class is the design, th
Component Model	Technical	The component model provides a detailed view of the various hardware and software components that make u
Customer	Business	A person or a company that requests An entity to transport goods on their behalf.
Deployment Architect...	Technical	A view of the proposed hardware that will make up the new system, together with the physical components th
Deployment Model	Technical	A model of the system as it will be physically deployed
Extends Relationship	Technical	A relationship between two use cases in which one use case 'extends' the behavior of another. Typically this r
Includes Relationship	Technical	A relationship between two use cases in which one use case 'includes' the behavior. This is indicated where the
Use Case	Technical	A Use Case represents a discrete unit of interaction between a user (human or machine) and the system. A U
Attachment	Business	Any piece of information that can be sent in addition to a message. It may take the form of a file in the case o
Contact	Business	A person or organization that needs to be reached with a message and is not part of the organization using th

Double-click on an entry and use the **Glossary Detail** dialog to [add](#) ^[756], [modify](#) ^[756] and [delete](#) ^[757] glossary entries (as below). Alternatively, select the **Project | Documentation | Glossary** menu option and use the [Glossary](#) ^[754] [dialog](#) ^[754].

Tip:

Include a [Glossary Report](#) ^[757] in your project requirements or functional specifications document(s).

Add a Glossary Entry

To add an entry to the glossary, follow the steps below:

1. Double-click on the **Project Glossary** tab, or right-click on the tab and select the **Add New** context menu option. The **Glossary Detail** dialog displays.

Glossary Item Details

Term: Type:

Meaning:

A relationship between two use cases in which one use case 'extends' the behavior of another. Typically this represents optional behavior in a use case scenario - for example a user may optionally request a list or report at some point in a performing a business use case.

2. Enter the details for the glossary item: the **Term**, **Type** and **Meaning**.
3. Click on the **Apply** button.
4. To create another entry, click on the **New** button.
5. To close, click on the **OK** button.

Modify a Glossary Entry

To modify a glossary entry, either:

1. Double-click on the entry to modify in the list on the **Project Glossary** tab, or

2. Right-click on the entry to modify in the list on the **Project Glossary** tab and select the **Modify Selected** context menu option.

The **Glossary Detail** window displays; edit the fields as required.

Delete a Glossary Entry


To delete a glossary entry, follow the steps below:

1. Right-click on the entry to modify in the list on the **Project Glossary** tab. The context menu displays.
2. Select the **Delete** menu option.

8.8.3 Generate a Report

To generate a report of your model's glossary, follow the steps below:

1. Select the **Project | Documentation | Glossary** menu option. The **Glossary** dialog displays.
2. Click on the **Report** button. The **Glossary Report** dialog displays.



3. Enter a filename and a heading for the glossary.
4. Select whether to include all sections, or only the Technical or Business sections.
5. To include page breaks, select the **Page break between sections** checkbox.
6. Click on the **OK** button to generate the report.
7. Click on the **View** button to open the report.

Note:

You can view sample report output in the [Glossary Report Output Sample](#)⁷⁵⁸ topic.

8.8.4 Glossary Report Output Sample

An example of the output from a Glossary report is shown below:

Glossary

Business Terms

Accounting Periods

A defined period of time whereby performance reports can be extracted. (normally 4 week periods).

Customer

A person or a company that requests An entity to transport goods on their behalf.

Technical Terms

Association

A relationship between two or more entities. Implies a connection of some type - for example one entity uses the services of another, or one entity is connected to another over a network link.

Component Model

The component model provides a detailed view of the various hardware and software components that make up the proposed system. It shows both where these components reside and how they inter-relate with other components. Component requirements detail what responsibilities a component has to supply functionality or behavior within the system.

Deployment Model

A model of the system as it is physically deployed

Extends Relationship

A relationship between two Use Cases in which one Use Case 'extends' the behavior of another. Typically this represents optional behavior in a Use Case scenario - for example a user might optionally request a list or report at some point in a performing a business Use Case.


8.9 Update Package Status

Elements in Enterprise Architect can be assigned a current status, such as *Proposed*, *Validated* or *Mandatory*. Often a complete package structure is updated from one status to another (or released) at the same time. To help facilitate this, Enterprise Architect supports a 'bulk' update of element status at the same time.

Update Element Status for a Complete Package Structure

To update element status for a complete package structure, follow the steps below:


1. In the **Project Browser** window, right-click on the package to update. The context menu displays.
2. Select the **Package Control | Update Package Status** menu option. The **Status Update** dialog displays.



3. Select:
 - The new status
 - Whether to recursively descend the package tree
 - Whether to include elements
 - Whether to include element requirements
 - Whether to include element constraints
4. Click on the **OK** button. Enterprise Architect updates all required elements to the new status.

8.10 Manage Bookmarks

Bookmarks are small red triangles that display above elements in diagrams when the element has been 'bookmarked'. A bookmark is a visual clue that something is different about an element; the meaning is up to you.




Tip:

The [Search](#) ¹⁴⁹ dialog also enables searching based on bookmarked elements.

You can bookmark an element manually by pressing **[Shift]+[Spacebar]**.

Bookmark Multiple Elements

You can also bookmark all elements in a folder (and their children) using the **Manage Bookmarks** dialog. Right-click on the parent package in the **Project Browser** window and select the **Bookmarks** menu option.



This dialog enables you to automatically bookmark elements that have new changes or defects defined in the [Maintenance](#) ^[738] window, or test scripts defined in the [Testing](#) ^[726] window. This is useful to highlight elements that have additional project information.

You can click on the **Clear All** button to clear all elements in the current tree of bookmarks. You should reload the project to show the new or cleared bookmarks (**[Ctrl]+[Shift]+[F11]**).

Part

9

9 Code Engineering



Code Engineering is a process that includes automated code generation, reverse engineering of source code and synchronization between the source code and model.

Code Engineering is available in the Professional and Corporate editions of Enterprise Architect.

Code Generation

[Generating code](#)^[773] is also known as *Forward Engineering*. Enterprise Architect enables you to generate code from UML model elements, creating a source code equivalent of the Class or Interface element for future elaboration and compilation. In particular you can generate [C, C++, C#, Delphi, Java, PHP, Python, ActionScript, Visual Basic and VB.NET](#)^[790] source code. The source code generated includes Class definitions, variables and function stubs for each attribute and method in the UML Class. You can use the [Source Code Viewer](#)^[170] to view any source code you are opening.

The [Code Template Framework \(CTF\)](#)^[803] enables you to customize the way Enterprise Architect generates source code and also enables you to generate languages that Enterprise Architect does not specifically support by helping you define the appropriate code generation templates for that language (this is discussed in the [Enterprise Architect Software Developers' Kit \(SDK\)](#)^[1367]).

You can link the facilities of Enterprise Architect to other development environments. The [MDG Link for Eclipse and MDG Link for Visual Studio.NET](#)^[771] are standalone products that provide an enhanced code engineering functionality between Enterprise Architect and the development environments.

Enterprise Architect also enables you to rapidly model, forward engineer and reverse engineer [XML Technologies](#)^[970], namely XML Schema (XSD) and Web Service Definition Language (WSDL).

Reverse Engineering

[Reverse Engineering](#)^[764] is the import of existing source code into model elements, mapping the source code structures onto their UML representations. This enables you to examine legacy code and the functionality of code libraries for reuse, or to bring the UML model up to date with the code. You can reverse engineer in the same languages as you perform code generation with Enterprise Architect.

Enterprise Architect is also able to reverse engineer certain types of binary files: Java .jar files and .NET PE files.

Note:

Reverse Engineering of other languages including CORBA IDL is also currently available through the use of the MDG Technologies. www.sparxsystems.com/resources/mdg_tech/.

Synchronization

[Synchronization](#)^[771] is when changes in the model are exported to the source and changes to source are imported into the model. This enables you to keep your model and your source code up to date as the project develops.

Round-Trip Engineering

Round trip engineering is a combination of reverse and forward generation of code and includes synchronization between the source code and the model in all but the most trivial of code engineering

projects. In order to get the most out of round trip engineering in Enterprise Architect, you should be familiar with the [modeling conventions](#) ^[809] used when generating and reverse engineering the languages you use.

9.1 Reverse Engineering and Synchronizing

Reverse Engineering in Enterprise Architect enables you to import existing source code from a variety of code languages into a UML model. Existing source code structures are mapped into their UML representations, for example a Java Class is mapped into a UML Class element with the variables being defined as attributes, methods are modeled as operations and the interactions between the Java Classes being displayed in the UML model Class diagram with the appropriate connectors.

Reverse Engineering enables users to examine legacy code and examine the functionality of code libraries for reuse or to bring the UML model up to date with the code that has been developed as part of a process called *synchronization*. Examining the code in a UML model enables user to identify the critical modules contained the code, enabling a starting point for understanding of the business and system requirements of the pre-existing system and to enable the developers to gain a better overall understanding of the source code.

To begin the process of importing existing code into Enterprise Architect, an existing source of code must be [imported into Enterprise Architect](#) ^[765], which can be a single directory or a [directory structure](#) ^[766]. Several options are available when performing the reverse engineering process. The [Source Code Engineering options](#) ^[780] topic contains several options that affect the reverse engineering process. These include:

- If comments are reverse engineered into notes fields, and how they are formatted if they are
- How property methods are recognized
- If dependencies should be created for operation return and parameter types.

It is important to note that when a legacy system has been poorly designed, simply importing the source into Enterprise Architect does not create an easily understood UML model. When working with a legacy system that is poorly designed it is useful to break down the code into manageable components by examining the code elements individually. This can be achieved by importing a specific Class of interest into a diagram and then [inserting the related elements](#) ^[298] at one level to determine immediate relationship to other Classes. From this point it is possible to create Use Cases that identify the interaction between the legacy Classes, enabling an overview of the legacy systems operation.

Copyright ownership is an important issue to take into account when undertaking the process of reverse engineering. In some cases, software might have specific limitations that prohibit the process of reverse engineering. It is important that a user address the issue of copyright before beginning the process of reverse engineering code. Situations that typically lend themselves to reverse engineering source code include source code that:

- You have already developed
- Is part of a third-party library that you have obtained permission to use
- Is part of a framework that your organization uses
- Is being developed on a daily basis by your developers.

Enterprise Architect currently supports reverse engineering in the following programming languages

- [ActionScript](#) ^[810]
- [C#](#) ^[813]
- [C++](#) ^[814]
- [Delphi](#) ^[817]
- [Java](#) ^[818]
- [PHP](#) ^[820]
- [Python](#) ^[820]
- [Visual Basic](#) ^[822]
- [Visual Basic .NET](#) ^[821]

Enterprise Architect is also able to reverse engineer certain types of binary files: Java .jar files and .NET PE files. See [Import Binary Module](#) ^[770] for more information.


Notes:

- Reverse Engineering of other languages, including CORBA IDL, is currently available through the use of MDG Technologies from www.sparxsystems.com/resources/mdg_tech/.
- In the Corporate edition of Enterprise Architect, if security is enabled you must have [Reverse Engineer From DDL And Source Code](#) ^[640] permission to reverse engineer source code and synchronize model elements against code.

9.1.1 Import Source Code


To import source code (reverse engineer) follow the steps below:

1. In the **Project Browser** window, select (or add) a diagram into which to import the Classes.
2. Right-click on the diagram background to open the context menu and either:
 - Select the language to import from the **Import from source file(s)** submenu, or
 - Click on the **Import Language** drop-down arrow in the **Code Generation** toolbar and select the **Import | Import xxx files** menu option, where xxx represents the language to import.
3. From the file browser that appears, select one or more source code files to import.



4. Click on the **Open** button to start the import process.

As the import proceeds, Enterprise Architect provides progress information. When all files are imported, Enterprise Architect makes a second pass to resolve associations and inheritance relationships between the imported Classes.




9.1.2 Import a Directory Structure

You can import from all source files in a complete directory structure. This process enables you to import or synchronize multiple files in a directory tree in one pass. Enterprise Architect creates the necessary packages and diagrams during the import process.

To import a directory structure, follow the steps below:

1. In the **Project Browser** window, right-click on a package in the **Project View**.
2. From the context menu, select the **Code Engineering | Import Source Directory** menu option. The **Import Directory Structure** dialog displays.



3. Select the options you require. You can configure:
 - The source directory
 - The source type
 - The file extensions to look at
 - Whether to recurse sub directories
 - Whether to create a diagram for each package
 - Whether to create a package for every directory, namespace or file; this might be restricted depending on the source type selected
 - Whether to Synchronize or Overwrite existing Classes when found
 - Whether to import additional files as described in the **Import Component Types** dialog
 - Whether to exclude private members from libraries being imported from the model
 - How to handle Classes not found during the import (**Prompt for action** enables you to [review Classes individually](#)^[77†])
 - What is shown on diagrams created by the import.
4. Click on the **OK** button to start.

9.1.3 Import ActionScript

ActionScript code can be imported into Enterprise Architect. When you import ActionScript, you must select the appropriate source file (.as) as the [source code to import](#)^[76†].

Enterprise Architect supports most ActionScript constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.4 Import C

You can import C code into Enterprise Architect. When you import C, you must select the appropriate header (.h) files and/or .c files as the [source code to import](#)^[765]. When you select a header file Enterprise Architect automatically searches for the corresponding implementation (.c) file to import based on the options for extension and search path specified in the [C options](#)^[791].

Enterprise Architect supports most C constructs and keywords; however it does not expand macros that have been used, these must be added into the internal list of [Language Macros](#)^[786] for C++.

If there is a particular feature for which you require support that you feel is missing, please contact [Sparx Systems](#).

9.1.5 Import C++

C++ code can be imported into Enterprise Architect. When you import C++, you must select the appropriate header (.h) file as the [source code to import](#)^[765]. Enterprise Architect automatically searches for the implementation (.cpp) file based on the extension and search path set in the [C++ options](#)^[793]. When it finds the implementation file it can use it to resolve parameter names and method notes as necessary.

Enterprise Architect supports most C++ constructs and keywords. However, it does not expand macros that have been used; these must be added into the internal list of [Language Macros](#)^[786].

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.6 Import C#

C# code can be imported into Enterprise Architect. When you import C#, you must select the appropriate source file (.cs) as the [source code to import](#)^[765].

Enterprise Architect supports most C# constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.7 Import Delphi

Delphi code can be imported into Enterprise Architect. When you import Delphi, you must select the appropriate source file (.pas) as the [source code to import](#)^[765].


Enterprise Architect supports most Delphi constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.8 Import Java

Java code can be imported into Enterprise Architect. When you import Java, you must select the appropriate source file (.java) as the [source code to import](#)^[765].

Enterprise Architect supports most Java constructs and keywords including the AspectJ language extensions.



Aspects are modeled using Classes with the stereotype *aspect*. These aspects can then contain attributes and methods as for a normal Class. If an *intertype* attribute or operation is required, you can add a tag *className* with the value being the name of the Class it belongs to.

Pointcuts are defined as operations with the stereotype of *pointcut*. These can occur in any Java Class, Interface or aspect. The details of the pointcut are included in the **behavior** field of the method.

Advice is defined as an operation with the stereotype *advice*. The pointcut this advice operates on is in the **behavior** field and acts as part of the method's unique signature. After advice can also have one of the Tagged Values *returning* or *throwing*.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.9 Import PHP

PHP code can now be imported into Enterprise Architect. When you import PHP, you must select the appropriate source file (.php, .php4, .inc) as the [source code to import](#)^[765].

Enterprise Architect supports most PHP constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.10 Import Python

Python code can be imported into Enterprise Architect. When you import Python, you must select the appropriate source file (.py) as the [source code to import](#)^[765].

Enterprise Architect supports most Python constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.11 Import Visual Basic

Visual Basic code can be imported into Enterprise Architect. When you import Visual Basic, you must select the appropriate Class file (.cls) file as the [source code to import](#)^[765].

Enterprise Architect supports most Visual Basic constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.12 Import VB.Net


VB.Net code can be imported into Enterprise Architect. When you import VB.Net, you must select the appropriate Class file (.vb) file as the [source code to import](#)^[765].

Enterprise Architect supports most VB.Net constructs and keywords.

If there is a particular feature you require support for that you feel is missing, please contact [Sparx Systems](#).

9.1.13 Import Binary Module

Enterprise Architect enables you to reverse-engineer certain types of binary modules. To import a binary module, right-click on the target package in the **Project Browser** window and select the **Code Engineering | Import Binary Module** menu option.



Currently the permitted types are as follows:

- Java Archive (.jar)
- .Net PE file (.exe, .dll); native Windows DLL and EXE files are not supported, only PE files containing .NET assembly data
- Intermediate Language file (.il).

Enterprise Architect creates the necessary packages and diagrams during the import process. Selecting the **Do not import private members** checkbox excludes private members from libraries from being imported into the model.

When importing .Net files, you can import via reflection or via disassembly, or let Enterprise Architect decide the best method - this might result in both types being used. The reflection-based importer relies on a .Net program, and requires the .Net runtime environment to be installed. The disassembler-based importer relies on a native Windows program called *lldasm.exe*, which is a tool provided with the MS .Net SDK. The SDK can be downloaded from the Microsoft website.

A choice of import methods is available because some files are not compatible with reflection (such as *mscorlib.dll*) and can only be opened using the disassembler. However, the reflection-based importer is generally much faster.

9.1.14 MDG Link and Code Engineering

MDG Link for Eclipse and MDG Link for Visual Studio.NET are standalone products that provide an enhanced code engineering functionality between Enterprise Architect and the development environments.


The MDG Link programs provide a lightweight bridge between Enterprise Architect and the development environment, offering enhanced code generation, reverse engineering and synchronization between code and the UML model. Merging changes can be achieved with minimal effort, and navigation between model and source code is significantly enhanced.

A trial version of MDG Link for Eclipse can be downloaded from www.sparxsystems.com/products/mdg_eclipse.html and MDG Link for Visual Studio.NET can be downloaded from www.sparxsystems.com/products/mdg_vs.html.

9.1.15 Handling of Classes Not Found During Import

When reverse synchronizing from your code, there are times when some Classes might be deliberately removed from your source code. Enterprise Architect's import source directory functionality keeps track of the Classes it expects to synchronize with and, on the **Import Directory Structure** dialog, provides options for how to handle the Classes that weren't found. You can select the appropriate action so that, at the end of the import, Enterprise Architect either ignores the missing Classes, automatically deletes them or prompts you to handle them.

If you select the **Prompt For Action** ⁽⁷⁶⁶⁾ radio button on the **Import Directory Structure** dialog, to manually review missing Classes, the following dialog displays:



By default, all Classes are marked for deletion. To keep one or more Classes select them and click on the **Ignore** button.

9.1.16 Synchronize Model and Code

In addition to generating and importing code, Enterprise Architect provides the option to synchronize the model and source code, creating a model that represents the latest changes in the source code and vice versa. You can use either the model as the source, or the code as the source.

For example: you generated some source code, but made subsequent changes to the model. When you generate code again, Enterprise Architect adds any new attributes or methods to the existing source code, leaving intact what already exists. This means developers can work on the source code and then generate additional methods as required from the model, without having their code overwritten or destroyed.

Similarly, you might have made changes to a source code file, but the model has detailed notes and characteristics you do not want to lose. By synchronizing from the source code into the model, you import additional attributes and methods but do not change other model elements.

Using the two synchronization methods above, it is simple to keep source code and model elements up to date and synchronized.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Generate Source Code and DDL](#) ^[640] permission to synchronize source code with model elements.


Synchronize Classes on Forward Generation

When there are features present in the code but not in the model you can use the following buttons during forward synchronization:

Note:

These buttons are only available when the **On forward synch, prompt to delete code features not in model** checkbox is selected in the [Options - Attributes and Operations](#) ^[783] dialog.

- **Delete:** when you click on this button the selected code features are removed from the code.
- **Reassign:** when you click on this button the code elements are reassigned to elements in the model (this is only possible when an appropriate model element is present that is not already defined in the code).
- **Ignore:** when you click on this button the code elements not present in the model are ignored completely.
- **Reset to Default:** when you click on this button the settings for synchronizing during forward generation are set to Ignore, meaning that the elements present in the code but not in the model are ignored completely.



9.2 Generate Source Code

Generating source code (forward engineering) takes the UML Class or Interface model elements and creates a source code equivalent for future elaboration and compilation. By forward engineering code from the model, the mundane work involved with having to key in Classes and attributes and methods is avoided, and symmetry between model and code is ensured.

Code is generated from *Class* or *Interface* model elements, so you must create the required Class and Interface elements to generate from. Add attributes (which become variables) and operations (which become methods).

Before you generate code, you should ensure the default settings for code generation match your requirements. The default generation settings are located in the **Source Code Engineering** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering** menu option). Set up the defaults to match your required language and preferences. Preferences that you can define include default constructors and destructors, methods for interfaces and the Unicode options for created languages. Languages such as Java support [namespaces](#) and can be configured to specify a namespace root. In addition to the default settings for generating code, Enterprise Architect supports the following code languages with their own specific code generation options:

- [ActionScript](#)
- [C](#)
- [C#](#) (for both .NET 1.1 and .NET 2.0)
- [C++](#) (standard, plus .NET managed C++ extensions)
- [Delphi](#)
- [Java](#) (including Java 1.5, Aspects and Generics)
- [PHP](#)
- [Python](#)
- [Visual Basic](#)
- [Visual Basic .NET](#)

The [Code Template Framework \(CTF\)](#) enables you to customize the way Enterprise Architect generates source code and also enables generation of languages that are not specifically supported by Enterprise Architect.

Before generating code, you should also familiarize yourself with the way Enterprise Architect handles local path names. Local path names enable you to substitute tags for directory names (eg. %SRC% = C:\Source).

When you have completed the design of your Classes, you can generate source code.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Generate Source Code and DDL](#) permission to generate source code.

Use Live Code Generation

On the [Package Build Scripts](#) dialog, you have the option to update your source code instantly as you make changes to your model.

Tasks

When you generate code, you perform one or more of the following tasks:


- [Generate a Single Class](#)
- [Generate a Group of Classes](#)
- [Generate a Package](#)
- [Update Package Contents](#)

9.2.1 Generate a Single Class


To generate code for a single Class, first ensure the design of the model element (Class or Interface) is complete. Also ensure you have added inheritance links to parents and associations to other Classes that are used. Also add inheritance links to Interfaces that your Class implements; Enterprise Architect offers the option to generate function stubs for all interface methods that a Class implements. Once the design is satisfactory, follow the steps below.

Generate Code for a Single Class

1. Open the diagram containing the Class or Interface for which to generate code.
2. Right-click on the required Class or Interface to display the context menu and select the **Generate Code** menu option, or press **[F11]**. The **Generate Code** dialog displays, which enables you to control how and where your source code is generated. .



3. On the **Path** field, click on [...] (Browse) and select a path name for your source code to be generated to.
4. In the **Target Language** field, click on the drop-down arrow and select the language to generate; this becomes the permanent option for that Class, so change it back if you are only doing one pass in another language.
5. Click on the **Advanced** button. The **Source Code Engineering** page of the **Options** dialog displays.



6. Set any custom options (for this Class alone), then click on the **Close** button.
7. In the **Import(s) / Header(s)** fields, type any import statements, #includes or other header information. (Note that in the case of Visual Basic this information is ignored; in the case of Java the two import text boxes are merged; and in the case of C++ the first import text area is placed in the header file and the second in the body (.cpp) file.)
8. Click on the **Generate** button to create the source code
9. When complete, click on the **View** button to see what has been generated. Note that you should set up your [default viewer](#)¹⁷⁰ editor for each language type first. You can also set up the default editor on the [DDL](#) page of the [Options](#) dialog (**Tools | Options | Source Code Engineering | Code Editors**).

9.2.2 Generate a Group of Classes

In addition to being able to generate code for an individual Class, you can also select a group of Classes for batch code generation. When you do this, you accept all the default code generation options for each Class in the set.

To Generate Multiple Classes

1. Select a group of Classes and/or interfaces in a diagram.
2. Right-click on an element in the group to display the context menu.
3. Select the **Code Generation | Generate Selected elements** menu option. The **Save As** dialog displays, on which you specify the file path and name for each code file. Enter this information and click on the **Save** button.
4. The **Batch Generation** dialog displays, showing the status of the process as it executes (the process might be too fast to see this dialog).

Note:

If any of the elements selected are not Classes or interfaces the option to generate code is not available.


9.2.3 Generate a Package

In addition to generating source code from single Classes and groups of Classes, you can also generate code from a package. This feature provides options to recursively generate child packages and automatically generate directory structures based on the package hierarchy. This enables you to generate a whole branch of your project model in one step.

Generate a Package

To generate a package, follow the steps below:

1. In the **Project Browser** window, right-click on the package to generate code for. The context menu displays.
2. Select the **Code Engineering | Generate Source Code** menu option. The **Generate Package Source Code** dialog displays.



3. In the **Synchronize** field, click on the drop-down arrow and select the appropriate synchronize option:
 - **Synchronize model and code:** Classes with existing files are forward synchronized with that file; Classes with no existing file are generated to the displayed target file
 - **Overwrite code:** All selected target files are overwritten (forward generated)
 - **Do not generate:** Only selected Classes that do not have an existing file are generated; all other Classes are ignored.
4. Highlight the Classes to generate. Leave unselected any to not generate.
5. To make Enterprise Architect automatically generate directories and filenames based on the package hierarchy, select the **Auto Generate Files** checkbox. Enterprise Architect prompts you to select a root directory under which the source directories are to be generated. By default, the **Auto Generate Files** feature ignores any file paths that are already associated with a Class. You can change this behavior by

also selecting the **Retain Existing File Paths** checkbox.

6. To include all sub-packages in the output, select the **Include Child Packages** checkbox.
7. Click on the **Generate** button to start generating code.

As code generation proceeds Enterprise Architect displays progress messages. If a Class requires an output filename Enterprise Architect prompts you to enter one at the appropriate time.


For additional information on the options on the **Generate Package Source Code** dialog, see the following table:

Option	Use to
Root Package	Check the name of the package to be generated.
Synchronize	Select options that specify how existing files should be generated.
Auto Generate Files	Specify whether Enterprise Architect should automatically generate file names and directories, based on the package hierarchy.
Root Directory	If Auto Generate Files is selected, display the path under which the generated directory structures are created.
Retain Existing File Paths	If Auto Generate Files is selected, specify whether to use existing file paths associated with Classes. If unselected, Enterprise Architect generates Classes to automatically determined paths, regardless of whether source files are already associated with Classes.
Include all Child Packages	Include all Classes from all sub-packages of the target package in the list. This option facilitates recursive generation of a given package and its sub-packages.
Select Objects to Generate	List all Classes that are available for generation under the target packages. Only selected (highlighted) Classes are generated. Classes are listed with their target source file.
Select All	Mark all Classes in the list as selected.
Select None	Mark all Classes in the list as unselected.
Generate	Start the generation of all selected Classes.
Cancel	Exit the Generate Package Source Code dialog. No Classes are generated.

9.2.4 Update Package Contents

Enterprise Architect enables you to synchronize a directory tree. Follow the steps below:

1. In the **Project Browser** window, right-click on the root package of the tree to synchronize. The context menu displays
2. Select the **Code Engineering | Synchronize Package With Code** menu option. The **Synchronize Package Contents** dialog displays.




3. In the **Update Type** panel, select the radio button to **Forward Engineer** or **Reverse Engineer** the package Classes.
4. To include child packages in the synchronization, select the **Include child packages in generation** checkbox.
5. Click on the **OK** button to start.

Enterprise Architect uses the directory names specified when the project source was first imported/generated and updates either the model or the source code depending on the option chosen.

9.2.5 Namespaces


Languages such as Java support package structures or namespaces. Enterprise Architect lets you specify a package as a namespace root, which denotes where the namespace structure starts; all subordinate packages below this point are generated as namespaces to code.

To define a package as a namespace root, right-click on the package in the **Project Browser** window and select the **Code Engineering | Set as Namespace Root** menu option. The package icon in the **Project Browser** window changes to include a colored corner ().


When you have set the namespace root, the menu option changes to **Clear Namespace Root**; click on this option to take the namespace root status off the package. (Also, see the context menu described below.)

Once you have set a namespace root, Java code generated beneath this root automatically adds a package declaration at the head of the generated file indicating the current package location.

To view a list of namespaces, select the **Settings | Namespaces** menu option. The **Namespaces** dialog displays.



If you double-click on a namespace in the list, the package is highlighted in the **Project Browser** window. Alternatively, right-click on the namespace to display a context menu, and select the **Locate Package in Browser** menu option.



You can also clear the selected namespace, by selecting the **Clear Namespace Attribute** option.

9.3 Code Engineering Settings

You can set the default code options such as the editors for each of the programming languages available for Enterprise Architect and special options for how source code is generated.

See Also

- [General Options](#) ^[779]
- [Local Paths](#) ^[785]
- [Local Path Dialog](#) ^[786]
- [Language Macros](#) ^[786]
- [Setting Collection Classes](#) ^[788]

9.3.1 Source Code Engineering

The following topics describe general options that apply to all languages when generating code from Enterprise Architect. These options are all available under the **Source Code Engineering** section of the **Options** dialog (select the **Tools | Options | Source Code Engineering** menu option).

- [Source Code Options](#) ^[780]
- [Options - Code Editors](#) ^[781]
- [Options - Object Lifetimes](#) ^[782]
- [Options - Attribute/Operations](#) ^[783]


- [Synchronize Model and Code](#)^[77†]
- [Code Page for Source Editing](#)^[78†]

9.3.1.1 Source Code Options

When you generate code for a particular language, you can set certain options. These include:

- Create a default constructor
- Create a destructor
- Generate copy constructor
- Select default language
- Generate methods for implemented interfaces
- Set the unicode options for code generation.

These options are accessed the **Source Code Engineering** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering** menu option).



Most of the settings are self-explanatory. The **Remove prefixes when generating Get/Set properties** field enables you to specify prefixes used in your variable naming conventions, if those prefixes should be removed in the variables' corresponding get/set functions.

Click on the **Component Types** button to [configure what elements](#)^[78†] you would like to be created for files of any extension found while importing a source code directory.

Note:

It is worthwhile to configure these settings, as they serve as the defaults for all Classes in the model. You can override these on a per-Class basis using the custom settings (from the **Code Generation** dialog).

9.3.1.1.1 Import Component Types

The **Import Component Types** dialog enables you to configure what elements you would like to be created for files of any extension found while importing a source code directory.

To access the **Import Component Types** dialog select the **Tools | Options | Source Code Engineering** menu option to display the **Source Code Engineering** page of the **Options** dialog, and click on the **Component Types** button.

Specify for this model, the files by extension type, their UML equivalent and an optional stereotype for importing additional items when reverse engineering directories.

Extension	Type	Stereotype
sln	Artifact	solution
bmp	Component	bitmap
sln	Artifact	solution
rc	Artifact	resource

Buttons: Save, New, Delete, Close

For each extension you can specify:


- The element type to be created.
- The stereotype to apply to these objects.

Note:

You can transport these import component types between models, using the [Export Reference Data](#) and [Import Reference Data](#) options on the **Tools** menu.

9.3.1.2 Options - Code Editors

You access the source code editor options via the **DDL** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Code Editors** menu option). They enable you to configure options for Enterprise Architect's internal editor, as well as the default editor for DDL scripts. You can configure external editors for code languages on each language options page.



The options for the inbuilt editor are:


Option	Use to
Use inbuilt editor if no external editor set	Specify the editor for code in a language if no external editor is defined for that language.
Show Line Numbers	Show line numbers in the editor.
Enable Outlining	Enable collapsible regions for standard languages.
Show Structure Tree	Show a tree with the results of parsing the open file (requires that the file is parsed successfully).
Don't parse files larger than	Specify an upper limit on file size for parsing. Used to prevent performance decrease due to parsing very large files.

9.3.1.3 Options - Object Lifetimes

This set of options enables you to configure:

- Constructor details when generating code
- Whether to create a copy constructor
- Destructor details.

These options are accessed via the **Constructor** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Object Lifetimes** menu option).




9.3.1.4 Options - Attribute/Operations

This set of options enables you to:

- Configure the default name generated from imported attributes
- Generate methods for implemented interfaces
- Delete model attributes not included in the code during reverse synchronization
- Delete model methods not included in the code during reverse synchronization
- Delete code from features contained in the model during forward synchronization
- Delete model associations and aggregations that correspond to attributes not included in the code during reverse synchronization
- Define whether or not the bodies of methods are included and saved in the Enterprise Architect model when reverse engineering.

These options are accessed via the **Attribute Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Attribute/Operations** menu option).




9.3.1.5 Code Page for Source Editing

Note:

This feature is only applicable to the Unicode version of Enterprise Architect.

The Unicode version of Enterprise Architect enables you to define the Unicode character set for code generation. To set the Unicode character set perform the following steps:

1. Select the **Tools | Options | Source Code Engineering** menu option. The **Source Code Engineering** page of the **Options** dialog displays.



2. In the **Code page for source editing** field, click on the drop-down arrow and select the appropriate Unicode character set.
3. Click on the **Close** button.

9.3.2 Local Paths

Sometimes a team of developers could be working on the same Enterprise Architect model. Each developer might store their version of the source code in their local file system, but not always at the same location as their fellow developers.

Local paths take a bit of setting up, but if you want to work collaboratively on source and model concurrently, the effort is well worth while.

For example: developer A stores their .java files in a C:\Java\Source directory, while developer B stores theirs in D:\Source. Meanwhile, both developers want to generate and reverse engineer into the same Enterprise Architect model located on a shared (or replicated) network drive.

To handle this scenario, Enterprise Architect enables you to define local paths for each Enterprise Architect user, using the [Local Paths](#) ^[786] dialog (select the **Settings | Local Paths** menu option).

In our example, Developer A might define a local path of

```
JAVA_SOURCE = "C:\Java\Source"
```

All Classes generated and stored in the Enterprise Architect project are stored as:

```
%JAVA_SOURCE%\<xxx.java>
```

Developer B now defines local path as:

```
JAVA_SOURCE = "D:\Source".
```


Now, Enterprise Architect stores all java files in these directories as:

```
%JAVA_SOURCE%\<filename>
```

On each developer's machine, the filename is expanded to the correct local version.

9.3.3 Local Paths Dialog

The **Local Paths** dialog enables you to set up local paths for a single user on a particular machine. For a description of what Local Paths are used for, see the [Local Paths](#) topic. To open the **Local Paths** dialog, select the **Settings | Local Paths** option.



The **Local Paths** dialog enables you to define:

- **Path** - the local directory in the file system (eg. d:\java\source)
- **ID** - the shared ID that is substituted for the Local Path (eg. JAVA_SRC)
- **Type** - the language type (eg. Java).

And also to:

- **Apply Path** - Select a path and click on this button to update any existing paths in the model (with full path names) to the shared relative path name (so d:\java\source\main.java might become %JAVA_SRC%\main.java)
- **Expand Path** - The opposite of **Apply Path**. This enables you to remove a relative path and substitute the full path name.

Using the two options you can update and change existing paths.

9.3.4 Language Macros

When reverse engineering a language such as C++, you might find pre-processor directives scattered throughout the code. This can make code management easier, but can hamper parsing of the underlying C++ language.


To help remedy this, you can include any number of *macro* definitions, which are ignored during the parsing phase of the reverse engineering. It is still preferable, if you have the facility, to pre-process the code using the appropriate compiler first; this way, complex macro definitions and defines are expanded out and can be readily parsed. If you don't have this facility, then this option provides a convenient substitute.

Note:

You can transport these language macro (or preprocessor macro) definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu. The macros are exported as a *Macro List*.

Define a Macro

1. Select the **Settings | Preprocessor Macros** menu option. The **Language Macros** dialog displays.



2. Click on the **Add New** button.
3. Enter details for your macro.
4. Click on the **OK** button.

Macros Embedded Within Declarations

Macros are sometimes used within the declaration of Classes and operations, as in the following examples:

```
class __declspec Foo
{
    int __declspec Bar(int p);
};
```

If *declspec* is defined as a C++ macro, as outlined above, the imported Class and operation contain a Tagged Value called *DeclMacro1* with value *__declspec*. (Subsequent macros would be defined as *DeclMacro2*, *DeclMacro3* and so on.) During forward engineering, these Tagged Values are used to regenerate the macros in code.

Define Complex Macros

It is sometimes useful to define rules for complex macros that can span multiple lines. Enterprise Architect ignores the entire code section defined by the rule. Such macros can be defined in Enterprise Architect as in the following example:

```
BEGIN_INTERFACE_PART ^ END_INTERFACE_PART
```

where the ^ symbol represents the body of the macro.

Note:

The spaces surrounding the ^ symbol are required.

9.3.5 Set Collection Classes


Enterprise Architect enables you to define *Collection Classes* for generating code from Association links where the target role has a multiplicity setting greater than 1. There are two options for doing this:

1. On the **Source Code Engineering** section of the **Options** dialog (select the **Tools | Options | Source Code Engineering** option), on each language page click on the **Collection Classes** button.

Collection class for 1..* associations:


Collection Classes

The **Collection Classes for Association Roles** dialog displays



On this dialog, you can define:

- The default collection Class for 1..* roles
 - The ordered collection Class to use for 1..* roles
 - The qualified collection Class to use for 1..* roles.
2. On the **Detail** tab of the **Class Properties** dialog (accessible from the right-click context menu of any Class), click on the **Collection Classes** button.



The **Collection Classes for Association Roles** dialog again displays, but here you define **for when only this Class is used**:

- The default collection Class for 1..* roles
- The ordered collection Class to use for 1..* roles
- The qualified collection Class to use for 1..* roles.

When Enterprise Architect generates code for a link that has a multiplicity role >1, the collection Class is calculated as follows:

1. If the **Qualifier** is set use the qualified collection:
 - for the Class if set

- else use the code language qualified collection.
2. If the **Order** option is set use the ordered collection:
 - for the Class if set
 - else use the code language ordered collection
 3. Else use the default collection:
 - for the Class if set
 - else use the code language default collection.

Note:

You can include the marker #TYPE# in the collection name; Enterprise Architect replaces this with the name of the Class being collected at source generation time (eg. Vector<#TYPE#> would become Vector<foo>).

Additionally, on both the **Source Role** and **Target Role** tabs of the **Association Property** dialog (accessible from the right-click context menu of any Association) there is a **Member Type** field. If you set this, the value you enter overrides all the above options. The example below shows a defined *PersonList*; when code is generated, because this has a **Multiplicity** greater than 1 and the **Member Type** is defined, the variable created is of type *PersonList*.

The screenshot shows the 'Source Role' tab of the 'Association Property' dialog. The 'Login Role' dropdown is set to 'm_PersonList'. The 'Role Notes' text area contains 'A list of staff in order'. Under 'Multiplicity', the dropdown is set to '1..*', 'Ordered' is checked, and 'Allow Duplicates' is unchecked. The 'Member Type' field contains 'PersonList'. Other fields include 'Containment' (Unspecified), 'Access' (Protected), 'Aggregation' (none), 'Target Scope' (instance), 'Navigability' (Unspecified), and 'Changeable' (none). There are 'OK', 'Cancel', and 'Help' buttons at the bottom.

9.3.6 Language Options

You can set up various options for how Enterprise Architect handles a particular language when generating code. These options are accessible on the **Options** dialog (select the **Tools | Options** menu option).

Under the **Source Code Engineering** option, select the required language. The following topics outline the options available for each language.

- [ActionScript](#) ^[790]
- [ANSI C](#) ^[791]
- [C#](#) ^[792]
- [C++](#) ^[793]
- [Delphi](#) ^[794]
- [Delphi Properties](#) ^[795]
- [Java](#) ^[798]
- [PHP](#) ^[798]
- [Python](#) ^[799]
- [Visual Basic](#) ^[800]
- [VB.Net](#) ^[801]
- [Reset Options](#) ^[802]

9.3.6.1 Options - ActionScript

Configure options for ActionScript code generation using the **ActionScript Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | ActionScript** menu option). The options you can specify include the:

- Default ActionScript version to generate (AS2.0 or AS3.0)
- Default file extensions (header and source)
- Default source directory
- Editor for ActionScript code.

ActionScript Specifications

Disable Language

Options for the current model	
Default Version	2.0
Default Extension	.as

Options for the current user	
Default Source Directory	
Editor	

Collection class for 1..* associations: Collection Classes

9.3.6.2 Options - C

Configure options for C code generation using the **C Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | C** menu option). The options you can specify include:

- Support for Object Oriented coding
- Default file extensions (header and source)
- Default source directory
- Editor for C code
- Path that Enterprise Architect uses to search for the implementation file; the first path in the list is the default path when generating.

C Specifications

Disable Language

Options for the current model

Header Extension	.h
Source Extension	.c
Object Oriented Support	False
Namespace Delimiter	_
Reference as Operation Parameter	True
Reference Parameter Style	Pointer (*)
Reference Parameter Name	this
Default Constructor Name	new
Default Destructor Name	delete

Options for the current user


Default Attribute Type	int
Import #define Constants	False

Collection class for 1..* associations:

9.3.6.3 Options - C#

Configure options for C# code generation using the **C# Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | C#** menu option). The options you can specify include the default:


- File extension
- 'Get' prefix
- 'Set' prefix
- Directory for opening and saving C# source code.



9.3.6.4 Options - C++

Configure options for C++ code generation using the **C++ Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | C++** menu option). The options you can specify include:

- The version of C++ to generate; this controls the set of templates used and how properties are created
- The default reference type used when a type is specified by reference
- The default file extensions
- Default Get/Set prefixes
- Default source directory
- The path that Enterprise Architect uses to search for the implementation file; the first path in the list is the default path when generating.




9.3.6.5 Options - Delphi

Configure options for Delphi code generation using the **Delphi Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Delphi** menu option). The options you can specify include the:

- Default file extension
- Default source directory


You can also set a default directory for opening and saving Delphi source code.



You should also set [Delphi properties](#)⁷⁹⁵ within each Class element.


9.3.6.5.1 Delphi Properties

Enterprise Architect has comprehensive support for Delphi properties. These are implemented as Tagged Values, with a specialized property editor to help create and modify Class properties. The Class image below illustrates the appearance of a Delphi Class that has had properties added to it. These are stored as Tagged Values, and by using the **Feature Visibility** element context menu option, you can display the 'tags' compartment that contains the properties. Imported Delphi Classes with properties have this feature automatically made visible for your convenience.



Note:

When you use the **Create Property** dialog from the **Attribute** screen, Enterprise Architect generates a pair of Get and Set functions, together with the required property definition as Tagged Values. You can manually edit these Tagged Values if required.



To manually activate the property editor

1. Ensure the Class you have selected has the code generation language set to Delphi
2. Right-click on the Class and select the **Delphi Properties** context menu option to open the editor.

The **Delphi Properties** editor enables you to build properties in a simple and straightforward manner. From here you can:

- Change the name and scope (only **Public** and **Published** are currently supported)
- Change the property type (the drop-down list includes all defined Classes in the project)
- Set the **Read** and **Write** information (the drop-down lists have all the attributes and operations from the current Class; you can also enter free text)
- Set **Stored** to **True** or **False**
- Set the **Implements** information
- Set the **Default** value, if one exists.

Property Details

Name: Published

Type:

Read:

Write:

Stored:

Implements:

Default:

Definition:

Defined Properties

Property Details

- ^Active:Boolean read FActive write SetActive default false
- ^Text:TStringList read FText write SetText
- ^Interval:Integer read GetInterval write SetInterval default 100
- ^Repetitions:integer read FRepetitions write SetRepetitions default 0
- ^Transparent:boolean read FTransparent write SetTransparent default true
- ^WordWrap:boolean read GetWordWrap write SetWordWrap
- ^ScrollPixels:integer read FScrollPixels write SetScrollPixels default 1
- ^OnClick
- ^OnDbClick

Notes:

- Public properties are displayed with a '+' symbol prefix and published with a '^'.
- When creating a property in the **Property Wizard** (accessed through the **Attributes** dialog), you can set the scope to **Published** if the property type is Delphi - see the example below.

Property Details

Name:

Getter:

Setter:

Stereotype: Published

Get Scope: Set Scope:

Limitations

- Only **Public** and **Published** are supported
- If you change the name of a property and forward engineer, a new property is added, but the old one must be manually deleted from the source file.

9.3.6.6 Options - Java

Configure options for Java code generation using the **Java Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Java** menu option). The options you can specify include the

- Default file extension
- Default 'Get' prefix
- Default 'Set' prefix

You can also set a default directory for opening and saving Java source code.

Options for the current model	
Default Extension	.java
Get Prefix	get
Set Prefix	set
Default Collection Class	

Options for the current user	
Default Attribute Type	int
Default Source Directory	
Editor	

Collection class for 1..* associations: Collection Classes

9.3.6.7 Options - PHP

Configure options for PHP code generation using the **PHP Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | PHP** menu option). The options you can specify include the:

- Default source extension - specify the extension to be used when creating files for PHP source
- Default import extension - a semi-colon separated list of extensions to look at when doing a [directory code import](#) for PHP
- Default PHP version - the version of PHP to generate

You can also set a default directory for opening and saving PHP source code

PHP Specifications

Disable Language

Options for the current model

Default Version	5.0
Default Extension	.php
Get Prefix	get
Set Prefix	set

Options for the current user

Default Source Directory	
Import File Extensions	.php;.php4;.inc;
Editor	


Collection class for 1..* associations: Collection Classes

9.3.6.8 Options - Python

Configure options for Python code generation using the **Python Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Python** menu option). The options you can specify include the:

- Default file extension(s)
- Default source directory


You can also set the Editor for Python code.



9.3.6.9 Options - Visual Basic

Configure options for Visual Basic code generation using the **VB Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | Visual Basic** menu option). The options you can specify include the:


- Default file extension when reading/writing
- Default Visual Basic version
- MTS transaction mode for MTS objects
- Multi use (true or false)
- Persistable
- Data binding
- Global namespace
- Exposed
- Data source behavior
- Creatable



9.3.6.10 Options - VB.Net

Configure options for VB.Net code generation using the **VB.Net Specifications** page of the **Options** dialog (select the **Tools | Options | Source Code Engineering | VB.Net** menu option). The options you can specify include the:

- Default file extension
- Default source directory.



9.3.6.11 Reset Options

Enterprise Architect stores some of the options for a Class when it is first created. Some are global; for example *\$LinkClass* is stored when you first create the Class, so it won't automatically pick up the global change in the **Options** dialog in existing Classes. You must modify the options for the existing Class.

Modify Options for Single Class


To modify options for a single Class, follow the steps below:

1. Right-click on the Class to change, and select the **Generate Code** menu option from the context menu. The **Generate Code** dialog displays.
2. Click on the **Advanced** button. The **Object Options** dialog displays.
3. Click on the **Attributes/Operations** button.
4. Change the options, and click on the **Close** button to apply changes.

Modify Options for All Classes

To modify options for all Classes within a package, follow the steps below:

1. Right-click on the package in the **Project Browser** window. The context menu displays.
2. Select the **Code Engineering | Reset Options for Package** menu option. The **Manage Code Generation** dialog displays.



3. Reset some of the defaults for each existing Class.
4. Click on the **OK** button to apply changes.

9.4 Code Template Framework

The Code Template Framework (CTF) is used during forward engineering of UML models. The CTF enables you to:

- Generate source code from UML models
- Customize the way in which Enterprise Architect generates source code
- Forward engineer languages not specifically supported by Enterprise Architect.

The CTF consists of:

- Default [Code Templates](#)^[803] which are built into Enterprise Architect for forward engineering supported languages
- A [Code Template Editor](#)^[807] for creating and maintaining user-defined Code Templates (also see the [Enterprise Architect Software Developers' Kit \(SDK\)](#)^[1387])
- Code templates to forward-[synchronize code](#)^[808].

9.4.1 Code Templates

Code templates enable you to customize code generation of existing languages. For example:

- Modify the file headers created when generating new files
- Change the style of the generated code (such as indenting or brace position) to match the required coding standards
- Handle particular stereotypes to generate things like specialized method bodies and extra methods.

They also enable you to add code generation of entirely new languages that Enterprise Architect would otherwise not be able to handle. In this situation it is most useful to combine code templates with an [MDG technology file](#)^[1550] that includes the datatypes, and options for default file extensions.

Enterprise Architect's [base code templates](#)^[804] specify the transformation from UML elements to the various parts of a given programming language. The templates are written as plain text with a syntax that shares some aspects of both mark-up languages and scripting languages. A simple example of a template used by Enterprise Architect is the 'Class template'. It is used to generate source code from a UML Class:

```
%ClassNotes%
%ClassDeclaration%
%ClassBody%
```

The above template simply refers to three other templates, namely *ClassNotes*, *ClassDeclaration* and *ClassBody*. The enclosing percent (%) signs indicate a *macro*. Code Templates consist of various types of

macros, each resulting in a substitution in the generated output. For a language such as C++, the result of processing the above template might be:

```
/**
 * This is an example class note generated using code templates
 * @author Sparx Systems
 */
class ClassA: public ClassB
{
  ...
}
```

Execution of Code Templates

A reference to a template (such as the `%ClassNotes%` macro, from our example above) results in the execution of that template.

Each template is designed for use with a particular element. For example the `ClassNotes` template is to be used with UML Class elements.

The element that is currently being generated is said to be *in scope*. If the element in scope is stereotyped Enterprise Architect looks for a template that has been defined for that stereotype. If a match is found, the specialized template is executed. Otherwise the default implementation of the base template is used.

Templates are processed sequentially, line by line, replacing each macro with its underlying text value from the model.

9.4.1.1 Base Templates

The Code Template Framework consists of a number of base templates. Each base template transforms particular aspects of the UML to corresponding parts of object-oriented languages.

The following table lists and briefly describes the base templates used in the CTF.

Template	Description
Attribute	A top-level template to generate member variables from UML attributes.
Attribute Declaration	Used by the <i>Attribute</i> template to generate a member variable declaration.
Attribute Notes	Used by the <i>Attribute</i> template to generate member variable notes.
Class	A top-level template for generating Classes from UML Classes.
Class Base	Used by the <i>Class</i> template to generate a base Class name in the inheritance list of a derived Class, where the base Class doesn't exist in the model.
Class Body	Used by the <i>Class</i> template to generate the body of a Class.
Class Declaration	Used by the <i>Class</i> template to generate the declaration of a Class.
Class Interface	Used by the <i>Class</i> template to generate an interface name in the inheritance list of a derived Class, where the interface doesn't exist in the model.
Class Notes	Used by the <i>Class</i> template to generate the Class notes.
File	A top-level template for generating the source file. For languages such as C++, this corresponds to the header file.
Import Section	Used in the <i>File</i> template to generate external dependencies.
Linked Attribute	A top-level template for generating attributes derived from UML Associations.
Linked Attribute Notes	Used by the <i>Linked Attribute</i> template to generate the attribute notes.
Linked Attribute Declaration	Used by the <i>Linked Attribute</i> template to generate the attribute declaration.

Template	Description
Linked Class Base	Used by the <i>Class</i> template to generate a base Class name in the inheritance list of a derived Class, for a Class element in the model that is a parent of the current Class.
Linked Class Interface	Used by the <i>Class</i> template to generate an Interface name in the inheritance list of a derived Class, for an Interface element in the model that is a parent of the current Class.
Namespace	A top-level template for generating namespaces from UML packages. (Although not all languages have namespaces, this template can be used to generate an equivalent construct, such as packages in Java.)
Namespace Body	Used by the <i>Namespace</i> template to generate the body of a namespace.
Namespace Declaration	Used by the <i>Namespace</i> template to generate the namespace declaration.
Operation	A top-level template for generating operations from a UML Class's operations.
Operation Body	Used by the <i>Operation</i> template to generate the body of a UML operation.
Operation Declaration	Used by the <i>Operation</i> template to generate the operation declaration.
Operation Notes	Used by the <i>Operation</i> template to generate documentation for an operation.
Parameter	Used by the <i>Operation Declaration</i> template to generate parameters.

The second table lists templates used for generating code for languages that have separate interface and implementation sections.

Template	Description
Class Impl	A top-level template for generating the implementation of a Class.
Class Body Impl	Used by the <i>Class Impl</i> template to generate the implementation of Class members.
File Impl	A top-level template for generating the implementation file.
File Notes Impl	Used by the <i>File Impl</i> template to generate notes in the source file.
Import Section Impl	Used by the <i>File Impl</i> template to generate external dependencies.
Operation Impl	A top-level template for generating operations from a UML Class's operations.
Operation Body Impl	Used by the <i>Operation</i> template to generate the body of a UML operation.
Operation Declaration Impl	Used by the <i>Operation</i> template to generate the operation declaration.
Operation Notes Impl	Used by the <i>Operation</i> template to generate documentation for an operation.

The base templates form a hierarchy, which varies slightly across different programming languages. A typical template hierarchy relevant to a language like C# or Java (which do not have header files) is shown in the example diagram below. In this diagram the templates are modeled as Classes (in reality they are just plain text). This hierarchy would be slightly more complicated for languages like C++ and Delphi, which have separate implementation templates.


Each of the base templates must be specialized to be of use in code engineering. In particular, each template is specialized for the supported languages (or 'products'). For example, there is a *ClassBody* template defined for C++, another for C#, another for Java, and so on. By specializing the templates, you can tailor the code

generated for the corresponding UML entity.

Once the base templates are specialized for a given language, they can be further specialized based on:

- A Class's stereotype
- A feature's stereotype (where the feature can be an operation or attribute)

This type of specialization enables, for example, a C# operation that is stereotyped as «property» to have a different *Operation Body* template from an ordinary operation. The *Operation Body* template can then be specialized further, based on the Class stereotype.




Note:

The above Class Model shows the hierarchy of Code Generation templates for a language such as C# or Java. The Aggregation links denote references between templates.

9.4.2 The Code Template Editor

The **Code Template Editor** window is accessed by selecting the **Settings | Code Generation Templates** menu option.



Option	Use to
Language	Select the programming language.
New Language	Display the Programming Languages Datatypes ⁶⁹⁵ dialog, which enables you to include programming languages other than those supported for Enterprise Architect, for which to create or edit code templates.
Template	Display the contents of the active template, and provides the editor for modifying templates.
Templates	List the base code templates. The active template is highlighted. The Modified field indicates whether you have changed the default template for the current language.
Stereotype Overrides	List the stereotyped templates, for the active base template. The Modified field indicates whether you have modified a default stereotyped template.
Add New Custom Template	Invoke a dialog for creating a custom stereotyped template.

Option	Use to
Add New Stereotyped Override	Invoke a dialog for adding a stereotyped template, for the currently selected base template.
Get Default Template	Update the editor display with the default version of the active template.
Save	Overwrite the active templates with the contents of the editor.
Delete	If you have overridden the active template, the override is deleted and replaced by the corresponding default code template.

For information on creating and editing code templates using the [Code Template Editor](#) window, see the [Enterprise Architect Software Developer's Kit \(SDK\)](#)^[138].

9.4.3 Synchronize Code

Enterprise Architect uses code templates during the forward synchronization of the following programming languages:

- ActionScript
- C
- C++
- C#
- Delphi
- Java
- PHP
- Python
- VB
- VB.Net

Only a subset of the code templates are used during synchronization. This subset corresponds to the distinct sections that Enterprise Architect recognizes in the source code. The following table lists the code templates and their corresponding code sections, which can be synchronized.

Code Template	Code Section
Class Notes	Comments preceding Class declaration.
Class Declaration	Up to and including Class parents.
Attribute Notes	Comments preceding Attribute declaration.
Attribute Declaration	Up to and including terminating character.
Operation Notes	Comments preceding operation declaration.
Operation Notes Impl	As for <i>Operation Notes</i> .
Operation Declaration	Up to and including terminating character.
Operation Declaration Impl	Up to and including terminating character.
Operation Body	Everything between and including the braces.
Operation Body Impl	As for <i>Operation Body</i> .

Three types of change can occur in the source when it is synchronized with the UML model:

- [Synchronize Existing Sections](#)^[809]: for example, changing the return type in an operation declaration
- [Add New Sections to Existing Features](#)^[809]: for example, adding notes to a Class declaration, where there were previously none

- [Add New Features and Elements](#)^[809]: for example, adding a new operation to a Class.

Each of these changes must be handled differently by Enterprise Architect; their effect on the CTF is described in the linked topics above.

9.4.3.1 Synchronize Existing Sections

When an existing section in the source code differs from the result generated by the corresponding template, that section is replaced. Consider for example, the following C++ Class declaration:

```
[asm] class A: public B
```

Now assume you add an inheritance relationship from Class A to Class C; the entire Class declaration would be replaced with something like:

```
[asm] class A: public B, public C
```

9.4.3.2 Add New Sections to Existing Features

The following can be added as new sections, to existing features in the source code:

- Class Notes
- Attribute Notes
- Operation Notes
- Operation Notes Impl
- Operation Body
- Operation Body Impl

Assume Class **A** from the previous example had no note when you originally generated the code. Now assume that you specify a note in the model for Class A. Enterprise Architect attempts to add the new note from the model during synchronization. It does this by executing the *Class Notes* template.

To make room for the new section to be inserted, you can specify how much white space to append to the section via synchronization macros. These macros are described in the [Enterprise Architect Software Developers' Kit \(SDK\)](#)^[137].

9.4.3.3 Add New Features and Elements

The following features and elements can be added to the source code during synchronization:

- Attributes
- Inner Classes
- Operations.

These are added by executing the relevant templates for each new element or feature in the model. Enterprise Architect attempts to preserve the appropriate indenting of new features in the code, by finding the indents specified in list macros of the Class. For languages that make use of namespaces, the *synchNamespaceBodyIndent* macro is available. Classes defined within a (non-global) namespace are indented according to the value set for this macro, during synchronization. This value is ignored for Classes defined within a package setup as a root namespace, or if the **Generate Namespace** option is set to **False** in the appropriate language page (C#, C++ or VB.Net) on the **Options** dialog (**Tools | Options | Source Code Engineering | <language>**).

9.5 Modeling Conventions

In order to get the most out of the round trip engineering in Enterprise Architect, you must be familiar with the modeling conventions used when generating and reverse engineering the languages you use. This topic describes the stereotypes, Tagged Values and other conventions used in code engineering in Enterprise Architect for the following supported languages:

- [Actionscript](#)^[810]
- [C](#)^[811]
- [C#](#)^[813]
- [C++](#)^[814]
- [Delphi](#)^[817]
- [Java](#)^[818]
- [PHP](#)^[820]
- [Python](#)^[820]
- [VB.Net](#)^[821]
- [Visual Basic](#)^[822]

9.5.1 ActionScript Conventions

Enterprise Architect supports round trip engineering of ActionScript 2 and 3, where the following conventions are used.

Stereotypes

Stereotype	Applies to	Corresponds To
property get	Operation	A read property.
property set	Operation	A write property.
literal	Operation	A literal method referred to by a variable.

Tagged Values

Tag	Applies to	Corresponds To
dynamic	Class or Interface	The <i>dynamic</i> keyword.
intrinsic	ActionScript 2: Class	The <i>intrinsic</i> keyword
attribute_name	Operation with stereotype <i>property get</i> or <i>property set</i>	The name of the variable behind this property.
namespace	ActionScript 3: Class, Interface, Attribute, Operation	The namespace of the current element.
prototype	ActionScript 3: Attribute	The <i>prototype</i> keyword.
final	ActionScript 3: Operation	The <i>final</i> keyword.
override	ActionScript 3: Operation	The <i>override</i> keyword.
rest	ActionScript 3: Parameter	The <i>rest</i> parameter (...)

Common Conventions

- Package qualifiers (ActionScript 2) and Packages (ActionScript 3) are generated when the current package is not a [namespace root](#)^[778]
- An unspecified type is modeled as *var* or an empty **Type** field.

Actionscript 3 Conventions

- The *Is Leaf* property of a Class corresponds to the sealed keyword
- If a *namespace* tag is specified it overrides the *Scope* that is specified.

See Also

- [Import Source Code](#) ^[765]
- [Generate Source Code](#) ^[773]
- [ActionScript Options](#) ^[790]

9.5.2 C Conventions**Note:**

Separate conventions apply to [Object Oriented programming in C](#) ^[812].

Enterprise Architect supports round trip engineering of C, where the following conventions are used:

Stereotype

Stereotype	Applies to	Corresponds To
Enumeration	Inner Class	An <i>enum</i> type.
struct	Inner Class	A <i>struct</i> type.
	Attribute	A keyword <i>struct</i> in variable definition.
union	Inner Class	A <i>union</i> type.
	Attribute	A keyword <i>union</i> in variable definition.
typedef	Inner Class	A <i>typedef</i> statement, where the parent is the original type name.

Tagged Values

Tag	Applies to	Corresponds To
typedef	Class with stereotype other than <i>typedef</i>	This Class being defined in a <i>typedef</i> statement.
anonymous	Class also containing the Tagged Value <i>typedef</i>	The name of this class being defined only by the <i>typedef</i> statement.
bodyLocation	Operation	The location the method body is generated to. Expected values are header , classDec or classBody .

C Code Generation for UML Model

UML	C Code	Notes
A Class	A pair of C files (.h + .c)	File name is the same as Class name
Operation (public & protected)	Function declaration in .h file and definition in .c file	
Operation (private)	Function definition in .c file only	
Attribute (public & protected)	Variable definition in .h file	
Attribute (private)	Variable definition in .c file	
Inner Class (without	(N/A)	This inner Class would be ignored

UML	C Code	Notes
stereotype)		

See Also

- [Import Source Code](#) ^[765]
- [Generate Source Code](#) ^[773]
- [C Options](#) ^[791]

9.5.2.1 Object Oriented Programming Using C

The following conventions are used for Object-Oriented programming in C.

To configure Enterprise Architect to support Object-Oriented programming using C, you must set the **Object Oriented Support** option to **True** on the [C Specifications](#) ^[791] page of the **Options** dialog.

Stereotype

Stereotype	Applies to	Corresponds To
Enumeration	Class	An <i>enum</i> type.
struct	Class	A <i>struct</i> type.
	Attribute	A keyword <i>struct</i> in variable definition.
union	Class	A <i>union</i> type.
	Attribute	A keyword <i>union</i> in variable definition.
typedef	Class	A <i>typedef</i> statement, where the parent is the original type name.

Tagged Values

Tag	Applies to	Corresponds To
typedef	Class with stereotype of <i>enumeration</i> , <i>struct</i> or <i>union</i> .	This Class being defined in a <i>typedef</i> statement.
anonymous	Class with stereotype of <i>enumeration</i> , <i>struct</i> or <i>union</i> .	The name of this Class being defined only by the <i>typedef</i> statement.
bodyLocation	Operation	The location the method body is generated to. Expected values are header , classDec or classBody .
define	Attribute	<i>#define</i> statement.

Object-Oriented C Code Generation for UML Model

The basic idea of implementing a UML Class in C code is to group the data variable (UML attributes) into a structure type. This structure is defined in a **.h** file so that it can be shared by other classes and by the client that referred to it.

An operation in a UML Class is implemented in C code as a function. The name of the function must be a fully qualified name that consists of the operation name, as well as the Class name to indicate that the operation is for that Class. A delimiter (specified in the **Namespace Delimiter** option on the [C Specifications](#) ^[791] page) is used to join the Class name and function (operation) name.

The function in C code must also have a reference parameter to the Class object. You can modify the

Reference as **Operation Parameter**, **Reference Parameter Style** and **Reference Parameter Name** options on the [C Specifications](#) page to support this reference parameter.

Limitations of Object-Oriented Programming in C

1. No scope mapping for an attribute: an attribute in a UML Class is mapped to a structure variable in C code, and its scope (private, protected or public) is ignored.
2. Currently an inner Class is ignored: if a UML Class is the inner Class of another UML Class, it is ignored when generating C code.
3. Initial value is ignored: the initial value of an attribute in a UML Class is ignored in generated C code.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [C Options](#)^[791]

9.5.3 C# Conventions

Enterprise Architect supports the round trip engineering of C#, where the following conventions are used.

Stereotypes

Stereotype	Applies to	Corresponds To
enumeration	Class	An <i>enum</i> type.
struct	Class	A <i>struct</i> type.
indexer	Operation	A property acting as an index for this Class.
event	Operation	An event.
property	Operation	A property possibly containing both read and write code.

Tagged Values

Tag	Applies to	Corresponds To
unsafe	Class, Interface, Operation	The <i>unsafe</i> keyword.
partial	Class, Interface	The <i>partial</i> keyword.
static	Class	The <i>static</i> keyword.
new	Class, Interface, Operation	The <i>new</i> keyword.
genericConstraints	Templated Class or Interface, Operation with tag <i>generic</i> .	The constraints on the generic parameters of this type or operation.
const	Attribute	The <i>const</i> keyword.
delegate	Operation	The <i>delegate</i> keyword.
extern	Operation	The <i>extern</i> keyword.
generic	Operation	The generic parameters for this Operation.
sealed	Operation	The <i>sealed</i> keyword.
override	Operation	The <i>override</i> keyword.

Tag	Applies to	Corresponds To
virtual	Operation	The <i>virtual</i> keyword.
Implements	Operation	The name of the method this implements, including the interface name.
ImplementsExplicit	Operation	The presence of the source interface name in this method declaration.
initializer	Operation	A constructor initialization list.
params	Parameter	A parameter list using the <i>params</i> keyword.
attribute_name	Operation with stereotype <i>property</i> or <i>event</i>	The name of the variable behind this property or event.
readonly	Operation with stereotype <i>property</i>	This property only defining read code.
writeonly	Operation with stereotype <i>property</i>	This property only defining write code.

Other Conventions

- *Namespaces* are generated for each package below a [namespace root](#)^[778]
- The *Const* property of an attribute corresponds to the *readonly* keyword, while the tag *const* corresponds to the *const* keyword
- The value of *inout* for the *Kind* property of a parameter corresponds to the *ref* keyword
- The value of *out* for the *Kind* property of a parameter corresponds to the *out* keyword
- Partial Classes can be modeled as two separate Classes with the *partial* tag
- The *Is Leaf* property of a Class corresponds to the *sealed* keyword.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [C# Options](#)^[792]

9.5.4 C++ Conventions

Enterprise Architect supports round trip engineering of C++, including the [Managed C++](#)^[816] and [C++/CLI](#)^[816] extensions, where the following conventions are used.

Stereotypes

Stereotype	Applies to	Corresponds To
enumeration	Class	An <i>enum</i> type.
struct	Class	A <i>struct</i> type.
property get	Operation	A read property.
property set	Operation	A write property.
union	Class	A <i>union</i> type.
typedef	Class	A <i>typedef</i> statement, where the parent is the original type name.
friend	Operation	The <i>friend</i> keyword.

Tagged Values

Tag	Applies to	Corresponds To
typedef	Class with stereotype other than <i>typedef</i>	This Class being defined in a <i>typedef</i> statement.
anonymous	Class also containing the Tagged Value <i>typedef</i>	The name of this class being only defined by the <i>typedef</i> statement
attribute_name	Operation with stereotype <i>property get</i> or <i>property set</i>	The name of the variable behind this property.
mutable	Attribute	The <i>mutable</i> keyword.
inline	Operation	The <i>inline</i> keyword and inline generation of the method body.
explicit	Operation	The <i>explicit</i> keyword.
callback	Operation	A reference to the CALLBACK macro.
initializer	Operation	A constructor initialization list.
bodyLocation	Operation	The location the method body is generated to. Expected values are <i>header</i> , <i>classDec</i> or <i>classBody</i> .
typeSynonyms	Class	The <i>typedef</i> name and/or fields of this type.
throws	Operation	The exceptions that are thrown by this method.
afx_msg	Operation	The <i>afx_msg</i> keyword.
volatile	Operation	The <i>volatile</i> keyword.

Other conventions

- Namespaces are generated for each package below a [namespace root](#)^[778]
- By Reference* attributes correspond to a pointer to the type specified
- The *Transient* property of an attribute corresponds to the *volatile* keyword
- The *Abstract* property of an attribute corresponds to the *virtual* keyword
- The *Const* property of an operation corresponds to the *const* keyword, specifying a constant return type
- The *Is Query* property of an operation corresponds to the *const* keyword, specifying the method doesn't modify any fields
- The *Pure* property of an operation corresponds to a *pure virtual* method using the "**= 0**" syntax
- The *Fixed* property of a parameter corresponds to the *const* keyword.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [C++ Options](#)^[793]

9.5.4.1 Managed C++ Conventions

The following conventions are used for managed extensions to C++ prior to [C++/CLI](#)^[816]. In order to set Enterprise Architect to generate managed C++ you must modify the C++ version in the [C++ Options](#)^[793].

Stereotypes

Stereotype	Applies to	Corresponds To
reference	Class	The <code>__gc</code> keyword.
value	Class	The <code>__value</code> keyword.
property	Operation	The <code>__property</code> keyword.
property get	Operation	The <code>__property</code> keyword and a read property.
property set	Operation	The <code>__property</code> keyword and a write property.

Tagged Values

Tag	Applies to	Corresponds To
managedType	Class with stereotype <i>reference</i> , <i>value</i> or <i>enumeration</i> ; Interface	The keyword used in declaration of this type. Expected values are <i>class</i> or <i>struct</i> .

Other Conventions

- The *typedef* and *anonymous* tags from native C++ are not supported
- The *Pure* property of an operation corresponds to the keyword `__abstract`.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]

9.5.4.2 C++/CLI Conventions

The following conventions are used for modeling C++/CLI extensions to C++. In order to set Enterprise Architect to generate managed C++/CLI you must modify the C++ version in the [C++ Options](#)^[793].

Stereotypes

Stereotype	Applies to	Description
reference	Class	Corresponds to the <i>ref class</i> or <i>ref struct</i> keyword.
value	Class	Corresponds to the <i>value class</i> or <i>value struct</i> keyword.
property	Operation, Attribute	This is a property possibly containing both read and write code.
event	Operation	Defines an event to provide access to the event handler for this Class.

Tagged Values

Tag	Applies to	Description
managedType	Class with stereotype	Corresponds to either the <i>class</i> or <i>struct</i> keyword.

Tag	Applies to	Description
	<i>reference</i> , <i>value</i> or <i>enumeration</i> ; Interface	
generic	Operation	Defines the generic parameters for this Operation.
genericConstraints	Templated Class or Interface, Operation with tag <i>generic</i>	Defines the constraints on the generic parameters for this Operation.
attribute_name	Operation with stereotype <i>property</i> or <i>event</i>	The name of the variable behind this property or event.
initonly	Attribute	Corresponds to the <i>initonly</i> keyword.
literal	Attribute	Corresponds to the <i>literal</i> keyword.

Other Conventions

- The *typedef* and *anonymous* tags are not used
- The *property get/property set* stereotypes are not used
- The *Pure* property of an operation corresponds to the keyword *abstract*.

See Also

- [Import Source Code](#) ^[765]
- [Generate Source Code](#) ^[773]

9.5.5 Delphi Conventions

Enterprise Architect supports round trip engineering of Delphi, where the following conventions are used.

Stereotypes

Stereotype	Applies to	Corresponds To
struct	Class	A record type.
dispinterface	Class, Interface	A dispatch interface.
constructor	Operation	A constructor.
destructor	Operation	A destructor.
operator	Operation	An operator.
enumeration	Class	An enumerated type.
property get	Operation	A read property.
property set	Operation	A write property.

Tagged Values

Tag	Applies to	Corresponds To
packed	Class	The <i>packed</i> keyword.
property	Class	A property. See Delphi Properties ^[795] for more information.

Tag	Applies to	Corresponds To
overload	Operation	The <i>overload</i> keyword.
reintroduce	Operation	The <i>reintroduce</i> keyword.
override	Operation	The <i>override</i> keyword.
attribute_name	Operation with stereotype <i>property get</i> or <i>property set</i>	The name of the variable behind this property.

Other Conventions

- The *Static* property of an attribute or operation corresponds to the *class* keyword
- The *Fixed* property of a parameter corresponds to the *const* keyword
- The value of *inout* for the *Kind* property of a parameter corresponds to the *Var* keyword
- The value of *out* for the *Kind* property of a parameter corresponds to the *Out* keyword.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [Delphi Options](#)^[794]

9.5.6 Java Conventions

Enterprise Architect supports round trip engineering of Java - including [AspectJ](#)^[819] extensions - where the following conventions are used.

Stereotypes

Stereotype	Applies to	Corresponds To
static	Class or Interface	The <i>static</i> keyword.
annotation	Interface	An <i>annotation</i> type.
enum	Attributes within a Class stereotyped <i>enumeration</i>	An <i>enumerated</i> option, distinguished from other attributes that have no stereotype.
operator	Operation	An operator.
property get	Operation	A read property.
property set	Operation	A write property.
enumeration	Class	An <i>enum</i> type.

Tagged Values

Tag	Applies to	Corresponds To
annotations	Anything	The annotations on the current code feature.
dynamic	Class or Interface	The <i>dynamic</i> keyword.
generic	Operation	The generic parameters to this operation.
parameterList	Parameter	A parameter list with the ... syntax.
arguments	Attribute with stereotype <i>enum</i>	The arguments that apply to this enumerated value.

Tag	Applies to	Corresponds To
attribute_name	Operation with stereotype <i>property get</i> or <i>property set</i>	The name of the variable behind this property.
throws	Operation	The exceptions that are thrown by this method.

Other Conventions

- Package statements are generated when the current package is not a [namespace root](#)^[778]
- The *Const* property of an attribute or operation corresponds to the final keyword
- The *Transient* property of an attribute corresponds to the volatile keyword
- The *Fixed* property of a parameter corresponds to the final keyword.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [Java Options](#)^[798]

9.5.6.1 AspectJ Conventions

The following are the conventions used for supporting AspectJ extensions to Java.

Stereotypes

Stereotype	Applies to	Corresponds To
aspect	Class	An AspectJ aspect.
advice	Operation	A piece of advice in an AspectJ aspect.
pointcut	Operation	A pointcut in an AspectJ aspect.

Tagged Values

Tag	Applies to	Corresponds To
className	Attribute or operation within a Class stereotyped <i>aspect</i>	The Classes this AspectJ intertype member belongs to.

Other Conventions

- The specifications of a pointcut are included in the **Behavior** field of the method.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]

9.5.7 PHP Conventions

Enterprise Architect supports the round trip engineering of PHP 4 and 5, where the following conventions are used.

Stereotypes

Stereotype	Applies to	Corresponds To
property get	Operation	A read property.
property set	Operation	A write property.

Tagged Values

Tag	Applies to	Corresponds To
final	Operations in PHP 5.	The final keyword.
attribute_name	Operation with stereotype <i>property get</i> or <i>property set</i>	The name of the variable behind this property.

Common Conventions

- An unspecified type is modeled as *var*
- Methods returning a reference are generated by setting the *Return Type* to *var**
- Reference parameters are generated from parameters with the parameter *Kind* set to *inout* or *out*.

PHP 5 Conventions

- The *final* Class modifier corresponds to the *Is Leaf* property
- The *abstract* Class modifier corresponds to the *Abstract* property
- Parameter type hinting is supported by setting the *Type* of a parameter
- The value of *inout* or *out* for the *Kind* property of a parameter corresponds to a *reference* parameter.

See Also

- [Import Source Code](#) ^[765]
- [Generate Source Code](#) ^[773]
- [PHP Options](#) ^[798]

9.5.8 Python Conventions

Enterprise Architect supports the round trip engineering of Python, where the following conventions are used.

Tagged values

Tag	Applies to	Corresponds To
decorators	Class, Operation	The decorators applied to this element in the source.

Other Conventions

- Model members with *Private Scope* correspond to code members with two leading underscores
- Attributes are only generated when the Initial value is not empty
- All types are reverse engineered as *var*.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [Python Options](#)^[799]

9.5.9 VB.Net Conventions

Enterprise Architect supports round-trip engineering of Visual Basic.Net, where the following conventions are used. Earlier versions of [Visual Basic](#)^[822] are supported as a different language.

Stereotypes

Stereotype	Applies to	Corresponds To
module	Class	A module.
import	Operation	An operation to be imported from another library.
property	Operation	A property possibly containing both read and write code.
event	Operation	An event declaration.
operator	Operation	An operator overload definition.

Tagged Values

Tag	Applies to	Corresponds To
partial	Class, Interface	The <i>Partial</i> keyword.
shadows	Class, Interface, Operation	The <i>Shadows</i> keyword.
Shared	Attribute	The <i>Shared</i> keyword.
delegate	Operation	The <i>Delegate</i> keyword.
Overloads	Operation	The <i>Overloads</i> keyword.
Overrides	Operation	The <i>Overrides</i> keyword.
NotOverrideable	Operation	The <i>NotOverrideable</i> keyword.
MustOverride	Operation	The <i>MustOverride</i> keyword.
Implements	Operation	The <i>implements</i> clause on this operation.
Handles	Operation	The <i>handles</i> clause on this operation.
Lib	Operation with stereotype <i>import</i>	The library this import comes from.
Alias	Operation with stereotype <i>import</i>	The alias for this imported operation.
Charset	Operation with stereotype <i>import</i>	The <i>character set</i> clause for this import. One of the values <i>Ansi</i> , <i>Unicode</i> or <i>Auto</i> .
attribute_name	Operation with stereotype <i>property</i>	The name of the variable behind this property.
readonly	Operation with stereotype <i>property</i>	This property only defining read code.
writeonly	Operation with stereotype <i>property</i>	This property only defining write code.
Narrowing	Operation with stereotype <i>operator</i>	The <i>Narrowing</i> keyword

Tag	Applies to	Corresponds To
Widening	Operation with stereotype <i>operator</i>	The <i>Widening</i> keyword
parameterArray	Parameter	A parameter list using the <i>ParamArray</i> keyword.

Other Conventions

- Namespaces are generated for each package below a [namespace root](#)^[778].
- The *Is Leaf* property of a Class corresponds to the *NotInheritable* keyword.
- The *Abstract* property of a Class corresponds to the *MustInherit* keyword.
- The *Static* property of an attribute or operation corresponds to the *Shared* keyword.
- The *Abstract* property of an operation corresponds to the *MustOverride* keyword.
- The value of *in* for the *Kind* property of a parameter corresponds to the *ByVal* keyword.
- The value of *inout* or *out* for the *Kind* property of a parameter corresponds to the *ByRef* keyword.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [VB.Net Options](#)^[807]

9.5.10 Visual Basic Conventions

Enterprise Architect supports the round trip engineering of Visual Basic 5 and 6, where the following conventions are used. [Visual Basic .Net](#)^[827] is supported as a different language.

Stereotypes

Stereotype	Applies to	Corresponds To
with events	Attribute	The <i>WithEvents</i> keyword.
global	Attribute	The <i>Global</i> keyword.
property get	Operation	A property get.
property set	Operation	A property set.
property let	Operation	A property let.
import	Operation	An operation to be imported from another library.

Tagged Values

Tag	Applies to	Corresponds To
New	Attribute	The <i>New</i> keyword.
attribute_name	Operation with stereotype <i>property get</i> , <i>property set</i> or <i>property let</i>	The name of the variable behind this property.
Lib	Operation with stereotype <i>import</i>	The library this import comes from.
Alias	Operation with stereotype <i>import</i>	The alias for this imported operation.

Other Conventions

- The value of *in* for the *Kind* property of a parameter corresponds to the *ByVal* keyword

- The value of *inout* or *out* for the *Kind* property of a parameter corresponds to the *ByRef* keyword.

See Also

- [Import Source Code](#)^[765]
- [Generate Source Code](#)^[773]
- [Visual Basic Options](#)^[800]

Part

10

10 Debug and Profile



The Debug and Profile capability is available in the Enterprise Architect Professional and Corporate editions.

Enterprise Architect enables you to [build](#)^[829], [test](#)^[830], debug, [run](#)^[832] and execute [deployment](#)^[840] scripts, all from within the Enterprise Architect development environment. Enterprise Architect provides developers with tools to integrate their UML development and modeling with their source development and compilation. With the ability to generate [JUnit and JUnit test](#)^[885] Classes from source Classes using MDA Transformations, and to integrate the test process directly into the Enterprise Architect IDE, you can now integrate UML and modeling into the build/test/execute/deploy process.

In addition to build/test and execute functionality, Enterprise Architect includes [debugging](#)^[844] capabilities for .NET, Java and Microsoft Native (C, C++ and Visual Basic) applications. The debuggers built into Enterprise Architect are specifically designed to enable the capture of stack trace information as a developer or tester 'walks through' the executing code, performing runtime inspection of suspended threads. The final stack trace history can then be used to generate Sequence diagrams within Enterprise Architect, converting the actual code execution and calls into visual diagrams. This capability provides an excellent means of managing complexity within a project, and of documenting existing code and ensuring that the code written performs as intended by the original architect/developer.

The **Build and Run** menu is accessed from the **Project** menu or from the context menu of a package in the **Project Browser** window. It enables you to [create and store custom scripts](#)^[826] that specify how to build, test, run and deploy code associated with a package.



With the appropriate scripts setup Enterprise Architect can:


- Call a compiler to build your application, parse the compiler output and open the internal editor to the location of errors and warnings given
- Call a unit testing program to run the defined unit tests and parse the output of JUnit or NUnit, and open the internal editor to failed tests
- Debug source code using a customizable interface appropriate to the programming language.

10.1 Setup for Build and Run

In Enterprise Architect, any package within the UML Model can be configured to act as the 'root' of a source code project. By setting compilation scripts, xUnit commands, debuggers and other configuration settings for a package, all contained source code and elements can be built, tested or debugged according to the currently active configuration. Each package can have multiple scripts, but only one is active at any one time. The **Package Build Scripts** dialog enables you to create and manage those scripts.

To access the **Package Build Scripts** dialog, either:

- On the **Debug Workbench Toolbar**^[857], select the **Build Scripts** icon (the last icon on the right) and select the appropriate menu option, such as **Build**, or
- Select the **Project | Build and Run | Package Build Scripts** menu option, or
- Right-click on a package in the **Project Browser** window, and select the **Build and Run | Package Build Scripts** menu option.



Scripts are assigned to packages, and although a package might have only one active script at any time, you can assign multiple scripts and select from them as required. The **Package Build Scripts** dialog shows which script is active for the current package, and whether or not the script contains Build, Test and Run components

- To create a new script, click on the **Add** button; the [Build Script dialog](#) displays
- To modify an existing script, highlight the script name in the list and click on the **Edit** button
- To copy a script with a new name, highlight the script name to copy and click on the **Copy** button; Enterprise Architect prompts you to enter a name for the new copy. Enter the new name in the dialog and click on the **OK** button. The new copy appears in the list and can be modified as usual.
- To delete a script, highlight the script name to delete, click on the **Delete** button, and click on the **OK** button.
- To export your scripts, click on the **Export** button to choose the scripts to export for this package.
- To import build scripts, click on the **Import** button to choose a .xml file of the scripts to import.

The **Default Language** field enables you to set the default language for generating source code for all new elements within this package and its descendants.

Select the [Use Live Code Generation](#) checkbox to update your source code instantly as you make changes to your model.


Select the [Package is Namespace Root](#) checkbox to set the source code namespace root (ie. Java/C# namespace) to be the current package. Once you have set a namespace root, code generated beneath this root adds a package declaration at the head of the generated file indicating the current package location.

Click on the **All Package Scripts** button to open a new window that displays all scripts in the current project (see next topic [Managing scripts](#)).

Once you have created new scripts or made any changes to existing ones, click on the **OK** button to confirm the changes, otherwise click on the **Cancel** button to quit the **Package Build Scripts** dialog without saving any changes.

10.1.1 Managing Scripts

The **All Package Build Scripts** dialog lists every script in the current project.



To edit a script, double-click on its name or highlight the script and click on the **Edit** button. The [Build Script](#) dialog displays.


To delete a script, highlight the script and click on the **Delete** button. Enterprise Architect prompts you to confirm the deletion. Click on the **Yes** button to continue and delete the script.

10.1.2 Build Script

The **Build Script** dialog enables you to maintain the runtime components of a package. This is where you configure how a package is built, assign any debugger, configure tests and detail how the package should be deployed. You access this dialog by clicking on the:

- **Add** button on the **Package Build Scripts** dialog, or
- **Edit** button on the **All Package Build Scripts** dialog.

Each script requires a name and a working directory.



To use the tabs on this dialog, see the following topics:

- [Build Command](#) ^[829]
- [Test Command](#) ^[830]
- [Run Command](#) ^[832]
- [Deploy Command](#) ^[840]
- [Debug Command](#) ^[834]
- [Sequence Tab Options](#) ^[840]


10.1.2.1 Build Command

The **Build** tab enables you to enter a command for building the current package. This command is executed when you select the **Project | Build and Run | Build** menu option.

Write your script in the large text box using the standard *Windows Command Line* commands. You can specify, for example, compiler and linker options, and the names of output files. The format and content of this section depends on the actual compiler, make system, linker and so on that you use to build your project. You can also wrap up all these commands into a convenient batch file and call that here instead.


If you select the **Capture Output** checkbox, output from the script is logged in Enterprise Architect's **Output** window. This can be activated by selecting the **View | Output** menu option.

The **Output Parser** field enables you to define a method for automatically parsing the compiler output. If you have selected the **Capture Output** checkbox, Enterprise Architect parses the output of the compiler so that by clicking on an error message in the **Output** window, you directly access the corresponding line of code.

**Note:**

The command listed in this field is executed as if from the command prompt. Therefore, if the executable path or any arguments contain spaces, they must be surrounded by quotes.

When you run the compile command inside Enterprise Architect, output from the compiler is piped back to the **Output** window and displayed as illustrated below:



If you double-click on an error line, Enterprise Architect loads the appropriate source file and positions the cursor on the line where the error has been reported.

10.1.2.2 Test Command

Here you can create a command for performing unit testing on your code. The command is entered in the text box using the standard *Windows Command Line* commands. A sample script would contain a line to execute the testing tool of your choice, with the filename of the executable produced by the **Build** command as the option. To execute this test select the **Project | Build and Run | Test** menu option.

Testing could be integrated with any test tool using the command line provided, but in these examples you can see how to integrate *NUnit* and *JUnit* testing with your source code. Enterprise Architect provides an inbuilt MDA Transform from source to Test Case, plus the ability to capture *xUnit* output and use it to go directly to a test failure. *xUnit* integration with your model is now a powerful means of delivering solid and well-tested code as part of the complete model-build-test-execute-deploy life-cycle.

Note:

NUnit and JUnit must be downloaded and installed prior to their use. Enterprise Architect does not include these products in the base installer.

The **Capture Output** checkbox enables Enterprise Architect to show the output of the program in the **Output** window, while the **Output Parser** field specifies what format output is expected. When parsing is enabled, double-clicking on a result in the **Output** window opens the corresponding code segment in Enterprise Architect's code window.

Selecting the **Build before Test** checkbox ensures that the package is recompiled each time you run the test.

Two example test scripts are included below. The first is an NUnit example that shows the **Build before Test** checkbox selected. As a result, every time the test command is given it runs the build script first.

Build Test Run Debug Deploy Sequence

Enter your test script below and select the appropriate output parser for the type of testing required

```
"c:\program files\NUnit\bin\nunit-console.exe" bin\debug\customer.exe
```


Capture Output Build before Test

Output Parser: NUnit

Note:

The command listed in this field is executed as if from the command prompt. As a result, if the executable path or any arguments contain spaces, they must be surrounded in quotes.

The second example is for JUnit. It doesn't have the **Build before Test** checkbox selected, so the build script won't be executed before every test, but as a result it could test out of date code. This also shows the use of %N, which is replaced by the fully namespace-qualified name of the currently selected Class when the script is executed.



10.1.2.3 Run Command

Here you can enter a command for running your executable. This is the command that is executed when you select the **Project | Build and Run | Run** menu option. At its simplest, the script would contain the location and name of the file to be run.

Note:

Enterprise Architect provides the ability to start your application normally OR with debugging from the same script. The **Build and Run** menu has separate options for starting a normal run and a debug run.

The following two examples show scripts configured to run a .Net and a Java application in Enterprise Architect.

The screenshot shows a dialog box titled "Build Script" with a close button in the top right corner. It contains the following fields and controls:

- Name:** A text box containing ".Net 1.1 CPP Example 1".
- Directory:** A text box containing "C:\\Benchmark\\DotNet\\cpp\\example_net_1" and a browse button (...).
- Buttons:** A row of buttons labeled "Build", "Test", "Run" (highlighted with an orange border), "Debug", "Deploy", and "Sequence".
- Text Area:** A large text area with the prompt "Enter the path to the compiled application". It contains the text "c:\\benchmark\\cpp\\example_net_1\\Release\\example.exe" and a vertical scrollbar on the right.


The screenshot shows a dialog box titled "Build Script" with a close button in the top right corner. It contains the following fields and controls:

- Name:** A text box containing "Java - Example 2".
- Directory:** A text box containing "C:\\debugging\\java\\customer" and a browse button (...).
- Buttons:** A row of buttons labeled "Build", "Test", "Run" (highlighted with an orange border), "Debug", "Deploy", and "Sequence".
- Text Area:** A large text area with the prompt "Enter the path to the compiled application". It contains the text "Customer" and a vertical scrollbar on the right.

Note:

The command listed in this field is executed as if from the command prompt. As a result, if the executable path or any arguments contain spaces, they must be surrounded in quotes.


10.1.2.4 Debug Command



The **Debug** tab of the **Build and Run** dialog enables you configure how to debug your application within Enterprise Architect. Details on how to complete the fields for a variety of debugging scenarios are provided in the following platform-specific topics:

- [Java](#) ⁸³⁵
- [.NET](#) ⁸³⁷
- [Microsoft Native](#) ⁸³⁹

10.1.2.4.1 Java



Option	Use to
Application (Enter path)	<p>Identify the fully qualified Class name to debug, followed by any arguments. The Class must have a method declared with the following signature:</p> <pre>public static void main(String[]);</pre> <p>The debugger calls this method on the Class you name. In the example above, the parameters 1, 2 and 3 are passed to the method.</p> <p>You can also debug a Java application by attaching to an existing Java process ^[836].</p>
Enter any run time variables below	<p>Type any required command line options to the Java Virtual Machine.</p> <p>You also must provide a parameter (jre) that is a path to be searched for the <code>jvm.dll</code>. This is the DLL supplied as part of the Java runtime environment or Java JDK from Sun Microsystems™ (see Profiling and Debugging) ^[844].</p> <p>In the example above, a virtual machine is created with a new Class path property that comprises any paths named in the environment variable <code>classpath1603</code> plus the single path "C:\benchmark\java\example1".</p> <p>If no Class path is specified, the debugger always creates the virtual machine with a Class path property equal to any path contained in the environment variable plus the path entered in the default working directory of this script.</p>
Show Console	Create a console window for Java. If no console window is required, leave blank.
Use Debugger	Select Java .

10.1.2.4.1.1 Attach to Virtual Machine

You can debug a Java application by attaching to an existing Java process. However, the Java process requires a specific startup option specifying the Sparx Systems Java Agent. The format of the command line option is:

```
-agentlib:SSJavaProfiler71
```


or:

```
-agentpath:"c:\program files\sparx systems\lea\SSJavaProfiler71"
```

The example below is for attaching to the *Tomcat Webserver*. Select the **Attach to process** radio button, and then the keyword **Attach** is all that you have to enter. This keyword causes the debugger to prompt you for a process at runtime.


Note:

The **Show Console** checkbox has no effect when attaching to an existing virtual machine.



No run time variables are necessary when attaching.

10.1.2.4.2 .NET



Option	Use to
Application (Enter path)	Select and enter either the full or the relative path to the application executable, followed by any command line arguments.
Enter any runtime variables below	Type any required command line options, if debugging a single .NET Assembly ^[837] .
Show Console	Create a console window for the debugger. Not applicable for attaching to a process.
Use Debugger	Select the debugger to suit the .NET Framework under which your application runs.

Note:

If you intend to debug managed code using an unmanaged application, please see the [Debug - CLR Versions](#) ^[838] topic.

10.1.2.4.2.1 Debug Assemblies

Enterprise Architect permits debugging of individual assemblies. The assembly is loaded and a specified method invoked. If the method takes a number of parameters, these can be passed.

Constraints

Debugging of assemblies is only supported for .NET version 2.

The image below is of a **Build Script** configured for debugging a .NET assembly. Notice the **Enter any run**


time variables below field. This field is a comma-delimited list of values that must present in the following order:

type_name, method_name, { method_argument_1, method_argument2,....}

where:

- *type_name* is the qualified type to instantiate
- *method_name* is the unqualified name of the method belonging to the type that is invoked
- the *argument list* is optional depending on the method invoked.

The information in this field is passed to the debugger.



10.1.2.4.2.2 Debug - CLR Versions

Please note that if you are debugging managed code using an unmanaged application, the debugger might fail to detect the correct version of the Common Language Runtime (CLR) to load. You should specify a config file if you don't already have one for the debug application specified in the *Debug* command of your script. The config file should reside in the same directory as your application, and take the format:

```
name.exe.config
```

where *name* is the name of your application.

The version of the CLR you should specify should match the version loaded by the managed code invoked by the debuggee.

Sample config file:

```
<configuration>
  <startup>
    <requiredRuntime version="version "/>
  </startup>
</configuration>
```


where *version* is the version of the CLR targeted by your plugin or COM code.

For further information, see <http://msdn2.microsoft.com/en-us/library/9w519wzk.aspx>.

10.1.2.4.3 Microsoft Native

You can also configure how to debug applications built in a Microsoft Native code. The example script below is configured to enable debugging of a C++ project built in Microsoft Visual Studio 2005.

You can debug native code only if there is a corresponding PDB file for the executable. You normally create this as a result of building the application with debug information.




The script must specify two things to support debugging:


- The path to the executable
- Microsoft Native as the debugging platform.

10.1.2.4.4 Recursive Builds

For any project you can apply the command entered in the build script to all sub folders of the initial directory by specifying the token *%r* immediately preceding the files to be built. The effect of this is that Enterprise Architect iteratively replaces the token with any subpath found under the root and executes the command again.



The output from this Java example is shown below




Note:

The path being built is displayed along with the exit code.

10.1.2.5 Deploy Command

This section enables you to create a command for deploying the current package. These are the commands that are executed when you select the **Project | Build and Run | Deploy** menu option.

Write your script in the large text box using the standard *Windows Command Line* commands.



10.1.2.6 Sequence Options

On the **Build Script** dialog for any model, the **Sequence** tab contains the following options:

- [Enable Filter](#) ^[841]
- [Record arguments to function calls](#) ^[843]

- [Record calls to external modules](#) ^[843]
- [Capture state transitions using](#) ^[879]

The options are not all available for each platform, as indicated in the table below:

Option	.NET	Java	Native
Enable Filter	X	X	X
Record arguments	X	X	X
Record external calls	X	X	
Capture state transitions using	X	X	X

10.1.2.6.1 Enable Filter

If the **Enable Filter** option is selected on the **Sequence** tab, the debugger excludes calls to matching methods from the generated sequence history and diagram. The comparison is case-sensitive.

To add a value, click on the **New** (Insert) icon in the right corner of the **Filters** box, and type in the comparison string. Each filter string takes the form:

```
class_name_token::method_name_token
```

The *class_name_token* excludes calls to all methods of a Class or Classes having a name that matches the token. The string can contain the wildcard character * (asterisk). The token is optional.


The *method_name_token* excludes calls to methods having a name that matches token. The string can contain the wildcard character *. The token is optional.

Where no Class token is present, the filter is applied only to global or public functions; that is, methods not belonging to any Class.

To Filter	Use Filter Entry
All public functions having a name beginning with Get from the recording session (<i>GetClientRect</i> for example in Windows API).	::Get*
All methods beginning with Get for every Class member method.	*::Get*
All methods beginning with Get from the Class <i>CClass</i> .	CClass::Get*
All methods for Class <i>CClass</i> .	CClass::*
All methods for Classes belonging to Standard Template and Active Template Libraries.	<ul style="list-style-type: none"> • ATL* • std*
The specific method <i>GetName</i> for Class <i>CClass</i> .	CClass::GetName


In the Java example in the screen below, the debugger would exclude :

- Calls to *OnDraw* method for Class *Example.common.draw.DrawPane*
- Calls to any method of any Class having a name beginning with *Example.source.Collection*
- Calls to any constructor for any Class (ie: *<clint>* and *<init>*).




In the Native code example below, the debugger would exclude:

- Calls made to Standard Template Library namespace
- Calls to any Class beginning with **TOb**
- Calls to any method of Class *CLock*
- Calls to any Global or Public Function with a name beginning with **Get**
- Calls to the method *GetLocation* for Class *Ctrain*.




10.1.2.6.2 Record Arguments To Function Calls

When recording the sequence history, Enterprise Architect can record the arguments passed to method calls.




When the **Record Arguments to function calls** option is selected on the Debugger **Sequence** tab, the resulting Sequence diagram shows the values of elemental and string types passed to the method. See the following Java example.



Where the argument is not an elemental type, the type name is recorded instead.

10.1.2.6.3 Record Calls To External Modules


On the Debugger **Sequence** tab, the **Record calls to external modules** option causes function calls to external modules outside the model to be included in the sequence history and generated diagram.



Only calls originating within the model to functions external to the model are recorded.

Note:

External calls are displayed with a blue connector, as shown below.



This example shows an external call to the Microsoft .NET framework assembly function *System.Single.ToString*.

10.2 Profiling and Debugging

Enterprise Architect enables debugging of source code within Enterprise Architect, using a debug interface appropriate to the source language.

Debugging is configured by creating a debug script for the packages to be tested. One of the primary objectives of this feature is to enable you to perform a debug walk-through executing code, and capture your stack trace for direct conversion into a Sequence diagram. This is a great way to document and understand what your program is doing during its execution phase.

10.2.1 System Requirements

Important:

Please read this information.

Supported Platforms

Enterprise Architect supports debugging on these platforms:

.Net

- Microsoft™ .NET Framework 1.1 and later
- Language support: C, C#, C++, J#, Visual Basic

Note:

Debugging under Windows Vista (x64) - If you encounter problems debugging with Enterprise Architect on a 64-bit platform, you should build a Win32 platform configuration in Visual Studio; that is, do not specify ANY-CPU, specify WIN32.

Java

- Java 2 Platform Standard edition (J2SE) version 5.0
- J2EE JDK 1.4 and above

- Requires previous installation of the Java Runtime Environment and Java Development Kit from Sun Microsystems™.

Debugging is implemented through the Java Virtual Machine Tools Interface (JVMTI), which is part of the Java Platform Debugger Architecture (JPDA). The JPDA is included in the J2SE SDK 1.3 and later.

Windows for Native Applications

Enterprise Architect supports debugging of native code (C, C++ and Visual Basic) compiled with the Microsoft™ compiler where an associated PDB file is available. Select **Microsoft Native** from the list of debugging platforms in your package script.

You can import native code into your model, and record the execution history for any Classes and methods. You can also generate Sequence diagrams from the resulting execution path.

Note:

Enterprise Architect currently does not support remote debugging.


Prerequisites

Creation of a Package Build Script and configuration of the **Debug** command in that script.




10.2.2 Debug ASP .NET

Debugging for web services such as ASP requires that the Enterprise Architect debugger is able to attach to a running service. Begin by ensuring that the directory containing the ASP .NET service project has been imported into Enterprise Architect and, if required, the web folder containing the client web pages. If your web project directory resides under the website hosting directory, then you can import from the root and include both ASP code and web pages at the same time.


The following image shows the project tree of a web service imported into Enterprise Architect.



It is necessary to launch the client first, as the ASP .NET service process might not already be running. Load the client by using your browser. This ensures that the web server is running. The only difference to a debug script for ASP is that you specify the **attach** keyword in your script, as below.



When you start the debugger (click on the [Debug Workbench](#) ⁸⁵⁵ **Run** button) the **Attach To Process** dialog displays.



Note that the name of the process varies across Microsoft operating systems; check the ASP .NET SDK for more information. Select the *aspnet_wp.exe* process for the version configured (in the web.config file) for your web service, and click on the **OK** button.

The **Debugger Toolbar Stop** button should be enabled and any breakpoints should be red, indicating they have been bound.

Note:


Some breakpoints might not have bound successfully, but if none at all are bound (indicated by being dark red with question marks) something has gone out of sync. Try rebuilding and re-importing source code.

You can set breakpoints at any time in the web server code. You can also set breakpoints in the ASP web page(s) if you imported them.

10.2.3 Debug COM interop

Enterprise Architect enables you to debug .NET managed code executed using COM in either a Local or an In-Process server. This feature is useful for debugging Plugins and ActiveX components.

1. Create a package in Enterprise Architect and import the code to debug. See [Code Engineering](#) ⁷⁶³.
2. Ensure the COM component is built with debug information.
3. Create a Script for the Package.
4. In the **Debug** tab, you can elect to either attach to an unmanaged process or specify the path to an unmanaged application to call your managed code.



5. Add breakpoints in the source code to debug.

Attach to an Unmanaged Process

- If an In-Process COM server, attach to the client process or
- If a Local COM Server, attach to the server process.


Click on the Debug **Run** button (or press **[F6]**) to display a list of processes from which you can choose.

Important:

Detaching from a COM interop process you have been debugging terminates the process. This is a well known issue for Microsoft .NET Framework, and information on it can be found on many of the MSDN .NET blogs.

10.2.4 Debug Another Process

If the **Build Script Debug** command is set to the **attach** keyword, when you click on the **Debug Run** ^[857] button or press **[F6]** the **Attach to Process** dialog displays, from which you can select the process to attach to.



Once Enterprise Architect is attached to the process, any breakpoints encountered are detected by the debugger and the information is available in the **Debug** windows.

To detach from a process, click on the **Debug Stop** button.

10.2.5 Debug Java Web Servers

This topic describes the configuration requirements and procedure for debugging Java web servers such as [JBoss](#) ^[853] and Apache Tomcat (both [Server](#) ^[854] configuration and [Windows Service](#) ^[855] configuration) in Enterprise Architect.

The procedure involves attaching to the process hosting the JVM from Enterprise Architect, as summarized below:

1. Ensure binaries for the web server code to be debugged have been built with debug information.
2. Launch the server with the VM startup option described in this topic.
3. Import source code into the Enterprise Architect Model, or synchronize existing code.
4. Create or modify the Package Build Script to specify the **Debug** option for attaching to the process.
5. Set breakpoints.
6. Launch the client.
7. Attach to the process from Enterprise Architect.

Server Configuration

The configuration necessary for the web servers to interact with Enterprise Architect must address the

following two essential points:

- Any VM to be debugged, created or hosted by the server must have the Sparx Systems Agent SSJavaProfiler65 command line option specified in the VM startup option (that is: -agentlib:SSJavaProfiler71)
- The CLASSPATH, however it is passed to the VM, must specify the root path to the package source files.

The Enterprise Architect debugger uses the `java.class.path` property in the VM being debugged, to locate the source file corresponding to a breakpoint occurring in a Class during execution. For example, a Class to be debugged is called:

a.b.C

This is located in physical directory:

C:\source\ab


So, for debugging to be successful, the CLASSPATH must contain the root path

c:\source.

Package Script Configuration

Using the [Debug tab](#) ^[835] of the [Build Script](#) ^[825] dialog, create a script for the code you have imported and specify the following:

- Select the **Attach to process** radio button, and in the field below type **attach**.
- In the **Use Debugger** field, click on the drop-down arrow and select **Java**.



All other fields are unimportant. The **Directory** field is normally used in the absence of any Class path property.

Debugging


First ensure that the server is running, and that the server process has loaded the Sparx Systems Agent DLL SSJavaProfiler71.DLL (use *Process Explorer* or similar tools to prove this).

Launch the client and ensure the client executes. This must be done before attaching to the server process in

Enterprise Architect.

After the client has been executed at least once, return to Enterprise Architect, open the source code you imported and set some [breakpoints](#)^[860].

Click on the [Run Debugger](#)^[857] button in Enterprise Architect. The **Attach To Process** dialog displays.




Click on the **OK** button. A confirmation message displays in the [Debug Toolbar Output Tab](#)^[864], stating that the process has been attached.


The breakpoints should remain enabled (bright red). If the breakpoints fail, and contain either an exclamation mark or a question mark, then either the process is not hosting the SSJavaprofiler71 Agent or the binaries being executed by the server are not based on the source code. If so, check your configuration.

10.2.5.1 JBOSS Server Configuration

Consider the JBoss example below. The source code for a simple servlet is located in the directory location:



The binaries executed by JBOSS are located in the JAW.EAR file in this location:



The Enterprise Architect debugger has to be able to locate source files during debugging. To do this it also uses the CLASSPATH, searching in any listed path for a matching JAVA source file, so the CLASSPATH must include a path to the root of the package for Enterprise Architect to find the source during debugging.

The following is an excerpt from the command file that executes the JBOSS server. Since the Class to be debugged is at `com/inventory/dto/carDTO`, the root of this path is included in the JBOSS classpath.

```
RUN.BAT
-----
set SOURCE=C:\Benchmark\Java\JBoss\Inventory
```

```
set JAVAC_JAR=%JAVA_HOME%\lib\tools.jar

if "%JBOSS_CLASSPATH%" == ""
(
    set JBOSS_CLASSPATH=%SOURCE%;%JAVAC_JAR%;%RUNJAR%;
)
else
(
    set JBOSS_CLASSPATH=%SOURCE%;%JBOSS_CLASSPATH%;%JAVAC_JAR%;%RUNJAR%;
)


set JAVA_OPTS=%JAVA_OPTS% -agentpath:"c:\program files\sparx systems\ssjavaprofiler71"
```

10.2.5.2 Apache Tomcat Server Configuration

This configuration is for the same application as outlined in the topic for [JBoss server configuration](#).


There are two things to notice of importance.

- The Java VM option: -agentpath:c:\program files\sparx systems\ea\ssjavaprofiler71
- The addition to the Class path property of the path to the source code: C:\JBoss\03b-dao\common\src;



10.2.5.3 Apache Tomcat Service Configuration (Windows Service)

For users running Apache Tomcat as a Windows™ service, it is important to configure the service to enable interaction with the Desktop. Failure to do so causes debugging to fail within Enterprise Architect.



Select the **Allow service to interact with desktop** checkbox.

10.2.6 Use the Debugger

The debugging components of Enterprise Architect comprise the [Debug Toolbar](#)^[857] and a tabbed [Debug Workbench](#)^[859]. To display these, either press **[Alt]+[8]** or select the **View | Debug Workbench** menu option.

If a Debug script has been configured for the currently selected package, the **Run** button is enabled. If no script has been created or is incomplete, all buttons are disabled and debugging remains unavailable.

As Build Scripts are linked to a package, selecting a package in the **Project Browser** window also changes the active Build Script and, naturally, the target to be debugged.

Breakpoints are recorded against the package also, and these update depending on which package is selected.


Start The Debugger

To start debugging click on the **Run** button on the toolbar or press **[F6]**.

Note:

The debugger only stops if it encounters breakpoints, so these should be set beforehand.


The figure below shows a view of Enterprise Architect where the debugger has been invoked for a .NET application written in C#.



The yellow arrow  and pink highlight indicate the line of execution.

When the debugger is at a breakpoint the other information is presented in the various tabs of the **Debugger Workbench**. The **Stack** tab displays the stack frames for any thread at a breakpoint, and the **Locals** tab displays any variables within the scope of the threads current stack frame.

Stop the Debugger

To stop debugging click on the **Stop** button  or press **[Ctrl]+[Alt]+[F6]**.

Note:

In most situations, debugging ends when the debug process terminates or the Java Class thread exits. However, due to the nature of the Java Virtual Machine, it is necessary at times for Java developers to stop the Debugger manually with the **Stop** button.

10.2.6.1 The Debug Toolbar

The **Debug** toolbar hosts all the important commands you use during a [debug session](#)^[855].



Two of the buttons toggle: the **Pause/Resume** button (2) and the **Enable/Disable Editor Update** button (20).



From left to right the buttons are as follows:

- 1 **Run Debugger [F6]** Both initiates debugging and continues execution of a thread that has been halted by a breakpoint.
 - 2 **Pause/Resume debug execution** Enables you to temporarily halt execution of every thread in the process being debugged, or resume execution after it has been paused. Clicking on any command button also resumes execution. The **Pause** button displays in red while execution is suspended.
- Note:**
Pausing execution undermines the validity of the stack trace and local variable information displayed in any of the debug windows; after pausing, this information should not be relied upon.
- 3 **Stop Debugger [Ctrl]+[Alt]+[F6]** Terminates debugging. The debuggee process is immediately halted, and the debug platform closed. All debug output (local variables and stack) are cleared. The workbench is closed.
 - 4 **Step Over [Alt]+[F6]** Causes the debugger to run until the next physical line of code after the current line or, if no further line exists in the method, at the next line in the caller if the method has a caller; ie. the stack depth is greater than one.
 - 5 **Step Through** Is most useful while recording a debug session. The command has the same behaviour as the **StepOver** command, except that it records intermediate method calls made between lines. If you are recording and you press the **StepOver** button, any method called between lines is not recorded. The **Step Through** command causes the debugger to step into any method executed at the current line, and any subsequent method called when the command is issued. The debugger continues to step until it arrives back at the next line.
 - 6 **Step In [Shift]+[F6]** Instructs the debugger to try and step over every line of physical code that the thread is executing. However, the debugger ignores any call to a namespace, function class or method that does not exist in the model. That is, only code either generated within Enterprise Architect or imported into the model is executed.
 - 7 **Step Out [Ctrl]+[F6]** Instructs the debugger to run until the current method exits and, if the method has a caller (stack depth > 1), to stop at the next line of code in the calling method.
 - 8 **Show Execution Point** Only enabled when a thread has encountered a breakpoint. The command presents the source code file in an editor window with the current line of code highlighted for the thread that has the current focus. (If only one thread is suspended, that thread has focus; otherwise, a thread has focus if it is selected in the **Stack** tab. If no thread is selected, the first suspended thread has the focus.)
 - 9 **Show Break Points** Displays all current breakpoints. Breakpoints are linked to the **Project Browser** tree, so changing view by clicking in the tree changes the breakpoints displayed, if any. The only time

the breakpoints do not reflect selection changes in the **Project Browser** window is during a debug session.

- 10 **Delete Break Points** Deletes all breakpoints for the currently active view. If debugging, the breakpoints are removed.
- 11 **Disable All Break Points** Disables all break points for the current view. They are not deleted, so you can re-enable them.
- 12 **Enable All Break Points** Re-enables any disabled break points.
- 13 **Show Local Variables** Selects the **Locals** tab, and shows all variables within the current scope.

Note:

During a workbench session, this tab is not visible as all variables are displayed in the **Workbench** tab.

- 14 **Show Call Stack** Selects the **Stack** tab and shows all currently running threads. The call stack for the any suspended thread is displayed.
- 15 **Record Stack Trace** Starts recording the trace history. Recording occurs for the currently suspended thread. The stack history is cleared ready to accept the new trace history.

Note:

This option is also available from the shortcut menu on the **Stack** tab.

- 16 **Auto Record Stack Trace:** Automatically records a stack trace for a selected thread. All other threads are ignored, although entries appear for all thread creations and terminations. The **Step In** command is issued automatically until either [a breakpoint is encountered](#)^[873], or the thread terminates. If a breakpoint is encountered, the debugger halts. To continue automatic recording click on any continue command (**Run**, **StepIn**, **StepOut**, **StepOver**) and Stack Trace recording is resumed.

Note:

This option is also available from the shortcut menu on the **Stack** tab.

- 17 **Stop Recording** Stops recording into the stack trace history.

Note:

This option is also available from the shortcut menu on the **Stack** tab.

- 18 **Create Sequence Diagram** Creates a sequence diagram from a recorded Stack Trace history. Give your diagram a name and it is placed in the package for this debug session.
- 19 **Save** Saves recorded history to an HTML file for viewing in a browser, or to an XML file for opening later in Enterprise Architect.
- 20 Disables and enables update of the editor window with the current line of executing source code. During automatic recording of a thread, time is spent updating the editors with the current line of executing code. To speed up execution in debugging larger applications, you can disable this highlighting in any editors.
- 21 Accesses a menu that enables quick access to relevant commands. The commands are:
 - **Build** - run package build scripts

- **Test** - run package test scripts
- **Run** - run debug
- **Create workbench instance**
- **Package Build Scripts** - configure package build scripts

10.2.6.2 Runtime Inspection

During debugging, whenever a thread is suspended at a line of execution, you can inspect member variables in the **Editor** window.

To evaluate a member variable, use the mouse to move the cursor over the variable in the **Editor** window, as shown in the following examples.


```
public void Print()
{
    int n = 0;
    while (names[n].Length > 0)
    {
        names = {[4] names[0]=book, names[0]=book, names[1]=novel, names[2]=film}, ...;
        Document d = new Document (names[n++]);
        d.Print();
    }
}
```

```
public void Print()
{
    int n = 0;
    while (32-bit signed integer n=0 0)
    {
        Document d = new Document (names[n++]);
        d.Print();
    }
}
```

10.2.6.3 The Debug Workbench Window

The **Debug Workbench** window is available through the **View | Debug Workbench** menu option, or by pressing **[Alt]+[8]**. It contains seven tabs:

- Breakpoints
- Locals
- Stack
- Output
- Recording History
- Workbench
- Module



Breakpoints

This tab lists any breakpoints placed in the package source code, along with their status (enabled/disabled), line number, and the physical source file in which they are located.

To set a breakpoint in the code, select the **View | Source Code** menu option or press **[Alt]+[7]**. The **Source Code** window displays. Find the line on which to place the breakpoint in the source and click in the column to the left of the line-numbers. A round circle displays in that column to indicate that a breakpoint has been placed there (see [Breakpoints](#)^[860]).

Locals

This display shows the local variables defined in the current code segment, their type and value. (See [Local Variables](#)^[862].)

Stack

This view shows the position of the debugger in the code. Clicking on the > button advances the stack through the code until the next breakpoint is reached. (See [Stack](#)^[863].)

Output

Displays output from the debugger including any messages output by debugged process, such as writes to standard output. (See [Output](#)^[864].)

Recording History

This tab is used to record any activity that takes place during a debug session. Once the activity has been logged, Enterprise Architect can use it to create a new Sequence diagram. For more information see [Recording a Debug session](#)^[873].

Modules

This tab displays all the modules loaded during a .Net debug session.

Workbench

This display is a place to create your own variables and invoke methods. See [The Debug Workbench](#)^[865] topic.

10.2.6.3.1 Breakpoints

Breakpoints work in Enterprise Architect much like in any other debugger. [Adding](#)^[861] a breakpoint notifies the debugger to trap code execution at the point you have specified. When a breakpoint is encountered by a thread of the application being debugged, the source code is displayed in an editor window, and the line of code where the breakpoint occurred is highlighted. You can [enable and disable breakpoints, or delete](#)^[862] them from the script altogether.

An Enterprise Architect model maintains breakpoints for every package having a *Build Script - Debug* command. Breakpoints are displayed in a tab of the **Debugger Workbench** window (press **[Alt]+[8]**). Selecting a different package in the tree updates the breakpoints displayed, depending on whether the node selected, or its parent, has a script attached.

Note:

The debugger does not stop automatically. It runs to completion unless it encounters a breakpoint.

Enabled	Line	File
<input checked="" type="checkbox"/> ●	37	C:\Debugging\java\Example\source\Example.java
<input checked="" type="checkbox"/> ●	76	C:\Debugging\java\Example\source\Example.java

Navigation: **Breakpoints** | Locals | Stack | Output | Recording History | Workbench

Breakpoints are maintained in a file according to the format:

path\prefix_username.brkpt

where

- *path* = The default working directory specified in your Build Script
- *prefix* = Tree View Node Name / Package name
- *username* = Host system username of Enterprise Architect user


Breakpoint States

DEBUGGER STATE		
	Running	Not running
●	Active breakpoint	Enabled breakpoint
?	Unbound breakpoint	N/a
!	Failed breakpoint	N/a
○	Disabled breakpoint	Disabled breakpoint

10.2.6.3.1.1 Add Breakpoints

To set a [breakpoint](#) ⁸⁶⁰ for a code segment, open the model code to debug, find the appropriate line and click in the left margin column. A solid red circle in the margin indicates that a breakpoint has been set at that position.

If the code is currently halted at a breakpoint, that point is indicated by a yellow arrow within the red circle.



10.2.6.3.1.2 Delete, Disable and Enable Breakpoints

To delete a specific [breakpoint](#)^[860], either:

- If the breakpoint is enabled, click on the red breakpoint circle in the left margin of the [Source Code Editor](#), or
- Select the breakpoint in the [Breakpoints](#) tab and press **[Delete]**.

You can also delete all breakpoints by clicking on the **Delete all breakpoints** button on the [Debug toolbar](#)^[857].

To disable a breakpoint, deselect its checkbox on the [Breakpoints](#) tab. It is then shown as an empty grey circle. Select the breakpoint again to enable it.

10.2.6.3.2 Local Variables

Whenever a thread encounters a [breakpoint](#)^[860], this window displays all the local variables for the thread at its current [stack](#)^[863] frame.

The value and the type of any in-scope variables are displayed in a tree, as shown below.

Variable	Value	Type
args		
args[0]	"a c#"	String
args[1]	"example"	String
args[2]	"using"	String
args[3]	".NET 1.1"	String
P		Example.Program
pdoc		Document
cities		
names		


Debugger Output



Local variables are displayed with icons. The icons from left to right depict the following:

- Purple Elemental types
- Blue Workbench instances
- Green Parameters
- Red Object with members
- Yellow Arrays

10.2.6.3.3 Stack


The stack view shows all currently running threads. Any thread that is at a [breakpoint](#)^[860] displays a stack trace. Clicking on the  (Run Debugger) button continues the thread until another breakpoint is encountered, or the thread ends.

- A yellow arrow is only present where a thread is suspended. It highlights the frame in the stack at which the thread's execution has suspended
- A blue arrow indicates a thread that is running
- A red arrow indicates a thread for which a stack trace history is being recorded
- If multiple threads are suspended, you can click on the thread entry to select that thread
- Selecting a thread results in that thread being displayed in orange; the **Source Code Editor** also changes to reflect the current line of code for that thread
- Double-clicking a frame takes you to that line of code in the **Source Code Editor**; local variables are also refreshed for the selected frame.

Stack	
Thread 00000ea0 ()	
Form1::InitializeComponent, c:\debugging\cpp\vs2003_threading\form1.h, line 176	
Form1::ctor, c:\debugging\cpp\vs2003_threading\form1.h, line 145	
WinMain, c:\debugging\cpp\vs2003_threading\form1.cpp, line 15	

10.2.6.3.4 Output

During a debug session the **Debugger** emits messages detailing both startup and termination of session, to its **Output** tab. Details of exceptions and any errors are also output to this tab. Any trace messages such as those output using *Java System.out* or *.NET System.Diagnostics.Debug* are also captured and displayed here.



10.2.6.3.5 Recording History

This tab is used to record any activity that takes place during a debug session. Once the activity has been logged, Enterprise Architect can use it to create a new Sequence diagram. For more information see [Recording a Debug Session Using Breakpoints](#)⁸⁷³.

Columns

- **Sequence** - unique sequence number

Note:

The checkbox against each number is used to control whether or not this call should be used to create a Sequence diagram from this history. In addition to enabling or disabling the call using the checkbox, you can use context menu options to enable or disable an entire call, all calls to a given method, or all calls to a given Class.

- **Thread** - operating system thread ID
- **Method** - Class and method names
- **Source** - filename and line number
- **Direction** - Stack Frame Movement, either *Call*, *Return*, *Breakpoint* or *Escape* (*Escape* is used internally when producing Sequence diagram to mark end of an iteration)
- **Depth** - stack depth at time of call; used in generation of sequence diagrams.

Sequence	Thread	Method	Source	Direction	Method	Source
00000000	0x00000a0c			Call	Program::Main	c:\Debugging\csh
00000001	0x00000a0c	Program::Main	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Program::ctor	c:\Debugging\csh
00000002	0x00000a0c	Program::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Document::ctor	c:\Debugging\csh
00000003	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Printer::ctor	c:\Debugging\csh
00000004	0x00000a0c	Printer::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Document::ctor	c:\Debugging\csh
00000005	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Program::ctor	c:\Debugging\csh
00000006	0x00000a0c	Program::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Program::Main	c:\Debugging\csh
00000007	0x00000a0c	Program::Main	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Program::Run	c:\Debugging\csh
00000008	0x00000a0c	Program::Run	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Document::ctor	c:\Debugging\csh
00000009	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Printer::ctor	c:\Debugging\csh
00000010	0x00000a0c	Printer::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Document::ctor	c:\Debugging\csh
00000011	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Program::Run	c:\Debugging\csh
00000012	0x00000a0c	Program::Run	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Document::Print	c:\Debugging\csh

10.2.6.3.6 Workbench

The Workbench is a tool in Enterprise Architect Debugging, enabling you to [create your own variables](#)^[865] and [invoke methods](#)^[870] on them. Stack trace can be recorded and Sequence diagrams produced from the invocation of such methods. It provides a quick and simple way to debug your code.

Platforms Supported

The Workbench supports the following workbench platforms:

- Microsoft .NET (version 2.0 or later)
- Java (JDK 1.4 or later)

Note:

The Workbench does not currently support the creation of Class instances written in native C++, C or VB.

Mode

The Workbench operates in two modes.

Idle mode

When the Workbench is in idle mode, instances can be created and viewed and their members inspected.

Active mode

When methods are invoked on an instance, the Workbench enters *Active* mode, and the variables displayed change if the debugger encounters any breakpoints. If no breakpoints are set, then the variables do not change. The Workbench immediately returns to *Idle* mode.

Logging

The result of creating variables and the result of calls on their methods is displayed in the **Output** tab.

10.2.6.3.6.1 Workbench Variables

You can [create](#)^[867] (and [delete](#)^[869]) workbench variables from any Class in your model. When you do so, you are asked to name the variable. It then displays in the **Workbench** tab of the **Debug Workbench** window. This window is just like the **Local Variables** tab in normal debugging, (hidden during workbench mode). It shows the variable in a tree control, displaying its type and value and those of any members.

Variable	Value	Type
Rob		MyClassLibrary.CRobert
MyClassLibrary.CPerson		
AverageAge	0	32-bit floating point
FriendCount	0	32-bit signed integer
Age	2	32-bit signed integer
Friends		MyClassLibrary.CPerson
Town	"Daylesford"	String
Name	"Robert"	String
Fred		MyClassLibrary.CJohn
MyClassLibrary.CPerson		
John		MyClassLibrary.CJohn
MyClassLibrary.CPerson		
AverageAge	0	32-bit floating point
FriendCount	0	32-bit signed integer
Age	2	32-bit signed integer
Friends		MyClassLibrary.CPerson

Debugger Output


Workbench Requirements

- NET framework version 2 is required to workbench any .NET model.
- The package from which the variable is created must have a debugger configured (see the [Debug Tab](#) topic).

Constraints (.NET)


- Members defined as *struct* in managed code are not supported
- Classes defined as *internal* are not supported.

Right-click on a Class node in the **Project Browser** window and select the **Create Workbench Instance** menu option, or press **[Ctrl]+[Shift]+[J]**. The menu option is also available from within a Class diagram.



Naming the Workbench

When you elect to create an instance of a type Enterprise Architect prompts you with the **Workbench** dialog to name the variable. Each instance name must be unique for the workbench.




Choosing a Constructor

Having given the variable a name, you must now choose which constructor to use.

If you do not define a constructor, or define a single constructor taking no arguments, the default constructor or the defined constructor is automatically invoked.

Otherwise the following dialog displays. Select the constructor from the drop-down list and fill in any parameters required.



Arguments

In the dialog above, type any parameters required by the constructor.

- **Literals as arguments**

- Text: abc or "abc" or "a b c"
- Numbers: 1 or 1.5

- **Objects as arguments**

If an argument is not a literal then you can supply it in the list only if you have already created an instance of that type in the workbench. You do this by typing the name of the instance as the argument. The debugger checks any name entered in an argument against its list of workbench instances, and substitutes that instance in the actual call to the method.

- **Strings as arguments**

Surrounding strings with quotes is unnecessary as anything you type for a string argument becomes the value of the string; for example, the only time you should surround strings with quotes is in supplying elements of a string array, or where the string is equal to the name of an existing workbench instance.

"A b c"

"a b \$ % 6 4 "

A b c d

As 5 7) 2 === 4


- **Arrays as arguments**

Enter the elements that compose the array, separated by commas.

Type	Arguments
String[]	one,two,three,"a book","a bigger book"
CPerson[]	Tom,Dick,Harry

Note:

If you enter text that matches the name of an existing instance, surround it in quotes to avoid the debugger passing the instance rather than a string.


**Invoke**

Having chosen the constructor and supplied any arguments, click on the **Invoke** button to create the variable. Output confirming this action is displayed in the [Output tab](#) ^[864].

You can delete variables by using the **Delete** shortcut menu on any instance on the Workbench. If all instances are deleted the debugger is shut down, and the Workbench is closed.


10.2.6.3.6.2 Invoke Methods

On the **Workbench** tab, right-click on the instance on which to execute a method.




Choose Method

A list of methods for the type are presented in a dialog. Select a method from the list. Note that all methods listed are public; private methods are not available.



Supply Arguments

In this example, you have created an instance or variable named *Rob* of type *MyClassLibrary.CRobert*. You now invoke a method named *AddFriends*, which takes an array of *CPerson* objects as its only argument. What you supply to it are the two other Workbench instances *Fred* and *John*.



10.2.7 Generate Sequence Diagrams

With Enterprise Architect you can easily create detailed and comprehensive Sequence diagrams from your recorded debug sessions. You can generate a Sequence diagram:


- [For a method \(operation\)](#) of a specific Class (the simplest process), or
- By stepping through your executing code and [recording specific execution traces](#) between breakpoints, either manually or automatically, or between [recording markers](#).

Enterprise Architect takes the recorded stack history captured during one of these runs and automatically builds the Sequence diagram, including compacting looping sessions for easy reading. You can control aspects of the diagram generation by [setting options on the Sequence tab](#) of the **Build Script** dialog, or after recording execution traces when the [Generate Sequence Diagram](#) dialog displays.

If required, you can prepare your project and debugger to show [State transitions](#) in the generated Sequence diagrams.


Before recording execution, you must [set up your debugger](#) and run and debug your application successfully.

The following diagram illustrates the kind of diagram you can produce by carefully stepping through your running program or letting Enterprise Architect profile it automatically.



10.2.7.1 Record Debug Session For a Method

In the Professional edition of Enterprise Architect, you can automatically generate a Sequence diagram for a method (operation) of a particular Class, using the method's context menu on the **Project Browser**.



This menu option is enabled when [a script has been configured](#)^[826] for the package containing the operation method.

This is the most straightforward technique for creating a Sequence diagram. The debugger executes the application specified in the build script for the parent package, and when the selected method is encountered during execution, the debugger records all the activity from that point. When the method exits, the debugger stops and produces a diagram from the history for that method. If the method is not executed then no diagram is generated.

Note:

If the debugger is already running, the menu option is disabled (grayed). You must stop the debugger to re-enable the menu option.

10.2.7.2 Record a Debug Session Using Breakpoints

The [debugger](#)^[844] enables you to record your debug session and create Sequence diagrams from the Stack Trace History. Recording can only occur for a given thread. The **Debug Toolbar** record buttons (**Record** and **Autorecord**) become enabled whenever a thread is available for recording. This occurs when a thread encounters a breakpoint, and becomes suspended.

For most applications it is typical that you would [set breakpoints](#)^[861] at the start and end points in the code for which to generate the diagram.

You can begin recording in either of the following ways:

- [Manual recording for a thread](#)^[875]
- [Automatic recording for a thread](#)^[876].


The following example shows a debug sequence recorded for a thread executing managed C++ code under

Microsoft .Net 1.1.

Sequence	Thread	Method	Source	Direction	Method	Source
00000000	0x00000a0c			Call	Program::Main	c:\Debugging\csh
00000001	0x00000a0c	Program::Main	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Program::ctor	c:\Debugging\csh
00000002	0x00000a0c	Program::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Document::ctor	c:\Debugging\csh
00000003	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Printer::ctor	c:\Debugging\csh
00000004	0x00000a0c	Printer::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Document::ctor	c:\Debugging\csh
00000005	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Program::ctor	c:\Debugging\csh
00000006	0x00000a0c	Program::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Program::Main	c:\Debugging\csh
00000007	0x00000a0c	Program::Main	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Program::Run	c:\Debugging\csh
00000008	0x00000a0c	Program::Run	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Document::ctor	c:\Debugging\csh
00000009	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Printer::ctor	c:\Debugging\csh
00000010	0x00000a0c	Printer::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Document::ctor	c:\Debugging\csh
00000011	0x00000a0c	Document::ctor	c:\Debugging\csharp\example_net_1\Example.cs...	Return	Program::Run	c:\Debugging\csh
00000012	0x00000a0c	Program::Run	c:\Debugging\csharp\example_net_1\Example.cs...	Call	Document::Print	c:\Debugging\csh

Create the Sequence Diagram

Once you have built up a stack trace history, you are then able to create a Sequence diagram from your results. To do this, click on the **Create Sequence Diagram** button on the **Debug Toolbar** and [define your diagram](#)⁸⁷⁷. The diagram and related artifacts are placed in an interaction under the package that is running your debug session.



Debug Toolbar Commands



Create Sequence Diagram



Save recorded history to HTML file for viewing in browser

10.2.7.2.1 Record For a Thread Manually

Either:

- Click on the **Record** button, or
- Right-click on the **Stack** tab to display the context menu, and select the **Record** option.

Thereafter you must issue debug commands {**StepIn**, **StepOver**, **StepOut**, **Stop**} manually. Each time you issue a step command and the thread stack changes, the sequence of execution is logged. When you have finished tracing, click on the **Stop** button. [Generate the diagram](#)^[877].

Debug Toolbar Commands



Record Stack Trace for Thread




Stop Recording

10.2.7.2.2 Record For a Thread Automatically

Either:

- Click on the **Autorecord** button, or
- Select the **Stack** tab, right-click to display the shortcut menu, and choose the **Auto Record** option.



The **Stack Trace History**, **Stack** tab and **Source Code Editor** dynamically update to reflect the current execution sequence for the thread.

Note:

No other threads are recorded, with the exception of entries for thread creation and termination.

Stack Trace Recording ends when the thread ends, or when you click on the **Stop** button. [Generate the diagram](#)^[877]

Debug Toolbar Commands



Auto Record Stack Trace For Thread




Stop Recording

10.2.7.3 Recording Markers


Trace marking is a feature that enables you to silently record code executed between two points, and incorporate it in a Sequence diagram. The feature also enables you to capture the execution of multiple threads. It can be particularly useful in capturing event driven sequences (such as mouse and timer events) without any user intervention.

The recording markers are breakpoints; however, instead of stopping, the debugger behaves according to the type of marker. If the marker is denoted as a recording *start point*, the debugger immediately begins to trace all executed calls from that point for the breaking thread. Recording is stopped again when either the thread that is being captured terminates or the thread encounters a *recording stop point*.

Recording markers are set in the source code editor. If you right-click on the breakpoint margin at the point to begin recording, a context menu displays:




Select the **Start recording here** option, then right-click on the breakpoint margin at the point to stop recording and select the **Stop recording here** option. The markers are shown below:




When the debugger is run it continues to run the thread, recording a stack history, until either the **Stop** marker is encountered or the thread terminates, unlike normal breakpoints where the debugger halts and displays the line of code.

[Generate the diagram.](#)^[877]

10.2.7.4 Generate the Sequence Diagram

Once you have built up a stack trace history [using breakpoints](#)^[873], you can create a Sequence diagram from your results. To do this, click on the **Generate Sequence Diagram** button () on the **Debug Toolbar**. The **Generate Sequence Diagram** dialog displays.




The dialog also displays automatically at the end of a [debug recording session](#) ^[876], when a thread you are recording terminates or the program finishes.

Complete the fields as follows:

Option	Use to
Name	Type in the diagram name; this field defaults to the name of the State Machine.
Include state information if available	<p>Include any State transitions detected during the debug run in the Sequence diagram produced.</p> <p>The checkbox is enabled only if the State Transitions option has been enabled for the Package Script prior to debugging.</p>
Highlight invalid transitions	<p>Mark with a red border any state transitions detected that are illegal for the State Machine.</p> <p>The checkbox is enabled only if Include state information if available is selected.</p>

Click on the **OK** button. Your diagram and related artifacts are placed in an interaction under the package that is running your debug session.



Debug Toolbar Commands



Create Sequence Diagram




Save recorded history to HTML file for viewing in browser

10.2.7.5 Include State Transitions

Overview

You can generate Sequence diagrams that show transitions in state as a program executes. The illustration below shows a simple project that has, in its State Machine, a number of States that correspond to color

values of the *Painter* Class member variable *Paint*. Notice also that fragments take into account changes in State.




Example Sequence Diagram with State Transitions For Class Painter

Showing State transitions on your debug-generated Sequence diagrams is optional; you set an option in the package script associated with the Class for which you intend to record States.

Note:

If you do not have a package script for the Class or package you must create one. Sequence diagrams can only be generated for a package that has been configured for debug.

Next, you create a *State Machine* under the Class. On the State Machine you create the *State* elements that correspond to any states to be captured for your Class. The debugger evaluates your States by checking *constraints* on the States you create. The States on this diagram are then used by the debugger and State transitions are incorporated into the diagram. These procedures are explained in the subsequent sections, with reference to the following figure:




Project Browser with State Machines For Class Painter

This figure shows the Class *Painter* with a State Machine called *Compound*. It has a child diagram also called *Compound*, on which the States {*Grey,Lime,Olive...*} are placed.

10.2.7.5.1 Enable Capture of State Transactions

To enable capture of State transitions on your Sequence diagram, follow the steps below:

1. Select the **Package Build Scripts** option either from the **Build and Run** context menu for the package on the **Project Browser**, or from the **Debug Workbench** toolbar drop down menu.
2. Open your build script and select the **Sequence** tab.
3. Ensure the **Capture state transitions using** **checkbox** is selected.



- Click on the drop-down arrow and select the required constraint type to limit the states captured by the debugger to those having constraints of that type. If you select **<any>** then any state found for the Class-associated State Machine is included in recording.


10.2.7.5.2 Create a State Machine and States

Create State Machine

Open a diagram in the required package and drag a *State Machine* element from the Enterprise Architect UML **Toolbox**. In the **Project Browser**, drag the State Machine under the Class it represents. The State Machine itself has an empty child diagram. Open that diagram.

Create States


The following illustration shows the States on the example State Machine *Compound* from the Class *Painter*, as shown in the [Overview](#)^[879].



In order to evaluate a State for any object you must have a way to link the State to the Class of the object. You do this by [adding constraints](#)^[883] to the State. Each constraint is in effect a condition on member variables of the Class.

10.2.7.5.3 Add Constraints

The State **Properties** dialog below is for the State *Turquoise*. The **Constraints** tab is open to show how the State is linked to the Class *Painter*. A State can be defined by a single constraint or by many; in the example below the State *Turquoise* has two constraints.




The *Painter* Class has a member called *Paint* of type *Ccolour*. The *Paint* member has two member variables called *primary* and *secondary*. These variables are enums. The values of constraints can only be compared for *elemental*, *enum* and *string* types. In native code, equivalence of Class objects is only possible for pointer types.

What this constraint means is:

- when an instance of the *Painter* Class exists and
- its member variable *Paint*'s member variable *primary* has the *enum* value **Blue** and
- the member variable *secondary* has the *enum* value **Green** then
- this State is evaluated to **true**.

You can see the member variables for these constraints in the following illustration of the Class *Painter*, expanded to show members. Notice the enumeration *TColor* values. These are the values tested in the constraints in the State **Properties** dialog above.



Operators in Constraints

There are two types of operators you can use on constraints to define a State:

- Logical operators AND and OR can be used to combine constraints
- Equivalence operators {= and !=} can be used to define the conditions of a constraint.

All the constraints for a State are subject to an AND operation unless otherwise specified. You can use the OR operation on them instead, so you could rewrite the constraints in the [earlier example](#)^[883] as:

```

Paint.primary=Blue OR
Paint.secondary=Green
  
```

Below are some examples of using the equivalence operators:

```

Paint.primary!=Blue AND
Paint.secondary!=Green
  
```

```

Paint.primary=Blue OR
Paint.primary=Green
  
```

```

Person.FirstName=John
Person.LastName=Carpenter
  
```

Note:

Quotes around strings are optional. The comparison for strings is always case-sensitive in determining the truth of a constraint.

10.3 Unit Testing

Enterprise Architect supports integration with unit testing tools in order to make it easier to develop good quality software.

Firstly, Enterprise Architect helps you to create test Classes with the [JUnit](#)^[950] and [NUnit](#)^[952] transformations. Then you can [set up](#)^[885] a [test script](#)^[830] against any package and [run](#)^[886] it. Finally, all tests results are automatically [recorded](#)^[887] inside Enterprise Architect.

10.3.1 Set Up Unit Testing

In order to use unit testing in Enterprise Architect, you must first set it up. This happens in two parts.

Firstly the appropriate [tests must be defined](#)^[830]. Enterprise Architect is able to help with this. By using the [JUnit](#)^[950] or [NUnit](#)^[952] transformations and [code generation](#)^[773] you can create test method stubs for all of the public methods in each of your Classes.

The following is an *NUnit* example in *C#* that is followed through the rest of this topic, although it could also be any other .Net language or Java and JUnit.

```
[TestFixture]
public class CalculatorTest
{
    [Test]
    public void testAdd(){
        Assert.AreEqual(1+1,2);
    }

    [Test]
    public void testDivide(){
        Assert.AreEqual(2/2,1);
    }

    [Test]
    public void testMultiply(){
        Assert.AreEqual(1*1,1);
    }

    [Test]
    public void testSubtract(){
        Assert.AreEqual(1-1,1);
    }
}
```

This code can be reverse engineered into Enterprise Architect so that Enterprise Architect can record all test results against this Class.

Once the unit tests are set up, you can then set up the Build and Test scripts to run the tests. These scripts must be set up against a package.

The sample above can be called by setting up the [Package Build Scripts](#)^[829] dialog as follows.

Name:

Directory:

Build Test Run Debug Deploy Sequence

Enter your test script below and select the appropriate output parser for the type of testing required

```
"c:\program files\NUnit\bin\nunit-console.exe" ;in\debug\Calculator.exe
```

Capture Output Build before Test


Output Parser:

If Enterprise Architect is to handle unit testing, it is important that you select the **Capture Output** checkbox and select the appropriate **Output Parser** for the testing. Without doing this you won't see the program output and therefore you cannot open the source at the appropriate location.

10.3.2 Run Unit Tests


You can run the test script you set up previously, by selecting the **Project | Build and Run | Test** menu option.

The following output is generated.



```
Output
-----
NUnit version 2.2.2
Copyright (C) 2002-2003 James W. Newkirk, Michael C. Two, Alexei A. Vorontsov, Charlie Poole.
Copyright (C) 2000-2003 Philip Craig.
All Rights Reserved.
OS Version: Microsoft Windows NT 5.1.2600.0 .NET Version: 1.1.4322.573
.
...F
Tests run: 4, Failures: 1, Not run: 0, Time: 0.031 seconds
Failures:
1) CalculatorTest.testSubtract :
   expected: <0>
   but was: <1>
   at NUnit.Framework.EqualAsserter.FailNotEqual()
   at NUnit.Framework.EqualAsserter.Assert()
   at CalculatorTest.testSubtract() in C:\SimpleCalculatorCS\CalculatorTest.cs:line 23
Test completed with exit code 1
```

Notice how NUnit reports that four tests have run, including one failure. It also reports what method failed and the file and line number the failure occurred at. If you double-click on that error, Enterprise Architect opens the editor to that line of code.



```
Source Code
-----
20
21     [Test]
22     public void testSubtract () {
23         Assert.AreEqual(1-1,1);
24     }
25 }
```


This enables you to quickly find and fix the error.

Enterprise Architect also records the run status of each test as described in [Record Test Results](#)^[887].

10.3.3 RecordTest Results

Enterprise Architect is able to automatically record all results from tests by a [testing script](#)^[885] in Enterprise Architect. In order to use this feature, you just [reverse engineer](#)^[764] the test Class into the package containing your test script.

Once your model contains your test Class, on the next [run of the test script](#)^[886] Enterprise Architect adds test cases to the Class for each test method found. On this and all subsequent test runs all test cases are updated with the current run time and if they passed or failed as shown below.



The error description for each failed test is added to any existing results for that test case, along with the current date and time. Over time this provides a log of all test runs where each test case has failed. This can then be included in generated documentation and could resemble the following.


```
Failed at 05-Jul-2006 1:02:08 PM
expected: <0>
but was: <1>
```

```
Failed at 28-Jun-2006 8:45:36 AM
expected: <0>
but was: <2>
```

Part

11

11 Data Modeling



You perform database modeling and database design in Enterprise Architect using the *UML Data Modeling Profile*. This profile provides easy-to-use and easy-to-understand extensions to the UML standard, mapping the database concepts of tables and relationships onto the UML concepts of Classes and associations. These extensions also enable you to model database keys, triggers, constraints, RI and other relational database features.

Typical data modeling tasks you might perform are listed at the end of this topic.

Tables and Columns

The basic modeling *structure* of a relational database is the *table*, which represents a set of records, or rows, with the same structure. The basic organizational *element* of a relational database is the *column*. Every individual item of data entered into a relational database is represented by a value in a column of a row in a table.

The UML Data Modeling Profile represents:

- Tables as stereotyped *Classes*; that is, Class elements with a *stereotype* of **table**
- Columns as stereotyped *attributes*; that is, attributes with a *stereotype* of **column**.

Enterprise Architect can generate simple DDL scripts to create the tables in your model.

Database Keys

Two types of key are used to access tables: *Primary Keys* and *Foreign Keys*. A Primary Key uniquely identifies a record in a table, while a Foreign Key accesses data in some other related table via its Primary Key.

A Primary Key consists of one or more columns; a simple Primary Key (single column) is defined as the attribute of a stereotyped operation. A complex Primary Key (several columns) is defined as the stereotyped operation itself.

A Foreign Key is a collection of columns (attributes) that together have some operational meaning (they enforce a relationship to a Primary Key in another table). Foreign keys are represented in Enterprise Architect as operations with the stereotype **FK**; the operation parameters become the columns involved in the key.

Supported Databases

Enterprise Architect supports import of database schema from these databases

- DB2
- Firebird/InterBase
- Informix
- Ingres
- MS Access
- MS SQL Server
- MySQL
- Oracle 9i, 10g and 11g
- PostgreSQL
- Sybase Adaptive Server Anywhere (Sybase ASA)

- Sybase Adaptive Server Enterprise (Sybase ASE).

Note:

Firebird 1.5 database tables can be modeled and generated as InterBase tables. Firebird tables can be imported but are treated as InterBase tables.

Typical Tasks

Typical tasks you can perform when modeling or designing databases include:

- [Create a Data Model Diagram](#) ^[891]
- [Create a Table](#) ^[892]
- [Set Properties of a Table](#) ^[893]
- [Create Columns](#) ^[898]
- [Create Oracle Packages](#) ^[900]
- [Create Primary Keys](#) ^[901]
- [Create Foreign Keys](#) ^[903]
- [Create Stored Procedures](#) ^[908]
- [Create Views](#) ^[913]
- [Create Indexes and Triggers](#) ^[915]
- [Generate DDL for a Table](#) ^[917]
- [Generate DDL for a Package](#) ^[919], and compare with the database
- [Convert Datatypes for a Table](#) ^[922]
- [Convert Datatypes for a Package](#) ^[923]
- [Customize Datatypes for a DBMS](#) ^[925]
- [Import a Database Schema from an ODBC Data Source](#) ^[926]

Note:


The UML Data Modeling Profile is not currently a ratified standard; however it has wide industry support and is a useful method for bridging the gap between the UML and conventional relational database modeling.

11.1 A Data Model Diagram

An example of a *Data Model* diagram is provided below, showing three tables that are linked on primary to foreign key pairs with associated multiplicity.

Note also the use of stereotyped operations for Primary (PK) and Foreign (FK) keys. Operations could also be added for:

- Validation (check)
- Triggers
- Constraints
- Indexes



A Data Model diagram is represented in Enterprise Architect as a Class diagram, and is created [in exactly the same way](#)^[248] as other diagrams.

11.2 Create a Table

What is a Table?

The basic modeling structure of a relational database is the *Table*. A Table represents a set of records, or rows, with the same structure.

The *UML Data Modeling Profile* represents a Table as a stereotyped Class; that is, a Class element with a stereotype of **table** applied to it. A table icon is shown in the upper right corner of the image when it is shown on a Data Model diagram.

Create a Table

To create a Table, follow the steps below:

1. Select a diagram.
2. Select the **More Tools | Extended | Data Modeling** menu option on the Enterprise Architect UML **Toolbox**.
3. Click on the *Table* element in the list of elements, then click on the diagram. The Table element is displayed on the diagram.



4. If the **Class: Table n** Properties dialog does not display, double-click on the Table to display it.
5. In the **Name** field, type a name for the Table and [set any other properties](#)^[893] as required.
6. Click on the **OK** button.

11.3 Set Table Properties

Once you have created your table, you can set its properties. Most table properties can be set from the **Properties** dialog, as described below. Some properties though must be entered as Tagged Values as described elsewhere, i.e. setting the value of the [Table Owner](#)^[895] and, for MySQL databases, setting the [Table Options](#)^[895].

Set the Database Type

The most important property to set for a table (after its name) is the *database type*. This defines the list of datatypes that are available for defining columns, and also declares which dialect of DDL is generated. Enterprise Architect supports the following databases:

- DB2
- Informix
- Ingres
- InterBase
- MS Access
- MySQL
- Oracle 9i, 10g and 11g
- PostgreSQL
- SQL Server 2000 and 2005
- SQLServer7
- Sybase Adaptive Server Anywhere (Sybase ASA)
- Sybase Adaptive Server Enterprise (Sybase ASE).

To set the database type, follow the steps below:

1. Double-click on the table element in a diagram to open the **Properties** dialog.
2. Select the **General** tab.

3. In the **Database** field, click on the drop-down arrow and select the database type.
4. Click on the **OK** button to save changes.


By clicking on the **Table Detail** tab on this dialog, you can access the [Columns dialog](#) ^[898] or [Operations dialog](#) ^[915], or you can [Generate DDL](#) ^[917] for this table.


Note:

Stored Procedure elements and Object instances of Views have very similar **Detail** tabs that enable you to display the definition and initial code of these data structures.

11.3.1 Set Table Owner

To define the owner of a table, follow the steps below:


1. Select the **View | Tagged Values** menu option or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the table in a diagram or the **Project Browser** window. The **Tagged Values** window now shows the tags for the selected table.
3. Click on the **New Tag** button . The **Tagged Value** dialog displays.




4. In the **Tag** field, type the tag name **Owner**. In the **Value** field, type a value for the *Owner* tag.
5. Click on the **OK** button to confirm the operation. Generated DDL includes the table owner in the SQL script.

11.3.2 Set MySQL Options

In MySQL, to make use of foreign keys you must declare the table type as *InnoDB*. To do this, follow the steps below:

1. Select the **View | Tagged Values** menu option or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the table in a diagram or in the **Project Browser** window. The **Tagged Values** window shows the table as selected.
3. Click on the **New Tag** button . The **Tagged Value** dialog displays




4. In the **Tag** field, enter the tag name **Type**. In the **Value** field, type **InnoDB** as the value for the *Type* tag.
5. Click on the **OK** button to confirm the operation. Generated DDL includes the table type in the SQL script.
6. To allow for later versions of MySQL, additional table options that can be added in the same manner include:

Tag	Value (Example)
ENGINE	InnoDB
CHARACTER SET	latin1
CHARSET	latin1
COLLATE	latin1_german2_ci

11.3.3 Set Oracle Table Properties

For Oracle, you can set table properties using the table's Tagged Values. Follow the steps below:

1. Select the **View | Tagged Values** menu option, or press **[Ctrl]+[Shift]+[6]**. The **Tagged Values** window displays.
2. Click on the table in a diagram or in the **Project Browser** window. The **Tagged Values** window displays the table name, selected.
3. Click on the  (**New Tag**) button.
4. Define the table properties as shown in the examples below:

5. Click on the **OK** button to save the Tagged Value.

All available properties for an Oracle table are listed below.


Note:

The same properties can be added to indexes and constraints. Highlight the index or constraint and add the properties as Tagged Values.

Property	Value
BUFFER_POOL	DEFAULT
CACHE	NOCACHE
DBVERSION	9.0.111
FREELISTS	1
GRANT OWNER1	SELECT
GRANT OWNER2	DELETE, INSERT, SELECT, UPDATE
INITIAL	65536
INITRANS	1
LOGGING	LOGGING
MAXEXTENTS	2147483645
MAXTRANS	255
MINEXTENTS	1
MONITORING	MONITORING

Property	Value
OWNER	OWNER1
PARALLEL	NOPARALLEL
PCTFREE	10
PCTINCREASE	0
PCTUSED	0
SYNONYMS	PUBLIC:TABLE_PUB;OWNER2:TABLE_OWNER2
TABLESPACE	MY_TABLESPACE

The properties defined for a given table are listed on the **Tagged Values** window, as illustrated by the following typical Tagged Value list:



Property	Value
BUFFER_POOL	DEFAULT
CACHE	NOCACHE
COMPRESSI...	DISABLED
DBVERSION	10.2.10
INITIAL	65536
INITRANS	1
LOGGING	LOGGING
MAXEXTENTS	2147483645
MAXTRANS	255
MINEXTENTS	1
MONITORING	MONITORING
OWNER	PLSQL
PARALLEL	NOPARALLEL
PCTFREE	10
PCTINCREASE	0
PCTUSED	0
TABLESPACE	USERS

TABLESPACE

11.4 Create Columns

What is a Column?

The basic organizational element of a relational database is the *column*. Every individual item of data entered

into a relational database is represented as a value in a column of a row in a table. Columns are represented in the UML Data Modeling Profile as a stereotyped attribute; that is, an attribute with the *Column* stereotype.

Create Columns

Note:

For MySQL, before creating columns first add ENUM and SET datatypes. Select the **Settings | Database Datatypes** menu option and, on the **Database Datatypes** dialog, in the **Product Name** field select **MySQL**. Add the datatypes ENUM and SET.

To create columns, follow the steps below:

1. Right-click on the Table in a diagram to open the context menu, and select the **Attributes** menu option.
2. The **<Tablename> Columns** dialog displays.

General

Name:

Data Type: Primary Key

Not Null

Stereotype: column Unique

Initial:

Access: Public Alias:

Notes: **B I U A**

Columns

PK	Name	Type	Not ...	Unique
	Support	VARCHAR	No	No
	StaffName	VARCHAR	No	No
PK	StaffIdentifier	VARCHAR	Yes	Yes

- Type in the column **Name** and **Data Type** and click on the **Save** button.

Tip:

If the drop-down list of datatypes is empty, this means that you have not selected a target database for the table. Close the **Columns** dialog and re-open the **Table Properties** dialog to set a Database type before continuing. To prevent this recurring, [set the default database type](#)^[893].



- The following fields for each column are optional:
 - Primary Key** - select the checkbox if the column represents the [primary key](#)^[901] for this table
 - Not Null** - select the checkbox if empty values are forbidden for this column
 - Unique** - select the checkbox if it is forbidden for any two values of this column to be identical
 - Initial** - type a value that can be used as a default value for this column, if required
 - Access** - click on the drop-down arrow and select a scope of **Private**, **Protected** or **Public** (the field defaults to **Public**)
 - Alias** - type an alternative name for the field (for display purposes), if any
 - Notes** - type any other information necessary to document the column; you can format the text using the [Rich Text Notes toolbar](#)^[134] at the top of the field.

Notes:

- Some datatypes, such as the Oracle NUMBER type, require a precision and scale. These fields are displayed where required and should be filled in as appropriate. For example, for Oracle:
 - create NUMBER by setting Precision = **0** and Scale = **0**
 - create NUMBER(8) by setting Precision = **8** and Scale = **0**
 - create NUMBER(8,2) by setting Precision = **8** and Scale = **2**.
- Oracle VARCHAR2(15 CHAR) and VARCHAR2(50 BYTE) datatypes can be created by adding the tag *LengthType* with the value **CHAR** or **BYTE**.
- For MySQL ENUM and SET datatypes, in the **Initial** field type the values as a comma-separated list, in the format ('one','two','three') or, if one value is the default, in the format: ('one','two','three') default 'three'.

Change the Column Order

To change the column order, follow the steps below:

- On the **Columns** dialog, highlight a column name in the **Columns** panel.
- Click on the:
 -  button to move the column up one position
 -  button to move the column down one position.

11.5 Create Oracle Packages

To create an Oracle package, follow the steps below:

- Open the project in the **Project Browser** window and create an Enterprise Architect package (and, if required, a Class diagram).
- Add a [Class](#)^[1167] element to either the package or the diagram.
- Open the [Properties](#)^[368] dialog for the element and, in the **Stereotype** field, type the value **Package**.
- For the package specification, create an [Operation](#)^[341] with the name *Specification* and with no return type.

5. Open the [Properties](#) ^[343] dialog for the *Specification* Operation and, on the **Behavior** tab, type the entire package specification into the **Initial Code** ^[351] field.
6. For the package body, create an Operation with the name *Body* and with no return type.
7. Open the **Properties** dialog for the *Body* Operation and, on the **Behavior** tab, type the entire package body into the **Initial Code** field.

11.6 Primary Key

What is a Primary Key?

Keys are used to access tables, and come in two varieties: Primary Keys and Foreign Keys. A Primary Key uniquely identifies a record in a table, while a Foreign Key accesses data in some other related table via its Primary Key. This topic describes Primary Keys; Foreign Keys are described in the [Foreign Keys](#) ^[903] topic.

Define a Simple Primary Key

If a Primary Key consists of a single column, it is very easy to define.

1. Right-click on the table in a diagram to display the context menu. Select the **Element Features | Attributes** menu option.
2. In the **Attributes** dialog, select the column that makes up the Primary Key.
3. Select the **Primary Key** checkbox and click on the **Save** button.

A stereotyped operation is automatically created. It is this operation that defines the Primary Key for the table. To remove a Primary Key, simply delete this operation.

Define a Complex Primary Key

Often, a Primary Key consists of more than one column. For example, a column *LastName* might not be unique within a table, so a Primary Key is created from the *LastName*, *FirstName* and *DateOfBirth* columns. Perform the following steps to create a complex Primary Key:


1. Follow the steps above to create a Simple Primary Key. It doesn't matter which column you choose.
2. Right-click on the table in a diagram to open the context menu. Select the **Element Features | Operations** menu option.
3. Select the Primary Key operation (its name begins with **PK_**) and then click on the **Columns** tab.
4. To add a column to the Primary Key, click on the **New** button, select a column from the **Column Name** list box, and then click on the **Save** button.
5. Click on the **Hand** buttons (up and down arrow) to change the order of columns in the Primary Key, if necessary.

(See also [SQL Server Non-Clustered Primary Keys.](#)) ^[902]


Define a Primary Key Name Template

To define the name template for a Primary Key, follow the steps below:

1. Select the **Tools | Options | Source Code Engineering | Code Editors** menu option. The **DDL** page of the **Options** dialog displays.



2. Click on the **DDL Name Template** button. The **DDL Name Template** dialog displays, showing the default name templates.



3. Edit or replace the template in the **Primary Key Name Template** field.
4. Click on the **Save** button.

11.6.1 SQL Server Non Clustered Primary Keys

To define a primary key as non-clustered for a SQL Server table, follow the steps below:

1. Right-click on the table in a diagram to open the context menu.
2. Select the **Element Features | Operations** menu option. The **Table Operations** dialog displays.
3. Highlight the Primary Key Operation and select **Extended Properties**.
4. Select the **SQL Server Non Clustered Primary Key** checkbox.

The screenshot shows a dialog box with three sections:

- Index Properties:** Contains checkboxes for 'Unique' and 'Clustered', and radio buttons for 'Ascending' (selected) and 'Descending'.
- Foreign Key Properties:** Contains checkboxes for 'Cascade Delete' and 'Cascade Update'.
- Primary Key Properties:** Contains a checked checkbox for 'SQL Server Non Clustered Primary Key'.

At the bottom of the dialog are three buttons: 'Cancel', 'Save', and 'Save & Close'.

5. Click on the **Save & Close** button.

11.7 Foreign Key

What is a Foreign Key?

Two types of key are used to access tables: [Primary Keys](#)^[901] and Foreign Keys. A Primary Key uniquely identifies a record in a table, while a Foreign Key accesses data in some other related table via its Primary Key.

Foreign keys are represented in Enterprise Architect UML using stereotyped operations. A Foreign Key is a collection of columns (attributes) that together have some operational meaning (they enforce a relationship to a Primary Key in another table). A Foreign Key is modeled as an operation stereotyped with the *FK* stereotype; the operation parameters become the columns involved in the key.

Note:

It isn't necessary to define a Foreign Key in order to access another table through its Primary Key. Foreign Keys are a feature of some database management systems, providing 'extras' such as referential integrity checking that prevents the deletion of a record if its Primary Key value exists in some other table's Foreign Key. The same thing can be achieved programmatically.

To [create a Foreign Key](#)^[903], click on the link.

You might also have to [define a Name Template](#)^[907] for Foreign Keys.

11.7.1 Create a Foreign Key

To create a Foreign Key, follow the steps below:

1. Locate the required Tables in a diagram.
2. Select an *Associate* link in the **Class Relationships** page of the Enterprise Architect UML **Toolbox**.
3. Click on the Table to contain the Foreign Key (source) and draw a connector to the other Table (target).
4. Use the link context menu to display the **Foreign Key** dialog.

Foreign Key Constraint

Name:

Source: Inventory Target: Warehouse

Key	Column	Type
PK	InventoryID	VARCHAR2
	WarehouseID	VARCHAR2
	CurrentStock	NUMBER
	OnOrder	NUMBER

Key	Column	Type
PK	WarehouseID	VARCHAR2
	Location	VARCHAR2
	Capacity	NUMBER

Source Cardinality: Target Cardinality:


Referential Integrity

Delete Cascade

Column	Type
WarehouseID	VARCHAR2



Column	Type
WarehouseID	VARCHAR2

5. If necessary, edit the default name for the Foreign Key.
 6. Highlight the columns involved in the Foreign Key relationship.
 7. Click on the **Save** button to automatically generate the Foreign Key operations.
- You have created the Foreign Key. The example below shows how this looks in a diagram:



Composite Foreign Key

To create a composite Foreign Key, select the appropriate columns and click on the **Save** button. The Foreign Key columns are sorted according to datatype to match the datatypes of the targeted composite Primary Key.

If required, you can change the order of the key columns by clicking on the  and  buttons.

Tip:

If you are defining a MySQL database and want to use Foreign Keys, you must [set the table type](#) ⁸⁹⁵ to enable this.

Foreign Key Constraint ✕

Name:

Source: Table2 Target: Table1

Key	Column	Type
	t2_date	datetime
	t2_id	int
PK	t2_pk	int
	t2_name	varchar

Key	Column	Type
PK	t1_id	int
PK	t1_name	varchar
PK	t1_date_cre...	datetime


Referential Integrity

Delete Cascade Update Cascade

Column	Type
t2_id	int
t2_name	varchar
t2_date	datetime

Column	Type
t1_id	int
t1_name	varchar
t1_date_created	datetime


This creates the composite Foreign Key. The example below shows how this looks in a diagram:




11.7.2 Define a Foreign Key Name Template

To define the name template for a Foreign Key, follow the steps below:

1. Select the **Tools | Options | Source Code Engineering | Code Editors** menu option. The **DDL** page of the **Options** dialog displays.



2. Click on the **DDL Name Template** button. The **DDL Name Template** dialog displays, showing the default name templates.



3. Edit or replace the name template in the **Foreign key Name Template** field.
4. Click on the **Save** button..

11.8 Stored Procedures

What is a Stored Procedure?

A stored procedure is a group of SQL statements that form a logical unit and perform a particular task. Stored procedures are used to encapsulate a set of operations or queries to execute on a database server. You can compile and execute stored procedures with different parameters and results, and they can have any combination of input, output and input/output parameters.

Enterprise Architect models stored procedures as [operations of a Class](#) ^[909] in accordance with the UML Profile for Data Modeling. Alternatively, you can model stored procedures as [individual Classes](#) ^[911].

Note:


Stored procedures are currently supported for: DB2; SQL Server; Firebird/Interbase; Informix; Ingres; Oracle 9i, 10g and 11g; MySQL; PostgreSQL; Sybase Adaptive Server Enterprise (ASE) and Sybase Adaptive Server Anywhere (ASA).

11.8.1 Create Stored Procedure As Container Class

To create a stored procedure as an operation of a container Class, follow the steps below, in three stages:

Define Stored Procedure Stereotype

1. Select the **Settings | UML** menu option. The **UML Types** dialog displays, at the **Stereotypes** tab.



2. In the **Stereotype** field, type **stored procedures**.
3. In the **Base Class** field, type **class**.
4. Click on the **Save** button, and on the **Close** button.

Create Stored Procedure

1. Open the required diagram.
2. Select the **More tools | UML | Class** menu option in the Enterprise Architect UML **Toolbox**.
3. Click on the *Class* element in the list of elements and then click on the diagram. If the **Class Properties** dialog does not automatically display, double-click on the element.
4. In the **Name** field, type a name for the Class. Typically, this is the database name.
5. In the **Stereotype** field, type **stored procedures**.
6. Click on the **OK** button to close the dialog. You now have a stored procedures container.
7. Re-open the **Class Properties** dialog. In the **Database** field click on the drop-down arrow and select the target DBMS to model. (The field displays the default database if it has already been set.)
8. Select the **Procedures Detail** tab and click on the **Stored Procedures...** button.

(Alternatively:

- Select the stored procedures container and press **[F10]**, or
- Select **Features | Operations** from the context menu.)

The **<Class name> Operations** dialog displays.

9. In the **Name** field, type the name of the stored procedure.
10. In the **Return Type** field click on the drop-down arrow and select the return type (or use the default value **resultset**).
11. In the **Stereotype** field, type the value **proc**.
12. Click on the **Save** button.

Add Parameters

1. Click on the procedure name in the **Operations** panel and click on the **Edit Parameters** button. The **Parameters** dialog displays.
2. In the **Name** field, type the parameter name, and in the **Type** field click on the drop-down arrow and select the parameter type.


If the parameter is a length type, add the length after the parameter type. For example, select **VARCHAR** from the drop-down list and type **(5)** just after it, as the length.

You can also type the values of the **Type** field directly into the field.

3. Click on the **Save** button, and then the **Close** button. The **<Class name> Operation** dialog redisplay.
4. Click on the **Behavior** tab. In the **Initial Code** field, type the text of the procedure.

Notes:

- If using the parameter feature as described above, you only have to add the procedure statements after the **AS** clause.
- If you prefer not to use the parameter feature as described above, insert the entire stored procedure text in the **Initial Code** field.
- In either case, the *create procedure...* text or *create or replace procedure...* text must be the first line in the **Initial Code** field.



5. Click on the **Save** button, and then the **Close** button.

11.8.2 Create Stored Procedure As Individual Class

To create a stored procedure as an individual Class, follow the steps below, in two stages:


Define Procedure Stereotype

1. Select the **Settings | UML** menu option. The **UML Types** dialog displays, at the **Stereotypes** tab.
2. In the **Stereotype** field, type **procedure**.
3. In the **Base Class** field, type **class**.
4. Click on the **Save** button, and on the **Close** button.

Create Procedure Element

1. Open the required diagram.

2. Select the **More tools | UML | Class** menu option in the Enterprise Architect UML **Toolbox**.
3. Click on the *Class* element in the list of elements and then click on the diagram. If the **Class Properties** dialog does not automatically display, double-click on the element.
4. In the **Name** field, type a name for the procedure.
5. In the **Stereotype** field, type **procedure**.
6. Click on the **OK** button to close the dialog. The new *procedure* element displays.



7. Double-click on the procedure element. The **Procedure <name>** dialog displays.

The screenshot shows a dialog box with a light beige background. At the top, there is a label 'Database:' followed by a text field containing 'MySql' and a small downward-pointing arrow icon. Below this is a label 'Procedure definition:' followed by a large, empty rectangular text area. At the bottom of the dialog, there are two buttons: 'Close' on the left and 'Save' on the right. There are also small navigation icons (back, forward, and refresh) at the bottom left of the text area.

8. In the **Database** field click on the drop-down arrow and select the target DBMS to model. (The field displays the default database if it has already been set.)
9. In the **Procedure definition** field, type the entire procedure text.
10. Click on the **Save** button, and then the **Close** button.

11.9 Views


Note:

Views are currently supported for are currently supported for: DB2; SQL Server; Firebird/Interbase; Informix; Ingres; Oracle 9i, 10g and 11g; MySQL; PostgreSQL; Sybase Adaptive Server Enterprise (ASE) and Sybase Adaptive Server Anywhere (ASA).

Create a View Class


To create a database view, follow the steps below:

1. Select the **Settings | UML** menu option. The **UML Types** dialog displays, at the **Stereotypes** tab.



2. In the **Stereotype** field type **view**, and in the **Base Class** field type **class**. Click on the **Save** button.
3. Select a suitable diagram.
4. Open the **Class** pages on the Enterprise Architect UML **Toolbox**.
5. Click on the **Class** element in the list of elements and then click on the diagram.
6. In the **Class Properties** dialog, in the **Stereotype** field type **view**.
7. Enter a name for the view.
8. Click on the **OK** button to close the dialog. You now have a database view.


- Right-click on the element and select the **Properties** context menu option. The **View Properties** dialog now displays.



- From the **Database** drop-down list, select the target DBMS to model. The default database displays if it has already been set.
- Click on the **Save** and **Close** buttons.

Create a View

- Create a Dependency link from the view Class to the table or tables on which the view depends.
- Open the view **Properties** dialog.
- Enter the full view definition in the **View definition** field.
- Click on the **Save** button to save your definition. An example is shown below:



11.10 Indexes, Triggers and Check Constraints

What is an Index?

An index is a sorted look-up for a table. When it is known in advance that a table must be sorted in a specific order, it is usually worth the small processing overhead to always maintain a sorted look-up list rather than sort the table every time it is required. In Enterprise Architect, an index is modeled as a stereotyped operation. On generating DDL, the necessary instructions for generating indexes are written to the DDL output.

What is a Trigger?

A trigger is an operation automatically executed as a result of the modification of data in the database, and usually ensures consistent behavior of the database. For example, a trigger might be used to define validations that must be performed every time a value is modified, or might perform deletions in a secondary table when a record in the primary table is deleted. In Enterprise Architect, a trigger is modeled as a stereotyped operation. Currently Enterprise Architect does not generate DDL for triggers, but nonetheless they aid in describing and specifying the table structure in detail.

What is a Check Constraint?

A *Check Constraint* enforces domain integrity by limiting the values that are accepted by a column.


Create an Index or Trigger

1. Right-click on the required table either in a diagram or in the **Project Browser** window.
2. Select the **Operations** context menu option. The **Operations** dialog displays.
3. Add an operation (with a name such as *IDX_CustomerID* or *TRG_OnCustomerUpdate*; the *IDX_* and *TRG_* prefixes are optional but help identify the operation).
4. In the **Stereotype** field for the operation type **index** or **trigger** as appropriate (**check**, **proc** and **unique** are also supported).
5. Click on the **Behavior** tab.
6. In the **Initial Code** field, type the entire body of the trigger or procedure, or details of the check constraint.
7. Click on the **Column** tab.
8. Add the required columns in the required order then click on the **Save** button to save changes.

Create a Check Constraint

1. Locate the required table in either a diagram or the **Project Browser** window.
2. Use the context menu to open the **Operations** dialog.
3. Add an operation (such as *CHK_ColumnName*).
4. In the **Stereotype** field for the constraint type **check** and click on the **Save** button to save changes.
5. Select the constraint operation, then the **Behavior** tab.
6. Enter the entire check constraint clause (eg. **col1 < 1000**) in the **Initial Code** field and click on the **Save** button to save changes.

The example below shows how an index looks in a diagram (in the *Order* element):



11.11 Generate DDL

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Generate Source Code and DDL](#) ^[640] permission to generate DDL.

To generate simple DDL scripts to create the tables in your model, follow the steps below:

1. In the diagram, right-click on the table for which to generate DDL. The context menu displays.
2. Select the **Generate DDL** option. The **Generate DDL** dialog displays.

Table:

Path:

Options

Comment Level Use and as comment

Create Primary/Foreign Key Constraints

Generate Index/Constraints

Generate Triggers

Generate Stored Procedures Generate Packages (Oracle)

Generate Views Generate Functions

Create Drop SQL Generate Sequences

Use as SQL Terminator on the same line.

Use and around names

Generate Table Owner

Use Database

Use Alias if Available

Use NULL for nullable columns

- In the **Path** field, use the [...] (Browse) button to select the filename of the script to create.
- To include comments in the DDL, in the **Comment Level** field select the appropriate level. For example, **Column** for comments on columns, or **All** for comments on all structures.
- Select the checkboxes for the appropriate inclusions. For example, to include a 'drop table' command in the script, select the **Create Drop SQL** checkbox. Deselect the checkboxes for inclusions you do not require.

Note:

If generating Oracle sequences, you must always select the **Generate Triggers** and **Generate Sequences** checkboxes; this ensures that a pre-insert trigger is generated to select the next sequence value to populate the column.

- To create the DDL, click on the **Generate** button.
- To view the output, click on the **View** button (you must configure a DDL viewer in the **Local Settings** dialog first).

Note:

You can transport these DDL scripts between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

11.12 Generate DDL for a Package

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Generate Source Code and DDL](#) permission to generate DDL.

In this procedure, you can generate DDL for a package, and also compare the DDL with the database.

Generate DDL

To generate DDL for a package, follow the steps below:

1. Right-click on the required package in the **Project Browser** window. The context menu displays.
2. Select the **Code Engineering | Generate DDL** menu option. The **Generate Package DDL** dialog displays.

Root Package:

Options

Comment Level Use and as comment

Create Primary/Foreign Key Constraints

Generate Index/Constraints

Generate Triggers

Generate Stored Procedures Generate Packages (Oracle)

Generate Views Generate Functions

Create Drop SQL Generate Sequences

Use as SQL Terminator on the same line.

Use and around names

Generate Table Owner

Use Database

Use Alias if Available

Use NULL for nullable columns

File Generation

Single File

Individual file for each table

Select Objects to Generate Include all Child Packages

Object	Type	Target File
SPIndivClass	procedure	
Book Selection	stored proce...	
Class2	stored proce...	
StoredProcedure	stored proce...	
Table1	table	
Table2	table	
Class3	View	

Note:

Alternatively you can select the **Project | Database Engineering | Generate Package DDL** menu option.

3. Select the checkbox against each inclusion required. Deselect the checkboxes for inclusions you do not require.

Note:


If generating Oracle sequences, you must always select the **Generate Triggers** and **Generate Sequences** checkboxes; this ensures that a pre-insert trigger is generated to select the next sequence value to populate the column.

4. To recursively generate DDL, select the **Include All Child Packages** checkbox.
5. Click on the **Generate** button to proceed. Enterprise Architect prompts you for file names as the process executes.

Compare DDL For a Database


When you have generated the DDL, you can compare it with the database. To do this, follow the steps below:

1. On the **Generate Package DDL** dialog, click on the **Compare** button. The **Compare With Database** dialog displays.



The image shows a dialog box titled "Compare With Database". It has a light beige background. At the top, there is a label "Database Name:" followed by a text input field and a small button with three dots "...". Below this, there is a label "Schema/Owner:" followed by a text input field. At the bottom of the dialog, there are two buttons: "Cancel" on the left and "View" on the right.

2. Click on the [...] button and locate the required database on the **Select Data Source** dialog.
3. For an Oracle database, if required you can also specify the Owner in the **Schema/Owner** field.
4. Click on the **View** button to perform the comparison. The **Comparison Database** dialog displays with the results of the comparison.



11.13 Data Type Conversion Procedure

Once a database schema has been set up on an Enterprise Architect diagram (either by importing through ODBC or manually setting up the tables), the DBMS can be changed to another type and the column datatypes are mapped accordingly.

To map the DBMS type of a table to another DBMS type, follow the steps below:

1. Double-click on the table element in a diagram to open the **Table Properties** dialog.
2. The **Database** field shows the current DBMS for this table.
3. To map the column datatypes to another DBMS, select the target from the **Database** drop-down and click on the **Apply** button.
4. The datatypes are converted to match those of the new DBMS, and these are reflected in any DDL generated from this table.

General	Table Detail	Require	Constraints	Links	Scenario	Files
Name:	Class7					
Stereotype:	table	<input type="checkbox"/>	<input type="checkbox"/> Abstract			
Author:	John Redfern	Status:	Proposed			
Scope:	Public	Complexity:	Easy			
Alias:		Database:	MySql			
Persistence:		Keywords:	DB2 InterBase MSAccess MySql Oracle PostgreSQL SQL Server 2000 SQLServer7 Sybase			
Phase:	1.0	Version:	1.0			
Notes:	<div style="border: 1px solid black; padding: 2px;"> B <i>I</i> <u>U</u> [#]A x² x₂ </div>					

11.14 Data Type Conversion for a Package

The DBMS Package procedure or mapper enables you to convert a package of database tables from one DBMS type to another DBMS type, as well as providing the ability to change the ownership of tables.

To Map the DBMS types of a package to another DBMS type, follow the steps below:

1. Right-click on the package in the **Project Browser** window to display the context menu.
2. Select the **Code Engineering | Reset DBMS Options** menu option. The **Manage DBMS Options** dialog displays.

Convert DBMS Type
 Current DBMS: MSAccess
 New DBMS: Oracle
 Change Table Owner
 Current Owner:
 New Owner:
 Process Child Packages

OK
Cancel

3. In the **Current DBMS** field, click on the drop-down arrow and select the current DBMS. In the **New DBMS** field click on the drop-down arrow and select the target DBMS.
4. Select the **Convert DBMS Type** checkbox.
5. If there are child packages that also require changing, select the **Process Child Packages** checkbox.
6. Click on the **OK** button. All Tables in the selected packages are mapped to the new DBMS.

To change the owner of the table or all of the tables in a package, follow the steps below:

1. Right-click on the package in the **Project Browser** window to display the context menu.
2. Select the **Code Engineering | Reset DBMS Options** menu option. The **Manage DBMS Options** dialog displays.

Convert DBMS Type
 Current DBMS:
 New DBMS:
 Change Table Owner
 Current Owner: <All>
 New Owner: Andrew Loynes
 Process Child Packages

OK
Cancel

3. In the **New Owner** field, type the name for the new table owner.
4. In the **Current Owner** field, click on the drop-down arrow and select the current owner to change, or select **<All>** to change the ownership of all tables in the package to the name you typed in the **New Owner** field.
5. Select the **Change Table Owner** checkbox.

6. If there are child packages that also require changing, select the **Process Child Packages** checkbox.
7. Click on the **OK** button. The ownership changes for all Tables in the selected packages with the specified current owner.

For more information on setting the table owner see the [Set Table Owner](#)^[895] topic. To display the table owner in the current diagram see the [Set Appearance Options](#)^[278] topic.

11.15 DBMS Datatypes

When setting up your data modeling profile, you can customize the datatypes associated with a particular DBMS using the **Database Datatypes** screen. This screen enables you to add and configure custom data types. For some data types you must add the size and precision, defaults and maximum values.

To access the **Database Datatypes** screen, select the **Settings | Database Datatypes** menu option. You can also add a DBMS product and configure the inbuilt data types.

Product Name: Set as Default

Datatype:

Common Type:

Size

None Default: Max:

Length

Precision & Scale

Defined Datatypes for Databases

Product	Datatype	Size Unit	Default	Max
MySql	BIGINT			
MySql	BIT			
MySql	BLOB			
MySql	BOOL			
MySql	CHAR	Length	10	255
MySql	DATE			
MySql	DATETIME			
MySql	DECIMAL	Precision and Scale	(10,0)	24
MySql	DOUBLE	Precision and Scale	(10,2)	53
MySql	DOUBLE PRE...	Precision and Scale	(10,2)	53
MySql	FLOAT	Length	0	24
MySql	INT	Length	11	11
MySql	INTEGER			

You can also map database datatype sizes between products. To do this, follow the steps below:

1. On the **Database Datatypes** dialog, click on the **Datatype Map** button. The **Database Datatypes Mapping** dialog displays.

Product	Datatype	Size Unit	Default	Max

2. In the **From Product Name** field, click on the drop-down arrow and select the DBMS product to map datatypes *from*. The **Defined Datatypes for Databases** panel displays all the defined datatypes for the product and, where appropriate, their sizes and values.
3. Click on the datatype to map (this must have a defined size unit and value). The **Datatype** and **Common type** fields under the **From Product Name** field display this datatype.
4. In the **To Product Name** field, click on the drop-down arrow and select the DBMS product to map datatypes *to*. The **Datatype** and **Common Type** fields under this field display the corresponding values to those in the fields for the *from* product.
5. In the **Size** panel, click on the radio button for the appropriate size unit and type the default values in the corresponding data fields.
6. Click on the **Save** button to save the mapping.
7. To map further datatypes, repeat this process from step 3.
8. When you have finished mapping datatypes, click on the **Close** button, and again on the **Database Datatypes** dialog.

11.16 Import Database Schema from ODBC

Analysis of legacy database systems is possible using Enterprise Architect's [reverse engineering](#)^[764] capabilities. By connecting to a live database via ODBC, you can import the database schema into a standard UML model. Subsequent imports enable you to maintain synchronization between the data model and the live database.

Enterprise Architect supports importing database tables from an ODBC data source. Tables are imported as

stereotyped Classes with suitable data definitions for the source DBMS.

Note:

Import of stored procedures and views is supported for: DB2; SQL Server; Firebird/Interbase; Informix; Ingres; Oracle 9i, 10g and 11g; MySQL; PostgreSQL; Sybase Adaptive Server Enterprise (ASE) and Sybase Adaptive Server Anywhere (ASA).

Import Database Tables and Stored Procedures

To import database tables and stored procedures, follow the steps below:

1. Select any package in the **Logical View**.
2. To import into:
 - The package only, right-click on the package to display the context menu, and select the **Code Engineering | Import DB Schema from ODBC** menu option.
 - A diagram, right-click on the diagram in the selected package to open the context menu, and select the **Import DB schema from ODBC** menu option.

Note:

Alternatively you can select the **Project | Database Engineering | Import DB Schema from ODBC** menu option.

The **Import DB Schema from ODBC Source** dialog displays.

Database Name: ...

Filter

Schema/Owner:

Include System Objects

Include User Views

Include User Packages (Oracle)

Include User Stored Procedures...

Import as individual classes

Import as class operations

Include User Functions...

Import as individual classes

Import as class operations

Include User Sequences...

Import as individual classes

Import as class operations

Synchronization

Synchronize existing classes

Synchronize Table/Column Comments

Synchronize Column Default Values

Synchronize Check Constraints

Import as New objects

Import To...

Diagram & Package Package Only

Import

Close

Help

- In the **Database Name** field, click on the [...] (Browse) button and [select a suitable ODBC data source](#) (929) from the **ODBC** dialog (ODBC must be installed and configured on your machine for this to work correctly).
- If importing from Oracle, to restrict the import to a specific owner, type the owner name in the **Schema/Owner** field.
For imports from other types of database, leave this field blank.
- In the **Filter** panel, select the appropriate checkboxes for additional items to include in the import.

If you select to import *User Stored Procedures*, *User Functions* and/or *User Sequences* as individual Classes, then they are imported as separate elements and the **Properties** dialog is solely concerned with the Stored Procedure, Function or Sequence definition.

If you select to import them as Class operations, then they are imported as operations (methods) and you view and edit them through the **Operations Properties** dialog of the parent Class.

- When synchronizing existing Classes, select the appropriate checkbox in the **Synchronization** panel to determine whether the model comments, default values or constraints are to be synchronized with the

ODBC tables.

- To also import stored procedures, select the **Include User Stored Procedures** checkbox. To import user views, select the **Include User Views** checkbox.

Note:

It is only possible to import into a diagram if it is in the selected package. If a diagram from another package is open, a message displays to give the option to cancel the import or to continue importing into the package only. The **Import DB Schema from ODBC Source** dialog includes checkbox options to import into the diagram and package, or into the package only.


If no diagram is open, the **Package Only** radio button defaults to selected and the options are disabled. If the open diagram is in the selected package, you can select either option.

- Click on the **Import** button to start the import.
- [Select the tables](#)^[930] and - if appropriate - stored procedures to import.

This completes the procedure. See [The Imported Class Elements](#)^[930] topic.


11.16.1 Select a Data Source

To import DDL from existing data sources, you must have a suitable ODBC connection installed and configured. From the **Import DB Schema from ODBC Source** dialog you can select the ODBC data source using the standard windows **ODBC set-up** dialog. Click on the data source name and then click on the **OK** button.



11.16.2 Select Tables

When you have opened the ODBC data source, Enterprise Architect acquires a list of tables and stored procedures suitable for importing. This is presented in a list form for you to select from.



Highlight the tables and stored procedures to import and clear those you do not require.

Selection shortcuts:

- To select all tables and procedures, click on the **Select All** button
- To clear all tables and procedures, click on the **Select None** button
- Hold down **[Ctrl]** while clicking on tables and procedures to select multiple objects
- Hold down **[Shift]** and click on tables and procedures to select a range.


When you have selected the tables and procedures, click on the **OK** button.

11.16.3 The Imported Class Elements

When you import DDL table definitions they are converted to stereotyped Classes according the *UML Data Modeling Profile*.

If any stored procedures are imported, a Class stereotyped as a «*stored procedures*» container is created having the same name as the database being imported. The stored procedures are represented as operations in this Class.


The image below shows some example tables imported into the model using an ODBC data connection:



Part

12

12 MDA Transforms



Model Driven Architecture (MDA) transforms provide a fully configurable way of converting model elements and model fragments from one domain to another. This typically involves converting Platform-Independent Model (PIM) elements to Platform-Specific Model (PSM) elements. A single element from the PIM can be responsible for creating multiple PSM elements across multiple domains.

Transformations are a huge productivity boost, and reduce the necessity of manually implementing stock Classes and elements for a particular implementation domain: for example, database tables generated from persistent PIM Classes. Enterprise Architect includes some basic built-in transformations, such as PIM to Data Model, PIM to C#, PIM to Java and PIM to XSD. Sparx Systems will make further transformations available over time, either as built in transformations or as downloadable modules from the Sparx Systems website.

For a further productivity boost, Enterprise Architect can automatically generate code for your transformed Classes that target code languages. See the [Generate Code on result](#)^[936] option on the **Model Transformation** dialog.


A Transformation is defined using Enterprise Architect's simple code generation template language, and involves no more than writing a template to create a simple intermediary source file. Enterprise Architect reads the source file and binds that to the new PSM. Enterprise Architect also creates internal bindings between each PSM created and the original PIM. This is essential, as it enables you to forward synchronize from the PIM to the PSM many times, adding or deleting features as you go. For example, adding a new attribute to a PIM Class can be forward synchronized to a new column in the Data Model.

Enterprise Architect does not delete or overwrite any element features that were not originally generated by the transform. Therefore, you can add new methods to your elements, and Enterprise Architect does not act on them during the forward generation process.

Note:

if you are using the Enterprise Architect Corporate edition, if security is enabled you must have [Transform Package](#)^[640] access permission to perform an MDA Transform on a package

The following diagram highlights how Transforms work and how they can significantly boost your productivity:



Transformations that are currently built-in include:

- **DDL** - Transforms platform-independent Class elements to platform-specific table elements
- **EJB Entity** - Transforms platform-independent Class elements to packages containing the Class and Interface elements that comprise an EJB Entity Bean
- **EJB Session** - Transforms platform-independent Class elements to packages containing the Class and Interface elements that comprise an EJB Session Bean
- **Java** - Transforms platform-independent elements to Java language elements
- **JUnit** - Converts a Java model to a model where test methods are created for each public method of any original Class
- **C#** - Converts a PIM to a standard C# implementation set
- **JUnit** - Converts a .Net language specific model to a model where test methods are created for each public method of any original Class

- **WSDL** - Converts a simple representation of a WSDL interface into the elements required to generate that interface
- **XSD** - Transforms platform-independent elements to XSD elements.

Transformations are described in the following topics:


- [Transform Elements](#) ^[935]
- [Import Transforms](#) ^[936]
- [Transformation Templates](#) ^[937]
- [Built-in Transformations](#) ^[939]
- [Write Transformations](#) ^[958]
- [Chaining Transformations](#) ^[936]

12.1 Transform Elements

There are two modes for initiating a Model Transformation, each of which can be started in two ways.

- To transform selected elements on a diagram, either:
 - Select the **Project | Model Transformations | Transform Selected Elements** menu option, or
 - From the context menu for the Classes on the diagram, select the **Transform Selected Element(s)** option.
- To transform elements in the package currently selected in the **Project Browser** window, either:
 - Select the **Project | Model Transformations | Transform Current Package** menu option, or
 - From the context menu of the package in the **Project Browser** window, select the **Transform Current Package** option.

The **Model Transformation** dialog displays.



When the dialog displays, all elements are selected and all transformations previously performed from any of

these Classes are checked.

Option	Use to
Elements	Select (click on) the individual elements to be included in the transformation.
All	Select all of the elements from the list to be included in the transformation.
None	Deselect all of the elements from the list.
Transformations	Select which transformations to perform and the package each of them should be transformed to. (Use the [...] button to select the package in which the transformed elements are being created.)
Generate Code on result	Specify whether or not to automatically generate code for transformed Classes that target code languages. Automatically generating code helps boost productivity in development. With this option selected, the first time you transform to the selected Class Enterprise Architect enables you to select a filename to generate to. Subsequent transformations automatically generate any Class with a filename set.
Perform Transformations on result	Specify if transformations previously done on target Classes should be automatically executed. See Chaining Transformations ^[936] for more information.
Intermediary File	Specify the filename of the intermediary file (if any).
Write Always	Write the intermediary file to disk.
Write Now	Generate the intermediary file but do not perform the transform.
Do Transform	Execute the transform command.

12.1.1 Chaining Transformations


Chaining transformations provide an extra degree of flexibility and power to transformations. For example, you might have a situation where two transformations have a common element. This can be separated out into one transformation, and then the original transformations can be transformed from the common point. The separated transform could even produce a useful model itself.

Enterprise Architect provides for chaining transformations, by enabling transformations that have already been performed on target Classes to be performed automatically next time that Class is transformed to. To enable this, select the **Perform Transformations on result** checkbox in the **Model Transformation** dialog.

12.2 Import Transforms

You can transfer Transformation templates between models. To import a Transformation template, follow the steps below:

1. Select the **Tools | Import Reference Data** menu option. The **Import Reference Data** dialog displays.




2. Click on the **Select File** button and browse to a .XML file containing the required Transformation template.
3. Select the name of one or more template datasets and click on the **Import** button.

12.3 Transformation Templates

To modify Transformation templates:

1. Select the **Settings | Transformation Templates** menu option. The **Transformation Templates Editor** window displays.
2. In the **Language** field, type or select the name of the transformation to modify.
3. Select a template from the **Templates** list, and edit its contents in the editor pane.
4. Click on the **Save** button.



Option	Use to
Language	Select the name of the transformation.
Template	Display the contents of the active template. Provide the editor for modifying templates.
Templates	List the base transformation templates. The active template is highlighted. The Modified field indicates whether you have changed the default template for the current transformation.
New Transformation Type	Create a new transformation.
Stereotype Overrides	List the stereotyped templates, for the active base template. The Modified field indicates whether you have modified a default stereotyped template.
Add New Stereotyped Override	Invoke a dialog for adding a stereotyped template, for the currently selected base template.
Add New Custom Template	Invoke a dialog for creating a custom stereotyped template.
Help	Launch the Enterprise Architect help file.
Get Default Template	Update the editor display with the default version of the active template.
Save	Overwrite the active templates with the contents of the editor.

Option	Use to
Delete	If you have overridden the active template, delete the override and replaced it with the corresponding default transformation template.

Note that the Transformation Template mechanism is based very strongly on the Code Generation Template mechanism. For further information on Transformation Templates see the [Code Template Editor](#) section of the *Enterprise Architect Software Developers' Kit (SDK)*.

12.4 Built-in Transformations

Enterprise Architect comes with some built-in transformation types. These transformations have been designed to be useful to as many users as possible, to be a good base to modify to include the specifics of your custom domain, and to be good examples of how to write transformations.

The following transformations are included in Enterprise Architect.


- [C#](#)
- [DDL](#)
- [EJB Entity](#)
- [EJB Session](#)
- [Java](#)
- [JUnit](#)
- [NUnit](#)
- [WSDL](#)
- [XSD](#)

12.4.1 C# Transformation


The purpose of the C# Transformation is to convert Platform-Independent Model (PIM) elements to language-specific C# Class elements. The transformation converts the PIM model types to C# types and creates encapsulation according to Enterprise Architect's options for creating properties from C# attributes according to the rules you have defined.

To set the code generation options for C# code generation, select the **Tools | Options | Source Code Engineering | C#** menu option to display the **C# Specifications** page.

Our PIM:



Then becomes:



12.4.2 DDL Transformation

The purpose of the DDL Transformation is to create a data model from the logical model, generating a model targeted at the default database type that is ready for DDL generation. The data model can then be used to automatically generate DDL statements to run in one of the Enterprise Architect supported database products.


It uses and demonstrates support in the [intermediary language](#) ⁹⁵⁹ for the following database-specific concepts:

Table	Mapped one-to-one onto Class elements.
Column	Mapped one-to-one onto attributes.
Primary Key	Lists all the columns involved; this ensures that they exist in the Class and creates a primary key method for them.


Foreign Key	This is a special sort of connector. In the <i>Source</i> and <i>Target</i> sections, lists all of the columns involved; this ensures that they exist and that a matching primary key exists in the destination Class, and creates the appropriate foreign key.
--------------------	---

The following two diagrams show a typical PIM to Data Model Transformation.


The PIM



The PSM automatically generated



Generalizations are handled by providing the child element with a foreign key to the parent element, as shown below. Copy-down inheritance is not supported.



12.4.3 EJB Transformations

The purpose of the *EJB Session Bean Transformation* and the *EJB Entity Bean Transformation* is to reduce the work required in generating the internals of Enterprise Java Beans, thus enabling you to concentrate on modeling at a higher level of abstraction.

The EJB Session Bean Transformation generates the following from a single Class element containing the attributes, operations and references required for code generation by the *javax.ejb.** package:


- An implementation Class element
- A home interface element
- A remote interface element.

The *EJB Entity Bean Transformation* generates the following from a single Class element containing the attributes, operations and references required for code generation by the *javax.ejb.** package:


- An implementation Class element
- A home interface element
- A remote interface element
- A primary key element.

Both transformations also generate a META-INF package containing a deployment descriptor element.

Consider the following standard Platform-Independent Model (PIM):



From this PIM you can generate a set of Entity Beans, where each one takes the form shown (for the Account Class) below:




12.4.4 Java Transformation


The purpose of the Java Transformation is to convert Platform-Independent Model (PIM) elements to language-specific Java Class elements. The transformation converts the PIM model types to Java types and creates encapsulation according to Enterprise Architect's options for creating properties from Java attributes, i. e. producing the getters and setters according to the rules you have defined.

To set the code generation options for Java code generation, choose the **Tools | Options | Source Code Engineering | Java** menu option to display the **Java Specifications** page.

So from the PIM:




You would transform to:




12.4.5 JUnit Transformation

The purpose of the JUnit transformation is to create a Class with test methods for all public methods of an existing Java Class. The resulting Class can then be generated and the tests filled out and run by JUnit.

So from the Java model originally transformed from the PIM:



You would transform to:




Note that for each Class in the java model, a corresponding test Class has been created. Each of these test Classes contains a test method for every public method in the source Class, plus the methods required to appropriately set up the [tests](#)^[885]. It is your responsibility to fill in the details of each test.


12.4.6 NUnit Transformation

The purpose of the NUnit transformation is to create a Class with test methods for all public methods of an existing .Net compatible Class. The resulting Class can then be generated and the tests filled out and run by NUnit.

So from the C# model originally transformed from the PIM:



You would transform to:




Note that for each Class in the C# model, a corresponding test Class has been created. Each of these test Classes contains a test method for every public method in the source Class, plus the methods required to appropriately set up the [tests](#)^[885]. It is your responsibility to fill in the details of each test.

12.4.7 WSDL Transformation


The purpose of the WSDL transformation is to create from a simple model an expanded [model of a WSDL interface](#)^[987] that is suitable for generation.

Take the following example interface.



This generates the corresponding WSDL component, service, port type, binding and messages as follows.

- Classes are handled in the same way as the [XSD Transformation](#)^[955]
- All in parameters are transformed into *messageParts* in the Request message
- The *return* value and all *out* and *return* parameters are transformed into *messageParts* in the Request message
- All methods where a value is returned are transformed into *Request-Response* operations while all methods not returning a value are transformed into *OneWay* operations
- The transformation does not currently handle generation of *Solicit-Response* and *Notification* methods or faults.




The resulting package can then have the specifics filled out using the WSDL editing capabilities of Enterprise Architect, and finally generated using the [WSDL generation](#) ^[99].

12.4.8 XSD Transformation


The purpose of the XSD Transformation is to convert Platform-Independent Model (PIM) elements to UML Profile for XML elements as an intermediary step to creating an XML Schema. Each selected PIM Class element is converted to an «XSDcomplexType» element.

For more information, see [XML Schema Generation](#). ^[98]

From the standard PIM:



You would transform to:



Which in turn [generates](#) ^[98] the following XSD:

```

<?xml version="1.0" encoding="ISO-8859-1"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="Account" type="Account"/>
  <xs:complexType name="Account">
    <xs:sequence>
      <xs:element name="name" type="xs:string"/>
      <xs:element name="billingAddress" type="xs:string"/>
      <xs:element name="emailAddress" type="xs:string"/>
      <xs:element name="closed" type="xs:boolean"/>
      <xs:element name="deliveryAddress" type="xs:string"/>
      <xs:element ref="Order"/>
      <xs:element ref="ShoppingBasket"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="LineItem" type="LineItem"/>
  <xs:complexType name="LineItem">
    <xs:sequence>
      <xs:element name="quantity" type="xs:integer"/>
      <xs:element ref="StockItem"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="Order" type="Order"/>
  <xs:complexType name="Order">
    <xs:sequence>
  
```

```

        <xs:element name="date" type="xs:date"/>
        <xs:element name="deliveryInstructions" type="xs:string"/>
        <xs:element name="orderNumber" type="xs:string"/>
        <xs:element ref="LineItem"/>
        <xs:element name="status" type="OrderStatus"/>
    </xs:sequence>
</xs:complexType>
<xs:simpleType name="OrderStatus">
    <xs:restriction base="xs:string">
        <xs:enumeration value="new"/>
        <xs:enumeration value="packed"/>
        <xs:enumeration value="dispatched"/>
        <xs:enumeration value="delivered"/>
        <xs:enumeration value="closed"/>
    </xs:restriction>
</xs:simpleType>
<xs:element name="ShoppingBasket" type="ShoppingBasket"/>
<xs:complexType name="ShoppingBasket">
    <xs:sequence>
        <xs:element ref="LineItem"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="StockItem" type="StockItem"/>
<xs:complexType name="StockItem">
    <xs:sequence>
        <xs:element name="catalogNumber" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="Transaction" type="Transaction"/>
<xs:complexType name="Transaction">
    <xs:sequence>
        <xs:element name="date" type="xs:date"/>
        <xs:element name="orderNumber" type="xs:string"/>
        <xs:element ref="Account"/>
        <xs:element ref="LineItem"/>
    </xs:sequence>
</xs:complexType>
</xs:schema>

```

12.5 Write Transformations

This topic provides help in writing your own transformations. Subjects covered are:

- [Default Transformation Templates](#) ^[959]
- [General Syntax for the Intermediary Language](#) ^[959]
- [Syntax for Creating Objects](#) ^[959]
- [Syntax for Creating Connectors](#) ^[964]
- [Transforming Duplicate Information](#) ^[966]
- [Converting Types](#) ^[966]
- [Converting Names](#) ^[966]
- [Cross References](#) ^[967]

Further hints and tips can be gleaned from a close study of the Transformation Templates provided with Enterprise Architect. Note also that writing transformations is very similar to writing code generation templates, so an understanding of the [Code Template Framework](#) ^[803] can greatly assist in understanding transformations.

Transformation Templates are accessed from the **Settings | Transformation Templates** menu option.

12.5.1 Default Transformation Templates

In most transformations, there is a lot of information that is simply copied to the target model. In order to make writing new transformations simpler Enterprise Architect provides a default set of transformation templates. These templates perform a simple copy of the source model to the target model. This means that in order to write a new transformation you can modify the default templates to make the required changes.

Note:

When creating a new transformation you must modify at least one template before the transformation becomes available

12.5.2 Intermediary Language

All transformations in Enterprise Architect work by generating a text form of the model to generate.

Any element is represented in this language by the type of element (eg. Class, Action, Method, Generalization or Tag) followed by the properties of the element and the elements that it is made from. The grammar for this resembles the following.

```

element:
  elementName { (elementProperty | element)* }

elementProperty:
  packageName
  stereotype
  propertyName = " propertyValueSymbol* "

packageName:
  name = " propertyValueSymbol* " ( . " propertyValueSymbol* " )*

stereotype:
  stereotype = " propertyValueSymbol* " ( , " propertyValueSymbol* " )*

propertyValueSymbol:
  \\
  \"
  Any character except " (U+0022), \ (U+005C)

```

- *elementName* is any one of the set of element types as described in [Objects](#)^[959] and [Connectors](#)^[964]
- *propertyName* is any one of the set of properties as described in [Objects](#)^[959] and [Connectors](#)^[964].

Literal strings can be included in property values by escaping a quote character. For example.

```
default = "\"Some string value.\""
```

12.5.3 Objects

Objects are created in Enterprise Architect by generating text in the following form:

```

objectType
{
  objectProperties
}

```

where:

objectType is one of the following object types:

- *Action*
- *ActionPin*
- *Activity*
- *ActivityParameter*
- *ActivityPartition*
- *ActivityRegion*

- *Actor*
- *Association*
- *Change*
- *Class*
- *Collaboration*
- *CollaborationOccurrence*
- *Component*
- *DeploymentSpecification*
- *DiagramFrame*
- *Decision*
- *EntryPoint*
- *Event*
- *ExitPoint*
- *ExceptionHandler*
- *ExpansionNode*
- *ExpansionRegion*
- *ExposedInterface*
- *GUIElement*
- *InteractionFragment*
- *InteractionOccurrence*
- *InteractionState*
- *Interface*
- *InterruptibleActivityRegion*
- *Issue*
- *Iteration*
- *Object*
- *ObjectNode*
- *MessageEndpoint*
- *Node*
- *Package*
- *Parameter*
- *Part*
- *Port*
- *ProvidedInterface*
- *RequiredInterface*
- *Requirement*
- *Sequence*
- *State*
- *StateNode*
- *Synchronization*
- *Table*
- *TimeLine*
- *UMLDiagram*
- *UseCase.*

objectProperties is zero, or one or more of the following properties:

- *Abstract*
- *Alias*

- *Arguments*
- *Author*
- *Cardinality*
- *Classifier*
- *Complexity*
- *Concurrency*
- *Filename*
- *Header*
- *Import*
- *IsActive*
- *IsLeaf*
- *IsRoot*
- *IsSpecification*
- *Keyword*
- *Language*
- *Multiplicity*
- *Name*
- *Notes*
- *Persistence*
- *Phase*
- *Scope*
- *Status*
- *Stereotype*
- *Version*
- *Visibility*.

and zero, or one or more of the following elements:

- *Attribute*
- *Classifier*
- *Parameter*
- *Operation*
- *Parent*
- *Tag*
- *XRef*
- Any object.

Notes:

- Some of the above only apply to certain object types.
- Every object created in a transformation should include an [XRef element](#)⁹⁶⁷, as it enables Enterprise Architect to synchronize with the element and makes it possible to create a connector to that Class in a transformation.

Classes

A simple Class can be created as follows:

```
Class
{
    name = "Example"
}
```

It is then easy to add to this. The following example sets the language to C++, and adds a Tagged Value and an attribute:

```
Class
{
  name = "Example"
  language = "C++"
  Tag
  {
    name = "defaultCollectionClass"
    value = "List"
  }
  Attribute
  {
    name = "count"
    type = "int"
  }
}
```

Attributes

Attributes are created with the same structure as objects, and include the following properties:

- *Alias*
- *Classifier*
- *Collection*
- *Container*
- *Containment*
- *Constant*
- *Default*
- *Derived*
- *LowerBound*
- *Name*
- *Notes*
- *Ordered*
- *Scope*
- *Static*
- *Stereotype*
- *Type*
- *UpperBound*
- *Volatile*.

and the following elements:

- *Classifier*
- *Tag*
- *XRef*.

Operations

Operations are created with the same structure as objects, and include the following properties:

- *Abstract*
- *Alias*
- *Behavior*
- *Classifier*
- *Code*
- *Constant*

- *IsQuery*
- *Name*
- *Notes*
- *Pure*
- *ReturnArray*
- *Scope*
- *Static*
- *Stereotype*
- *Type*.

and the following elements:

- *Classifier*
- *Parameter*
- *Tag*
- *XRef*.

Parameters

Parameters are created with the same structure as objects, and include the tag element and the following properties:

- *Classifier*
- *Default*
- *Fixed*
- *Name*
- *Notes*
- *Kind*
- *Stereotype*.

Packages

Packages differ from other objects in the following ways:

- A reduced set of properties of *alias*, *author*, *name*, *namespaceRoot*, *notes*, *scope*, *stereotype* and *version*
- The extra property *namespaceRoot*
- Must have a name specified
- *Name* can be a qualified name; when a qualified name is specified the properties given are applied only to the final package
- Can contain other packages
- Can't contain attributes and operations.

Tables

Tables are a special sort of object, with the following differences from other object types:

- Can include columns and primary keys
- Can't include attributes.

Columns

Columns are similar to attributes, but have an *autonumber* element containing *Startnum* and increment, and the following added properties:

- *Length*
- *NotNull*
- *Precision*

- *PrimaryKey*
- *Scale*
- *Unique*.

Note:

In the column definition, you cannot assign a value to the **NotNull**, **PrimaryKey** or **Unique** properties.

12.5.4 Connectors

Creating connectors in a transformation can be complex, but the process has the same form as creating elements. The difference is that you must also specify each end.

The different connectors that can be created are as follows.

- Aggregation
- Assembly
- Association
- Collaboration
- ControlFlow
- Connector
- Delegate
- Dependency
- Deployment
- ForeignKey
- Generalization
- Instantiation
- Interface
- InterruptFlow
- Manifest
- Nesting
- NoteLink
- ObjectFlow
- Package
- Realisation
- Sequence
- Transition
- Uses

Note:

ForeignKey is a special case where not just a connector is created; you must also list the columns involved in the transformation. In addition, tags specified on the connector are actually created on the foreign key operation in the source Class, and a cascade property can be added; for example, *cascade="update","delete"*.

There are two different types of Class that you can use as a connector end: one created by a transformation, and one for which you already know the GUID.

Connect to a Class Created by a Transformation

The most common connection is to connect to a Class created by a transformation. To do this you must have three items of information:

- The original Class GUID
- The name of the transformation
- The name of the transformed Class.

This type of link is created using the **TRANSFORM_REFERENCE**^[967] function macro. When the element is in the current transformation, it can be safely omitted from the transformation. The simplest example of this is when you have created multiple Classes from a single Class in a transformation and want a link between them. Consider this example from the EJB Entity transformation:

```

Dependency
{
  %TRANSFORM_REFERENCE("EJBRealizeHome",classGUID)%
  stereotype="EJBRealizeHome"
  Source
  {
    %TRANSFORM_REFERENCE("EJBEntityBean",classGUID)%
  }
  Target
  {
    %TRANSFORM_REFERENCE("EJBHomeInterface",classGUID)%
  }
}

```

There are three uses of the **TRANSFORM_REFERENCE** macro: one to identify this connector for synchronization purposes and the other two to identify the ends. All three use the same source GUID, because they all come from the one original Class. None of the three have to specify the transformation because the two references are referencing something in the current transformation. Each of them then only has to identify the transform name.

Of course it is also possible to create a connector from another connector.

You can create a connector template and list over all connectors connected to a Class from the Class level templates. You don't have to worry about only generating it once, because if you have created a **TRANSFORM_REFERENCE** for the connector then Enterprise Architect automatically synchronizes them. The following copies the source connector.

```

%connectorType%
{
  %TRANSFORM_CURRENT()%
  %TRANSFORM_REFERENCE("Connector",connectorGUID)%
  Source
  {
    %TRANSFORM_REFERENCE("Class",connectorSourceGUID)%
    %TRANSFORM_CURRENT("Source")%
  }
  Target
  {
    %TRANSFORM_REFERENCE("Class",connectorDestGUID)%
    %TRANSFORM_CURRENT("Target")%
  }
}

```

Connecting to a Class For Which You Know the GUID

The second type of Class that you can use as a connector end is one for which you know the current GUID. To do this, specify the GUID of the target Class in either the source or target end. The following example creates a dependency from a Class created in a transformation, to the Class it was transformed from.

```

Dependency
{
  %TRANSFORM_REFERENCE("SourceDependency",classGUID)%
  stereotype="transformedFrom"
  Source
  {
    %TRANSFORM_REFERENCE("Class",classGUID)%
  }
  Target
  {
    GUID=%qt%%classGUID%%qt%
  }
}

```

```
}
```

12.5.5 Duplicate Information

In many transformations there is a substantial amount of information to be copied. It would be tedious to type all of the common information into a template so that it is copied to the transformed Class. The alternative is to use the **TRANSFORM_CURRENT** function macro to do exactly this.

TRANSFORM_CURRENT(<listOfExcludedItems>)

Generates an exact copy of all the properties of the current item, except for the items named in *<listOfExcludedItems>*.

Another form of this is available when transforming connectors that enables either end of the connector to be copied.

TRANSFORM_CURRENT(<connectorEnd>,<listOfExcludedItems>)

Generates an exact copy of the connector end specified by *<connectorEnd>* except for the items named in *<listOfExcludedItems>*, where *<connectorEnd>* is either *Source* or *Target*.

12.5.6 Convert Types

Different target platforms almost certainly require different types, so you often require a method of converting between different types. The following macro offers this.

CONVERT_TYPE(<destinationLanguage>, <originalType>)

Converts *<originalType>*, to the corresponding type in *<destinationLanguage>* using the datatypes and common types defined in the model.

Where *<originalType>* is assumed to be a platform independent common type.

12.5.7 Convert Names

Different target platforms use different naming conventions. As a result you might not want to copy the names of your elements directly into the transformed models. To facilitate this requirement, Enterprise Architect's transformation templates provide a [CONVERT_NAME](#)^[966] function macro.

Another way in which you can transform a name is to remove a prefix from the original name, with the [REMOVE_PREFIX](#)^[967] macro.

CONVERT_NAME(<originalName>, <originalFormat>, <targetFormat>)

This macro converts *<originalName>*, which is assumed to be in *<originalFormat>*, to *<targetFormat>*.

The supported formats are:

- Camel Case: New words start with a capital letter *except* for the first word, which begins with a lower case letter; for example, *myVariableTable*
- Pascal Case: Same as Camel Case but the first letter of the first word is upper case; for example, *MyVariableTable*.
- Spaced: Words are separated by spaces; the case of letters is ignored
- Underscored: Words are separated by underscores; the case of letters is ignored.

Note:

Acronyms are not supported when converting from Camel Case or Pascal Case.

The original format might also specify a list of delimiters to be used. For example a value of ' _ ' breaks words whenever either a space or underscore is found.

The target format might also use a format string that specifies the case for each word and a delimiter between them. It takes the following form:

```
<firstWord>(<delimiter>)<otherWords>
```

- *<firstWord>* controls the case of the first word (see below)
- *<delimiter>* is the string generated between words
- *<otherWords>* applies to all words after the first word.

<firstWord> and *<otherWords>* are both a sequence of two characters. The first character represents the case of the first letter of that word, and the second character represents the case of all subsequent letters. An upper case letter forces the output to upper case, a lower case letter forces the output to lower case, and any other character preserves the original case.

Example 1: To capitalize the first letter of each word and separate multiple words with a space:

```
"Ht( )Ht" to output "My Variable Table"
```

Example 2: To generate the equivalent of Camel Case, but reverse the roles of upper and lower case; ie. all characters are upper case except for the first character of each word *after* the first one:

```
"HT( )hT" to output "MY vARIABLE TABLE"
```

REMOVE_PREFIX(<originalName>, <prefixes>)

This macro removes any prefix found in *<prefixes>* from *<originalName>*. The prefixes are specified in a semi-colon separated list.

The macro is often used in conjunction with the *CONVERT_NAME* macro. For example, this code creates a *get property name* according to the options for Java.

```
$propertyName=%REMOVE_PREFIX(attName,genOptPropertyPrefix)%
%if genOptGenCapitalisedProperties=="T"%
$propertyName=%CONVERT_NAME($propertyName, "camel case", "pascal case")%
%endif%
```

12.5.8 Cross References

Cross References are an important part of transformations. They are used to:

- Find the transformed Class to synchronize with
- Create connectors between transformed Classes
- Specify a classifier of a type
- Determine where to transform to for future transformations.

Each cross reference has three different parts:

- A *Namespace*, corresponding to the transformation that generated the element
- A *Name*, which is a unique reference to something that can be generated in the above transformation
- A *Source*, which is the GUID of the element that this element was created from.

When writing the templates for a transformation, it is easiest to create the cross references using the **TRANSFORM_REFERENCE** macro that is defined for this purpose. It has three optional parameters.

TRANSFORM_REFERENCE(<name>, <sourceGuid>, <namespace>)

Generates a reference that can be used in the ways described above. It resembles the following.

```
XRef{namespace="<namespace>" name="<name>" source="<sourceGuid>"}
```

Where:

- If *<name>* is not specified it gets the name of the current template

- If `<sourceGUID>` is not specified it gets the GUID of the current Class
- If `<namespace>` is not specified it gets the name of the current transformation.

Note:

The only time that this should be specified is when creating a connector to a Class created in a different transformation.

A good example of the use of cross references is in the [DDL](#) templates provided with Enterprise Architect. In the Class template a cross reference is created with the name table. Then up to two different connectors can be created, each of which must identify the two Classes it connects using cross references while having its own unique cross reference.

Specify Classifiers

Objects, attributes, operations and parameters can all reference another element in the model as their type. When this type is created from a transformation you must use a cross reference to specify it, using the **TRANSFORM_CLASSIFIER** macro.

TRANSFORM_CLASSIFIER(<name>, <sourceGuid>, <namespace>)

Generates a cross reference within a classifier element, where the parameters are identical to the **TRANSFORM_REFERENCE** macro but the name *Classifier* is generated instead of *XRef*.

If the target classifier already exists in the model before the transformation, a **TRANSFORM_CLASSIFIER** is inappropriate and instead the GUID can be given directly to a classifier attribute.

Note:

If a classifier is specified for any type it overrides the type specified.

Part

13

13 XML Technologies



Enterprise Architect enables rapid modeling, forward engineering and reverse engineering of two key W3C XML technologies:

- [XML Schema \(XSD\)](#)
- [Web Service Definition Language \(WSDL\)](#).

XSD and WSDL support is critical for the development of a complete Service Oriented Architecture (SOA), and the coupling of UML 2.1 and XML provides the natural mechanism for specifying, constructing and deploying XML-based SOA artifacts within an organization.

The following topics explain how to work with these technologies using Enterprise Architect.

- [XML Schema \(XSD\)](#)^[970]
- [Web Services \(WSDL\)](#)^[987]

13.1 XML Schema (XSD)


Enterprise Architect supports Forward and Reverse engineering of W3C XML schemas (XSD). The following topics explain how to use Enterprise Architect to model, generate and import XML schemas:

- [Model XSD](#)^[970]
- [Import XSD](#)^[984]
- [Generate XSD](#)^[987]

13.1.1 Model XSD

XML schemas are modeled using UML [Class](#)^[1137] diagrams. The [XML Schema](#)^[125] pages of the Enterprise Architect UML **Toolbox** provide in-built support for the [UML profile for XSD](#). This enables an abstract UML Class model to be automatically generated as a [W3C XML Schema](#) (XSD) file.

The Class diagram below models simple schema for an example *Employee Details* system, intended to store a company's employee contact information. The Classes shown form the *EmployeeDetails* package. The UML attributes of the Classes map directly to XML elements or attributes. Note that the Classes have no methods, since there is no meaningful correspondence between Class methods and XSD constructs.



The following code shows the schema generated for the *Employee Details* package by default. Notice how each UML Class corresponds to a *complexType* definition in the schema. The Class attributes are generated as schema elements contained in a Sequence model group within the definition. The *Enumeration* Class is the exception here - it maps directly to an XSD enumeration, contained within a *simpleType* definition.

```

<?xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="ContactInfo" type="ContactInfo"/>
  <xs:complexType name="ContactInfo">
    <xs:sequence>
      <xs:element name="ContactInfo.homePhone" type="xs:string" maxOccurs="1"/>
      <xs:element name="ContactInfo.email" type="xs:string"/>
      <xs:element name="ContactInfo.streetAddress" type="xs:string"/>
      <xs:choice>
        <xs:element name="ContactInfo.mobilePhone" type="xs:string"/>
        <xs:element name="ContactInfo.officePhone" type="xs:string"/>
      </xs:choice>
    </xs:sequence>
  </xs:complexType>
  <xs:simpleType name="Gender">
    <xs:restriction base="xs:string" pattern="male|female"/>
  </xs:simpleType>
  <xs:enumeration name="Status">
    <xs:value value="Full-Time"/>
    <xs:value value="Part-Time"/>
    <xs:value value="Casual"/>
    <xs:value value="Contract"/>
  </xs:enumeration>
</xs:schema>
  
```



```

        <xs:restriction base="xs:string">
            <xs:pattern value="male|female"/>
        </xs:restriction>
    </xs:simpleType>
    <xs:element name="Employee" type="Employee"/>
    <xs:complexType name="Employee">
        <xs:complexContent>
            <xs:extension base="Person">
                <xs:sequence>
                    <xs:element name="status" type="Status"/>
                    <xs:element name="jobTitle" type="xs:string"/>
                    <xs:element name="startDate" type="xs:date"/>
                    <xs:element name="department" type="xs:string"/>
                </xs:sequence>
            </xs:extension>
        </xs:complexContent>
    </xs:complexType>
    <xs:element name="Person" type="Person"/>
    <xs:complexType name="Person">
        <xs:sequence>
            <xs:element name="surName" type="xs:string" maxOccurs="1"/>
            <xs:element name="firstName" type="xs:string" maxOccurs="1"/>
            <xs:element name="birthDate" type="xs:string" maxOccurs="1"/>
            <xs:element name="contactDetails" type="ContactInfo"/>
        </xs:sequence>
        <xs:attribute name="gender" use="optional" type="Gender"/>
    </xs:complexType>
    <xs:element name="EmployeeRecords" type="EmployeeRecords"/>
    <xs:complexType name="EmployeeRecords">
        <xs:all>
            <xs:element name="Employee" type="Employee"/>
        </xs:all>
    </xs:complexType>
    <xs:simpleType name="Status">
        <xs:restriction base="xs:string">
            <xs:enumeration value="Full-Time"/>
            <xs:enumeration value="Part-Time"/>
            <xs:enumeration value="Casual"/>
            <xs:enumeration value="Contract"/>
        </xs:restriction>
    </xs:simpleType>
</xs:schema>

```

The following topics provide further explanation:

- [UML Profile for XSD](#)^[972]
- [XSD Datatypes Package](#)^[978]
- [Abstract XSD Models](#)^[979]

13.1.1.1 UML Profile for XSD

The UML Profile for XSD specifies a set of stereotypes, Tagged Values and constraints that can be applied to the UML model in order to change particular aspects of the resulting schema. For example, you might have to convert certain UML Class attributes to XSD attributes, or use a model group other than the default *Sequence*.

Enterprise Architect provides native support for the UML Profile for XSD via the [XML schema](#)^[125] pages of the Enterprise Architect UML **Toolbox**. Alternatively, you can use the profile via Enterprise Architect's generic profile mechanism by downloading the [UML Profile for XSD](#). See the [Using Profiles](#)^[438] topic for details on importing UML profiles into Enterprise Architect. The XSD profile used by Enterprise Architect is an adaptation of the profile defined in *Modeling XML Applications with UML* (David Carlson).

The XSD stereotypes provide an explicit mapping from XSD to UML constructs. The Tagged Values further define aspects of the mapping, such as whether the elements should be qualified. The constraints define any conditions that must be satisfied for the stereotype to apply. The following stereotypes are provided:

- [XSDschema](#)^[973]

- [XSDcomplexType](#)^[974]
- [XSDsimpleType](#)^[974]
- [XSDsequence](#)^[975]
- [XSDchoice](#)^[975]
- [XSDelement](#)^[975]
- [XSDattribute](#)^[976]
- [XSDany](#)^[976]
- [XSDrestriction](#)^[977]
- [XSDgroup](#)^[977]
- [XSDtopLevelElement](#)^[977]
- [XSDtopLevelAttribute](#)^[977]
- [XSDunion](#)^[978]
- [XSDattributeGroup](#)^[978]

The following tables list the features of the UML Profile for XSD. Tagged Value names are shown in bold followed by the allowed values. If a default value is used by Enterprise Architect's schema generator, it is underlined.

«XSDschema»

UML Construct		Package
Description		All Classes in a package are defined within one schema. This stereotype can be used to specify schema-wide settings.
Tagged Values	anonymousRole: (true <u>false</u>)	Specifies if the role name is included in the element declaration for the UML attribute.
	anonymousType: (true <u>false</u>)	Specifies whether the Class type is anonymous for attributes.
	attributeFormDefault: (qualified <u>unqualified</u>)	Determines whether attribute instances must be qualified.
	defaultNamespace: :	The default namespace used in this schema. This value is used to specify the default namespace attribute (<i>xmlns=</i>), in the schema element.
	elementDerivation: : (true false)	Determines whether inheritances are generated using XSD extension or copy-down inheritance.
	elementFormDefault: (qualified <u>unqualified</u>)	Determines whether element instances must be qualified.
	memberNames: (qualified <u>unqualified</u>)	Determines whether elements generated from Class attributes have their name qualified by the corresponding Class name.
	modelGroup: (all <u>sequence</u> choice)	Specifies the default XSD model group used to generate <i>complexType</i> definitions.

	schemaLocation:	The URI that identifies the location of the schema. This value is used in the import and include elements.
	targetNamespace:	The URI that uniquely identifies this schema's namespace.
	targetNamespacePrefix:	The prefix that abbreviates the <i>targetNamespace</i> .
	version:	The version of this schema.
Constraints		None.

«XSDcomplexType»

UML Construct		Class
Description		<i>complexType</i> definitions are created for generic UML Classes. This stereotype helps tailor the generation of a <i>complexType</i> definition
Tagged Values	memberNames: (qualified unqualified)	Determines whether elements generated from the UML Class attributes and associations have their name qualified by the corresponding Class name for this <i>complexType</i> definition.
	mixed: (true false)	Determines whether this element can contain mixed element and character content. See the W3C XML Schema recommendation.
	modelGroup: (all sequence choice)	Overrides the default XSD model for generating this <i>complexType</i> definition.
Constraints		None.

«XSDsimpleType»

UML Construct		Class
Description		An XSD <i>simpleType</i> is generated for Classes with this stereotype.
Tagged Values	derivation: (restriction list)	Specifies the derivation of the <i>simpleType</i> . See the W3C XML Schema recommendation.
	length:	See the W3C XML Schema recommendation.
	minLength:	See the W3C XML Schema recommendation.
	maxLength:	See the W3C XML Schema recommendation.
	minInclusive:	See the W3C XML Schema recommendation.
	minExclusive:	See the W3C XML Schema recommendation.
	maxInclusive:	See the W3C XML Schema recommendation.
	maxExclusive:	See the W3C XML Schema recommendation.
	totalDigits:	See the W3C XML Schema recommendation.
	fractionDigits:	See the W3C XML Schema recommendation.

	whiteSpace:	See the W3C XML Schema recommendation.
	pattern:	See the W3C XML Schema recommendation.
Constraints		This Class can only participate in an inheritance relation with another <i>simpleType</i> . It cannot have any attributes or own any associations. They are ignored if present.

«XSDsequence»

UML Construct		Class
Description		The schema generator creates a sequence model group as the container for the attributes and associations owned by this Class. The model group is in turn added to the model groups of this Class respective owners. Note: Tagged values specified by owners of this Class persist through to the child elements of this model group. Thus if memberNames are unqualified for a complexType, so are the children of this model group when added to that complexType.
Tagged Values		None.
Constraints		This Class must be the destination of unidirectional associations. If it is not, this Class and its connectors are ignored, possibly invalidating other model group Classes. Inheritance relations are ignored for this Class.

«XSDchoice»

UML Construct		Class
Description		Creates an XSD choice element. See <i>XSDsequence</i> for more details.
Tagged Values		None.
Constraints		As for <i>XSDsequence</i> .

«XSDelement»

UML Construct		Attribute: <i>AssociationEnd</i>
Description		By applying this stereotype to a UML Class attribute or <i>AssociationEnd</i> , the corresponding UML entity is generated as an element within the parent <i>complexType</i> and not as an XSD attribute.
Tagged Values	form: (qualified unqualified)	Overrides the schema's <i>elementFormDefault</i> value.
	position:	Causes the elements to be ordered within a sequence model group of the containing <i>complexType</i> . Duplicated and invalid position Tagged

		Values are ignored and result in undefined ordering of the UML attributes. Missing position values cause the defined positions to be allocated as specified, with the remaining elements filling the missing positions in an undefined order.
	anonymousRole: (true false)	Specifies if the role name is included in the element declaration for the UML attribute
	anonymousType: (true false)	Specifies whether the Class type is anonymous for attributes.
	default	See the W3C XML Schema recommendation.
	fixed	See the W3C XML Schema recommendation.
Constraints		None.

«XSDattribute»

UML Construct		Attribute: <i>AssociationEnd</i>
Description		By applying this stereotype to a UML Class attribute or <i>AssociationEnd</i> , the corresponding UML entity is generated as an XSD attribute within the parent <i>complexType</i> and not as an XSD element.
Tagged Values	form: (qualified unqualified)	Overrides the schema's <i>attributeFormDefault</i> value.
	use: (prohibited optional required)	See the W3C XML Schema recommendation.
	default	See the W3C XML Schema recommendation.
	fixed	See the W3C XML Schema recommendation.
Constraints		The attribute <i>datatype</i> should not see a Class specification, otherwise it is ignored.

«XSDany»

UML Construct		Class: <i>Attribute</i>
Description		If applied to a UML attribute, an XSD <i>anyAttribute</i> element is generated. If applied to a UML Class, an XSD any element is generated.
Tagged Values	namespace:	See the W3C XML Schema recommendation.
	processContents : (skip lax strict)	See the W3C XML Schema recommendation.
Constraints		None.

«XSDrestriction»

UML Construct		Generalization
Description		Overrides the default use of XSD extension for inheritance and generates the child as a <i>complexType</i> with a restriction element instead.
Tagged Values		None.
Constraints		Applies only to UML Class parent-child relations.

«XSDgroup»

UML Construct		Class
Description		An <i>XSDgroup</i> is generated for Classes with this stereotype.
Tagged Values	modelGroup: (sequence choice all)	Overrides the default XSD model for generating this group definition.
Constraints		A group Class can only associate itself to other group Classes. A group Class can be associated by another group Class or a <i>complexType</i> Class. The association should be via an association link. A group Class cannot be inherited/aggregated.

«XSDtopLevelElement»

UML Construct		Class
Description		Creates an <code><xs:element></code> construct which acts as a container for <i>XSDcomplexType</i> and <i>XSDsimpleType</i> Class.
Tagged Values	default	See the W3C XML Schema recommendation.
	fixed	See the W3C XML Schema recommendation.
Constraints		An <i>XSDtopLevelElement</i> Class can contain either an <i>XSDsimpleType</i> or an <i>XSDcomplexType</i> as its child Class. When such a Class is present as its child, all its inheritance is ignored. This Class cannot be inherited.

«XSDtopLevelAttribute»

UML Construct		Class
Description		Creates an <code><xs:attribute></code> construct which acts as a container for <i>XSDsimpleType</i> Class
Tagged Values	use: (optional required	See the W3C XML Schema recommendation.

	prohibited)	
	default	See the W3C XML Schema recommendation.
	fixed	See the W3C XML Schema recommendation.
Constraints		An <i>XSDtopLevelAttribute</i> Class can contain only an <i>XSDsimpleType</i> Class as its child Class. When such a Class is present as its child, all its inheritance is ignored. This Class can inherit from only one <i>XSDsimpleType</i> Class.

«XSDunion»

UML Construct		Class
Description		Creates an <code><xs:union></code> construct which can act as a container for <i>XSDsimpleType</i> Class.
Tagged Values		None
Constraints		An <i>XSDunion</i> Class can contain only <i>XSDsimpleType</i> as its child Class and can generalize from other <i>XSDsimpleType</i> Classes only. All the Classes that this Class generalizes become the members of the attribute <i>memberTypes</i> . This Class cannot have any attributes or associations.

«XSDatatributeGroup»

UML Construct		Class
Description		Creates an <code><XSDatatributeGroup></code> construct which can act as a container for a set of elements for stereotype <i>XSDatatribute</i> .
Tagged Values		None
Constraints		An <i>XSDatatributeGroup</i> Class can contain only elements of stereotype <i>XSDatatribute</i> and can be associated only with other <i>XSDatatributeGroup</i> Classes. Only <i>XSDcomplexType</i> Classes can associate with this Class. This Class cannot be inherited.

13.1.1.2 XSD Datatypes Package

When modeling XSD constructs, it is often useful to have the XSD primitive types represented as UML elements. In this way user-defined types, for example, can reference the datatype elements as part of inheritance or association relationships.


Sparx Systems provides the set of primitive XSD data types as a UML package in the form of an XMI file. Each of the XSD primitive types is represented by a UML Class in a package named *XSDDatatypes*. To import the *XSDDatatypes* package into your model, follow the steps below:

1. Download the *XSDDatatypes* package using the following link: [XSDDatatypes Package](#). The file *XSDDataTypes.xml* is an XMI file.
2. Use Enterprise Architect's [XML import](#) ^[575] facility, which is available via the **Project | Import/Export | Import Package from XMI** menu option.
3. When the XML import is complete, you have the UML package named *XSDDatatypes* in your model, from which you can drag and drop the relevant types as required.

13.1.1.3 Abstract XSD models

XML schemas can be modeled using simple, abstract Class models. This can be useful in enabling an architect to start work at a higher level of abstraction, without concern for the implementation details of a schema. Such an abstract model can be refined further using the [XML Schema](#)^[125] pages of the Enterprise Architect UML [Toolbox](#), or it can be generated directly by Enterprise Architect's [schema generator](#)^[98]. In this case, a set of [default mappings](#)^[98] is assumed by the schema generator to convert the abstract model to an XSD file.

The following is a simplified version of the Employee Details example model, which does not use XSD-specific stereotypes or Tagged Values.



The following schema fragment would be generated by Enterprise Architect, given the above model.

```

<?xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:simpleType name="Status">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Full-Time"/>
      <xs:enumeration value="Part-Time"/>
      <xs:enumeration value="Casual"/>
      <xs:enumeration value="Contract"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:element name="Person" type="Person"/>
  <xs:complexType name="Person">
    <xs:sequence>
      <xs:element name="firstName" type="xs:string"/>
      <xs:element name="surName" type="xs:string"/>
      <xs:element name="birthDate" type="xs:string"/>
      <xs:element name="gender" type="xs:string"/>
      <xs:element name="contactDetails" type="ContactInfo"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="Employee" type="Employee"/>
  <xs:complexType name="Employee">
    <xs:complexContent>

```



```

        <xs:extension base="Person">
            <xs:sequence>
                <xs:element name="status" type="Status"/>
                <xs:element name="jobTitle" type="xs:string"/>
                <xs:element name="startDate" type="xs:date"/>
                <xs:element name="department" type="xs:string"/>
            </xs:sequence>
        </xs:extension>
    </xs:complexContent>
</xs:complexType>
<xs:element name="EmployeeRecords" type="EmployeeRecords"/>
<xs:complexType name="EmployeeRecords">
    <xs:sequence>
        <xs:element name="Employee" type="Employee" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="ContactInfo" type="ContactInfo"/>
<xs:complexType name="ContactInfo">
    <xs:sequence>
        <xs:element name="homePhone" type="xs:string"/>
        <xs:element name="mobilePhone" type="xs:string"/>
        <xs:element name="officePhone" type="xs:string"/>
        <xs:element name="email" type="xs:string"/>
        <xs:element name="streetAddress" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:schema>

```

13.1.1.3.1 Default UML to XSD Mappings

The following table describes the default mapping of UML to XSD constructs. This set of mappings is useful when defining simple schemas from abstract Class models. The defaults are also assumed by the schema generator when generating unstereotyped elements in an abstract model. The [XML Schema](#) pages of the Enterprise Architect UML [Toolbox](#) (and UML Profile for XSD) override these default mappings through the use of stereotypes and Tagged Values.


UML Construct	Default XSD Production Rules
<i>Package</i>	<p>A schema element is generated for the target package. If the target package includes Classes from another package, which has the Tagged Values <i>targetNamespace</i> and <i>targetNamespacePrefix</i> set, these are included as attributes of the schema element.</p> <p>In addition, an <i>import</i> or <i>include</i> element is created for each referenced package. (An <i>include</i> element is used if the external package shares the same <i>targetNamespace</i> Tagged Value as the target package. An <i>import</i> element is used where the <i>targetNamespaces</i> differ).</p>
<i>Class</i>	<p>A root-level element declaration and <i>complexType</i> definition are generated. The element name and type are the same as the Class name. An XSD sequence model group is generated to contain UML attributes generated as elements.</p>
<i>Attribute</i>	<p>An element is declared for each Class attribute. The element name is set to that of the UML attribute name. This is prefixed with the Class name to make the element unique. The <i>minOccurs</i> and <i>maxOccurs</i> attributes are set to reflect the attribute cardinality.</p> <p>Note:</p> <p>If left unspecified, <i>minOccurs</i> and <i>maxOccurs</i> default to 1.</p> <p>If the attribute refers to another Class, the element declaration is followed a <i>complexType</i> definition, which contains a reference to the appropriate <i>complexType</i>.</p>

UML Construct	Default XSD Production Rules
Association	<p>An element is declared for each association owned by a Class. The element name is set to that of the association role. The <i>minOccurs</i> and <i>maxOccurs</i> reflect the cardinality of the association.</p> <p>Note:</p> <p>If the direction of the association is unspecified, the owner is assumed to be the source.</p>
Generalization (Inheritance)	<p>For single inheritances, an extension element is generated with the base attribute set to the base Classname. The UML attributes of the child Class are then appended to an all model group within the extension element.</p>
«enumeration» (stereotype)	<p>A <i>simpleType</i> element is declared for the enumeration Class with the name attribute set to the Classname. A restriction element is generated with base set to string. Each of the Class attributes is appended to the restriction element as XSD enumeration elements with value set to the UML attribute name. Any type specification for the UML attributes is ignored by the schema generator.</p>

13.1.2 Generate XSD

The *Generate XML Schema* feature forward engineers a UML Class model to a W3C XML Schema (XSD) file. An XML schema corresponds to a UML package in Enterprise Architect, therefore XML schema generation is a package-level operation. To generate an XML schema from a package, follow the steps below:

1. In the **Project Browser** window, right-click on the package to be converted to XSD. The context menu displays.
2. Select the **Code Engineering | Generate XML Schema** menu option. The **Generate XML Schema** dialog displays, showing the name of the selected package in the **Source Package** field.



3. In the **Encoding** field, set the required XML encoding.
4. In the **XSD Style** panel, the **Generate global element for all global ComplexTypes** checkbox is selected by default to generate schema in the [Garden of Eden](#) ⁹⁸³ [style](#) ⁹⁸³.
5. In the **Referenced Package Options** panel, select the:
 - **Generate XSD for Referenced packages** checkbox to generate schema for packages that are referenced by any of the packages selected in the list box
 - **Prompt when missing Filename** checkbox to enable Enterprise Architect to prompt for a filename for a referenced package during schema generation, if the filename is missing.
6. In the **Child Package Options** panel, select the:
 - **Generate XSD for Child Packages** checkbox to generate schema for child packages of the selected package

- **Include all packages** radio button to list all child packages under the parent package in the list box
- **Include <XSDschema> packages** radio button to list only those packages that have the stereotype «XSDschema».

The list box displays, for each package, the package name and the file path where the schema file is to be generated.


7. If it is necessary to change the file path for a package, double-click on the entry in the list box and, on the **Select XML File** dialog, type or select the appropriate file path.
8. Ensure that the checkbox is selected for each package required for generation.
9. Click on the **Generate** button to generate the schema for each of the selected packages.
10. The progress of the schema generator is shown in the **Progress** box.
11. When schema generation is complete, click on an entry in the list box and click on the **View Schema** button to review the generated schema.

Tip:


The **Generate XML Schema** dialog can also be accessed from the active diagram by selecting the **Project | XML Schema | Generate XML Schema** menu option.

13.1.2.1 Generate Global Element

Enterprise Architect, by default, generates XML Schema in the *Garden of Eden* style. For every global *XSDcomplexType* stereotyped Class, Enterprise Architect generates a global element. For example, the following model by default generates the XSD shown:




You can change this default behaviour by deselecting the **Generate global element for all global ComplexTypes** checkbox on the **Generate XSD** ^[98] dialog. Then, the generated XSD no longer contains the global element, as shown below:



13.1.3 Import XSD

The **XML Schema Import** facility is used to reverse engineer a W3C XML Schema (XSD) file as a UML Class model. An XSD file is imported into Enterprise Architect as a UML package. To import an XSD file, follow the steps below:

1. In the **Project Browser** window, right-click on the package to contain the imported XSD package. The context menu displays.
2. Select the **Code Engineering | Import XML Schema** menu option. The **Import XML Schema** dialog displays.



3. In the **Directory** field, click on the [...] (Browse) button. The **Select XML Schema(s)** dialog displays.
4. Click on the required input file. To select several individual files, press **[Ctrl]** as you click on each one. To select a range of files, press **[Shift]** and click on the first and last file in the the range.
5. Click on the **Open** button to return to the **Import XML Schema** dialog, which now shows the selected files in the **Selected File(s)** field.
6. The **Import global elements with "Type" postfix** checkbox defaults to unselected to import a global element, and the *ComplexType* to which it refers, as a single *ComplexType Class*.
7. The **Import referenced XML Schema(s)** checkbox defaults to selected, to import any other Schema file referenced by the selected input XML Schema file or files.

Note:

If an XML Schema file being imported already exists in the model, Enterprise Architect skips importing the file.

8. The **Create Diagram for XML Schema(s)** checkbox defaults to selected, to display the imported elements on the diagram. If necessary, deselect the checkbox.
9. For the **Import XSD Elements/Attributes as:** field, select the appropriate radio button to import elements and attributes in the XML Schema as:

- UML Association connectors or
 - UML Class attributes.
10. Click on the **Import** button to import the schema.
 11. The progress of the schema import is shown in the **Progress** status bar.

Tip:

The **Import XML Schema** dialog can also be accessed for the active diagram by selecting the **Project | XML Schema | Import XML Schema** menu option.

Note:

Enterprise Architect uses the *schemaLocation* attribute in the **Import** and **Include** elements of an XML Schema to determine the dependencies between the files. Ensure that this attribute is set to a valid file path (and not a URL) for the dependent XML Schema(s) to be imported correctly.

13.1.3.1 Global Element and ComplexType


Some XML Schemas have *ComplexType* elements with the same name as the referring global elements, but with the suffix *Type* as shown below:

```
<xs:element name="Address" type="AddressType"/>
<xs:complexType name="AddressType">
  <xs:sequence/>
</xs:complexType>
```

On XSD import, Enterprise Architect treats this global element and its bounding *ComplexType* as a single entity and creates a single *XSDcomplexType* stereotyped Class with the same name as the global element as shown below:



You can change this default behaviour by selecting the **Import global elements with “Type” postfix** checkbox. When you select this option, Enterprise Architect treats the global element and the *ComplexType* it is referring to as two separate entities. So, for the above example, Enterprise Architect creates an *XSDtopLevelElement* stereotyped Class for the global element and an *XSDcomplexType* stereotyped Class for the *ComplexType*, and links them as follows:

**Note:**

Enterprise Architect treats the following as two separate entities irrespective of whether the **Import global elements with “Type” postfix** checkbox is selected or unselected:

```

<xs:element name="HomeAddress" type="AddressType"/>
<xs:complexType name="AddressType">
  <xs:sequence/>
</xs:complexType>
  
```


13.2 Web Services (WSDL)

Enterprise Architect supports Forward and Reverse Engineering of the W3C Web Service Definition Language (WSDL). The following topics explain how to use Enterprise Architect to model, generate and import WSDL files:

- [Model WSDL](#) ^[987]
- [Import WSDL](#) ^[997]
- [Generate WSDL](#) ^[997]

13.2.1 Model WSDL

The [WSDL pages](#) ^[124] of the Enterprise Architect UML **Toolbox** can be used to conveniently model WSDL documents. WSDL documents are represented as components marked with the stereotype *WSDL*. WSDL documents are contained in a package hierarchy representing the target WSDL namespace and its constituent *XSD Types*, *Messages*, *PortTypes*, *Bindings* and *Services*. The top-level package is stereotyped as a *WSDLnamespace*. The figure below shows a skeletal WSDL namespace package structure:




A *WSDLnamespace* package can contain one or more WSDL components. Each WSDL component can be automatically generated to a WSDL file using Enterprise Architect's built in [WSDL generator](#)^[997]. The following topics describe the various WSDL elements and features supported by Enterprise Architect:

- [WSDL Namespace](#)^[988]
- [WSDL Document](#)^[990]
- [WSDL Service](#)^[991]
- [WSDL Port Type](#)^[993]
- [WSDL Message](#)^[993]
- [WSDL Binding](#)^[994]
- [WSDL Port Type Operation](#)^[995]
- [WSDL Message Part](#)^[996]

13.2.1.1 WSDL Namespace

The WSDL namespace in Enterprise Architect represents the top-level container for the WSDL elements, including WSDL documents. Conceptually it maps to the *targetNamespace* in a WSDL definition element. A given WSDL namespace can reuse its schema Types, Messages, Port Types, Bindings and Service across multiple physical WSDL documents.

The figure below shows an example WSDL namespace (*WSDLPackage1*, which has a red margin to the bottom right corner), including a single WSDL document:




To create a new WSDL namespace in your model, follow the steps below.

1. Open or create the appropriate diagram.
2. Select the **More Tools | Extended | WSDL** menu option from the Enterprise Architect UML **Toolbox**.
3. Drag the *Namespace* element from the **Toolbox** onto the diagram. The **WSDL Namespace Properties** dialog displays:

4. Type in a **WSDL Package Name** and **Target Namespace** name. You can edit these values later.
5. Click on the **OK** button to create a package stereotyped as *WSDLnamespace*. This contains the following sub-packages and an Overview diagram to navigate between the sub-packages:
 - **Types**: Contains the XSD types used by the WSDL *Message* elements; this package is modeled as an [XML Schema](#) ^[976], and you drag [XSDelement](#) ^[975], [XSDsimpleType](#) ^[974] and [XSDcomplexType](#) ^[974] elements onto the Types diagram from the [XSD Schema](#) ^[125] [page](#) ^[125] of the Enterprise Architect UML **Toolbox**
 - **Messages**: Contains the WSDL *Messages*, modeled as UML Classes marked with the stereotype *WSDLmessage*
 - **PortTypes**: Contains the WSDL *Port Types*, modeled as UML interfaces marked with the stereotype *WSDLportType*

- **Bindings:** Contains the WSDL *Bindings*, modeled as UML Classes that realize the *PortTypes*.
 - **Services:** Contains the WSDL *Services*, modeled as UML interfaces with associations to each exposed *Binding*.
6. Use the Overview diagram to navigate between the subpackages, by double-clicking the relevant packages. You can edit the sample WSDL elements created in the previous step, or drag new items from the **WSDL** pages of the **Toolbox** onto the relevant diagrams.



You can edit the WSDL-specific properties of the namespace later by double-clicking the package in the **Project Browser** window. Alternatively, on the **WSDL Namespace Properties** dialog, click on the **UML** button to invoke the standard **Properties** dialog for a package. (This button does not display on the initial **WSDL Namespace Properties** dialog for a new Namespace element.)

13.2.1.2 WSDL Document

WSDL documents are represented in Enterprise Architect by UML components stereotyped as «WSDL». These components are modeled as direct child elements of the top-level WSDL namespace package. You can create multiple WSDL documents for a single namespace, thus enabling the services for that namespace to be reused and exposed as required across multiple WSDLs.

To define new WSDL document components for your namespace, follow the steps below:

1. Open the Overview diagram defined for your WSDL namespace package, and drag the **WSDL** element from the **Toolbox** onto the diagram. The **WSDL Document Properties** dialog displays.

Name:

File Name: ...

Documentation:

XMLNS

Prefix	Namespace
tns	http://www.exampleURI.com/WSDLPackage1
xs	http://www.w3.org/2001/XMLSchema
soap	http://schemas.xmlsoap.org/wsdl/soap/
http	http://schemas.xmlsoap.org/wsdl/http/
mime	http://schemas.xmlsoap.org/wsdl/mime/
wsdl	http://schemas.xmlsoap.org/wsdl/

New Delete

Services:

Service Name
<input checked="" type="checkbox"/> SampleService

OK Cancel Help

2. Type in the **Name** and **File Name** for the document.
3. The **XMLNS** panel lists the default XML namespaces used by the document. If required, click on the **New** button to add further namespaces.

Note:

You can also delete any namespace entries that you add. It is recommended that you do not delete any of the default entries, as it may cause an invalid WSDL document to be generated.

4. Select one or more services that should be exposed by this document. The list of available services is populated from the [Services package](#)^[997].
5. Click on the **OK** button.

You can edit the WSDL-specific properties of the document later by double-clicking the component in the diagram or the **Project Browser** window. Alternatively, click on the **UML** button in the **WSDL Document Properties** dialog to invoke the standard **Properties** dialog for a package. (This button does not display on the initial **WSDL Document Properties** dialog for a new WSDL element.)

13.2.1.3 WSDL Service

WSDL services are represented in Enterprise Architect by UML interfaces, stereotyped as *WSDLservice*. Services should be defined under the Services packages in the WSDL namespace structure.

To define new *WSDLservice* elements for your namespace, follow the steps below:

1. Open the Overview diagram defined for your WSDL namespace package, and double-click on the *Services* package element to open the Services diagram.
2. Drag the *Service* element from the **Toolbox** onto the diagram. The **WSDL Service** dialog displays.

Name:

Documentation:

Ports

Port Name	Binding	Location
-----------	---------	----------

3. In the **Name** field, type the service name.
4. Click on the **New** button to add Service Ports. The **WSDL Port** dialog displays.

Port Name:

Binding:

Location:

Documentation:

5. Type in the **Port Name** and **Location**, and select a **Binding**. The list of Bindings is taken from those defined in the [Bindings package](#)^[994].
6. Click on the **OK** button to close the **WSDL Port** dialog. For each Port defined in this way, Enterprise Architect creates an Association relationship between the Service and corresponding *Binding* element.
7. Click on the **OK** button to close the **WSDL Service** dialog.


You can edit the WSDL-specific properties of the service later by double-clicking the Service interface in the diagram or **Project Browser** window. Alternatively, click on the **UML** button in the **WSDL Service** dialog to invoke the standard **Properties** dialog for an interface. (This button does not display on the initial **WSDL Service** dialog for a new Service element.)

13.2.1.4 WSDL Port Type

WSDL *Port Types* are represented in Enterprise Architect by UML interfaces stereotyped as *WSDLportType*. PortTypes should be defined under the *PortTypes* packages in the WSDL namespace structure.

To define new WSDLportType elements for your namespace, follow the steps below:

1. Open the Overview diagram defined for your WSDL namespace package, and double-click on the PortTypes package to open the PortTypes diagram.
2. Drag the *Port Type* element from the **Toolbox** onto the diagram. The **WSDL PortType** dialog displays.



The screenshot shows a dialog box with a light beige background. At the top, there is a label 'Name:' followed by a text input field containing the text 'PortType1'. Below this is a label 'Documentation:' followed by a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are three buttons: 'OK', 'Cancel', and 'Help', each with a thin border and a slight shadow.

3. Type in the name for the portType.
4. Click on the **OK** button to close the **WSDL PortType** dialog.
5. Define operations for the portType by dragging the **Port Type Operation** ⁹⁹⁵ item from the **WSDL** page of the Enterprise Architect UML **Toolbox** onto the portType interface.


You can edit the WSDL-specific properties of the portType later by double-clicking the interface in the diagram or **Project Browser** window. Alternatively, in the **WSDL PortType** dialog, click on the **UML** button to invoke the standard **Properties** dialog for an interface. (This button does not display on the initial **WSDL PortType** dialog for a new PortType element.)

13.2.1.5 WSDL Message

WSDL messages are represented in Enterprise Architect by UML Classes stereotyped as *WSDLmessage*. Messages should be defined under the *Messages* package in the WSDL namespace structure.

To define new WSDLmessage elements for your namespace, follow the steps below:

1. Open the Overview diagram defined for your WSDL namespace package, and double-click on the Messages package to open the Messages diagram.
2. Drag the *Message* element from the **Toolbox** onto the diagram. The **WSDL Message** dialog displays.



The screenshot shows a dialog box with a light beige background. At the top, there is a label 'Name:' followed by a text input field containing the text 'Message1'. Below this is a label 'Documentation:' followed by a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are three buttons: 'OK', 'Cancel', and 'Help', each with a thin border and a slight shadow.

3. Type in the **Name** for the message.
4. Click on the **OK** button to close the **WSDL Message** dialog.

5. You can define parts for the message by dragging the [Message Part](#) ^[996] element from the [WSDL Elements](#) page of the Enterprise Architect UML [Toolbox](#) onto the Message element.


You can edit the WSDL-specific properties of the message later by double-clicking the Message element in the diagram or [Project Browser](#) window. Alternatively, on the [WSDL Message](#) dialog, click on the [UML](#) button to invoke the standard [Properties](#) dialog for a Class. (This button does not display on the initial [WSDL Message](#) dialog for a new Message element.)

13.2.1.6 WSDL Binding

WSDL bindings are represented in Enterprise Architect by UML Classes stereotyped as *WSDLbinding*. Bindings should be defined under the Bindings package in the WSDL namespace structure. Each *WSDLbinding* Class implements the operations specified by a particular *WSDLportType* interface. Therefore, [WSDLportTypes should be defined before](#) ^[993] creating *WSDLbindings*.

To define new *WSDLbinding* elements for your namespace, follow the steps below:

1. Open the Overview diagram defined for your WSDL namespace package, and double-click on the Bindings package to open the Bindings diagram.
2. Drag the *Binding* element from the [Toolbox](#) onto the diagram. The [WSDL Binding](#) dialog displays.



3. Type in a **Name** for the Binding.
4. Select the **PortType** for the Binding; the drop-down list of PortTypes is taken from those defined in the PortTypes package.
5. Select the **Protocol** for the Binding, either **http** or **soap**.
6. For SOAP Bindings, enter the **Transport** URL and select the **Style**. For http Bindings, select the **Verb**.
7. Click on the **OK** button to close the [WSDL Binding](#) dialog and create the binding. A *realization* connector is created between the binding and the corresponding *Port Type* interface.
8. To specify the Binding operations, select and double-click on an Operation in the Binding element. The [WSDL Binding Operation Details](#) dialog displays.

9. Type in or select the Binding Operation details.
10. Click on the **Parameters** button. The **WSDL Binding Operation Parameters** dialog displays. For each input, output and fault, click on the **Details** button and enter the details.
11. Click on the **OK** button on each of the **WSDL Binding Parameter Details**, **WSDL Binding Operation Parameters** and **WSDL Binding Operation Details** dialogs to close them.

You can edit the WSDL-specific properties of the binding later by double-clicking the binding Class in the diagram or **Project Browser** window. Alternatively, on the **WSDL Binding** dialog, click on the **UML** button to invoke the standard **Properties** dialog for a Class. (This button does not display on the initial **WSDL Binding** dialog for a new Binding element.)

13.2.1.7 WSDL Port Type Operation

WSDL portType operations are represented in Enterprise Architect by operations defined as part of a WSDLportType interface (see the [WSDL Port Type](#)^[993] topic).

To add portType operations to your WSDLportType interfaces, follow the steps below.

1. Open the Overview diagram defined for your WSDL namespace package, and double-click on the PortTypes package to open the PortTypes diagram
2. Drag the *PortType Operation* item onto a WSDLPortType stereotyped interface. The **WSDL PortType Operation** dialog displays.

The screenshot shows a dialog box for configuring a WSDL PortType Operation. It has the following fields and sections:

- Name:** Operation1
- Documentation:** (empty text area)
- Operation Type:** Request-Response
- Input:**
 - Name:** Request1
 - Message:** SampleOutput
 - Documentation:** (empty text area)
- Output:**
 - Name:** Response1
 - Message:** SampleOutput
 - Documentation:** (empty text area)
- Faults:** (empty table with 'New' and 'Delete' buttons)

At the bottom of the dialog are three buttons: OK, Cancel, and Help.

3. Type in the **Name** for the operation.
4. Select the **Operation Type**.
5. Type in or select the **Input**, **Output** and **Fault** details for the operation. The **Message** drop-down list is taken from the WSDLmessage elements defined under the Messages package.
6. Click on the **OK** button to close the **WSDL PortType Operation** dialog and create the operation.

You can edit the WSDL-specific properties of the portType operation later by double-clicking the operation in the diagram or **Project Browser** window. Alternatively, on the **WSDL PortType Operation** dialog, click on the **UML** button to invoke the standard **Properties** dialog for an operation. (This button does not display on the initial **WSDL PortType Operation** dialog for a new PortType Operation.)

13.2.1.8 WSDL Message Part

WSDL message parts are represented in Enterprise Architect by UML attributes defined as part of a WSDLmessage Class (see the [WSDL Message](#)⁹⁹³¹ topic).

To add message parts to your WSDLmessage Classes, follow the steps below:

1. Open the Overview diagram defined for your WSDL namespace package, and double-click on the Messages package to open the Messages diagram
2. Drag the *Message Part* element onto a WSDLmessage stereotyped Class. The **WSDL Message Part** dialog displays.

The image shows a dialog box with a light green background. It has two input fields: 'Name:' with the text 'element1' and 'Type:' with the text 'string'. To the right of the 'Type:' field is a small green dropdown arrow and a three-dot menu icon. At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

3. Type in a **Name** and **Type** for the message part. The type should be selected from the drop-down list of primitive XSD types or from the types defined under the Types package.
4. Click on the **OK** button.

You can edit the WSDL-specific properties of the message part later by double-clicking the attribute in the diagram or **Project Browser** window. Alternatively, on the **WSDL Message Part** dialog, click on the **UML** button to invoke the standard **Properties** dialog for an attribute. (This button does not display on the initial **WSDL Message Part** dialog for a new Message part attribute.)

13.2.2 Generate WSDL

The *Generate WSDL* feature forward engineers a UML model to a Web Service Definition Language (WSDL) file. The Generate WSDL feature acts on a package stereotyped with *WSDLnamespace*. It is used to generate any or all of the WSDL stereotyped components owned by the target *WSDLnamespace* structure. To generate one or more WSDL files from a WSDLnamespace, follow the steps below:

1. In the **Project Browser** window, right-click on the target *WSDLnamespace* package to display the context menu.
2. Select the **Code Engineering | Generate WSDL** menu option. The **Generate WSDL** dialog displays.
3. For each WSDL component, set the required output file using the **Target File** column.
4. Using the **Encoding** field, set the required XML encoding.
5. Click on the **Generate** button to generate the WSDL files.
6. The progress of the WSDL generator is shown in the **Progress** edit box.

Tip:

The **Generate WSDL** dialog can also be accessed from the active diagram by selecting the **Project | Generate WSDL** menu option.

13.2.3 Import WSDL

The WSDL Import facility is used to reverse engineer WSDL files as UML Class models. To import a WSDL file, follow the steps below:


1. In the **Project Browser** window, right-click on the package to contain the imported WSDL package. The context menu displays.
2. Select the **Code Engineering | Import WSDL** menu option. The **Import WSDL** dialog displays.
3. In the **Filename** field, select the input file.
4. The **Target Package** field is automatically set to the name of the selected input file. If required, change this name.
5. Click on the **Import** button to import the schema.

6. The progress of the WSDL import is shown in the **Progress** status bar.

Part

14

14 Creating Documents



Documentation is essential to realizing the full benefit of Enterprise Architect. Enterprise Architect provides a powerful mechanism for generating high quality, customized documentation directly from your model, in either RTF or HTML format.

There are many ways to specify the Enterprise Architect content being documented. You can:

- Document a package and/or its child packages by manually highlighting the package and selecting a documentation control
- Specify embedded packages for [exclusion](#) ^[1047] if child packages are recursively documented
- Link a package to an RTF document template to simplify generating consistent types of documentation (eg. Use Case Reports) using the [Documents feature](#) ^[1048]
- Select, group and order packages together in different manner from the **Project Browser** window by creating '[Virtual Documents](#)' ^[1064] either linked through a master document with headers, footers and contents list, or as separate individual documents.

RTF Documentation

Rich text reports are documents produced by Enterprise Architect in Rich Text Format (RTF). RTF formatting can be modified directly with RTF Style templates to alter the look and feel of generated output. Using MS Word you can further enhance the separate RTF documents output from the model by connecting and interweaving them into a linked [master document](#) ^[1064] with headers, footers and contents list.

Enterprise Architect has a fully-featured RTF Document Generator that features

- Powerful WYSIWYG RTF style template editor support
- An easy-to-use document generator
- An embedded RTF viewer that enables you to view RTF documents generated by Enterprise Architect within Enterprise Architect.

For further information, see:

- [RTF Documents](#) ^[1007]
- [Use MS Word.](#) ^[1050]

RTF Reports

You can also generate a number of RTF reports on different aspects of your model. See [Other Documents](#) ^[1059]

HTML Documentation

Enterprise Architect provides automated web-based publishing of models, making it very simple to explore very large models efficiently on-line. Enterprise Architect enables the export of an entire model or a single branch of the model to HTML Web pages. You can also create web style templates to customize the HTML output.

For further information, see the [HTML Reports](#)^[1072] topic.

14.1 RTF Documents



Rich Text Format Documentation

Rich text reports are documents produced by Enterprise Architect in Rich Text Format (RTF), a format common to many word processors. In particular it is targeted at Microsoft Word™, which enables you to link together a number of rich text documents into a single [master document](#)^[1050].

Typically you create a Word master document, then some Enterprise Architect RTF reports. You link the reports back into sub-sections of the master document, and refresh them as required during project development. In this way the project document becomes an easily-managed and feature-rich work product.

You can also populate a Word document from specific *sections* of reports, based on [bookmarks](#)^[1051]. For example, a Word document might have a section for a small part of your component model. Using bookmarks you can generate a full component model, and then link into just one section of the report. This way you can maintain a complex Word document from parts of Enterprise Architect reports. The RTF Generator performs one pass for one template, but using a Word master document and Enterprise Architect bookmarks enables you to incorporate material from several RTF documents with different formats based on different templates.

By adding tables of contents, figure tables, sections, and headers and footers, you can manage a complex document with relative ease. Simply update the Enterprise Architect RTF reports then refresh the links in MS Word.

You can also maintain complex documents by creating [virtual documents](#)^[1063] in Enterprise Architect, setting up a *Master Document* (package) element and/or *Model Document* elements (*Class* elements of stereotype *Model Document*) and linking packages into the document, in whatever order or combination is most appropriate to your requirements. You can select packages from different areas of the model, arrange them in any order, and edit or delete the packages. The virtual document automatically incorporates the changes each time you generate it.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Generate Documents](#)^[640] permission to generate RTF documents.

The RTF Generator

Enterprise Architect has an enhanced RTF Document Generator that features:

- Powerful WYSIWYG RTF style template editor support, enabling:
 - Headers and Footers
 - Images
 - Indexes
 - Tabular Sections
 - Nested Sections
 - All model elements, connectors, diagrams and their properties
 - Template import and export using XML

- Basic templates supplied for customization.
- A document generator that:
 - Provides simplified options
 - Generates complex documents based on RTF templates.
- An embedded RTF viewer that you use to view RTF documents generated in Enterprise Architect directly within Enterprise Architect.

More Information

A tutorial on using the RTF Generator and creating RTF documentation is provided on the Sparx Systems website. Click on the following link:

<http://www.sparxsystems.com/resources/whitepapers/>

For more information, see:

- [Generate RTF Documents](#) ^[1002]
- [Generate RTF Documentation Dialog](#) ^[1004]
- [RTF Document Options](#) ^[1033]
- [RTF Templates Dialog](#) ^[1005]
- [Custom Language Settings](#) ^[1048]

14.1.1 Generate RTF Documents

Creating a Rich Text Format (RTF) document is a simple and flexible process. An RTF document is based on a package or an element in your project (more usually a package). To produce a document, you must select the package or element to report on in the **Project Browser** window or **Element List** or **Model Search**.

Tip:

Reports can be configured to include all packages within a parent package, or just the top level.

You should also set the [diagram properties](#) ^[1003] to determine how the diagrams in the package are set out in the RTF document. When you have prepared and selected your package, use the context menu to open the **Generate RTF Documentation** dialog and configure the details of your document. The next topic guides you through creating a rich text report.

Open the Generate RTF Documentation Dialog

Use one of the following methods:

- In the **Project Browser** window, right-click on the required package and, on the context menu, select the **Documentation | Rich Text Format (RTF) Report** menu option
- Select the **Project | Documentation | Rich Text Format (RTF) Report** menu option
- Press **[F8]**
- Click on a specific element in a diagram, and select the **Element | Rich Text Format (RTF) Report** menu option
- In the **Element List** or **Model Search**, select one or more items, right-click and, from the context menu, select either the **RTF Report | Generate report for each selected object** option or the **RTF Report | Generate one report for all selected** option.

See the [Generate RTF Documentation Dialog](#) ^[1004] topic for more information.

Quick Start

To generate an RTF report right now, follow the steps below:

1. Open the *EAExample* project.
2. Open the *QA Model* package and right-click on the *Testing* package.

3. Select the **Documentation | Rich Text Format (RTF) Report** context menu option. The **Generate RTF Documentation** dialog displays.
4. In the **Output to file** field, select a convenient file location in which to hold the generated report.
5. In the **Use Template** field, click on the drop-down arrow and select **(basic template)**.
6. Click on the **Generate** button.
7. When the report has been generated, click on the **View** button.

Generate RTF Report From Element List or Model Search

When you select to create an RTF Report from the [Element List](#)^[137] or [Model Search](#) tools, you can generate an element-level report rather than a package-level report, and you have additional flexibility in selecting:


- The type of element to report on
- The specific elements to report on, together or separately, whether in the same package or not.

For example, you might want to find all elements with test cases, with the intention of reporting on some or possibly all such elements. With the [Element List](#), you would identify these elements yourself within the list of all elements in a selected package, but with the [Model Search](#)^[144] you could specifically identify the elements across a section of the model or across the whole model, as required. The search filtering could be for specific test cases; however, the results are by element so if there are test cases outside the range in any element that has a filtered test, these elements are listed as well.

Having generated the list of elements, you can select individual elements, blocks of elements, or all elements, and then (as above) use the context menu to generate a report on all of the elements, or separate reports on each element.

14.1.1.1 Diagram Options

This topic refers to options on the **Diagram** page of the [Diagram Properties](#)^[278] dialog, used when generating RTF reports for a particular diagram (using either the [extended](#)^[1004] or [Legacy](#)^[1037] RTF Report Generator) .




Exclude Image from RTF Documents

Select this checkbox to exclude the image of the current diagram from any RTF reports.

Document Each Contained Element in RTF

Select this checkbox to set the RTF generators to include details of elements that are defined externally to the package for this diagram. This enables the option to display these elements. The relevant section in the generator must be enabled before this section of the report is generated.

To enable this section in your document generation templates, you must edit your template (select the **Project | Documentation | Rich Text Format (RTF) Report** menu option and click on the **Manage Templates** button, then double-click on the required template on the [RTF Templates](#) dialog).



Under **Sections** on the left-hand side of the editor window, select the **Package | Diagram | Element** checkbox.

Note:

If using the Legacy RTF generator, the *Element* section is included when you select the **Document each contained element in RTF** checkbox. No further steps are required.

Divide Diagram Into Multiple Pages

Select this checkbox to divide each large diagram into separate pages in the RTF document.

Note:

This option is only effective when the [Scaled Printing option](#)^[289] is set to **None** on the **Print Advanced** dialog.

Rotate Images

Select this checkbox to rotate each diagram image by 90 degrees in the RTF document.

Note:


Only valid for bitmap (.bmp) images.

14.1.1.2 Generate RTF Documentation Dialog

Note:

For an introduction to generating RTF documentation, see [RTF Documents](#)^[100].

The **Generate RTF Documentation** dialog enables you to set the exact contents and look and feel of your report.



Each tab of the dialog offers a number of RTF document generation options, as described in the following sections:

- **Generate** Tab (see below)
- [RTF Templates](#) ^[1006]
- [Document Options](#) ^[1033]
- [Advanced Options](#) ^[1034]
- [Word Substitution](#) ^[1035]
- [Language Substitution \(Codepage\)](#) ^[1036]

Generate Tab Options

The **Generate** tab of the dialog has the following fields:

Option	Use to
Model Document	Confirm the name of the element selected from the Project Browser window, Element List or Model Search .
Root Element Root Package	If this is the specially-created model document element for a Virtual Document ^[1064] , the field is Model Document . Otherwise, this field identifies the selected element of the hierarchy to be reported on; i. e. the Root Element or Root Package .
Output to File	Type or select the location and filename for the generated documentation. The [...] (Browse) button enables you to navigate to the location.
Use Template	Type or select the name of the RTF template to apply to document generation. You can select either a standard template (enclosed in parentheses) or a user-generated template.


Option	Use to
Use Language Substitutions	Switch custom language word substitutions on. Deselect to switch custom language word substitutions off.
View Document On Completion	Open the document as soon as it has been generated.
Use Internal Viewer	Enable the View button to launch the generated RTF Documentation in the Enterprise Architect internal viewer. Deselect to enable the View button to launch the generated RTF Documentation in the MS Windows default RTF file viewer.
Generate	Generate the document.
View	Launch the generated RTF Documentation in the MS Windows default RTF file viewer, or in the Enterprise Architect internal viewer if you have selected the Use Internal Viewer checkbox.
Edit Template	Edit the currently-named template using the RTF Style Template Editor ^[1008] . You can only edit user-defined templates, not the standard templates provided with Enterprise Architect. Standard template names are enclosed in parentheses.
Resource Document ^[1031]	Save the current options as a document definition.
Abort	Cancel report generation.

14.1.1.3 RTF Templates Tab

The **Templates** tab of the **Generate RTF Documentation** dialog enables you to create, edit and delete your own RTF style templates. You can also import RTF templates saved as XML files.

Note:

In the Corporate edition of Enterprise Architect, if security is switched on, you must have [Configure Resources](#)^[640] access permission to create RTF templates.



The tab has the following functions:

To	Do this...
Delete a template	Click on the template name and click on the Delete button.
Create a new template	<p>Click on the New button. The New Document Template dialog displays, on which you specify the template name and the name of any existing template to act as the base for the new template.</p> <p>To make it easier to get up and running, Enterprise Architect provides a basic template with default settings on which you can base new templates.</p> <p>Modify the template as required, using the RTF Style Template Editor ¹⁰⁰⁸.</p>
Open the RTF Style Template Editor ¹⁰⁰⁸	Click on the template name and click on the Edit button. The Document Template Editor screen displays, presenting the facilities of the RTF Style Template Editor .
Import RTF Templates saved to XML files using the Tools Export Reference Data ⁶⁹⁷ menu option	<ol style="list-style-type: none"> 1. Click on the Import From Reference File button. 2. On the Import Reference Data dialog, click on the Select File button and browse for and select the required file. 3. In the Select Datasets to Import panel, click on the required datasets. 4. Click on the Import button to import the template. <p>The imported template displays in the list on the Templates tab of the Generate RTF Documentation dialog.</p>

Note:

There are two methods of exporting and importing RTF templates out of and into models:

- If the template is in a batch file, export it using the **Tools | Export Reference Data** menu option and import it using the **Templates** tab, as above.
- If the template is a one-off copy, use the RTF Template Editor [File](#) ^[1017] menu options, **Export** and **Import**.

14.1.1.3.1 RTF Style Template Editor

The **RTF Style Editor** enables you to create and edit custom RTF templates to define output RTF documentation associated with various sections of the *RTF Report* facility in Enterprise Architect. You typically use this facility to customize the look and feel of a report for your company or client. You access the **RTF Style Editor** by either:


- Selecting to edit the current template on the **Generate** tab of the **Generate RTF Documentation** dialog, or
- Selecting to edit a style template on the **Templates** tab of the **Generate RTF Documentation** dialog.

You select particular model elements and specify, from the element type, the fields to include in the generated document. You can define formatting styles in the **RTF Style Template Editor**, and add a range of items such as tables of contents or headers to the document.

For information regarding specific commands to alter the format of the RTF documentation, see the entries under the [RTF Style Template Editor Commands](#) ^[1015] topic.

Note:

You can transport these RTF templates between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu.





14.1.1.3.2 Select Model Elements for Documentation

To select model elements for documentation using the **RTF Style Template Editor**:


1. Expand the **Sections** tree on the **<template name>** screen.
2. Select the checkbox next to the element's name; the element name is then displayed as a section tag in the **Content** panel.

The position of the section tags within the **Sections** tree determines the position of the model element in the **Content** panel. For encapsulated elements, selecting a child element automatically selects the parent also.

To move a model element to a different position in the documentation template:

1. Select the element.
2. Click on  and  to move the element up and down the **Content** panel.


For example, the section tag for **Diagram | Element** is displayed in the **Content** panel above the section tag for **Diagram | Connector**.



14.1.1.3.3 RTF Style Template Editor - Add Content

The RTF Style Template Editor uses tags to arrange the content layout of the documentation. To insert a model element tag, use the [Sections](#) panel of the **RTF Style Template Editor**. When a selection has been made, model element tags are inserted into the Content section of the Editor. The yellow highlighted model element names specify the beginning of a tag, which is represented by `sectionname >`, and the end of the model element is shown as `< sectionname`.

To add model element content, right-click in the area between Tag Heading and Tag End. This displays a model element 'type'-sensitive list of element fields that can be added to the RTF Documentation. Any additional information entered between the document tags is included in the generated RTF Documentation.



14.1.1.3.4 RTF Style Template Editor Tabular Sections

The **RTF Style Template Editor** supports rendering a document section as a table. A tabular section is defined as a table containing any number of columns, but with only *two* rows. The first row is used to describe the headings of the columns, which you type in and format yourself. The second row defines the output, which you do by right-clicking in each cell and selecting from the field list. The output is then rendered iteratively for every occurrence of the section in question.

Example tabular section:


```
model >
```

Model Glossary

```
glossary >
```

Term	Type	Meaning
{ModelGlossary.Term}	{ModelGlossary.Type}	{ModelGlossary.Meaning}

```
< glossary  
< model
```

In this example the *Model> Glossary>* section is defined as a tabular section. This renders the following document output:

Model Glossary

Term	Type	Meaning
Accounting Periods	Business	A defined period of time whereby performance reports may be extracted. (normally 4 week periods).
Association	Technical	A relationship between two or more entities. Implies a connection of some type - for example one entity uses the services of another, or one entity is connected to another over a network link.
Class	Technical	A logical entity encapsulating data and behaviour. A class is a template for an object - the class is the design, the object the runtime instance.
Component Model	Technical	The component model provides a detailed view of the various hardware and software components that make up the proposed system. It shows both where these components reside and how they inter-relate with other components. Component requirements detail what responsibilities a component has to supply functionality or behavior within the system.
Customer	Business	A person or a company that requests An entity to transport goods on their behalf.
Deployment Architecture	Technical	A view of the proposed hardware that will make up the new system, together with the physical components that will execute on that hardware. Includes specifications for machine, operating system, network links, backup units &etc.
Deployment Model	Technical	A model of the system as it will be physically deployed

14.1.1.3.5 RTF Style Template Editor Child Sections


Child sections can be rendered in RTF documentation using one of the following two methods:

1. Render model elements directly into the RTF as defined by the section's content and fields.
2. Render indirectly to the RTF by using a parent section to describe the content.

The second option occurs as a result of creating a section that has a placeholder section tag (ie. no content within the tags). This method is used to create recursive documentation of child packages.


Example: Rendered Subsection

This example shows a template with content between the child element tags. In this example child elements of the parent are rendered using the *Child Elements* section because it contains valid content and fields.



Example: Non-rendered Subsection

This example shows a template with no content between the child element tags. In this example, child elements of the parent are rendered using the *element* section because the *Child Elements* section is empty. The *Child Elements* section is used as a placeholder:



Child Document Sections and Their Corresponding Parent Sections

Child Section	Section Rendered when used as a placeholder
Package->Child Package	Package
Package->Element->Child Element	Package->Element
Package->Element->Diagram	Package->Diagram
Package->Diagram->Element	Package->Element
Package->Diagram->Connector	Package->Element->Connector

14.1.1.3.6 RTF Style Template Editor Commands

The following topics provide assistance on using the RTF Style Template Editor.

- [Scroll Through Text](#) ^[1016]
- [File and Print Options](#) ^[1017]
- [Cut and Paste Options](#) ^[1018]
- [View Options](#) ^[136]
- [Image and Object Inserts](#) ^[1020]
- [Character Formatting](#) ^[1020]
- [Paragraph Formatting](#) ^[1022]
- [Tab Support](#) ^[1023]
- [Page Breaks and Repagination](#) ^[1023]
- [Headers, Footers, Hyperlinks and Bookmarks](#) ^[1024]
- [Table Commands](#) ^[1025]
- [Sections and Columns](#) ^[1026]

- [Stylesheets, Special Text and Table of Contents](#) ¹⁰²⁹
- [Text/Picture Frame and Drawing Objects](#) ¹⁰³⁰
- [Search/Replace Commands](#) ¹⁰³¹

Note:

Throughout your template editing, be aware that:

- To undo one or more immediately previous edits, press **[Ctrl]+[Z]**, or select the **Edit | Undo** menu option. You can still undo a change even after you have saved the change.
- To redo one or more immediately previous undone edits, press **[Ctrl]+[Y]**, or select the **Edit | Redo** menu option.

14.1.1.3.6.1 Scroll Through Text

Scroll Using	Options
Keyboard Keys	<p>Press</p> <ul style="list-style-type: none"> • [↑], [↓], [←] or [→] to scroll up or down a line, or left or right one character • [Home] to move to the beginning of the current line • [End] to move to the end of the current line • [Ctrl]+[Page Up] to move to the beginning of a file • [Ctrl]+[Page Down] to move to the end of a file • [Page Up] to display the previous page • [Page Down] to display the next page • [Ctrl]+[←] to move to the previous word • [Ctrl]+[→] to move to the next word • [Ctrl]+[↑] to move to the first column of the current line (if not already on the first column) or the first column of the previous line • [Ctrl]+[↓] to move to the first column of the next line • [F10] (or select the Other Jump menu option), type in a line number to jump to, and click on the OK button.
Mouse	<p>Click on the vertical and horizontal scroll bar to perform various scrolling functions. These functions are available only if the horizontal or the vertical bar has been enabled by the startup parameters.</p> <p>Vertical Scroll Bar: Click on the arrows on either end to scroll the screen up or down by one line.</p> <p>Click above the elevator to scroll the screen up by one page. Similarly, click below the elevator to scroll the screen down by one page.</p> <p>You can also drag the elevator to any position in the bar. As the elevator is dragged, the editor scrolls the screen up or down accordingly.</p> <p>Horizontal Scroll Bar: Click on the arrows on either end to scroll the screen left or right by one column. Click on either side of the elevator to scroll the screen left or right by 1/2 screen.</p> <p>You can also drag the elevator to any position in the bar. As the elevator is dragged, the editor scrolls the screen left or right accordingly.</p>

14.1.1.3.6.2 File and Print Options

Menu Option & Function Keys	Use to
New	Clear an existing template from the edit window and start an empty, unnamed template. The editor prompts you to save any modification to the previous template.
Revert	Revert to the previously-saved copy of the template.
Save [Ctrl]+[S]	Save the text to the current file name. If a file is not yet specified, the editor prompts you for a template name.
Save As [Ctrl]+[Shift]+[S]	Similar to Save File , but you specify a new template name for saving the template.
Import	Import an existing RTF document into the Template Editor, so as to insert model elements from that document into the template. This is useful when creating templates from a predefined document with a particular 'look and feel'.
Export	Save the template as an RTF document rather than as a template. This can be useful for saving the template for other models.
Document Options	Display the Document Options <small>[1033]</small> dialog which enables you to set the filter and order the elements.
Page Layout	Specify the page layout, before selecting the Print option. You can specify the margins (left, right, top and bottom) in inches.
Printer Setup [Ctrl]+[Shift]+[P]	Invoke a printer-specific dialog for the default printer (the default printer selection is made from the Windows Control panel). You select the parameters from a set of printer-specific options. These options include page size, page orientation, resolution and fonts.
Print [Ctrl]+[P]	Print the contents of the current file. The editor displays a dialog where you can select the scope of the printing. You can also choose to print only a selected part of the file. To print a block of text, highlight the required text before invoking the Print function. This command prints a highlighted: <ul style="list-style-type: none"> • Line block • Character block The Print function prints on a default printer selected from the Windows Control panel. You can alter the printer setup or page layout prior to invoking the Print function.
Print Preview	Preview the document before printing. The editor displays up to two pages at a time. You can scroll to a different page using [Page Up] , [Page Down] or the scroll bar. By default the preview rectangle is sized to fit the current window. However, you can use the zoom option to enlarge or shrink the preview rectangle as required. Click on the Edit button or the File Print Preview menu option again to return to editing mode.
Close	Close the Template Editor. The editor prompts you to save any unsaved information.


14.1.1.3.6.3 Cut and Paste Options

To	Do this...
Highlight a word	Double-click on the word.
Highlight a line	Move the cursor onto the line and press [F8] .
Select all file content	Press [Ctrl]+[A] or select the Edit Select All menu option.
Copy a block	Highlight the lines of text to be copied and press [Ctrl]+[C] , or select the Edit Copy menu option. Move the cursor to the point at which to insert the text and press [Ctrl]+[V] or select the Edit Paste menu option.
Move a block	Highlight the lines of text to be moved and press [Ctrl]+[X] , or select the Edit Cut menu option. The selected text is removed from the page. Move the cursor to the point at which to insert the text and press [Ctrl]+[V] or select the Edit Paste menu option.
Delete a block	Highlight the lines of text to be deleted and press [Delete]
Delete a line	Press [Shift]+[F9] to delete the current line. The remaining lines close up.
Paste special objects	<p>Select the Edit Paste Special menu option. The Paste Special dialog displays, listing the appropriate data type formats for pasting the copied object, as listed below.</p> <p>Click on the Paste button to embed the data into your application, or click on the Paste Link button to create a link to the original file.</p> <p><u>Native Object Format</u></p> <p>If available, this is the first format in the list box. You can edit data in this format using the original application, by double-clicking the object.</p> <p><u>Formatted Text</u></p> <p>A text format. This option offers the most suitable format if the data is pasted from another text output application, as the font and formatting attributes are reproduced accurately.</p> <p><u>Unformatted Text</u></p> <p>Another text format. This option pastes the text without retaining the formatting information.</p> <p><u>Picture Format</u></p> <p>The data is available in Picture format. You can later edit the object, by double-clicking on it and invoking the Microsoft MS Draw application.</p> <p>Note:</p> <p>This format is preferred over the Bitmap and the Device Independent Bitmap formats.</p> <p><u>Device Independent Bitmap and regular Bitmap formats</u></p> <p>The data is available in bitmap formats. You can later edit the object, by double-clicking on it and invoking the Microsoft MS Draw application.</p> <p>The editor converts these formats into the Picture format before calling the drawing application.</p>

14.1.1.3.6.4 View Options

Menu Option	Use to
Page Mode	<p>Turn Page Mode on (the equivalent of <i>Print View</i> in Word) or off (the equivalent of <i>Normal View</i> in Word).</p> <p>In Page Mode, the editor displays one page at a time. It is most useful for documents containing multiple columns, as the columns are displayed side by side.</p>
Fitted View	<p>Turn Fitted View on or off. This is a special case of Page Mode, in which the text wraps to the window width and the soft page breaks are not displayed.</p> <p>If you select Fitted View, Page Mode is automatically selected too. If you deselect Page Mode, Fitted View is automatically deselected too.</p>
Ruler	<p>Display or hide the ruler at the top of the page.</p> <p>The ruler shows tab stops and paragraph indentation marks; it can also be used to create or delete tab stops.</p>
Tool Bar	<p>Display or hide the tool bar above the ruler.</p> <p>The tool bar provides a convenient method of selecting fonts, point sizes, character styles and paragraph properties. The tool bar also shows the current selection for font, point size and character styles.</p>
Status Ribbon	<p>Display or hide the status ribbon at the bottom of the editing panel.</p> <p>The status ribbon displays the current page number, line number, column number and row number. It also indicates the current insert/overwrite mode.</p>
Paragraph Marker	<p>Display or hide the paragraph marker (an inverted 'P') at the end of each paragraph.</p> <p>This option is useful when working with lines with many different heights.</p>
Hidden Text	<p>Show or hide hidden text.</p> <p>Text formatted with the hidden attribute (see Character Formatting Options^[1020]) is shown with a dotted underline. When the option is turned off, the hidden text is not visible.</p>
Field Names	<p>Insert, show and hide field names.</p> <p>As you develop your RTF document, you right-click on sections to insert field markers. You cannot insert these markers unless you have selected the Field Names option.</p> <p>When you deselect the option, existing field names are obscured.</p>
Page Header/ Footer	<p>Display or hide the text of page headers and footers. If Page Mode is not selected, this option turns Page Mode on.</p> <p>When Page Mode is selected, you cannot edit the header or footer text unless you also select the Edit Edit Page Header/Footer menu option. See Headers, Footers and Bookmarks^[1021].</p> <p>When Page Mode is deselected, you can see and edit page headers and footers at the start of the document.</p>
Page Border	<p>Display or hide a page outline in Page Mode.</p> <p>When Page Mode is deselected, this option is not available.</p> <p>When Page Border is selected, the document contents are shown within a page outline. When Page Border is deselected, the document contents are formatted within the boundaries of the editing screen.</p>
Zoom	<p>Shrink or enlarge the display of the document text, by selecting the appropriate percentage enlargement.</p> <p>The editor supports zoom percentages from 25 to 200.</p>


14.1.1.3.6.5 Image and Object Inserts

To	Do this...
Embed a picture in the document	<p>Position the cursor at the point at which to insert the picture bitmap or Windows metafile, and either:</p> <ul style="list-style-type: none"> • Select the Insert Embed Picture menu option, or • Press [Alt]+[F8]. <p>A browser dialog displays, through which you select the picture to embed in the document. The picture displays at the current cursor location.</p> <p>The embedded picture is saved within the document.</p>
Link a picture file to the document	<p>Position the cursor at the point at which to link the picture bitmap or Windows metafile, and select the Insert Link Picture menu option.</p> <p>A browser dialog displays, through which you select the picture to link to the document. The picture displays at the current cursor location.</p> <p>Linked picture data is not saved with the document, only the filename is stored within the document.</p>
Embed an Ole object in the text	<p>Position the cursor at the point at which to embed the object, and select the Insert Ole Object menu option. The Insert Object dialog displays, listing the applications that are available to create the object.</p> <p>When you select an application, the editor launches it and you create the required object using this application. When you save the application, the editor inserts an icon that indicates the inserted object. You can later edit the object using the application, by double-clicking on the object.</p> <p>Note:</p> <p>You can also use the Edit Paste Special  menu option to import the OLE objects, provided that the object is available in the clipboard.</p>
Edit an embedded picture	<p>Click on the picture and select the Edit Edit Picture menu option. The Edit Current Picture Parameters dialog displays, through which you can change the width and height of the picture, in inches. You can also align the top, bottom, or middle of the picture with the base line of the text.</p>
Edit an embedded Ole object	<p>Double-click on the icon that indicates the inserted Ole object. Alternatively, position the cursor on the icon and select the Edit Edit OLe Object menu option. The editor opens the object in the application used to create it, and you can edit the object.</p>
Insert a background picture for the text	<p>Select the Other Background Picture menu option. A browser dialog displays, through which you select the bitmap or metafile file to insert as a background picture. The picture occupies the entire text area.</p> <p>To remove the background picture, deselect the Background Picture menu option.</p>

14.1.1.3.6.6 Character Formatting

When you change the format of existing text, any new characters you type immediately following automatically assume the formatting characteristics of the existing text.

To	Do this...
Apply character format	<p>Highlight the text to which to apply the format, and use one or more of the following menu options or key combinations, as required:</p>

To	Do this...
	<ul style="list-style-type: none"> • Font Normal, or press [Alt]+[0] • Font Bold, or press [Ctrl]+[B] • Font Underline, or press [Ctrl]+[U] • Font Double Underline, or press [Ctrl]+[D] • Font Italic, or press [Ctrl]+[I] • Font Superscript, or press [Alt]+[4] • Font Subscript, or press [Alt]+[5] • Font Strike, or press [Alt]+[6] (puts a line through the text) • Font All Caps • Font Small Caps <p>To reset any character format, highlight the text and select the Font Normal menu option, or press [Alt]+[0].</p>
Change font typeface and point size	Highlight the text to change and select the Font Fonts menu option, or press [Alt]+[F10] . The Font Selection dialog displays, from which you select the required typeface and point size. Click on the OK button.
Change character style	Highlight the text to change and select the Font Style menu option. The Select a Style dialog displays, listing the currently-defined character styles in the template stylesheet .  <p>Select the required style and click on the OK button.</p>
Change the color of text, background (permanent highlight) or underline	Highlight the text to change and select one or more of the following options, as required: <ul style="list-style-type: none"> • Font Text Color • Font Background Color • Font Underline Color <p>In each case, the Color dialog displays, through which you can select or define the required color. When you have selected a color, click on the OK button.</p>
Change character spacing	Normal character spacing is 20 Twips. If you want to change this (or return to it), highlight the text to adjust, and select the Font Spacing menu option. The Character Spacing dialog displays. <p>Select the radio button to expand or compress spacing, or to return to normal spacing. If you are changing from normal spacing, enter the number of Twips to set the spacing to. Click on the OK button.</p>
Hide text	Hidden text is not displayed on the screen or printer, but remains in the document and is not deleted. <p>Highlight the text to hide and select the Font Hidden menu option, or press [Ctrl]+[H]. The highlighted text is not displayed and the rest of the text closes up.</p> <p>To view hidden text, select the View Hidden Text menu option. You can then make the text normal again by highlighting it and deselecting the Font Hidden menu option.</p>
Box text	Highlight the text to box and select the Font Boxed menu option. This creates a broken-line border around the selected text.
Insert a non-breaking space	Move the cursor to the point at which to insert the non-breaking space and select the Insert Non-breaking Space menu option.
Insert a non-breaking dash	Move the cursor to the point at which to insert the non-breaking dash and select the Insert Non-breaking Dash menu option.
Insert an optional hyphen	Move the cursor to the point at which to insert the hyphen and select the Insert Optional Hyphen menu option.

14.1.1.3.6.7 Paragraph Formatting

The functions described below operate on the current paragraph, or on a [highlighted](#)  block of text.

To	Do this...
Clear all paragraph formatting	Select the Paragraph Normal menu option. The editor pushes the paragraph back up to the page margin.
Set text flow in document	To set the text flow for: <ul style="list-style-type: none"> • A selected block of text, select the Paragraph Text Flow menu option; the Paragraph Text Flow dialog displays • The entire document, select the Edit Document Text Flow menu option; the Document Text Flow dialog displays. In either case, select the required text flow direction and click on the OK button.
Center text	Select the Paragraph Center menu option or press [Alt]+[8] .
Right-justify text	Select the Paragraph Right Justify menu option or press [Alt]+[9] .
Justify both sides of text	Select the Paragraph Justify Both menu option.
Set double line spacing	Select the Paragraph Double Space menu option. A double-spaced paragraph has a blank line between each text line.
Indent paragraph left	Select the Paragraph Indent Left menu option or press [Alt]+[L] . Select the option again to increase the indent.
Indent paragraph right	Select the Paragraph Indent Right menu option or press [Alt]+[R] . Select the option again to increase the indent.
Create hanging indent	Select the Paragraph Hanging Indent menu option or press [Alt]+[T] . Select the option again to increase the indent of all lines below the first.
Keep paragraph lines together	Select the Paragraph Keep Together menu option. The editor attempts to keep all lines within the paragraph on the same page.
Keep paragraph with next	Select the Paragraph Keep with Next menu option. The editor attempts to keep the last line of the current paragraph and the first line of the next paragraph on the same page.
Prevent 'widow' and 'orphan' lines	Select the Paragraph Widow/Orphan Control menu option. The editor attempts to avoid having: <ul style="list-style-type: none"> • the first line of the paragraph on the previous page ('widow' line) • the last line of the paragraph on the next page ('orphan' line).
Start text on new page	Move the cursor to the point at which to start the new page, and select the Paragraph Page Break Before menu option.
Insert border and shading for text block	Highlight the required text and select the Paragraph Border and Shading menu option. The Paragraph Box Parameters dialog displays, on which you specify which sides of the box to display (including a line between text lines), whether the lines are thick or doubled, the degree of gray shading behind the text, and the color of the lines.
Define line spacing	Highlight the required lines and select the Paragraph Paragraph Spacing menu option. The Paragraph Spacing Parameters dialog displays, on which you specify the line spacing and the point spacing before and after lines.

To	Do this...
Set a background color for text space	Highlight a text string or block of text and select the Paragraph Background Color menu option. The Color dialog displays, on which you select the background color. The editor highlights the full width of the page in that color, for the selected lines.
Create a bulleted list	Highlight the required lines of text and select the Paragraph Bullet menu option. The editor formats the lines into a simple bullet list.
Create a numbered list	Highlight the required lines of text and select the Paragraph Numbering menu option. The editor formats the lines into a simple numbered list.
Apply a paragraph style from the template stylesheet	Select the Paragraph Style menu option. The Select a Style dialog displays, listing the currently-defined paragraph styles in the template stylesheet ^[1023] . Select the required style and click on the OK button.

14.1.1.3.6.8 Tab Support

The RTF Style Template Editor supports *left*, *right*, *center* and *decimal* tabs. Tabs are very useful for creating columns and tables. A paragraph can have as many as twenty tab positions.

A tab usually applies to every line of the current paragraph. However, if you highlight a block of text before setting a tab, the tab then applies to every line in the highlighted text.

You can create tabs quickly and easily using the ruler at the top of the screen. To create a:

- *Left* tab, click on the required tab position on the ruler; the left tab is indicated on the ruler by an **L** shape.
- *Right* tab, right-click on the required tab position on the ruler; the right tab is indicated on the ruler by a reversed **L** shape.
- *Center* tab, press **[Shift]** and click on the required tab position on the ruler; the center tab is indicated on the ruler by an inverted **T** shape.
- *Decimal* tab, press **[Shift]** and right-click on the required tab position on the ruler; the decimal tab stop is indicated on the ruler by an inverted **T** shape with a dot on the right hand side. This tab is for numbers with a decimal point; numbers scroll left from the tab until you type a point, then numbers scroll right.

You can also set tabs using the **Paragraph | Set Tab** menu option, which displays the **Set a Tab Position** dialog. This enables you to specify the tab type, and provides two advantages over the ruler: you can set the tab position with more precision and with a clear value that you can duplicate; and you can add a tab leader line (dot, hyphen, or underline).

- To clear a *single* tab position for selected text, select the **Paragraph | Clear Tab** menu option. The **Clear a Tab Position** dialog displays, on which you select the tab to clear.
- To clear *all* tab stops for selected text, select the **Paragraph | Clear All Tabs** menu option.
- To move a tab position using the mouse, click on the tab symbol on the ruler and drag it to the new position.

Note:

The **Other | Snap To Grid** menu option affects the movement of the tabs (and the paragraph indentation markers) on the ruler. When you select this option, the movements of the tab markers are locked on to an invisible grid at intervals of 1/16 inch (half a ruler division).

14.1.1.3.6.9 Page Breaks and Repagination

You can force a page break in the document by selecting the **Insert | Insert Break | Page Break** menu option, or by pressing **[Ctrl]+[Enter]**. The forced page break is indicated by a solid line in the editing window.

If Page Mode is off, the editor also marks automatic page breaks when the text overflows a page; these are

indicated by a dotted line.

You can repaginate your document, using the **Edit | Repaginate** menu option. This updates the **Page Number** and **Page Count** fields, and recompiles the table of contents.

You insert the **Page Number** and **Page Count** fields as follows:

To	Do this...
Insert the page number	Position the cursor at the point at which to display the page number, and select the Insert Page Number menu option. The page number is displayed in gray.
Insert the page count	Position the cursor at the point at which to display the total number of pages in the document, and select the Insert Page Count menu option. The page count is displayed in gray.

14.1.1.3.6.10 Headers, Footers, Hyperlinks and Bookmarks

To	Do this...
Edit the page header and footer text	<p>In Page Mode, select the Edit Edit Page Header/Footer menu option. A paragraph marker displays at the top and bottom of each page, and you can type in, format or delete the appropriate text.</p> <p>If Page Mode is turned off, all page headers and footers are displayed in a block at the start of the document, with identifying labels. You can also edit the text here.</p> <p>Each section in a document can have its own page header and footer.</p>
Create the header and footer for the initial page of the document	<p>In Page Mode, select the Edit Edit Page Header/Footer menu option and then select the Edit First Page Header/Footer Create First Page Header or Create First Page Footer menu option. A paragraph marker displays at the top or bottom of the first page, and you can type in and format the appropriate text.</p> <p>If Page Mode is turned off, all page headers and footers are listed in a block at the start of the document, with identifying labels. You can also edit the text here.</p>
Delete the header and footer for the initial page of the document	<p>Whilst you can delete the first page header or footer text by simple editing, you must specifically delete the 'first page' assignment in order to display the header and footer text of the next section on the first page.</p> <p>In Page Mode, select the Edit Edit Page Header/Footer menu option and then select the Edit First Page Header/Footer Delete First Page Header or Delete First Page Footer menu option. This removes the first page text and assignment, and displays the next-defined header and footer text.</p>
Create a footnote	<p>Move the cursor to the position at which to insert the footnote marker, and select the Insert Footnote/Endnote Footnote menu option. The Footnote Parameters dialog displays, on which you enter the footnote marker and footnote text, and select whether to make the marker a superscript.</p> <p>Click on the OK button. The editor inserts the footnote marker at the current cursor location and, in Page Mode, displays the footnote text at the bottom of the page.</p>
Edit footnote text	<p>Select the Edit Edit Footnote/Endnote Edit Footnote Text menu option. The text of each footnote displays in the document text where its marker was inserted. Locate the text and make the required changes. In Page Mode, the modified footnote displays at the bottom of the page.</p> <p>When you have finished editing footnote text, <i>deselect</i> the Edit Edit Footnote/Endnote Edit Footnote Text menu option. The footnote text is no longer shown in the document text.</p>
Create an endnote	<p>Move the cursor to the position at which to insert the endnote marker, and select the</p>

To	Do this...
	<p>Insert Footnote/Endnote Endnote menu option. The Endnote Parameters dialog displays, on which you enter the endnote marker and endnote text, and select whether to make the marker a superscript.</p> <p>Click on the OK button. The editor inserts the endnote marker at the current cursor location and, in Page Mode, displays the endnote text at the end of the section or document.</p>
Edit endnote text	<p>Select the Edit Edit Footnote/Endnote Edit Endnote Text menu option. The text of each endnote displays in the document text where its marker was inserted. Locate the text and make the required changes. In Page Mode, the modified endnote displays at the bottom of the page.</p> <p>When you have finished editing endnote text, <i>deselect</i> the Edit Edit Footnote/Endnote Edit Endnote Text menu option. The endnote text is no longer shown in the document text.</p>
Manage bookmarks	<p>Each template contains a number of bookmarks that mark the sections. You can apply these bookmarks to related sections, create and assign your own, delete those that are not required, and locate specific bookmarks in the document.</p> <p>In Page Mode, select the Insert Bookmark menu option. The Bookmark dialog displays.</p> <ul style="list-style-type: none"> • To assign a bookmark to the current cursor position, either type a new bookmark in the top field or select one from the list, and click on the Insert button. • To delete an existing bookmark, click on it in the list and click on the Delete button. • To mark a bookmark with the number of the page it is on, click on the bookmark in the list and click on the Set Page Reference button. • To locate a bookmark in the text, click on it in the list and click on the Go to button.
Insert hyperlinks	<p>You can create a hyperlink within an RTF document to an external document, Help topic or web page.</p> <p>To insert a hyperlink, right-click on the point at which to create the hyperlink and select the Insert Hyperlink menu option. The Insert Hyperlink dialog displays.</p> <p>In the Link Text field type the text to be hyperlinked, and in the Link Code field type or paste the web page URL, help topic file or external file path and name.</p> <p>Tip:</p> <p>To capture the help topic file name, right-click on the displayed topic, select the Properties menu option, and copy the file name. When you insert the file name in the Link Code field, ensure that the file name has the prefix <i>\$Help:/</i>.</p> <p>Click on the OK button. The hyperlinked text displays in the document. Double-click on the link to display the web page or external document.</p>

14.1.1.3.6.11 Table Commands

The **Table** menu enables you to create a new table, or to edit an existing table's attributes.

To	Do This...
Insert a table in the document	Position the cursor at the appropriate point, and select the Table Insert Table menu option. The New Table Parameters dialog displays, in which you specify the number of table rows and columns.

To	Do This...
	The editor initially creates cells of equal width. You can, however, change the cell width by dragging the cell borders using the mouse. When Page Mode is deselected, the table structure is not visible.
Insert a new row above the current row	Select the Table Insert Row menu option.
Insert a new column to the left of the current column	Select the Table Insert Column menu option.
Merge cells	Select the cells to merge and select the Table Merge Cells menu option. The width of the resulting cell is equal to the sum of the merged cells. You can merge cells across a row, down a column, and in a block spanning both rows and columns.
Split a cell	Select the cell to split and select the Table Split Cell menu option. The selected cell is split into two cells of equal width. Any text in the original cell is assigned to the first cell. The second cell is created empty.
Delete cells	Select the cells to delete and select the Table Delete Cells menu option. The Delete Table Cells dialog displays, on which you specify whether to delete: <ul style="list-style-type: none"> • Cells - deletes the highlighted cells • Columns - deletes all the cells in the highlighted column or columns • Rows - deletes all the cells in the highlighted row or rows. If you delete all cells in a table, the table itself is automatically deleted.
Position the table on the page	Click on any part of the table and select the Table Row Position menu option. The Table Row Alignment dialog displays, on which you select to left-align, center or right-align the table on the page. This option has little effect if the table is wide enough to span the page or text column.
Set the height of a row, or all rows	Select the row to adjust and select the Table Row Height menu option. The Row Height Parameters dialog displays, enabling you to set an automatic row height, a minimum row height, or an exact row height. You can apply the setting to the selected rows only, or to all rows in the table.
Keep row text together if it continues over a page	Select the rows to protect (preferably all rows in the table) and select the Table Keep Row Together menu option. If the row continues over the end of the page, the whole row is moved to the top of the next page.
Set text flow in rows	Select the rows and select the Table Row Text Flow menu option. The Table Text Flow dialog displays, on which you select the direction of flow of the text and select to apply the setting to the selected rows or all rows in the table. This option also moves the whole row over to the appropriate side of the page or column.
Set the width of selected cells	Select the cells to act on and select the Table Cell Width menu option. The Set Cell Width dialog displays, on which you set the cell width and text margin and apply them to: <ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.


To	Do This...
Define the cell border width	<p>Select the cells to act on and select the Table Cell Border Width menu option. The Set Cell Border dialog displays, on which you set the width of the line at any or all of the top, bottom, left and right of a cell, or whether to draw a uniform border around the cells. You can also set the text margin, and apply all the settings to:</p> <ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.
Define the cell border color	<p>Select the cells to act on and select the Table Cell Border Color menu option. The Set Cell Border Color dialog displays, on which you set the color of the line at any or all of the top, bottom, left and right of a cell, or whether to have a uniformly colored border around the cells. You then apply the settings to:</p> <ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.
Define the cell shading	<p>Select the cells to act on and select the Table Cell Shading menu option. The Cell Shading Parameters dialog displays, on which you set the shading percentage. The value 0 indicates the palest background, whereas the value 100 indicates a black background. You then apply the setting to:</p> <ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.
Define the cell background color	<p>Select the cells to act on and select the Table Cell Color menu option. The Cell Color Parameters dialog displays, on which you set the cell background color. You then apply the color to:</p> <ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.
Vertically align cells	<p>Select the cells to act on and select the Table Cell Vertical Align menu option. The Cell Vertical Alignment dialog displays, on which you select to align the selected cells by top, center, bottom or baseline. You then select to align:</p> <ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.
Rotate cell text	<p>Select the cells to act on and select the Table Cell Rotate Text menu option. The Cell Text Rotation dialog displays. On which you select to display text horizontally across the cell, vertically up the cell, or vertically down the cell. You then select to apply the rotation to:</p>

To	Do This...
	<ul style="list-style-type: none"> • All cells in a highlighted block • The selected cells only • All cells in the selected column or columns, or • All cells in the selected row or rows.
Select column	Click on a cell and select the Table Select Current Column menu option. The whole column is highlighted and selected for further formatting.
Show / hide table outline	Click on a table cell and select the Table Show Gridlines menu option. This displays or hides the grid lines around the table cells. The grid lines are for display purpose only and do not appear on the printed document.

14.1.1.3.6.12 Sections and Columns

The editor enables you to divide a document into multiple sections. A multiple section document is useful to:

- Vary the page margins from one page to another
- Create multiple columns of text.

To	Do this...
Create a new section	<p>Select the Insert Insert Break Section menu option. This creates a new section on a new page.</p> <p>Note:</p> <p>This option is not available when Edit Edit Page Header/Footer is active.</p>
Edit the section parameters	<p>Select the Edit Edit Section menu option. The Section Parameters dialog displays. Define:</p> <ul style="list-style-type: none"> • The number of columns and column spacing; text in a multiple column section wraps at the end of the column. When the text reaches the end of the page, it resumes in the next column. When Page Mode is off, the page contains a single very thin and long column. When Page Mode is on, the correct column layout is shown. • The orientation - Portrait or Landscape • Whether to start the new section on the next page • The direction of text flow. • Any special printing characteristics for the section. <p>You can also define any special page margins by selecting the File Page Setup  menu option.</p>
Delete a section break	Move the cursor onto the section break line and press [Delete] .
Create a column break	<p>Move the cursor to the appropriate point in the text and select the Insert Insert Break Column Break menu option.</p> <p>Normally in a multiple column section, the text flows from the end of one column to the top of the next column. A column break forces the text to the next column before the current column is completely filled.</p> <p>A column break is indicated by a line with a 'dot and dash' pattern. To delete the column break, simply position the cursor on the column break line and press</p>

To	Do this...
	[Delete].

14.1.1.3.6.13 Stylesheets, Special Text and Table of Contents

The editor supports *Character* and *Paragraph-type* stylesheet style items. The Character stylesheet style constitutes a set of character formatting attributes and is applied to a character string. The Paragraph stylesheet style constitutes both a set of character formatting attributes and a set of paragraph formatting attributes, and is applied to one or more paragraphs.

You can also include special, structured text in the document, such as [page number](#)^[1023], date and time and text input fields.

To	Do this...
Create and edit styles	<p>Select the Edit Edit Style menu option. The Edit Stylesheet dialog displays.</p> <p>Select the appropriate radio button to define a character style or a paragraph style.</p> <p>Either select an existing style to modify from the list box, or type in a name for a new style. Click on the OK button to begin recording the style properties. You can use the ruler, toolbar or menu selections to modify the style items. These also reflect the currently-selected properties for the stylesheet item. Please note that the paragraph properties are enabled only for the paragraph stylesheet items.</p> <p>After you have defined the required style, either select the Edit Edit Style menu option again or click anywhere in the document. If you modified an existing stylesheet item, the document automatically reflects the updated style. If you created a new stylesheet item, you can apply the style to highlighted text by selecting the Font Style or Paragraph Style menu options.</p>
Apply character styles	Select the Font Style menu option to apply a stylesheet style to a highlighted character string.
Apply paragraph styles	Select the Paragraph Style menu option to apply a stylesheet style to a highlighted paragraph or range of paragraphs.
Insert a table of contents	<p>Create and apply the required heading styles using the Edit Edit Style menu option, as above.</p> <p>Move the cursor to the point at which to insert the table of contents and select the Insert Table of Contents menu option.</p> <p>The table of contents is automatically updated whenever repagination^[1023] occurs.</p>
Insert date and time fields	<p>Move the cursor to the point at which to insert the current date and time, and select the Insert Date and Time menu option. The Insert Current Date/... dialog displays, from which you select the required date and time format.</p> <p>The date and time are automatically updated whenever the page text is refreshed.</p>
Insert your own data fields	Move the cursor to the point at which to insert the data field and select the Insert Data Field menu option. The Data Field Parameters dialog displays, in which you enter the field name and data value.
Insert a text entry field	Move the cursor to the point at which to insert the text entry field and select the Insert Text Input Field menu option. The Input Field Parameters dialog displays, in which you enter the field name, initial value, maximum field length and text font, and specify whether or not the field has a border.
Insert a selectable checkbox	Move the cursor to the point at which to insert the checkbox and select the Insert Checkbox menu option. The Checkbox Field Parameters dialog displays, in which you enter the field name, whether it defaults to selected, and the size of the box

To	Do this...
	surrounding the check.

14.1.1.3.6.14 Text/Picture Frame and Drawing Objects


A frame is a rectangular area that can contain both text and pictures on the page. The text *outside* the frame flows around it. A drawing object can be a text box, rectangle or a line. The drawing object *overlays* the text around it. You can see frames and drawing objects only if **View | Page Mode** is selected. However, the *content* of a frame or text box is still visible if **Page Mode** is deselected.

To:

- Embed a frame or drawing object at the current cursor position, select the **Insert | Frame** or **Insert | Drawing Object** menu option.
- Insert text into the frame or drawing object text box, click inside the outline and type the text at the cursor position.
- Rotate the text to display it down the side of the frame or text box, select the **Edit | Edit Frame/Drawing Object | Rotate Text** menu option and select the text direction.
- Insert a picture into a frame or drawing object text box, copy the picture, click inside the outline and paste the picture at the cursor position.
- Size a frame or drawing object, click inside the outline, click on a sizing tab on the outline and drag the tab to the required position. If the frame or text box contains only a picture, the picture size is automatically adjusted to fill the outline. Any text inside the outline is automatically wrapped to adjust to the new width. In a frame, if necessary, the frame height is automatically adjusted to enclose all lines. In a text box, the height must be adjusted manually to enclose the text.
- Move the frame or drawing object, click inside the outline and then move the cursor just outside the outline until the cursor changes to a plus-shape. Drag the plus shape (and hence the outline) to the new location.
- Edit the relationship between a frame or drawing object and a point on the page (the vertical base position), click on the outline and select the **Edit | Edit Frame/Drawing Object | Vertical Base Position** menu option. Select the point to lock the outline to. Outlines locked to the top of the page or the top of the margin retain their vertical position when you insert text before them.
- Edit the border and the background of a drawing object, select the **Edit | Edit Frame/Drawing Object | Edit Drawing Object** menu option. On the **Line and fill attributes** dialog, select the options for the preferred border, line color, fill color and wrapping effect on the template text.
- Delete a frame or drawing object, click on the outline and press **[Delete]**. The editor prompts you to confirm the deletion. Click on the **OK** button. Note that the deletion is actually reversible - press **[Ctrl]+[Z]** or select the **Edit | Undo** menu option.

14.1.1.3.6.15 Search and Replace Commands

The first three menu options below all invoke the **Search String Parameters** dialog, if no search term has been defined.



Specify the term to search for, whether to search from the start of the file or forwards or backwards from the current cursor position, and whether the search should exactly match the case of the search term.


To	Do this...
Search for a text string	Select the Other Search menu option, or press [F5] . The Search String Parameters dialog displays. The editor searches for the first instance of the specified character string as defined by the parameters.
Find the next instance of a previously-defined text string in the file	Select the Other Search Forward menu option, or press [Ctrl]+[F] . The editor searches forwards for the next instance of the specified text string in the file, and highlights it.
Find the previous instance of the previously-defined text string in the file	Select the Other Search Backward menu option, or press [Ctrl]+[Shift]+[F] . The editor searches backwards for the previous instance of the text string in the file, and highlights it.
Replace a text string	Select the Other Replace menu option, or press [F6] . The Replace String Parameters dialog displays, in which you specify the text string to locate and the text string to replace it with, whether to search the whole document or a highlighted block of text, and whether to confirm each replacement before making the change.

14.1.1.4 Resource Documents


The *Resource Document* feature enables a particular documentation configuration to be 'remembered', linking the loaded template within the **Generate RTF Documentation** dialog to the current highlighted package. If a particular template is always used with a specific package, and multiple cases of documentation exist to be propagated, saving these as Resource Documents can ease document generation later.

To create and use Resource Documents, follow the steps below:

1. Open the [Generate RTF Document](#) ^[1002] dialog. ^[1002]
2. Click on the **Resource Document** button. The **Save current as document definition** dialog displays:



3. In the **Enter Value** field, type a name for the document and click on the **OK** button. The document is added to the **Resources** window for easy future access (as for the *usecasedoc* entry in the illustration below).




4. To generate documentation from the **Resources** window, right-click on the required document. The context menu displays.
5. Select the required option.

The context menu options are:

- **Open Document** - Opens the corresponding .RTF file, as specified by the RTF template *Filename* property
- **Generate Document** - Opens the **Generate RTF Documentation** dialog, loaded with the specified template
- **Auto Generate Document** - Generates documentation, with the document located at the path specified by the template's *Filename* property
- **Delete Document** - Removes the specified document.

Batch Generate Resource Documents

You can generate a number of RTF documents at the same time, by right-clicking on the *RTF Documents* folder name. Select the **Generate Documents** context menu option to display the **Batch Document Generation** dialog.




The dialog lists all resource documents in the *RTF Documents* folder. Deselect the checkbox against each document that you do not want to generate, then click on the **OK** button to generate each of the remaining reports into their respective target file locations.

The **Generate All Documents** option automatically generates every document in the *RTF Documents* folder, without displaying the **Batch Document Generation** dialog.

14.1.1.5 Document Options

The RTF documentation options enable you to set the filter and order the elements. You can access the options from two different places; the start point affects the number and persistence of options selected:

1. If you access the options on the **Options** and **Advanced** tabs of the [Generate RTF Documentation](#) dialog, you can create filtering settings for the current document set to be run. Selections are non-persistent, and are reset when you select a different template.
2. If you access the options by clicking on the [File | Document Options](#) menu option on the [RTF Style Template Editor](#) dialog, the settings are saved with the template as the default settings for any run of this report; the **Document Options** dialog (shown below) provides the options from both of the **Options** and **Advanced** tabs of the [Generate RTF Documentation](#) dialog.



The **Options** tab of the **Generate RTF Documentation** dialog has the following fields:

Option	Use to
Only include objects	Filter elements according to date created or modified.
Where Package Phase	Filter elements according to the value of the Package Phase field.
With element status	Filter elements according to status.
Packages by	Order packages in the generated documentation in either ascending or descending order of Name, Tree Order, Modified Date or Created Date.
Elements by	Order elements in the generated documentation in either ascending or descending order of Name, Tree Order, Modified Date or Created Date.
Diagrams by	Order diagrams in the generated documentation in either ascending or descending order of Name, Tree Order, Modified Date or Created Date.
Exclude details for	Exclude all elements of the selected type or types from the generated document.

The **Advanced** tab of the **Generate RTF Documentation** dialog has the following fields:


Option	Use to
Hide 'note-less' elements	Exclude all elements without notes from the documentation.
Diagram Format	Set the diagram format for the images included within the documentation to either Metafile or Bitmap.
Skip root package	Exclude the parent package from the documentation and includes only the child packages.
Overwrite document fields	Switch between generating fields defined in a document section with the

Option	Use to
	appropriate values populated in these fields (unselected) and replacing the fields with actual text (selected).
No bookmarks	Stop RTF bookmarks being inserted into the generated document.
Hide <Anonymous> elements	Hide anonymous elements in the documentation.
Adjust Heading Levels	Enable the RTF Generator to automatically adjust template headings based on the model depth.
Switch generator	<p>Switch from this Generate RTF Documentation dialog (the Enhanced Template Driven Generator) to the Rich Text Format Report dialog (Legacy Generator).</p> <p>Note: This button is not available if you displayed the dialog from the Element List or Model Search.</p>

The **Document Options** dialog provides both sets of options (other than the **Switch generator** button); click on the **OK** button to save your changes.


14.1.1.6 Word Substitution

The **Word Substitution** tab of the **Generate RTF Documentation** dialog enables you to define translations of technical terms, in particular field names used in Enterprise Architect, into a language other than English for direct substitution into RTF documentation.



To add a translation for a term:

1. Double-click on the term in the **English** column in the **Word Substitution List**; the **Enter Value** field displays.



2. Type the foreign language translation in the **Enter Value** field, and click on the **OK** button.

14.1.1.7 Language Substitution

The **Codepage** tab of the **Generate RTF Documentation** dialog enables you to define languages other than English for direct substitution into RTF documentation.

If you export RTF-format documents from Enterprise Architect in languages other than English, you can customize the codepage, default language ID and character set that Enterprise Architect uses when generating RTF. This makes it much easier to generate documentation appropriate to your country or locale.

English Tag	Substitute Tag
ansicpg1252	ansicpg1251
deflang1033	deflang1049
deflangfe1033	deflang1049
fcharset2	fcharset204
fcharset0	fcharset204

To define the language substitution, follow the steps below:

1. From the drop-down lists in the **Language**, **Codepage** and **Charset** fields, select the language, codepage and character set that most closely match your location.
2. If required, modify the **Substitute Tag** by double-clicking on each and manually setting the value (for advanced use only).
3. To clear the substitution list, double-click on each item in turn and delete the substitute value.

Now when you generate RTF documents, the substitute tags are used in the output.

Note:

You can transport these tag definitions between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

14.1.2 The Legacy RTF Report Generator


Note:

The Legacy Generator is available if you have RTF templates created in releases of Enterprise Architect prior to 4.1, and you prefer to generate RTF reports using the original generator. However, as you can generate reports from these templates using the post-Enterprise Architect 4.1 RTF Generator, the Legacy Generator and instructions for its use are no longer updated.

However, reports produced using the Legacy RTF Generator do reflect the [Rich Text Notes](#)^[134] formatting feature in any text associated with elements.

Creating a Rich Text Format (RTF) document is a simple and flexible process. An RTF document is based on a package or an element in your project (more usually a package). To produce a document, you must select the package or element to report on in the **Project Browser** window or **Element List** or **Model Search**, and press **[F8]**.

You access the Legacy **Rich Text Format Report** dialog by clicking on the **Switch generator** button on the **Advanced** tab of the [Generate RTF Documentation](#) ^[1033] [dialog](#). ^[1033]



The following topics provide assistance on using the Legacy **Rich Text Format Report** dialog to document your project.

- [Document a Single Element](#) ^[1039]
- [The RTF Report Dialog](#) ^[1039]
- [Set the Main RTF Properties](#) ^[1040]
- [Apply a Filter](#) ^[1041]
- [Exclude Elements](#) ^[1041]
- [RTF Diagram Format](#) ^[1042]
- [Model Include](#) ^[1043]
- [RTF Report Options](#) ^[1043]
- [RTF Report Selections](#) ^[1044]
- [Generate the Report](#) ^[1045]
- [Diagram Only Report](#) ^[1060]
- [Report Templates](#) ^[1047]
- [Include or Exclude a Package from Report](#) ^[1047]

- [Save as Document](#) ^[1048]

14.1.2.1 Document a Single Element

RTF documentation can also be generated for a single element.

Select the element to generate the documentation for, and then select the **Element | Rich Text Format (RTF) Report** menu option. The [Generate RTF Documentation](#) ^[1004] dialog ^[1004] displays.

Click on the **Switch Generator** button to display the **Rich Text Format Report** dialog. See [The RTF Report Dialog](#) ^[1039] and related topics for further information.

14.1.2.2 The RTF Report Dialog

The **Rich Text Format Report** dialog enables you to set the exact contents and look and feel of your report. Enter the file name of the report, a heading, additional notes, template name (for saving the set-up) and other options. You can also select the style of the report; either plain or formal.

Optionally, set up a filter, the details to include, element types to exclude, whether to process child packages, whether to show diagrams and the diagram format.

You can switch back to the [Generate RTF Documentation](#) ^[1004] dialog ^[1004] by clicking on the **Switch RTF Generator** button.

The screenshot displays the 'Rich Text Format Report' dialog box. Key sections include:

- Document Item:** ShoppingCartDocumentation
- Document Type:** Model Document
- Output Filename:** C:\Documents and Settings\rchester\My Document
- Template Name:** (empty), Style: <Formal>
- Heading:** (empty), Heading Style: Max 3 levels - elements are H3
- Introduction:** (empty text area), Initial Heading Level Indent: 1
- Filter:** Only include objects: Modified, After 8/05/2007, Where Package Phase: All
- Template:** New, Save, Delete, Load
- Language:** Adjust, Page Setup
- Document:** Create, Close, View, Help
- Diagram format:** GIF, EMF (selected), PNG, Bitmap, WMF, JPG
- Model Include:** Glossary, Tasks, Issues
- For each Object Include:** General, Advanced, Features, Links, Maintenance
- Exclude details for:** Action, Activity, ActivityFinal, ActivityInitial, ActivityPartition, ActivityRegion, Actor, Artifact, Boundary, Change, Choice, Class, Collaboration, Collaboration Msgs, CollaborationOccurrence, Component, Constraint, Decision, DeploymentSpecification
- Options:** Process all children, Show Diagrams, New page per package, Document all elements, Document Packages, Hide 'note-less' elements, Embed Diagrams in Document, Skip root package, Document Linked Elements, Use Heading styles for Details
- Buttons:** Save as Document, Switch RTF Generator...

Note:


The **Rich Text Format Report** dialog has a lot of options. Get to know them all to produce output at the level of detail suited to your project.

14.1.2.3 Set the Main RTF Properties

The main section of the **Rich Text Format Report** dialog enables you to set the output location and appearance of the final RTF document.

Setting Options for the RTF Document

1. Open the **Rich Text Format Report** dialog (see [The Legacy RTF Report Generator](#)¹⁰³⁷ for how to do this). The main section of this dialog is shown below.



Document Item: Save as Document

Document Type:

Output Filename: ...

Template Name: Style:

Heading:

Heading Style:

Initial Heading Level Indent:

Introduction

The Use Case model describes the proposed functionality of the new system. A Use Case represents a discrete unit of interaction between a user (human or machine) and the system.

2. Supply an **Output Filename** to save the report into; always include the extension .RTF as part of the filename.
3. Provide a **Template Name** to save this report set-up.
4. Select a report **Style**: Formal or Basic.
5. Type a **Heading** for your report; this appears as the first heading item in your output.
6. Select your required **Heading Style** and **Initial Heading Level Indent** from the drop-down lists.

Note:

It is recommended that you enter a full path name for your report. The images in your report are saved externally in an images directory, and supplying the full directory path avoids confusion over the location of these images. Also, if you move your report you must also move the images directory.

14.1.2.4 Apply a Filter

You can apply a filter on the **Rich Text Format Report** dialog to include or exclude elements by date modified, phase or status. This helps to track changes and break a document into multiple delivery phases.

Open the **Rich Text Format Report** dialog (see [The Legacy RTF Report Generator](#)^[1037] for how to do this). The **Filter** section of this dialog is shown below.



The screenshot shows a dialog box titled "Filter" with three rows of controls:


- Row 1: "Only include objects:" followed by a dropdown menu set to "Modified", a dropdown menu set to "After", and a date field set to "2/02/2004".
- Row 2: "Where Package Phase:" followed by a dropdown menu set to "All".
- Row 3: "With element status:" followed by a dropdown menu set to an empty field.

- To enable the date filter, select the checkbox in the date field.
- In the first two **Only include objects** fields, click on the drop-down arrows and select the appropriate criteria (**Modified/Created, Before/After**).
- The package phase filter applies at the package level (not the element level) and ignores the phase of the root package that you are documenting. To enable the phase filter, in the **Where Package Phase** field click on the drop-down arrow and select an operator; Enterprise Architect filters out all packages that do not meet the selection criteria. All elements in the package are ignored, regardless of their individual phase.
- The element status filter enables you to limit the output by element status. Unlike the package phase filter, this filter applies to every element. You can filter against a status of *like* or *unlike* a criterion, eg. *like proposed*, or against the *in* and *not in* operators, eg. *in approved*, *not in validated*. When using the *in* and *not in* operators, enter a comma-separated list of status types as your criteria expression.

14.1.2.5 Exclude Elements

The **Rich Text Format Report** dialog enables you to exclude elements of any type from your final output. This is useful when you want to highlight particular items and not clutter up a report with too much detail.

Open the **Rich Text Format Report** dialog (see [The Legacy RTF Report Generator](#)^[1037] for how to do this). Look at the **Exclude details for** panel on the right of the dialog.




Click on each element to exclude, or click on the **All** button to exclude all elements. Click on the **None** button to clear your selections.

14.1.2.6 RTF Diagram Format

You can output diagrams to Bitmap files, GIF files or Windows Metafiles.

Open the **Rich Text Format Report** dialog (see [The Legacy RTF Report Generator](#)^[1037] for how to do this). In the **Diagram format** panel (bottom center of the dialog) select the required format for the report



- Bitmap files are raster images with a high level of detail but large size; they do not scale up or down very well
- GIF files are raster images with reasonable detail and small size; they scale a little better than bitmaps
- Metafiles are vector images with high detail and small size (but can have compatibility problems with some printers or software); metafiles scale very well
- PNG files are raster images with reasonable level of detail and smaller file sizes than GIF
- JPEG are lossy raster images with average levels of detail, they do not work very well with line drawings and lose clarity when re sized; JPEG file sizes are typically very small.


Note:

Generally metafiles are the best option, although it sometimes pays to experiment.

14.1.2.7 Project Include

The **Model Include** panel of the **Rich Text Format Report** dialog has the following options:


- **Glossary** to include the [project glossary](#) ^[753]
- **Tasks** to include [project tasks](#) ^[746]
- **Issues** to include [project issues](#) ^[748].



Select the appropriate checkbox to include the items in the generated RTF documentation.

14.1.2.8 RTF Report Options

Additional RTF report options you can select from the **Options** panel on the **Rich Text Format Report** dialog are shown below.



You can select whether or not to recursively document packages, show diagrams or add a page break before each new package. Select the:


- **Process all Children** checkbox to recursively process all child packages within the main package
- **Show Diagrams** checkbox to include diagrams in your document. Clear this item for no diagrams
- **New page per package** checkbox to force a page break on each new package (excepting empty packages)
- **Document all elements** checkbox to include all elements included in the project
- **Document Packages** checkbox to document the package as an element in addition to the documentation that would normally be produced for package documentation
- **Hide 'note-less' elements** checkbox to exclude all elements without notes from the documentation
- **Embed Diagrams in Document** checkbox to ensure that the diagram images are contained within the RTF document rather than stored in a linked external file
- **Skip root package** checkbox to exclude the parent package from the documentation and include only the

child packages

- **Document Linked Elements** checkbox to include the object details for linked elements that do not originate from the selected package
- **Use Heading styles for Details** checkbox to ensure that the details are formatted as heading styles rather than formatted text; this option is only available when the **Heading Style** field in the [Main section](#) of the **Rich Text Format Report** dialog is set to **Max 9 levels - elements are package + 1**.

14.1.2.9 RTF Report Selections

The **For each Object Include** section of the **Rich Text Format Report** dialog enables you to select the documentation sections to include in your report.



What you include or exclude governs how simple or detailed your report is. You can create multiple reports at different levels of detail for different audiences. Experiment with these options to see what effect inclusion or exclusion has. Most items are self-explanatory.

Selecting the checkbox against a category item in the list selects all of the options that are contained in the category. To expand a category, click on the + symbol next to the category name. To exercise greater control over a category of options expand the top level item and then select the required individual items from the list.


Sometimes an item applies only to a certain type of element; for example, **Attributes** only applies to Class elements and a few other element types. The **Child Diagrams** option shows or hides any diagrams that are attached under a model element; for example, a Use Case might have a Scenario diagram attached.

Note:

Use this feature to produce the right level of detail for your audience. Technical readers might want to see everything, whilst management might require only the general outline.

14.1.2.10 Generate the Report

Once you have set up the document properties as required, click on the **Create** button to generate the report. When you have generated the document, click on the **View** button to open the report in MS Word.



14.1.2.11 Legacy RTF Style Templates


The Legacy **RTF Style Editor** enables you to edit the RTF associated with various sections of the RTF Report facility in Enterprise Architect. You would typically use this functionality to customize a report's look and feel for your company or client.

Notes:

- The RTF Style Editor discussed here automatically displays when you modify or create a Legacy RTF template. If you select a template created in the enhanced [RTF Style Template Editor](#)^[1008], that editor opens automatically instead.
- You can transport these RTF templates between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

Create or Edit RTF Style Templates

1. Select the **View | Resources** menu option to display the **Resources** window.
2. Expand the **Templates** folder.



3. To edit an *existing* Legacy template, expand the **RTF Style Templates** tree and double-click on the template name, or right-click and select the **Modify RTF Style Template** context menu option. The **RTF Style Editor** displays. See [RTF Style Editor](#)^[1046] for further details.


4. Alternatively, to create a *new* Legacy template, right-click on **RTF Style Templates** and select the **Create RTF Style Template (Legacy)** context menu option. Enterprise Architect displays a prompt for the new template name.
5. Type the name of the new template and click on the **OK** button. The **RTF Style Editor** displays. See [RTF Style Editor](#)^[1046] for further details.

Tip:

To delete a template, right-click on it and select the **Delete RTF Style Template** context menu option.

RTF Style Editor

The **RTF Style Editor** contains a list of all available RTF fragments for modification and customization.




Each fragment typically contains RTF plus one or more special tag names that Enterprise Architect replaces with information during generation. Currently you cannot alter the content within the tag names, but you can omit a complete tag by removing it, or alter its basic display properties in the surrounding RTF.

Special tag names are delimited by # characters; for example, **#NOTES#**

Click on the:

- **Get Default** button to retrieve the default Enterprise Architect template for the currently-selected template item in the left hand list
- **Save** button to save the version of the template for this style only
- **Delete** button to remove your modified version of the template, which causes Enterprise Architect to use the default template during report generation.

To select a template during report generation, click on the **Style** drop-down arrow on the [Rich Text Format Report](#)^[1037] dialog. Once a style is selected, Enterprise Architect applies that to the current report. Select **<basic>** for the inbuilt style.

**Tip:**

You can also [alter the custom language settings](#) ^[1048].

14.1.2.12 Report Templates

If you have previously defined and saved a template, click on the **Load** button on the **Rich Text Format Report** dialog to open the list of defined templates. Select one in order to load it as the current template; all the features saved become the current features. This enables you to define a set of standard report types that streamline document production.

14.1.2.13 Include or Exclude a Package from Report


You can exclude a particular package from any RTF reports by marking it for exclusion.

Notes:

- By default, packages are included in any RTF reports.
- When you exclude a package from RTF reports, all of the selected package's subpackages are also excluded.

To Mark a Package for Exclusion

1. In the **Project Browser** window, right-click on the required package. The context menu displays.
2. Select the **Documentation | RTF Report Options** menu option. The **RTF Generation Options** dialog displays.



3. Select the **Exclude Package from RTF Reports** radio button.
4. Click on the **OK** button to save changes.


14.1.2.14 Save as Document

The *Document* feature enables a particular documentation configuration to be 'remembered', linking the loaded template within the **Rich Text Format Report** dialog to the current highlighted package. If a particular template is always used with a specific package, and multiple cases of documentation exist to be propagated, saving these as Documents can ease document generation later.

To create and use Documents, follow the steps below:

1. Open the **Rich Text Format Report** dialog (see [Create a Rich Text Document](#) ¹⁰⁰² for instructions on how to do this).
2. Click on the **Save as Document** button. The **Save current as document definition** dialog displays:

3. In the **Enter Value** field, type a name for the document and click on the **OK** button. The document is added to the **Resources** window for easy future access (as for the *usecasedoc* entry in the illustration below).



4. To generate documentation from the **Resources** window, right-click on the required document. The context menu displays.
5. Select the required option.

The context menu options are:

- **Open Document** - Opens the corresponding .RTF file, as specified by the RTF template *Filename* property
- **Generate Document** - Opens the **Rich Text Format Report** dialog, loaded with the specified template
- **Auto Generate Document** - Generates documentation, with the document located at the path specified by the template's *Filename* property
- **Delete Document** - Removes the specified document.


14.1.2.15 Custom Language Settings

If you export RTF-format documents from Enterprise Architect in languages other than English, you can customize the codepage, default language ID and character set that Enterprise Architect uses when generating RTF. This makes it much easier to generate documentation appropriate to your country or locale.

You can also set up a list of word substitutions. For instance, where Enterprise Architect would include the word *Figure*, you can specify another word to replace it that is either in your language or more meaningful to your readers.

To Set Up Substitutions

1. Open the **Rich Text Format Report** dialog (see [The Legacy RTF Report Generator](#)¹⁰³⁷) for how to do this).
2. In the **Language** panel (bottom left of dialog) click on the **Adjust** button. The **Customize RTF Language** dialog displays.



3. Double-click on an item to set or clear its **Substitute** word.
4. When you have finished, click on the **OK** button.

To Set Up Codepage and Character Set

1. From the drop-down lists in the **Language**, **Codepage** and **Charset** fields, select the language, codepage and character set that most closely match your location.
2. If required, modify the **Substitute Tags** by double-clicking on each and manually setting the value (for advanced use only).
3. To clear the substitution list, double-click on each item in turn and delete the substitute value.
4. When you have completed the settings, click on the **OK** button to save them.

Now when you generate RTF documents, the substitute tags are used in the output.

Note:

You can transport these language and tag definitions between models, using the [Export Reference Data](#) and [Import Reference Data](#) options on the **Tools** menu.

14.1.3 Use MS Word

To further enhance and customize RTF documentation it is possible to create a custom master document, which can be used to add a table of contents, table of figures, headers and footers and to refresh linked files. In addition it is possible to create documents with sustainable links to generated 'pieces' of Enterprise Architect output, pre-divided by Enterprise Architect using [bookmarks](#).

As an alternative to the *Word* master document, internal to Enterprise Architect, see [Virtual Documents](#).

In addition to creating Word master documents, you can:

- [Open a Report in Microsoft Word](#)
- [Change Linked Images to Embedded Images](#)
- [Apply Other Features of Word](#)

14.1.3.1 Open a Report in Microsoft Word

To open an RTF file in MS Word, simply load Word and open the file as a normal document. Word converts the file. If Word is the default handler of RTF files, then double-click on the output file to load up and view the report.

Tip:

If you have Word configured to view RTF files, you can also click on the **View Output** button on the **RTF Report** dialog.

14.1.3.2 Change Linked Images to Embedded Images


One of the options available when generating RTF documentation is the ability to store image files in a separate directory to the RTF document. If at a later stage it becomes desirable to embed the images in the RTF documentation, this is especially important when the document is to be distributed. If the images are stored in a separate directory recipients of document see only the placeholder of images rather than the actual images.

If you import an RTF document into Word with the images not embedded into the document, you have the option of breaking the links to the images and saving the image in the document.

Break Image Links in Word

1. Open the required RTF file in Word.
2. Select the **Edit | Links** menu option.
3. Highlight all links in the **Links** list.
4. Select the **Save Picture in Document** checkbox.
5. Click on the **Break Link** button.
6. When prompted, click on the **Yes** button to break links.

Word breaks the links and saves copies of the images inside the document. You can distribute this document without the image directory.



14.1.3.3 RTF Bookmarks


Bookmarks are markers that are automatically placed in your rich text document when you generate it. You can create a master document in Word and link to sections of an Enterprise Architect report based on bookmarks. For example, a Word document might have a section for a small part of your component model. Using bookmarks you can generate a full component model, and then link into just one section of the report.

This way you can maintain a complex Word document from parts of Enterprise Architect reports. If you link into Enterprise Architect reports, then you can regenerate the report and refresh Word links to update the master document without having manually changed anything. For more information on refreshing links, see the [Refresh Links](#) ^[1058] topic.

Bookmarks are GUID-based numbers, and can be created for packages, diagrams and elements. A package bookmark applies from the beginning of a package to the end, and includes all child packages and elements underneath.


Bookmark a Section of Enterprise Architect for RTF Documentation

1. In the Enterprise Architect **Project Browser** window, right-click on the package to include in the documentation. The context menu displays.
2. Select the **Documentation | Copy RTF Bookmark** menu option to paste the package into the clipboard as a bookmark for use in Word.




Insert a Bookmarked Section of an Enterprise Architect RTF Document into Word


1. Open the Word document and position the cursor at the point at which to insert the file.
2. Select the Word **Insert | File** menu option. The **Insert** dialog displays.



3. Locate and click on the file to insert, then click on the **Range** button.
4. In the **Range** cell type or paste the information from the clipboard.



5. Click on the **OK** button.
6. Click on the drop-down arrow next to the **Insert** button. Select the **Insert as Link** option.



The **Insert** option sets a permanent copy; the **Insert as Link** option creates a link that is updateable on altering the source document. For **Insert as Link** to operate you must first set [Refresh Links](#)^[1058].

Every package is bookmarked in the RTF document according to the following rules:

- All alphabetic and numeric characters remain the same
- All other characters (including spaces) are converted to underscores.

For example *UC01: Use Case Model* becomes *UC01__Use_Case_Model*.

14.1.3.4 Other Features of Word

Word offers a considerable number of document enhancement tools to complete your project documentation. Here are some of the things you can do with Word and Enterprise Architect generated RTF documentation:

- [Add a Table of Contents](#)^[1053]
- [Add a Table of Figures](#)^[1054]
- [Add Headers and Footers](#)^[1055]
- [Manipulating Tables in Word](#)^[1056]
- [Refresh Linked Files](#)^[1058]


Tip:

Enterprise Architect provides the basic content for your document - use Word to add the presentation and linkages.

14.1.3.4.1 Add Table of Contents

Among the features of MS word that can be incorporated into generated Enterprise Architect reports is the option to include a table of contents. A table of contents can be used to aid navigation of documentation and enhance the readability of Enterprise Architect RTF reports. This option provides hyperlinks to the diagrams included in the RTF documentation in the electronic version, and page numbers for both the printed and electronic documentation. To include a Table of Contents in the RTF documentation follow the steps below:

1. Open the Enterprise Architect RTF report to which to add a Table of Contents in MS Word.
2. From the **Insert** menu mouse over the **Reference** option and from the submenu select the **Index and Tables** option.
3. Open the **Table of Contents** tab to set the options that are available for formatting the table of contents.




The format of the table of contents is dependant on the heading levels created when the RTF is generated. To set the heading style for details in Enterprise Architect RTF documentation, see the RTF [Document Options](#) topic.

14.1.3.4.2 Add Table of Figures

Among the features of MS word that can be incorporated into generated Enterprise Architect reports is the option to include a table of figures. A table of figures can be used to aid the navigation of the documentation and enhance the readability of Enterprise Architect RTF reports. This option provide hyperlinks to the diagrams included in the RTF documentation in the electronic version and page numbers for both the printed and electronic documentation.

To include a Table of Figures in the RTF documentation, follow the steps below:


1. Open the Enterprise Architect RTF report to which to add a Table of Figures in MS Word.
2. Select the **Insert | Reference | Index and Tables** menu option.
3. Open the **Table of Figures** tab to set the options that are available for formatting the table of figures.



14.1.3.4.3 Add Headers and Footers

Among the features of MS word that can be used to enhance the appearance of Enterprise Architect RTF reports is the ability to add headers and footers to the documentation. To include headers and footers in the RTF documentation follow the steps below:

1. Open the Enterprise Architect RTF report to which to add headers and footers in MS Word.
2. Select the **View | Header and Footer** menu option.



This enables you to enter information into the header section and the footer section of the RTF Documentation.

Header	
Sparx Systems	
Header and Footer	
Insert AutoText ▾	
Class Model.....	1
Interactions.....	1
Actor1.....	4
Actor2.....	4
Actor3.....	4
Actor4.....	4
Actor5.....	4
Staff_Room.....	5
Statecharts.....	5
Figure 1 : Interactions.....	1
Figure 2 : Interactions.....	3
Figure 3 : Statecharts.....	6

Class Model

The logical model is made up of the Domain Model - a high level model of business objects and relationships between objects suitable for analysing the business process, and the class model - a rigorous model of classes and their inter-relationships, suitable for building a software product.

Interactions

14.1.3.4.4 Manipulate Tables in Word

When generating RTF documentation from Enterprise Architect, tables are included when items such as **Attributes** and **Methods** are selected in the **For each Object** section in the **Rich Text Format Report** dialog. MS Word offers several levels of customization for tables and can be used to tidy the formatting of the tables in situations where the margins of the table exceed the dimensions of the page size selected in Word for printing.

Resize Tables

When the amount of detail for a documented item such as an attribute or operation exceeds the margins of the page in MS Word it is necessary to manually resize the table in order to view all of the details. To manually resize the table follow the steps below:

1. Select the table that exceeds the margin size.
2. Mouse over the border of the table until the mouse pointer changes into the icon shown below.

Message Attributes

Attribute	Type	Notes
<u>sentTime</u>	protected : <i>Date</i>	
<u>receivedTime</u>	protected : <i>Date</i>	
body	protected : <i>String</i>	


3. Drag the cursor to the left to reduce the width of the table and then select the **File | Print Preview** menu option to confirm that the table borders are within the page margins.
4. Resize all of the tables that overhang the margins of the page by using the steps detailed above.

Applying Styles to Tables

One of the customizable properties of MS Word when working with tables is the ability to apply a style to a table, which enables you to rapidly change the appearance of the table. To achieve this effect follow the steps below:

1. Open the Enterprise Architect RTF report in which to change the table styles.
2. Locate and select the table for which to adjust the appearance.
3. Select the **Table | Table Auto Format** menu option. The **Table Autoformat** dialog displays.

From here you can specify a predefined table style from the **Table styles** list, or create a new style by clicking on the **New** button. The table styles defined in the **Table Autoformat** dialog only apply to one table at a time so you must apply the style to each table created individually.




14.1.3.4.5 Refresh Links

If you link into Enterprise Architect reports, then you can regenerate the report and refresh Word links to update the master document without having manually changed anything.

To ensure that links are refreshed in the master document, you must select the **Update automatic links at Open** checkbox in MS word. To ensure that this setting is established follow the steps below:

1. From within MS Word select the **Tools | Options** menu option.
2. Select the **General** tab and select the **Update automatic links at Open** checkbox.



14.1.4 Other Documents

Enterprise Architect has other RTF based documentation that you can output:


- [Dependency Report](#)^[1059]
- [Diagram Only Report](#)^[1060]
- [Implementation Report](#)^[1061]
- [Resource Report](#)^[720] (in Project Management, Resources)
- [Testing Report](#)^[1063]
- [Testing Details Report](#)^[735] (in Project Management, Testing)

14.1.4.1 Dependency Report

A *Dependency Report* shows, in a tabular form, a list of elements that realize other elements, i.e. elements that are the target of a *Realization* connector. A *Dependency Report* does not show a list of elements linked by *Dependency* connectors; that information is available from the [Hierarchy window](#)^[173].

To view a dependency report, follow the steps below:

1. In the **Project Browser** window, right-click on the package to report on (the report includes all sub-packages as well) to open the context menu.
2. Select the **Documentation | Dependency Report** menu option.
3. The **Dependencies** dialog displays a list of all elements that implement other elements in the provided list, together with the elements that are dependent. Save or print the results if required.




Option	Use to
Root Package	Confirm the root package. All elements and packages under this appear in the report.
Locate Object	Locate the element selected in the report list in the Project Browser window.
Refresh	Run the report again.
Dependency Details	List dependency details; lists elements in the current hierarchy and elements that implement them.
Print	Print the list.

14.1.4.2 Diagram Only Report

You can also produce an RTF report that contains only the relevant diagrams from the target package. This is convenient for printing or handling a lot of diagrams in batch, rather than exporting or printing each one at a time.

To Produce a Diagram Only Report

1. Right-click on a package in the **Project Browser** window. The context menu displays.
2. Select the **Documentation | Diagrams Only Report** menu option. The **Export Diagrams to RTF Document** dialog displays.




3. Select the options you require, as follows:
 - Select the **Embed Diagrams in Document** checkbox to ensure the diagrams are created within the RTF file, not as linked image files
 - Select the **Include all child packages** checkbox to document all of the diagrams included in any child package
 - Select the **Include Diagram Name** checkbox to include the diagram name within the generated documentation
 - Select the **Order Diagrams Alphabetically** checkbox to generate the documentation in alphabetical order.
4. Click on the **Generate** button to run the report.
5. When the report is generated, click on the **View** button to show the RTF output.

14.1.4.3 Implementation Report

To view an implementation report, follow the steps below:


1. In the **Project Browser** window, right-click on the package to report on (the report includes all sub-packages as well) to open the context menu.
2. Select the **Documentation | Implementation Report** menu option.
3. The **Implementation** dialog displays a list of all elements that require implementers in the provided list, together with the elements that have been connected to those elements by a *Realization* (Implementation) link. Save or print the results if required.



Option	Use to
Root Package	Confirm the root package. All elements and packages under this appear in the report.
Show unimplemented	Show non-implemented elements. Implemented elements are those that don't have any other element to realize them (eg. a Use Case has no component or Class to implement the Use Case behavior).
Show Implemented	Show implemented elements. These are elements that do have some element associated with them in a realization relationship. For example a Use Case has a component that implements it.
Locate Object	Locate the element selected in the report list in the Project Browser window.
Refresh	Run the report again.
Implementation Details	List elements in the current hierarchy and elements that implement them.
Print	Print the list.
Set Target Types	Set the list of types to report on. By default Enterprise Architect only reports on Use Case, Requirement and a couple of other types. For further information see the Set Target Types Dialog topic.

14.1.4.3.1 Set Target Types Dialog


The **Set Target Types** dialog is accessed by clicking on the **Set Target Types** button on the **Implementation** dialog. This dialog enables you to set the types of elements that appear in the report as requiring implementation. double-click on an element in either list to move it to the other list.



14.1.4.4 Testing Report

To view a testing report, follow the steps below:

1. In the **Project Browser** window, right-click on the package to report on (you can configure the report to include all sub-packages as well) to open the context menu.
2. Select the **Documentation | Testing Report** menu option.
3. The **Generate Test Documentation** dialog specifies which test types are documented in the report, and the output file location. You can also select the **Include child packages** checkbox to report on all child packages of the selected package. The test data originates in the docked testing window, where tests are created and attached to the respective object.



14.2 Virtual Documents



You can create *virtual documents* in Enterprise Architect, by creating individual [Model Document](#)^[1067] elements or by combining several of these under a [Master Document](#)^[1065] package element.

Each Model Document element provides a separate template; for example, a specifically-designed Requirements template for a section on Requirements, or a Use Case template for a section on Use Cases. The Master Document links any number of Model Documents into a single generated document, and provides headers and footers and a central table of contents.

Each Model Document defines the template in a Tagged Value, and defines the content as either:

- A list of packages (defined as attributes) in whatever order or combination is most appropriate to your requirements - you can easily [add](#)^[1068] or [delete](#)^[1069] packages as necessary; **or**
- A standard model search (defined as Tagged Values) created within the [Model Search](#)^[149] facility (note that SQL queries and diagram searches are not supported); when you generate the document, this search captures the required data throughout the model, and populates the document.

Note:

If a Model Document contains both a list of packages and a search, only the package list is used when you generate the document.


You can control the sequence in which information is presented in the document; see the [Document Order](#)^[1068] topic.

Tip:

You can create as many Model Documents as required, for as many combinations of information as required.

Document Elements

Along with the [Document Artifact](#)^[1184] element, the Master Document and Model Document elements are available from the [Documentation](#) page of the Enterprise Architect UML [Toolbox](#) (on the [Toolbox](#), select **More Tools | Extended | Documentation**).



When you drag the Master Document and Model Document elements onto a diagram, the following symbols display, respectively:




14.2.1 Create a Master Document

Whilst you can create Model Document elements separately and generate individual documents from each one, you have added flexibility and scope if you organize Model Documents under a Master Document. You can generate a document with a corporate template for the covers, contents, headers and footers, whilst each section (generated from a separate Model Document) has its own appearance defined by a template appropriate to the section content.

To create a Master Document element, follow the steps below:


1. Open or create the diagram in which to create the Master Document.
2. In the Enterprise Architect UML **Toolbox**, select **More Tools | Extended | Documentation**.
3. Drag the *Master Document* icon onto the diagram. The system prompts you for the name of the Master Document.
4. Type the element name and click on the **OK** button. The system creates the Master Document element and a child Custom diagram of the same name.
5. Open the **Tagged Values** window (**View | Tagged Values**) and click on the Master Document element. The *RTFTemplate* Tagged Value displays in the window.




6. The *RTFTemplate* Tagged Value defaults to *(model document: master template)*. If you want to use an alternative master template, click on the drop down arrow at the right of the field and click on that template in the list.
7. Return to the **Project Browser** and open the Master Document child diagram.

At this point, you [create the Model Document](#) ⁽¹⁰⁶⁷⁾ elements in the child diagram, to provide the content for the generated document.

When you have added all your Model Document elements to the Master Document diagram, the Master Document element resembles the following:



Your completed Master document element and child diagram display in the **Project Browser** as shown below:



14.2.2 Create a Model Document

You can create as many Model Document elements as are necessary to provide the sections of your generated document (under a Master Document) or to provide the independent documents you require.


To create a Model Document element, follow the steps below:

1. Open the [Master Document child diagram](#) ¹⁰⁶⁵ or (if you are creating independent Model Documents) create a new diagram.

Tip:

The new diagram can live anywhere outside the packages you are adding to the document; you could create a Class diagram called Documentation within a specific Documentation package, and use this to hold the independent Model Document elements for your virtual documents.

2. From the **Documentation** page of the Enterprise Architect UML **Toolbox (More Tools | Extended | Documentation)** drag the *Model Document* icon onto the diagram to create a new Model Document element. Give the element an appropriate name: for example, if the documentation is relevant to the shopping cart requirements of a model, you could call it *ShoppingCartReqDocumentation*. Click on the **OK** button.
3. Open the **Tagged Values** window (**View | Tagged Values**) and click on the Model Document element. The *RTFTemplate*, *SearchName* and *SearchValue* Tagged Values display in the window.
4. Click on the drop-down arrow to the right of the **RTFTemplate** field, and click on the template to use for this Model Document.
5. If you are creating a list of packages for the Model Document, go to [Add Packages to your Model Document](#) ¹⁰⁶⁸. Otherwise, click on the drop-down arrow to the right of the **SearchName** field, and click on the model search type to populate this Model Document.




Note:

SQL Search and Diagram Searches are not supported.

6. If necessary, type a search term in the **SearchValue** field.
7. Create further Model Document elements as required.

Your Model Document element appears in the **Project Browser** window with a Class icon, as shown below:




When you have created all the required Model Document elements, see the [Document Order](#)^[1069] topic.


14.2.3 Add Packages to Your Model Document

To add packages to your Model Document element, follow the steps below. As the example Model Document element here is called *ShoppingCartDocumentation*, the steps indicate how to add shopping cart-related packages to the element.

1. Keeping the documentation diagram open, find a package in the **Project Browser** window to add to the documentation. For example, a Communication package in a Dynamic view.
2. Drag and drop the package from the **Project Browser** window onto the Model Document element as shown below:



3. The title of the package displays in the Model Document element in the *Attributes* compartment, as shown below:



4. This means that the Communication package is included in the document when you [generate it](#)^[1071]. Using the above method, you can add as many packages from as many different views as required.


The next step is to [generate your document](#)^[1071], but consider the impact of your package list on the [Document Order](#)^[1069]. You can also [delete packages](#)^[1069] if required.

14.2.4 Delete a Package From Your Model Document

You can delete a package from your Model Document element.

This example includes four packages:

- Communication Package
- Activity Diagram Package
- View Cart Package
- Sequence Diagram Package




To delete a package from a Model Document element, follow the steps below:

1. In the **Project Browser**, expand the element to list the package attributes.
2. Right-click on the package to delete, and select the **Delete Attribute** context menu option.

Alternatively:

1. In either the **Project Browser** or the diagram, right-click on the Model Document element and select the **Attributes** context menu option. The **Attributes** dialog displays.
2. On the **Attributes** list, click on the package to delete.



3. Click on the **Delete** button to remove the package from the document element.

14.2.5 Document Order

The order in which information is compiled into an RTF document depends on:

- The sequence of Model Document elements in a Master Document element
- Whether you define a Model Search in a Model Document element
- Whether you define a package list in a Model Document element.

When you have considered and, if necessary, amended the order in which information is compiled, you can [generate the document](#) ^[107].

Model Document Sequence

When you generate a document from a Master Document element, the sequence in which the sections are generated is determined by the order in which the child Model Document elements are listed in the **Project Browser**. You can create elements anywhere in a diagram, therefore the generator refers to the **Project Browser** sequence.

If necessary, change the sequence using the green Up and Down arrows in the **Project Browser** toolbar to move an element up or down within the package.

Model Search


A Model Search operates on the database, and accesses records in the order in which they are stored. This order depends on many factors, and can change with database maintenance. Therefore, the sequence of information provided by the search is unpredictable.

Package Order


When you create a package list in a Model Document element, the sequence of information is determined by the order in which the package attributes are listed within the element. You can change the sequence using the **Attributes** dialog, and if you prefer a package to be in a different section of the document, you can move the attribute from one Model Document element to another. Both these procedures are described below.

Change Sequence of Packages In List

To rearrange the order of packages in a Model Document element, refer to the example element and follow the steps below:



1. Right-click on the Model Document and select the **Attributes** option from the context menu. The **Attributes** dialog displays.
2. On the **Attributes** list, click on a package to move and click on the Up or Down (hand) buttons to change the order in which the packages are included in the documentation.



In this case, *Communication* has been moved to follow *Activity Diagram*.

- When you are satisfied with the order of your packages, click on the **Close** button.

Move Package Between Elements


To move a package attribute from one Model Document to another, follow the steps below:

- Expand the Model Document elements in the **Project Browser**, so that both list their package attributes.
- Click-and-hold on the attribute to move, and drag it onto the name of the target Model Document element.
- Release the mouse button. The attribute is removed from the source element and added to the top of the list of attributes in the target element.
- If necessary, move the attribute down the attribute list, as described in *Change Sequence of Packages in List*, above.

14.2.6 Generate the Document

To generate the documentation defined in the Master Document and/or Model Documents, follow the steps below:

- On the documentation diagram, click on the Master Document element (or on an independent Model Document element).
- Select the **Element | Rich Text Format (RTF) Report** menu option. The **Generate RTF Documentation** dialog displays.



- Set the options for your RTF document as required. See [The RTF Report Dialog](#)^[1004] and related topics for further information on these settings.
- Click on the **Generate** button to create the documentation.
- If you have not selected the **View Document on Completion** checkbox, click on the **View** button to view the documentation.

The RTF Report Generator works through the defined content of the Master Document element and/or the

Model Document elements and pulls in the information from either the listed packages or the executed searches, formatted according to the templates identified in the *RTFTemplate* Tagged Value for each document element.

14.3 HTML Reports



Enterprise Architect provides automated web-based publishing of models. A new outline structure closely mirrors the model hierarchy and makes it very simple to explore models on-line. With a great new look and the ability to explore very large models efficiently on-line, the new web-publishing capability is a significant enhancement.

Enterprise Architect enables export of an entire model or a single branch of the model to HTML Web pages. The [HTML report](#)^[1072] provides an easy to use, highly detailed, Javascript based model tree. In addition, hyperlinked elements make browsing to related information very simple.

The current implementation is based on internal and external templates and generated Javascript. The ability to edit all templates is to be added in a future version of Enterprise Architect.

Tip:

You can create [Web Style Templates](#)^[1074] to customize your HTML output.

Note:

In the Corporate edition of Enterprise Architect, if security is enabled you must have [Generate Documents](#)^[640] permission to generate HTML documents.

14.3.1 Create an HTML Report

To create an HTML report:

1. In the **Project Browser** window, right-click on the root package for the report (all child packages are included in the output). The context menu displays.
2. Select the **Documentation | HTML Report** menu option. The [Generate HTML Report](#)^[1073] [dialog](#)^[1073] displays.
3. In the **Output to** field, select an output directory for your report. Set any other required options.
4. Click on the **Generate** button to generate the report. The **Progress** field shows total percentage complete.
5. Once the report is complete, click on the **View** button to launch your default HTML viewer and view the web pages.

The web report produced is compatible with any standard web server, either on Unix or Windows platform. Simply bundle up the entire output directory and place it within the context of your web server. All path names should be relative and case sensitive.

Quick Start

To generate an HTML report right now, follow the steps above on the *System Model* package of the *EAExample* project.

Note:

If you are using Microsoft Internet Explorer 7.0 or later, and you do not have it open, its security profile might block the report display. Click on the explanation banner at the top of the screen and select the **Allow Blocked Content** context menu option.

14.3.2 The Generate HTML Report Dialog

The **Generate HTML Report** dialog is used to generate documentation about your model in HTML format. There are various settings to choose from to control the output, as described below.

Option	Use to
Package	Display the name of the package you are creating documentation for.
Title	Type the title for your HTML documentation; defaults to Package .
Output to	Type the directory path your documentation is saved to.
Style	Select a web style template ¹⁰⁷⁴ to apply to your documentation (optional).
File extension	Specify the file extension for your HTML documentation files; the default is .htm .
Preserve White space in Notes	Preserve existing white space in your notes; deselect to remove white space.

Option	Use to
No page for Note and Text items	Omit the page for your notes and text items in the HTML report.
Default Diagram	Select the diagram the report should open to when the generated documentation is loaded.
Image Format	Select the the image file format to save your images in, either PNG or GIF.
Include	Select each area of your model to include in your report.
System	Select each section to generate in your report.

Click on the **Generate** button to generate the HTML report with the settings you have defined.

Click on the **View** button to display the report you have generated.

14.3.3 Web Style Templates

The *HTML and CSS Style Editor* enables you to edit the HTML associated with various sections of the HTML Report facility in Enterprise Architect. You would typically use this functionality to customize a report's look and feel for your company or client.

To create or edit web style templates, follow the steps below:

1. In the **Resources** window, expand the *Templates* folder.
2. To edit an existing template, expand the *Web Style Templates* folder and either double-click on the template name, or right-click and select the **Modify HTML Style Template** option from the context menu. The *HTML and CSS Style Editor* displays. See below for further details.
3. To create a new template, right-click on the *Web Style Templates* folder and select **Create HTML Template** from the context menu. Enter a name for the new template when prompted to do so. The *HTML and CSS Style Editor* displays. See below for further details.


Note:

To delete a template, right-click on it and select **Delete HTML Template** from the context menu.

The *HTML and CSS Style Editor* (shown below) contains a list of all available HTML fragments for modification and customization.

Each fragment typically contains HTML plus one or more special tag names that Enterprise Architect replaces with information during generation. Currently you cannot alter the content within the tag names, but you can omit a complete tag by removing it, or alter its basic display properties in the surrounding HTML.

Special tag names are delimited by # characters - eg. *#NOTES#*



- **Get Default** retrieves the default Enterprise Architect template for the currently selected template item in the left hand list
- **Save** saves your version of the template for this style only
- **Delete** removes your modified version of the template, which causes Enterprise Architect to use the default template during report generation.

To select a template during generation, use the **Style** drop list on the **Generate HTML Report** dialog. Once a style is selected, Enterprise Architect applies that to the current report. Select <default> for the inbuilt style.

Package: Project Models

Title: Project Models

Output to: C:\Temp

Style: webtemplate

File extension: <default>
webtemplate

Preserve Whitespace in Notes

No page for Note and Text items

Include

- Test Cases
- Maintenance Items
- Resource Allocation
- Hyperlinked Files

Image Format

PNG

GIF

System

- Glossary
- Model Tasks
- Model Issues

Progress

Generate

View

Close

Help


Note:

Each time Enterprise Architect generates the web report it overwrites these files, so you must back up your modified versions and copy them back in after every update.

Part

15

15 The UML Dictionary



The Unified Modeling Language (UML)

Enterprise Architect's modeling platform is based on the Unified Modeling Language (UML), a standard that defines rules and notations for specifying business and software systems. The notation supplies a rich set of graphic elements for modeling object oriented systems, and the rules state how those elements can be connected and used. UML is not a tool for creating software systems; instead, it is a visual language for communicating, modeling, specifying and defining systems.

UML is not a prescriptive process for creating software systems; it does not supply a method or process, simply the language. You can therefore use UML in a variety of ways to specify and develop your software engineering project. This language is designed to be flexible, extendable and comprehensive, yet generic enough to serve as a foundation for all system modeling requirements. With its specification, there is a wide range of elements characterized by the kinds of diagrams they serve, and the attributes they provide. All can be further specified by using stereotypes, tags and profiles. Enterprise Architect supports many different kinds of UML elements (as well as some custom extensions). Together with the links and connectors between elements, these form the basis of the model.

See:

- [UML Diagrams](#) ^[1079]
- [UML Elements](#) ^[1150]
- [UML Connectors](#) ^[1255]

Wide Range of Applications

Although initially conceived as a language for software development, UML can be used to model a wide range of real world domains. For example, UML can be used to model many real world processes (in business, science, industry, education and elsewhere), organizational hierarchies, deployment maps and much more. Enterprise Architect also provides additional custom diagrams and elements, to address further modeling interests. This topic is intended to provide an introduction to Enterprise Architect's diagrams, elements and connectors, and its [modeling process](#) ^[238]. It also illustrates its alignment, when applicable, to the Unified Modeling Language.

Extending UML for New Domains

Using [UML Profiles](#) ^[438], [UML Patterns](#) ^[455], Grammars, Data types, Constraints and other extensions, UML and Enterprise Architect can be tailored to address a particular modeling Domain not explicitly covered in the original UML specification. Enterprise Architect makes extending the UML simple and straightforward and, best of all, the extension mechanism is still part of the UML Specification.

Find Out More

UML is an open modeling standard, defined and maintained by the Object Management Group. Further information, including the full UML 2.1.1 documentation, can be found on the OMG website at <http://www.omg.org>.

Tip:


If you are unfamiliar with UML, please explore the topics in this UML Dictionary and the [Enterprise Architect UML Toolbox](#)^[100] descriptions in this User Guide, and the *EAExample* project supplied with Enterprise Architect. The online [UML Tutorial](#) (parts 1 and 2) and [UML 2.0 Tutorial](#) are also very helpful.

Recommended Reading:

In addition to the UML Specification available from the OMG, two books that provide excellent introductions to UML are:

- *Schaum's Outlines: UML* by Bennet, Skelton and Lunn. Published by McGraw Hill. ISBN 0-07-709673-8
- *Developing Software with UML* by Bern Oestereich. Published by Addison Wesley. ISBN 0-201-36826-5

15.1 UML Diagrams



What is a UML Diagram?

A UML diagram is a representation of the components or elements of a system or process model and, depending on the type of diagram, how those elements are linked or how they interact from a particular perspective. For example, how and why an object changes state, or how requirements are realized by the process or a system.

Types of Diagram

There are two major groupings of UML diagrams:

- [Structural Diagrams](#)^[1125] which depict the structural elements composing a system or function, reflecting the static relationships of a structure, or run-time architectures.
- [Behavioral Diagrams](#)^[1080] which show a dynamic view of the model, depicting the behavioral features of a system or business process.

Enterprise Architect provides the following additional diagram types that extend the core UML diagrams for business process modeling, formal requirements specifications and other domain-specific models:

- [Analysis](#)^[1141] diagrams
- [Custom](#)^[1143] diagrams
- [Requirements](#)^[1145] diagrams
- [Maintenance](#)^[1146] diagrams
- [User Interface](#)^[1148] diagrams
- [Database](#)^[1149] diagrams
- [Robustness](#)^[1150] diagrams.

Enterprise Architect also supports diagram types specific to [MDG Technologies](#)^[460], including integrated technologies such as [Mind Mapping](#)^[467], [Iconix](#)^[470], [BPMN](#)^[473] and [Data Flow Diagrams](#)^[468].

Work with Diagrams

Diagrams are developed in the main workspace in which you create and connect model elements. You create them by right-clicking a package and selecting the **New Diagram** context menu option, or load them by double-clicking their diagram icon in the **Project Browser** window.

For full details on how to work with diagrams, see [Diagram Tasks](#)^[248].

15.1.1 Behavioral Diagrams

Behavioral diagrams depict the behavioral features of a system or business process. Behavioral diagrams include the following diagram types:

Activity Diagrams

[Activity diagrams](#)^[1080] model the behaviors of a system, and the way in which these behaviors are related in an overall flow of the system.

Use Case Diagrams

[Use Case diagrams](#)^[1082] capture Use Cases and relationships among Actors and the system; they describes the functional requirements of the system, the manner in which external operators interact at the system boundary, and the response of the system.

State Machine Diagrams

[State Machine diagrams](#)^[1084] illustrate how an element can move between states, classifying its behavior according to transition triggers and constraining guards.

Timing Diagrams

[Timing diagrams](#)^[1086] define the behavior of different objects within a time-scale, providing a visual representation of objects changing state and interacting over time.

Sequence Diagrams

[Sequence diagrams](#)^[1115] are structured representations of behavior as a series of sequential steps over time. They are used to depict work flow, message passing and how elements in general cooperate over time to achieve a result.

Communication Diagrams

[Communication diagrams](#)^[1124] show the interactions between elements at run-time, visualizing inter-object relationships.

Interaction Overview Diagrams

[Interaction Overview diagrams](#)^[1127] visualize the cooperation between other interaction diagrams to illustrate a control flow serving an encompassing purpose.

15.1.1.1 Activity Diagram


Activity diagrams are used to model the behaviors of a system, and the way in which these behaviors are related in an overall flow of the system. The logical paths a process follows, based on various conditions, concurrent processing, data access, interruptions and other logical path distinctions, are all used to construct a process, system or procedure.

Note:

You can create [Analysis diagrams](#)^[114] (Simplified Activity), containing the elements most useful for business process modeling, using the [New Diagram](#)^[248] dialog.

Example Diagram























The diagram below illustrates some of the features of Activity diagrams, including Activities, Actions, Start Nodes, End Nodes and Decision points.

**Toolbox Elements and Connectors**

Select Activity diagram elements and connectors from the [Activity pages](#)^[114] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Activity Diagram Elements	Activity Diagram Connectors
 Activity	 Fork/Join
 Structured Activity	 Fork/Join
 Action	 Control Flow
 Partition	 Object Flow
 Object	 Interrupt Flow
 Central Buffer Node	
 Datastore	
 Decision	
 Merge	
 Send	
 Receive	
 Synch	
 Initial	
 Final	
 Flow Final	
 Region	
 Exception	

15.1.1.2 Use Case Diagram


A Use Case diagram captures Use Cases and relationships among Actors and the subject (system). It describes the functional requirements of the system, the manner in which outside things (Actors) interact at the system boundary, and the response of the system.

In developing a Use Case diagram, also consider:

- [Use Case Extension Points](#)^[1232]
- [Use Rectangle Notation](#)^[1233]

Example Diagram

The diagram below illustrates some features of Use Case diagrams:



Toolbox Elements and Connectors

Select Use Case diagram elements and connectors from the [Use Case pages](#)¹⁰⁸¹ of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Use Case Diagram Elements	Use Case Diagram Connectors
Actor	Use
Use Case	Associate
Collaboration	Generalize
Boundary	Include
Package	Extend
	Realize
	Invokes
	Precedes

15.1.1.3 State Machine Diagram

Note:

State Machine diagrams were formerly known as State diagrams.

A *State Machine* diagram illustrates how an element (often a Class) can move between states, classifying its behavior according to transition triggers and constraining guards. Other aspects of State Machine diagrams further depict and explain movement and behavior. State Machine representations in UML are based on the *Harel State Chart Notation* (see the *OMG UML Superstructure Specification 2.1.1, section 15.1*), and therefore are sometimes referred to as *State Charts*.


You can display a State Machine as a diagram (as below) or as a [table](#)^[1085] in one of three relationship formats. In all formats, you use the same Enterprise Architect UML [Toolbox elements and connectors](#)^[113].

To select the display format, follow the steps below:

1. Right-click on the diagram background to display the context menu.
2. Select the **Statechart Editor** option.
3. Select the appropriate display option:
 - **Diagram**
 - **Table (State-Next State)**
 - **Table (State-Trigger)**
 - **Table (Trigger-State)**

Example Diagram

The diagram below illustrates some features of State Machine diagrams. The *Saved* state is a [Composite](#)^[1220] State, and enclosed states are [sub-states](#)^[1220]. Initial and final [pseudo-states](#)^[1087] indicate the entry to and exit from the State Machine. Composite States and sub-states are both State elements, a Composite State being an expanded State element that encloses other State elements, which are then referred to as sub-states. Composite States and State Machines can also contain [Regions](#)^[1086].















Toolbox Elements and Connectors

Select State Machine diagram elements and connectors from the [State pages](#)^[113] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

State Machine Diagram Elements	State Machine Diagram Connectors
State	Fork/Join
State Machine	Fork/Join

State Machine Diagram Elements	State Machine Diagram Connectors
 Initial	 Transition
 Final	 Object Flow
 History	
 Synch	
 Object	
 Choice	
 Junction	
 Entry	
 Exit	
 Terminate	

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, Section 15.3.12, p. 560*) states:

A state machine owns one or more regions, which in turn own vertices and transitions.

The behavioed classifier context owning a state machine defines which signal and call triggers are defined for the state machine, and which attributes and operations are available in activities of the state machine. Signal triggers and call triggers for the state machine are defined according to the receptions and operations of this classifier.

As a kind of behavior, a state machine may have an associated behavioral feature (specification) and be the method of this behavioral feature. In this case the state machine specifies the behavior of this behavioral feature. The parameters of the state machine in this case match the parameters of the behavioral feature and provide the means for accessing (within the state machine) the behavioral feature parameters.

A state machine without a context classifier may use triggers that are independent of receptions or operations of a classifier, i.e. either just signal triggers or call triggers based upon operation template parameters of the (parameterized) state machine.


15.1.1.3.1 Regions

Regions can be created in [Composite States](#) ^[1220] or [State Machines](#) ^[1219] on a [State Machine diagram](#) ^[1084].

Regions indicate concurrency, such that a single State is active in each region. Multiple transitions can occur from a single event dispatch, so long as similarly triggered transitions are divided by Regions.

To create a Region in a Composite State, follow the steps below:

1. Right-click on a State, and select the **Advanced | Define Concurrent Substates** menu option. The **State Regions** dialog displays.



2. Construct the Regions of a State, which can be named or anonymous.
3. Click on the **OK** button.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 544*) states:

A region is an orthogonal part of either a composite state or a state machine. It contains states and transitions.

15.1.1.3.2 Pseudo-States

Pseudo-states are a UML 2.1.1 abstraction for various types of transient vertices used in [State Machine](#) ^[1084] diagrams. Pseudo-states are used to express complex transition paths. The following types of pseudo-state are available:

- [Initial](#) ^[1199]
- [Entry Point](#) ^[1186]
- [Exit Point](#) ^[1190]
- [Choice](#) ^[1166]
- [Junction](#) ^[1203]
- [History](#) ^[1197]
- [Terminate](#) ^[1230]
- [Final](#) ^[1191]
- [Fork](#) ^[1195]
- [Join](#) ^[1196]

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 536*) states:

A pseudostate is an abstraction that encompasses different types of transient vertices in the state machine graph... Pseudostates are typically used to connect multiple transitions into more complex state transitions paths. For example, by combining a transition entering a fork pseudostate with a set of transitions exiting the fork pseudostate, we get a compound transition that leads to a set of orthogonal target states.

15.1.1.4 State Machine Table

A *State Machine table* is one of two variants of a State Machine (the other is the [State Machine diagram](#)^[1083]). It displays the information of the State Machine in table form, and is a method of specifying the discrete behavior of a finite state-transition system; that is, what state the State Machine moves to and the conditions under which the transition takes place.

You can display the state transition as one of two different relationships:

- **State - Trigger:** The rows indicate the current states and the columns indicate trigger events (or the other way around if you prefer, in a **Trigger - State** format). The cell at the intersection of a row and column identifies the target state in the transition if the trigger occurs, and the condition (or guard) of the transition.

State \ Event		Event	Event2	Event3	Event4	Event1	<None>
		E0	E1	E2	E3	E4	
Initial	S0						S1
State1	S1					S2	
State2	S2	S6					
	SubState1	S3		S4			
	SubState2	S4			[Cond] S5		
	SubState3	S5		[guard] S4			
State3	S6						S7
Final	S7						

- **State - Next State:** The rows and columns both indicate states, and the cell at the intersection of a row and column indicates the event that triggers a transition from the current (row) state to the next (column) state, the condition (or guard) of the event, and the effect of the transition.

Next State		State4	State2			State3
				State15	State6	
State		S0	S1	S2	S3	S4
	State4	S0			Trigger2... [Guard] Manage Folder	
State2	S1					
	State15	S2				
	State6	S3				
State3	S4					

Select Format

You can display a State Machine as a diagram or table, and as a table in one of three relationship formats.

To select the display format, follow the steps below:

1. Right-click on the diagram background to display the context menu.
2. Select the **Statechart Editor** option.
3. Select the appropriate display option:
 - **Diagram**
 - **Table (State-Next State)**
 - **Table (State-Trigger)**
 - **Table (Trigger-State)**

To define the State Machine Table further, see:

- [State Machine Table Options](#) ^[1088]
- [State Machine Table Operations](#) ^[1091]

15.1.1.4.1 State Machine Table Options

You can choose the [State Machine table](#) ^[1088] layout and set other options from the **State Machine Diagram: Options** dialog, which you display by either:

- Double-clicking on the State Machine table background or
- Right-clicking on the background and selecting the **State Table Options** context menu option.

Table Format: State - Next State

Cell Size

Transition Cell Width:

Transition Cell Height:

Left Edge Cell Width:

Top Edge Cell Height:

Display Options

Display an Empty State Zone

Enable State Enumeration
Prefix:

Enable Event Enumeration
Prefix:

Cell Color

State/Trigger Cell:

State/Trigger Enumeration:

Transition Cell:

Sample State Table

		Event	Trigger0	Trigger1	Trigger2
		State	E0	E1	E2
State0	S0				
State1	S1		S2		
State2	S2				

Highlight Options

Highlight Zones Related to Selected Transition

Highlight Color:

Use Different Color for Target State

Target Zone Color:

Advanced...
Restore Defaults
Apply
OK
Cancel
Help

Option	Use to
Table Format	Select the required table format: <ul style="list-style-type: none"> State - Trigger: rows represent States, each state name in a left edge cell; columns represent Triggers, each trigger name in a column header cell; the intersection of a row and column identifies the Transition (if there is one); the Transition cell displays information about the next State and the condition (guard) of the Transition Trigger - State: as above, except that rows represent triggers and columns represent states State - Next State: both rows and columns represent states; intersection of row and column defines the transition (if there is one) from the row state to the column state.
Cell Size	
Transition Cell Width	Specify the width of the transition cells (that is, the column width).
Transition Cell Height	Specify the height of the transition cells (that is, the row height).
Left Edge Cell Width	Specify the width of the left edge (row title) cells.

Option	Use to
Top Edge Cell Height	Specify the height of the top edge (column title) cells.
Cell Color	
State/Trigger Cell	Select the color of the row and column title cells.
State/Trigger Enumeration	Select the color of the enumeration (row/column numbering) cells. Note: You must select at least one of the Enable State Enumeration and Enable Event Enumeration checkboxes to set this color.
Transition Cell	Select the color of the transition cells (in the main body of the table).
Highlight Options	
Highlight Zones Related to Selected Transition	Highlight the cells for all elements involved in a selected transition - the initial state, the target state, and the trigger.
Highlight Color	Select the color of the highlight.
Use Different Color for Target State	Highlight the cell for the target element in a transition in a different color to the cell for the source element.
Target Zone Color	Select the color of the highlight.
Display Options	
Display an Empty State Zone	Add an empty row (and, on a <i>State - Next State</i> table, an empty column) to the end of the table. The title cell contains an ellipsis (...). You can click twice (not double-click) on the ellipsis to edit it and identify a new state. In this case, another empty state zone is automatically added.
Enable State Enumeration	Add a cell to each state title cell, to number the state. Numbering starts at 0.
Prefix	If required, type a prefix for the state number or delete the default S to have no prefix.
Enable Event Enumeration	Add a cell to each event or trigger title cell, to number the event. Numbering starts at 0.
Prefix	If required, type a prefix for the event number or delete the default E to have no prefix.
Sample State Table	Display a preview of the table format as you define it.
Advanced	Define diagram options. The State Machine Diagram Properties ^[278] dialog displays.
Restore Defaults	Reapply the State Table diagram default values.
Apply	Apply changed options to the State Table diagram.

15.1.1.4.2 State Machine Table Operations - Overview

Overview

As a [State Machine table](#) ^[1088] is a variant of a UML *State Machine diagram*, most of the operations for manipulating the data are the same as for State Machine diagrams. These include operations to:

- Create new items by drag-and-dropping a specified object from the Enterprise Architect UML **Toolbox** to the current diagram
- Delete an item
- Apply to the diagram elements in the **Project Browser** window
- Display or change the properties of the State, Trigger or Transition
- Apply to the diagram, such as **Lock Diagram**, **Zoom**, and *in place editing* of the element.

The operations specific to State Machine tables are described in the following topics:

- [Change Position of State Machine Table](#)^[1092]
- [Change Size of State Machine Table](#)^[1092]
- [Insert New State \(and Substate\)](#)^[1092]
- [Insert Trigger](#)^[1093]
- [Insert/Change Transition](#)^[1093]
- [Reposition State/Trigger Cells](#)^[1094]
- [Add Legend](#)^[1094]
- [Locate State, Trigger and Transition in State Machine Diagram](#)^[1095]
- [State Machine Table Conventions](#)^[1095]
- [Export State Table To CSV File](#)^[1096]

15.1.1.4.2.1 Change State Machine Table Position

If necessary, you can move the State Machine table around in the **Diagram View**. To change the position of the State Machine table, follow the steps below:

1. Press **[Ctrl]+[A]** or double click on the top left cell to select the whole State Machine table.
2. Drag and drop the State Machine table to the required position. Alternatively, use **[Shift]+[→]**, **[←]**, **[↑]** or **[↓]** to move the State Machine table.

15.1.1.4.2.2 Change State Machine Table Size

There are three ways to change the size of the State Machine table:

1. Change the cell size on the [State Machine Diagram: Options](#)^[1098] dialog.
2. Press **[Ctrl]+[A]** or double click on the top left cell to select the whole State Machine table, then press **[Ctrl]+[→]**, **[←]**, **[↑]** or **[↓]** to change the size.
3. Select the State Machine table, then drag the shape handles to change the size.

15.1.1.4.2.3 Insert New State

You can insert a new State in the State Machine table, using one of following methods:

- In the top left cell in the State Machine table, move the cursor to the word **State** to display a **+** at the end of the word; click on the **+** to create a new State
- Right-click in the top left cell in the State Machine table to display the context menu, and select the **Add State** menu option
- Right-click on an existing State cell in the State Machine table to display the context menu, and select the
 - **Insert New State Before** option to insert a new State before the current State, or
 - **Insert New State After** option to insert a new State after the current State
- Click on an existing State cell in the State Machine table, and press **[Insert]** to create and insert a new State above the selected State
- In the Enterprise Architect UML **Toolbox**, on the **State Elements** page, click on an element and then click on:

- the diagram background to add a new State to the end of the table, or
- an existing State cell to add the new State just above it.

Note:

From the [State Elements](#) page of the Enterprise Architect UML [Toolbox](#) you can insert *State*, *Initial*, *Final*, *Entry*, *Exit* and *Terminate* elements.

Add a Substate

To add a Substate to a selected State, follow the steps below:

1. Right-click on the required State cell in the State Machine table. The context menu displays.
2. Select the **Add Substate** menu option. Enterprise Architect adds the Substate to the State.

Note:

If the selected State does not allow a Substate, then the **Add Substate** menu option is grayed out.

You can also drag one existing State over another. If the second State allows Substates, the dragged State then becomes its Substate.

Similarly, you can change the parent State of a Substate by dragging the Substate from the original parent State to a different State.

Remove Parent Relation of a Substate

To remove the parent relation of a Substate and make it a separate State, follow the steps below:

1. Right-click on the Substate in the State Machine table. The context menu displays.
2. Select the **Remove Parent Relation** menu option. The Substate cell becomes a State cell.

You can also drag and drop the Substate onto the top left cell of the State Machine table. The dragged Substate again becomes a State cell.

15.1.1.4.2.4 Insert Trigger

If the State Machine table format is either *State-Trigger* or *Trigger-State*, you can use one of the following methods to insert a new Trigger:

- In the top left cell in the State Machine table, move the cursor to the word **Event** to display a **+** at the end of the word; click on the **+** to create a new Trigger
- In the top left cell in the State Machine table, right-click to display the context menu and select the **Add Trigger** menu option to create a new Trigger
- Select an existing Trigger in the State Machine table, then press **[Insert]** to insert a new Trigger before the existing Trigger
- Click on an existing Trigger in the State Machine table, right-click to display the context menu and select either the:
 - **Insert New Trigger Before** option to insert a new Trigger before the current Trigger, or
 - **Insert New Trigger After** option to insert a new Trigger after the current Trigger.

15.1.1.4.2.5 Insert/Change Transition

You can insert a new Transition using one of the following methods:

- Right-click on the cell in which to create a Transition, to display the context menu
 - If the State Machine table format is *State-Trigger* or *Trigger-State*, the context menu lists the States you can choose as the target of the Transition; click on the required State name to create the Transition

- If the State Machine table format is *State-Next State*, click on the **Insert Transition** menu option to create the Transition.
- In the **State Relationships** page of the Enterprise Architect UML **Toolbox**, select the *Transition* element, then click on the cell in the State Machine table in which to create the Transition. Double-click on the Transition to define it in the **Transition Properties** dialog.

Change the Transition

As for the [State Chart](#) ^[1084] diagram, to change the properties of a Transition double-click the Transition cell and edit the details on the **Transition Properties** dialog.

Change Transition States

You can change the source and target of the Transition by right-clicking the Transition and selecting the **Advanced | Set Source and Target** context menu option.

Alternatively, you can change the Transition source, target or Trigger by clicking on the Transition and dragging it to a different cell.

If the State Machine table format is either **State-Trigger** or **Trigger-State**, you can change the target state of a transition by:

1. Highlighting the target state name in the Transition cell and clicking on it to display a list of the states in the table.
2. Clicking on the preferred target state name.

Highlight States and Trigger Related to Transition

You can select options to highlight the source State, target State and Trigger cells associated with a Transition, using the **Highlight Options** panel on the [State Machine Diagram Options](#) ^[1085] dialog. When you click on the Transition cell its associated State and Trigger cells are highlighted.

Alternatively, click on the Transition cell and press and hold **[L]**.

15.1.1.4.2.6 Reposition State or Trigger Cells

You can change the position of a selected State or Trigger cell in one of the following ways:

- Right-click on the State or Trigger title cell and select the appropriate **Order | Move xxx** context menu option
- Click on the cell and press **[Shift]+[→]**, **[←]**, **[↑]** or **[↓]**.

15.1.1.4.2.7 Add Legend

You can add a simple legend to any State Machine Table cell that has no transition. The two legend symbols are:

- **I** - Ignore
- **N** - Never Happen

To assign a legend symbol to a State Machine Table cell, follow the steps below:

1. Right-click on the cell to which to assign the legend. The context menu displays.
2. Select the appropriate menu option:
 - **Legend | Ignore**
 - **Legend | Never Happen.**

The required symbol displays in the center of the cell.

To remove a legend symbol from a cell, right-click on the cell and select the **Legend | Remove Legend** context menu option.

15.1.1.4.2.8 Locate Cell in State Machine Diagram

On the State Machine table you can select a State or Trigger element and locate it in a State Machine diagram, by selecting the **Find | Locate in State Chart** context menu option. Enterprise Architect switches to the State Machine diagram and highlights the selected element. You can locate a Transition relationship in a similar way, by selecting the **Locate in State Chart** context menu option.

Note:

A Trigger on a State Machine table might or might not exist on the corresponding State Machine diagram. If the Trigger does not exist on the State Machine diagram, the **Locate in State Chart** option is disabled.

Conversely, on the State Machine diagram, you can select a State or Trigger element and locate it on the corresponding State Machine table, by selecting the **Find | Locate in State Table** context menu option. Enterprise Architect switches to the State Machine table and highlights the selected element. You can locate a Transition relationship in a similar way, by selecting the **Locate in State Table** context menu option.

15.1.1.4.2.9 State Machine Table Conventions

Trigger

- Deleting a Trigger removes it completely from the model, therefore you cannot UNDO a Trigger deletion
- There is a *<None>* column at the end of the **Event** heading row. This is for Transitions that have no Trigger information.


State

From the Enterprise Architect UML **Toolbox** you can insert the following *State* element types only (although the State Machine table might pick up and display other types, such as *Submachine State*):


- State
- Initial
- Final
- Entry
- Exit
- Terminate.

Transition

The Transition cell displays its properties in one of two ways, depending on the State Machine table format. If the State Machine table format is *State - Trigger* or *Trigger - State*, the Transition cell displays the *Guard* and *Target* as shown below:



If the State Machine table format is *State - Next State*, then the Transition cell displays the *Trigger*, *Guard* and *Effect* as shown below:



The State Machine table enables you to edit the *Guard* and *Effect* in place. If the *Guard* or *Effect* is empty for your selected Transition cell, the cell displays an ellipsis [...] instead. Click twice (not double-click) on the

ellipsis to type in the *Guard* and *Effect* names.

15.1.1.4.2.10 Export State Table To CSV File

To export a State Table diagram to a CSV file, follow the steps below:

1. Open the required State Table diagram.
2. Right-click on the diagram background and select the **Export Statechart to CSV file** context menu option.
3. The **Save As** browser dialog displays. Select the appropriate directory location and type in the .CSV filename.
4. Click on the **Save** button.

15.1.1.5 Interaction Diagrams

An interaction is a generalization for a type of interaction diagram. Interaction diagrams can be any of the following:

- [Timing Diagrams](#) ^[1096]
- [Sequence Diagrams](#) ^[1115]
- [Interaction Overview Diagrams](#) ^[1127]
- [Communication Diagrams](#) ^[1124]

15.1.1.5.1 Timing Diagram

A *Timing diagram* defines the behavior of different objects within a time-scale. It provides a visual representation of objects changing state and interacting over time.


You can use Timing diagrams to define hardware-driven or embedded software components; for example, those used in a fuel injection system or a microwave controller. You can also use Timing diagrams to specify time-driven business processes.

To create and edit a Timing diagram, see the following topics:

- [Create a Timing Diagram](#) ^[1096]
- [Set a Time Range](#) ^[1096]
- [State Lifeline](#) ^[1222]
- [Value Lifeline](#) ^[1234]
- [Edit a Timing Diagram](#) ^[1096]
- [Time Intervals](#) ^[1106]
- [Message \(Timing Diagram\)](#) ^[1284]

Example Diagram

An example of a Timing diagram is shown below:



(See OMG *UML Superstructure Specification*, v2.1.1, p. 454, figures 14.30 and 14.31).

Toolbox Elements and Message

Select Timing diagram elements and connectors from the [Timing pages](#) ^[112] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Timing Diagram Elements	Timing Diagram Message
State Lifeline	Message
Value Lifeline	
Message Label	
Message Endpoint	
Diagram Gate	

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification*, v2.1.1, p. 517) states:

Timing Diagrams are used to show interactions when a primary purpose of the diagram is to reason about

time. Timing diagrams focus on conditions changing within and among Lifelines along a linear time axis.

Timing diagrams describe behavior of both individual classifiers and interactions of classifiers, focusing attention on time of occurrence of events causing changes in the modeled conditions of the Lifelines.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 519*) also states:

The primary purpose of the timing diagram is to show the change in state or condition of a lifeline (representing a Classifier Instance or Classifier Role) over linear time. The most common usage is to show the change in state of an object over time in response to accepted events or stimuli. The received events are annotated as shown when it is desirable to show the event causing the change in condition or state.

15.1.1.5.1.1 Create a Timing Diagram


To create a Timing diagram, follow the steps below:

1. Right-click on a package in the **Project Browser** window. The context menu displays.
2. Select the **Add | Add Diagram** menu option. The **New Diagram** dialog displays.
3. In the **Select From** panel, select **UML Behavioral**.
4. In the **Diagram Types** panel, select **Timing**.
5. Click on the **OK** button. The **Diagram** view displays, on which you create the Timing elements for the diagram. See [Set a Time Range](#)^[1098] and [Edit a Timing Diagram](#)^[1099].

15.1.1.5.1.2 Set a Time Range

Before adding Lifeline elements to your Timing diagram, set a time range. To do this, follow the steps below:

1. Right-click on the diagram. The context menu displays.
2. Select the **Set Timeline Range** option. The **Set Timeline Range** dialog displays.



3. In the **Start Time** and **End Time** fields, type the numeric values for the start and end points of the timeline; for example, set the range **0** to **100**.

Note:

The start time must be less than the end time.

4. In the **Time Units** field, type the unit in which the time is measured; for example, **seconds** or **minutes**.
5. If it is not necessary to show the time range on the diagram, select the **Suppress In Diagram** checkbox.
6. Click on the **OK** button. If you have not suppressed it, the time range displays underneath the Lifeline elements that you create on the diagram.

15.1.1.5.1.3 Edit a Timing Diagram

On a Timing Diagram, you can add *State Lifeline* elements and *Value Lifeline* elements. You can maintain the *states* and *transitions* on these Lifeline elements either on the diagram itself or via the **Configure Timeline** dialog. See the following topics:



- [Add and Edit a State Lifeline Element](#)^[1099]
 - [Edit States in a State Lifeline Element](#)^[1100]
 - [Edit Transitions in a State Lifeline Element](#)^[1101]
- [Add and Edit a Value Lifeline Element](#)^[1103]
 - [Add States in a Value Lifeline Element](#)^[1103]
 - [Edit Transitions in a Value Lifeline Element](#)^[1103]
- [Configure Timeline](#)^[1105] dialog - [States](#)^[1105] [Tab](#)^[1105]
- [Configure Timeline](#)^[1106] dialog - [Transitions](#)^[1106] [Tab](#)^[1106]

From the Enterprise Architect UML **Toolbox** drag a [State Lifeline](#)^[1222] element onto your diagram. The element displays on the diagram.

To define the name of the State Lifeline, follow the steps below:

1. Right-click on the element. The context menu displays.
2. Select the **Other Properties** option. The **Timeline <name>** dialog displays, showing the **General** tab.
3. Overtyping the **Name** field.
4. Click on the **Apply** button and the **OK** button.

Sizing and Scale

In the top left corner of a selected Lifeline element are the left and right *quick sizing buttons* ( ). These buttons increase or decrease the width of the Lifeline element, which in turn controls the scale width of each time unit. By increasing the width of the element you increase the resolution when adding transitions, which makes them easier to edit.


Note:

In order to edit the State Lifeline element, you must click on it to select it.

Set Timeline Start Position

You might require more space at the start of your timelines; for example, to use long state names. To insert this space in all the timelines on a diagram, follow the steps below:

1. Right-click on the diagram background to display the context menu.
2. Select the **Set Timeline Start Position** menu option. The **Set Timeline Start Position** dialog displays.
3. The **Value 80 to 300** field defaults to **80** as the minimum distance in pixels between the start of the timeline element and the start of the timeline itself. Type a new value up to 300 pixels and click on the **OK** button to increase the space at the start of the timeline, as shown below.



You now edit the [states](#) [1100] and [transitions](#) [1101] in the State Lifeline.

Add States

1. Click on the *State Lifeline* element. The **New State** button (📁) and **Edit States** button (🔧) display at the bottom left of the element.
2. Click on the **New State** button. The **New State** dialog displays.



3. In the **State** field, type the name of the state.
4. Click on the **OK** button.

Note:

You must add at least two states; for example, **On** and **Off**.

5. As you add states, increase the height of the element by dragging a handle-box (▬) on the edge of the element.

Note:

You can also add states using the **States** tab of the **Configure Timeline** dialog. Add either:

- Discrete states to the Timeline as described in [Add a New State](#) [1105], or
- A continuous range of numeric states as described in [Numeric Range Generator](#) [1106].

Edit States

1. Click on the State Lifeline element and click on the required state. The **Edit State** dialog displays.
2. In the **State** field, change the name as required.

3. Click on the **OK** button.
4. If necessary, change the order of the states by either:
 - Clicking on the up or down arrows (↕ and ↕) beside each state name, or
 - Right-clicking on the state name and selecting the **Move Up** or **Move Down** context menu options.

Note:

You can also edit the states using the [States](#) ¹¹⁰⁵ tab of the **Configure Timeline** dialog.

Delete States

1. Right-click on the state name. The context menu displays.
2. Select the **Delete** option.

Alternatively:

1. Click on the State Lifeline element.
2. Hold down **[Ctrl]** and move the cursor over the state name. The cursor changes form (↔).
3. Click the mouse button. The state name is deleted.

Add and Move Transitions

After you have added states, you can add transitions via the diagram. As you move the cursor over the timeline, the cursor changes to one of three shapes:

- The *move* cursor (↕) displays when it is directly over the timeline. Hold down the mouse button and drag the line to move the timeline to a state above or below the current position. You can move the transition more than one state up or down, if necessary.
- The *new transition up* cursor (↕) displays when it is just below the timeline, and there is another state above the line. Press and hold **[Alt]**; the cursor changes (↕). Click to create a new transition to the state above the line. To push the transition up more than one state, then move the cursor onto the line and drag it up. The transition is for one interval unit; to make it longer, see *Change the Transition Time* below.

If you do not hold **[Alt]**, the cursor does not change and the whole timeline from the transition onwards moves up.

- The *new transition down* cursor (↕) displays when it is just above the transition line, and there is another state below the line. Press and hold **[Alt]**; the cursor changes (↕). Click to create a new transition to the state below the line. To push the transition down more than one state, then move the cursor onto the line and drag it down. The transition is for one interval unit; to make it longer, see *Change the Transition Time* below.

If you do not hold **[Alt]**, the cursor does not change and the whole timeline from the transition onwards moves down.


As you move the cursor over the vertical line of a transition, the time at which the transition occurs displays next to the line.

Edit Transitions

Follow the steps below:

1. Click directly on the appropriate transition line, after the transition begins. Alternatively, right-click on the transition line to display the context menu, and select the **Edit** menu option.

The **Edit Transition** dialog displays. The fields in this dialog are all optional.



2. In the **At Time** field, type the point on the timescale at which the transition occurs.
3. In the **Transition To** field, type the name of the state to which the transition occurs.
4. In the **Event** field, type the name of the event that the transition represents; this displays on the Timeline element just above the transition line.
5. In the **Duration Constraint** field, type any constraint on the duration of the transition; this displays on the Timeline element, along the top of the element over the transition.
6. In the **Time Constraint** field, type any constraint on the start of the transition. This displays on the Timeline element at the start of the transition.
7. Click on the **OK** button.

Notes:

- Once **Event**, **Duration Constraint** or **Time Constraint** are displayed on the diagram, you can edit them directly by clicking on them to display their specific dialog. You can also delete them by pressing and holding **[Ctrl]** as you click on them; the cursor changes form when you press **[Ctrl]**.
- You can also edit transitions using the [Transitions](#) ¹¹⁰⁶ tab of the **Configure Timeline** dialog.

Change the Transition Time

Move the cursor over one or other of the vertical transition lines and drag the line left or right to change the time of the transition. While on the line, the cursor shape changes to the horizontal movement cursor (↔).

Merge Transitions

If necessary, you can 'push' a transition to merge it with the next or previous transition point on any Lifeline element on the diagram.

Position the cursor off the appropriate side of the transition line; the cursor changes form (|← or →|). Click the mouse button. The system locates the nearest transition in the required direction, on any element on the diagram, and merges the current transition with that transition.

Delete Transitions

Transitions are automatically deleted when you move the transition to the same state as the previous transition state, and release the cursor.


Alternatively, right-click on the transition line to display the context menu, and select the **Delete** menu option.

From the Enterprise Architect UML **Toolbox** drag a [Value Lifeline](#)^[1234] element onto your diagram. The element displays on the diagram.

To edit the Value Lifeline name, follow the steps below:

1. Right-click on the element. The context menu displays.
2. Select the **Other Properties** option. The **Timeline <name>** dialog displays, showing the **General** tab.
3. Overtyp the **Name** field.
4. Click on the **Apply** button and the **OK** button.

Sizing and Scale

In the top left corner of a selected Lifeline element are the left and right *quick sizing* buttons (). These buttons increase or decrease the width of the Lifeline element, which in turn controls the scale width of each time unit. By increasing the width of the element you increase the resolution when adding transitions, which makes them easier to edit.

Note:

In order to edit the Value Lifeline element, you must click on it to select it.

You now [add states](#)^[1103] and [edit transitions](#)^[1103] on the Value Lifeline.


This is similar to adding states to a [State Lifeline](#)^[1106] element.


Notes:

- For a Value Lifeline, only the first state displays on the diagram. The other states are added to a list to access when creating transitions; they only display on the Lifeline element as you create transitions to those states.
- You can only edit or delete states in a Value Lifeline element using the [States](#)^[1105] tab of the **Configure Timeline** dialog.

Add Transitions

After you have added states to the Value Lifeline element, you can add transitions via the diagram. To do this, follow the steps below:

1. Move the cursor above the transition line. The cursor changes form ().
2. Click the mouse button. The **New Transition Event** dialog displays.



3. In the **Transition To** field, click on the drop-down arrow and select a state from the list of available states; this displays on the Lifeline element within the transition box. The remaining fields on the dialog are optional.
4. In the **Event** field, type the name of the event that the transition represents; this displays on the Lifeline element just below and at the start of the transition line.
5. In the **Duration Constraint** field, type any constraint on the duration of the transition; this displays on the Lifeline element, along the top of the element over the transition.
6. In the **Time Constraint** field, type any constraint on the start of the transition. This displays on the Lifeline element at the start of the transition, just after the Event name.
7. Click on the **OK** button to create the new transition.

Edit Transitions

To edit a transition, follow the steps below:

1. Click on the state name in the transition. Alternatively, right-click on the state name to display the context menu, and select the **Edit** menu option.

The **Edit Transition** dialog displays; this is the same as the **New Transition Event** dialog, except that the **At Time** field is enabled.

2. If necessary, overwrite the **At Time** field to define a different start point.

Note:

You cannot change the **At Time** field for the first state in the timeline; this is always **0**.

3. Edit the remaining fields as necessary.
4. Click on the **OK** button to save the changes.

Change the Transition Time


To change the start or end time of a transition, click on the start or end point of the transition and drag it to the new position. While on the line, the cursor shape changes to the horizontal movement cursor (↔).


Delete Transitions

To delete a transition, press and hold **[Ctrl]** and click on the transition state name. While you hold **[Ctrl]** on the transition state name, the cursor changes form (↵).

Alternatively, right-click on the state name to display the context menu, and select the **Delete** menu option.

You can also manage states and transitions using the **States** tab of the **Configure Timeline** dialog. To display this, either:

- Double-click on the Lifeline element
- Right click on the Lifeline element and, from the context menu, select the **Properties** option, or
- On a Value Lifeline, click on the **Edit States** button ().



The **Configure Timeline** dialog defaults to the **States** tab.

All states currently defined for the Lifeline element are listed in the **States** panel.

Add a New State:

1. In the **State Name** field, type the name of the first new state in the Lifeline element; for example, **WaitState**.
2. Click on the **Save** button. The state is added to the **States** panel and (for a State Lifeline Element) to the

diagram.

3. Click on the **New** button.
4. In the **State Name** field, type the name of the next state in the Lifeline element.
5. Repeat steps 2 to 5 until you have added all required states (you must add at least three to the Lifeline element).
6. When you have added all the required states, click on the **OK** button to close the **Configure Timeline** dialog.



Edit an Existing State:

1. Click on the state in the **States:** list.
2. In the **State Name** field, change the name of the state.
3. Click on the **Save** button.

Delete an Existing State:

1. Click on the state in the **States:** list.
2. Click on the **Delete** button.

Change the Order of States:

1. Click on the state in the **States:** list.
2. Click on the  or  buttons to move the state up or down the sequence.

Numeric Range Generator

You can also use the **Configure Timeline** dialog to create a range of states having numeric values to be applied to the Timeline.

Important:

This operation deletes all existing states and transitions for the Timeline element.

1. Display the **Configure Timeline** dialog.
2. Click on the **Create Continuous Numeric States** button. The **Numeric Range Generator** dialog displays.
3. In the **High Value** and **Low Value** fields, type the upper and lower values of the range.
4. In the **Step Value** field, type the increase interval.


Note:

Nonsense values do not parse; **Low Value** must be less than **High Value**, and **Step Value** must be a positive value smaller than the total range.


5. In the **Units** field, type the name of the measurement unit; for example, **minutes**.
6. Click on the **OK** button. Enterprise Architect displays a warning that existing states and transitions will be deleted.
7. Click on the **Yes** button. The **Configure Timeline** dialog redisplay, with the defined range of states listed in the **States** panel.
8. Click on the **OK** button. For a:
 - Value Lifeline, the first state is shown on the Timeline for the full time range of the Timeline.
 - State Lifeline, the range of states is displayed as the y-axis of the Timeline.

You can also manage states and transitions using the **Transitions** tab of the **Configure Timeline** dialog. To display this, either:

- Double-click on the Lifeline element

- Right click on the Lifeline element and, from the context menu, select the **Properties** option, or
- On a Value Lifeline, click on the **Edit States** button ().

The **Configure Timeline** dialog defaults to the **States** tab. Click on the **Transitions** tab.



The **Configure Timeline** dialog box is shown with the **Transitions** tab selected. The **New Transition** section contains the following fields:

- Event:
- Duration Constraint:
- Time Constraint:
- Transition Time:
- Transition To: (dropdown menu)

The **Operations** section contains the following buttons:

- New** (highlighted)
- Save
- Delete
- Help

The **Transition Points** section contains the following table:

Time	State	Event	Duration C...	Time Const...
0	Waitcard			
47	Waitidle			
48	Waitcard			
56	WaitState			
57	Waitcard			

At the bottom of the dialog are the **OK**, **Cancel**, and **Help** buttons.

All transitions defined for the Timeline element are listed in the **Transition Points** panel.

Add a New Transition

1. Click on the **New** button
2. In the **New Transition** panel, type the details of the transition.
3. Click on the **Save** button.

Edit a Transition

1. Click on a transition in the list.

2. In the **Edit Transition** panel, edit the fields for the transition as required.
3. Click on the **Save** button.

Delete a Transition

1. Click on a transition in the list.
2. Click on the **Delete** button. The transition is removed from the dialog and the Lifeline.
3. Click on the **OK** button.

15.1.1.5.1.4 Time Intervals

You create and manage Time Intervals using the *Interval Bar* (the pale line along the top of each selected Lifeline element). Time Intervals enable you to perform various operations on transitions, such as copy and paste. They also enable you to compress sections of the timeline so that they are not visible.


Each Time Interval displays across all Timeline elements down to the last element on the diagram.

Create Time Intervals

To create a Time Interval, follow one of the three sets of steps below:


Interval Bar - Context Menu

1. Right-click on the Interval Bar at approximately the point at which to start or finish the Time Interval.



The context menu displays.

2. Select the **Create Time Interval** option. The Time Interval displays down all the timeline elements, as a narrow pale band with a blue compression box at the top.



3. Move the cursor to the edge of the Time Interval in the Interval Bar so that the cursor changes to the drag form (↔) and drag the edge to the correct start or end point.

Interval Bar - [Shift] key

1. Move the cursor over the Interval Bar and press **[Shift]**. The cursor changes shape (⇨).
2. Click to create the Time Interval.
3. Move the cursor to the edge of the Time Interval in the Interval Bar so that the cursor changes to the drag form (↔) and drag the edge to the correct start or end point.

Timeline - Context menu

1. Right-click on the timeline just after a transition. The context menu displays.
2. Click on the **Select** menu option. Enterprise Architect creates a Time Interval covering the period from the selected transition up to the next transition.


Notes:

- If there are other Time Intervals in this period, Enterprise Architect replaces them with the single Time Interval for the transition state. You should consider this when creating the Time Interval, as it extends across the other Timeline Elements in the diagram.
- A value of this method is that it creates a Time Interval for a period in which no transitions occur, which could be lengthy. You can then compress this Time Interval (see below) to hide the period of inactivity. See also [Compress Timeline](#) [1113].


Compress Time Intervals

You can compress Time Intervals to conserve space on long timelines.

Uncompressed Time Intervals



Compressed Time Intervals



Notice:

Item	Description
	The compression toggle boxes: <ul style="list-style-type: none"> • is expanded, click on this to compress the selected time interval • is compressed, click on this to expand the selected time interval again.
	The compressed sections of the timelines themselves, in all elements. If there is space between the paired symbols, there are transitions within the compressed section. If the timeline continues through the paired symbols there are no transitions in the compressed section.
25 ... 55	The compressed sections in the time range underneath the elements.


You can also compress and expand Time Intervals using context menu options; see [Time Interval Operations on Transitions](#)^[1112].

Select Time Intervals

- To select a Time Interval across all elements on the diagram, click on the Interval Bar within the Time Interval.
- To select a number of individual Time Intervals, press and hold **[Ctrl]** while clicking on the Interval Bar within each Time Interval.
- To select all Time Intervals in a range, click on the Interval Bar within the first Time Interval in the range, then press and hold **[Shift]** and click on the Interval Bar within the last Time Interval in the range. All Time Intervals between the two are selected.

After you have selected one or more Time Intervals, you can modify the selection in the following ways:

- To exclude Lifeline elements from the selection, press and hold **[Ctrl]** and click on any part of the selection within that element. In the diagram below, the Value Lifeline is excluded from selection.



Repeat the step to toggle the selection and re-include the element. See also [Toggle Interval Selection](#)^[1112].

- To select only one Lifeline element and exclude all others, press and hold **[Shift]** and click on any part of the selection within that element.

Note:

Selection is useful for cutting, copying and pasting transitions.

Move and Resize Time Intervals

To move a Time Interval, move the cursor over the Interval bar within the Time Interval, hold down the mouse button and drag the interval left or right.

To resize a Time Interval, move the cursor over the Interval Bar at the start or end edge of the Time Interval, hold down the mouse button and move the edge left or right.

Note:

Time Intervals can meet, but cannot overlap.

Delete Time Intervals

Select^[1113] each Time Interval to be deleted and press **[Delete]**.

Note:

Deleting the Time Interval does not delete transitions within that interval.


You can operate on selected [Time Intervals](#)^[1108], or all Time Intervals in the diagram.

Selected Intervals

Note:

The Copy, Cut and Delete operations act on all selected Time Intervals over the whole diagram, not just the current one.

To select and update specific Time Intervals, right-click on the Interval Bar within an interval. The following context menu displays.



Option	Use to
Select Interval Deselect Interval	Select the Time Interval or, if the interval is already selected, deselect it. You can select several Time Intervals in this way, accessing the menu separately on each interval.
Toggle Interval Selection	Switch the selection or deselection of the Time Interval within the selected Timeline element. You select or deselect a Time Interval across all Timeline Elements, but the Toggle option acts only on the element in which you access the menu. See also Select Time Intervals ^[1117] .
Compress Interval	Compress the Time Interval, and hide all transitions within that Time Interval. This is also useful for hiding long sections of inactivity on the time line. Also see Compress Timeline ^[1113] , below.
Remove Interval	Delete the Time Interval.
Copy	Copy the transitions for all selected Time Intervals.
Cut	Copy and delete the selected transitions from the diagram.
Cut and Remove Time	Copy and delete the transitions that lie in the selected Time Intervals from the diagram. This option also removes time from the timeline, the amount being the duration of the Time Interval. All transitions and Time Intervals to the right of the selected time interval are moved left.
Delete	Delete the selected transitions from the diagram.

Option	Use to
Delete and Remove Time	Delete the transitions that lie in the selected Time Intervals from the diagram. This option also removes time from the timeline, the amount being the duration of the Time Interval. All transitions and Time Intervals to the right of the current Time Interval are moved left.
Insert Time	Add time to the timeline and move all transitions and time intervals to the right. Also expand the duration of the current Time Interval.

Compress Timeline

The Compression toggle boxes and **Compress Interval** menu option operate on the Time Interval and compress the timeline and all transitions within the Interval. You have an alternative option that operates on the timeline and compresses a single transition state.


1. Right-click on the timeline (rather than the Interval Bar) just after a transition. The context menu displays.
2. Click on the **Compress** menu option. Enterprise Architect creates a new Time Interval covering the period from the selected transition up to the next transition, and then compresses that Time Interval.

Notes:

- If there are other Time Intervals in this period, Enterprise Architect replaces them with the single Time Interval for the transition state. You should consider this when creating and compressing the Time Interval, as it extends across the other Timeline elements in the diagram.
- A value of this method is that it creates a Time Interval for a period in which no transitions occur, which could be lengthy, and then compresses this Time Interval to hide the period of inactivity.


All Time Intervals in the Diagram

To create a new Time Interval or work across all Time Intervals in the diagram, right-click on the Interval Bar between Time Intervals. The following context menu displays.



Note:


The **Paste** menu options become active after transitions have been copied.

Menu Option	Use to
Create Time Interval	Create a single Time Interval 
Expand all Time Intervals	Expand all Time Intervals over the whole diagram.


Menu Option	Use to
Compress all Time Intervals	Compress all Time Intervals over the whole diagram.
Paste Combine	Paste copied transitions over any existing transitions within the copied time frame. Note: The diagram does not allow two consecutive transitions to the same state, and removes the second transition automatically.
Paste Remove	Delete all the transitions and then pastes the copied transition within the copied time frame.
Paste Insert	Insert time, moving all transitions and Time Intervals to the right to make room to paste in the copied transitions.
Insert Time	Add time to the timeline and move all transitions and Time Intervals to the right. This option does not change the duration of any Time Interval.

Copy and Paste Transitions From One Timeline Element to Another

A special mode enables you to copy transitions from one Timeline element to another. Any states that don't exist in the Timeline element you are pasting to are created.


1. Press and hold **[Shift]** and select the Timeline element within a Time Interval to copy or cut.
2. Right-click on the Interval Bar (it doesn't matter which element you select). The context menu displays.
3. [Copy or cut](#)  the transitions. You can also cut and remove time.
4. Select the timeline to paste transitions to and right-click on the Interval Bar. The context menu displays.
5. Select one of the paste operations. Note that states are created if they don't already exist in the timeline.

Note:

Any new states created might be in the wrong order. You can change the order via the diagram [quick buttons](#) .

Shift Transitions Left or Right

You can move transitions within a selected Time Interval or multiple selected Time Intervals.

1. Select all the Time Intervals containing the transitions to be shifted; **See [Select Time Intervals](#)** .
2. Press and hold **[Shift]** and click on the Interval Bar (it doesn't matter which Timeline element you select) and move the transition left or right.

Note:

You cannot drag transitions over other transitions; the move stops when the moved transition collides with a stationary transition.

Tip:

If having collision problems, use **[Shift]+select** to shift transitions for a single Timeline element.

15.1.1.5.2 Sequence Diagram

A *Sequence* diagram is a structured representation of behavior as a series of sequential steps over time. It is used to depict work flow, message passing and how elements in general cooperate over time to achieve a result.


- Each [sequence element](#) ^[1119] is arranged in a horizontal sequence, with messages passing back and forward between elements.
- An Actor element can be used to represent the user initiating the flow of events.
- Stereotyped elements, such as [Boundary](#) ^[1237], [Control](#) ^[1240] and [Entity](#) ^[1241], can be used to illustrate screens, controllers and database items, respectively.
- Each element has a dashed stem called a lifeline, where that element exists and potentially takes part in the interactions.

To configure a Sequence diagram, see the following topics:

- [Denote the Lifecycle of an Element](#) ^[1117]
- [Layout of Sequence Diagrams](#) ^[1118]
- [Sequence Element Activation](#) ^[1120]
- [Lifeline Activation Levels](#) ^[1121]
- [Message Label Visibility](#) ^[1123]
- [Change the Top Margin](#) ^[1124]
- [Change the Timing Details](#) ^[1277]

Example Diagram

The following example Sequence diagram demonstrates several different elements:








Toolbox Elements and Connectors

Select Sequence diagram elements and connectors from the [Interaction pages](#)^[112] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Sequence Diagram Elements	Sequence Diagram Connectors
Actor	Message
Lifeline	Self-Message
Boundary	Recursion
Control	Call

Sequence Diagram Elements	Sequence Diagram Connectors
 Entity	
 Fragment	
 Endpoint	
 Diagram Gate	
 State/Continuation	

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 503*) states:

A sequence diagram describes an Interaction by focusing on the sequence of Messages that are exchanged, along with their corresponding OccurrenceSpecifications on the Lifelines.

15.1.1.5.2.1 Denote Lifecycle of an Element


You can capture element lifetimes using messages that are denoted as *New* or *Delete* message types. To do this, follow the steps below:

1. Double-click on a message within a Sequence diagram to display the **Message Properties** dialog.
2. In the **Lifecycle** field, click on the drop-down arrow and select **New** or **Delete**.
3. Click on the **OK** button to save the changes.

The example below shows two elements that have specific creation and deletion times.

Note:

To show the termination **X** on the lifeline in the example below, you must switch on garbage collection: **Tools | Options | Diagram | Sequence | Garbage Collect**.




15.1.1.5.2.2 Layout of Sequence Diagrams

You can modify the vertical height of sequence messages to get an attractive and effective layout. To offset message positions, follow the steps below:

1. Select the appropriate message in a Sequence diagram.
2. Use the mouse to drag the message up or down as required.

As you drag a message up or down a lifeline, any messages or fragments below that message are shifted up or down the same amount. However, be aware that if you drag up or down past the next or previous message, Enterprise Architect interprets that as the requirement to swap positions, rather than simply offset a message position.

The example below shows an economical use of space in a Sequence diagram.



15.1.1.5.2.3 Sequence Elements

A [Sequence diagram](#) ^[1115] models a dynamic view of the interactions between model elements at runtime.


Sequence diagrams are commonly used as explanatory models for Use Case scenarios. By creating a Sequence diagram with an Actor and elements involved in the Use Case, you can model the sequence of steps the user and the system undertake to complete the required tasks. An element in a Sequence diagram is usually either an Actor (the stimulus that starts the interaction) or a collaborating element.

Note:

A Sequence diagram is often attached directly under the Use Case to which it refers. This helps keep elements together, both in the model and when documentation is produced. To do this, right-click the Use Case on the diagram and select the **Advanced | Make Composite** menu option.

The example below shows some possible elements of Sequence diagrams and their stereotyped display.

- *Actor* - An instance of an actor at runtime.
- *Lifeline* - An Object element with the stereotype Lifeline.
- *Boundary* - Represents a user interface screen or input/output device
- *Entity* - A persistent element - typically implemented as a database table or element.
- *Control* - The active component that controls what work gets done, when and how.


**Tip:**

Use Sequence diagrams early in analysis to capture the flow of information and responsibility throughout the system. Messages between elements eventually become method calls in the Class model.

15.1.1.5.2.4 Sequence Element Activation

Sequence elements in a [Sequence diagram](#) have *Activation rectangles* drawn along their lifelines. These rectangles describe the time the element is active during the overall period of processing. This visual representation can be suppressed by right-clicking the Sequence diagram, and selecting the **Suppress Activations** menu option.

In general, Enterprise Architect calculates the period of activation for you, but in some cases you might want to fine tune the rectangle length. There are several context menu options on a sequence message that you can use to accomplish this. To access the following context menu, right-click on the message and select the **Activations** menu option.




- **Start New Message Group:** Starts off a new round of processing in the current diagram. This enables you to describe more than one processing scenario in a single diagram.
- **Extend Source Activation Down:** Forces an element to stay active beyond the normal processing period. This could be used to express an element that continues its own processing concurrently with other processes.
- **Extend Source Activation Up:** Forces an element's activation upwards.

- **End Source Activation:** Truncates the activation of the source element after the current message. This is useful for expressing an asynchronous message after which the source element becomes idle.
- **End Target Activation:** Ends a Forced Activation started by the **Extend Source Activation** options.

The **Raise Activation Level** and **Lower Activation Level** options display on the context menu only where their use is appropriate. For example, after a self-message the next message starts by default at a lower activation level but the **Raise Activation Level** command displays on the context menu to enable you to raise its level.

A more convenient way to change activation levels is directly on the diagram. Whenever appropriate, left and/or right arrows display on specific connectors. In the following diagram, see connector 1.3. Click on the arrow to raise or lower the activation level.




Note:


Program flow can more accurately be depicted with nested activation levels for callback messages.

15.1.1.5.2.5 Lifeline Activation Levels


Complicated processing systems can be easily negotiated and reflected in Sequence diagrams, by adding activation layers on a single lifeline. For example, a Class invokes the method *Sample A*, which in turn calls *Sample A1*. To produce the arrangement in the diagram, select the **More tools | UML | Interaction** menu option, click on the **Self-message** icon in the **Interaction Relationships** panel and then click on the lifeline.



In order to raise the Activation level of *Sample A1*, click on the *raise arrow* of the selected connector. The lifeline now visually depicts that method *Sample A1* is called during the processing of *Sample A*.




In the example below, a few more self-messages have been added. The message *Sample A2a* is called from *Sample A2* which in turn is called from *Sample A* (not *Sample A1*). *Sample A1* is called from *Sample A*.



15.1.1.5.2.6 Sequence Message Label Visibility

On Sequence messages, you can control label visibility using the message context menu. To hide and show the labels used in Sequence messages, follow the steps below:

1. Right-click on the message within the Sequence diagram. The message context menu displays.
2. Select the **Set Label Visibility** menu option. The **Label Visibility** dialog displays.




3. Select or clear the checkbox against each message label to display or hide, respectively.
4. Click on the **OK** button to save the settings.

15.1.1.5.2.7 Change the Top Margin

In order to change the top margin from the default 50 units, right-click on a [Sequence diagram](#)^[1115] to display the context menu and select the **Set Top Margin** menu option. You can set the top margin to any value between 30 and 250 units.

15.1.1.5.2.8 Inline Sequence Elements

It is possible to represent [Part](#)^[1211] and [Port](#)^[1212] elements on a [Sequence diagram](#)^[1115]. Child Parts and Ports appear as inline sequence elements under their parent Class sequence element.



1. Right-click on the sequence elements containing the child Ports or Parts, to display the context menu.
2. Select the **Embedded Elements | Embedded Elements** menu option.
3. Select the checkbox against each Part or Port to show, and click on the **Close** button.

15.1.1.5.3 Communication Diagram (formerly Collaboration Diagram)

A *Communication diagram* shows the interactions between elements at run-time in much the same manner as a Sequence diagram. However, Communication diagrams are used to visualize inter-object relationships, while Sequence diagrams are more effective at visualizing processing over time.


Communication diagrams employ ordered, labeled associations to illustrate processing. Numbering is important to indicate the order and nesting of processing. A numbering scheme could be:

1
 1.1
 1.1.1
 1.1.2
 1.2, and so on.

A new number segment begins for a new layer of processing, and would be equivalent to a method invocation.

Example Diagram

The example below illustrates a Communication diagram among cooperating object instances. Note the use of message levels to capture related flows, and the different [colors](#) of the [messages](#).



Toolbox Elements and Connectors

Select Communication diagram elements and connectors from the [Communication pages](#) of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Communication Diagram Elements	Communication Diagram Connectors
Actor	Associate
Object	Nesting
Boundary	Realize
Control	
Entity	
Package	

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 511*) states:

Communication Diagrams focus on the interaction between Lifelines where the architecture of the internal structure and how this corresponds with the message passing is central. The sequencing of Messages is given through a sequence numbering scheme.

Communication Diagrams correspond to simple Sequence Diagrams that use none of the structuring mechanisms such as InteractionUses and CombinedFragments. It is also assumed that message overtaking (i.e., the order of the receptions are different from the order of sending of a given set of messages) will not take place or is irrelevant.

Note:


Communication diagrams were known as Collaboration diagrams in UML 1.4.

15.1.1.5.3.1 Communication Diagrams in Color

Enterprise Architect enables you to highlight particular message flows in a [Communication diagram](#)¹¹²⁴¹ using different colors for each message set.

To highlight the colors in a Communication diagram, follow the steps below:

1. Select the **Tools | Options | Communication Colors** menu option. The **Communication Message Coloring** page of the **Options** dialog displays.
2. Select the **Use Communication Color** checkbox.
3. Click on the drop-down arrow of each **Message n** field, and select the required color for each message group.
4. Click on the **Close** button. On your Communication diagram, each sequence group of messages displays in a different color as shown below.

**Note:**

Communication diagrams were known as Collaboration diagrams in UML 1.4.

15.1.1.5.4 Interaction Overview Diagram


Interaction Overview diagrams visualize the cooperation between other interaction diagrams to illustrate a control flow serving an encompassing purpose. As *Interaction Overview* diagrams are a variant of [Activity diagrams](#) ^[108b], most of the diagram notation is the same, as is the process of constructing the diagram. Decision points, Forks, Joins, Start points and End points are the same. Instead of [Activity](#) ^[116b] elements, however, rectangular elements are used. There are two types of these elements:

- *Interaction* elements display an inline [Interaction diagram](#) ^[109b], which can be a [Sequence diagram](#) ^[111b], [Communication diagram](#) ^[112b], [Timing diagram](#) ^[109b], or [Interaction Overview](#) ^[112b] diagram
- *Interaction Occurrence* ^[120b] elements are references to an existing Interaction diagram: they are visually represented by a frame, with **ref** in the frame's title space; the diagram name is indicated in the frame contents.

To create an *Interaction Occurrence*, simply drag an Interaction diagram from the **Project Browser** window onto your *Interaction Overview* diagram. The **ref** frame displays, encapsulating an instance of the Interaction diagram.

Example Diagram

The following example depicts a sample sale process, shown in an *Interaction Overview* diagram, with sub-processes abstracted within *Interaction Occurrences*. The diagram appears very similar to an *Activity* diagram, and is conceptualized the same way; as the flow moves into an interaction, the respective interaction's process must be followed before the *Interaction Overview*'s flow can advance.



















Toolbox Elements and Connectors

Select Interaction Overview diagram elements and connectors from the [Activity pages](#) ^[114] of the Enterprise

Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Interaction Overview Diagram Elements	Interaction Overview Diagram Connectors
 Partition	 Fork/Join
 Decision	 Fork/Join
 Send	 Control Flow
 Receive	 Object Flow
 Synch	 Interrupt Flow
 Initial	
 Final	
 Flow Final	
 Region	
 Exception	
 Merge	

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 514*) states:

Interaction Overview Diagrams define Interactions (described in Chapter 14, "Interactions") through a variant of Activity Diagrams (described in Chapter 6, "Activities") in a way that promotes overview of the control flow.

Interaction Overview Diagrams focus on the overview of the flow of control where the nodes are Interactions or InteractionUses. The Lifelines and the Messages do not appear at this overview level.

15.1.2 Structural Diagrams

Structural diagrams depict the structural elements composing a system or function. These diagrams reflect the static relationships of a structure, such as Class or Package diagrams, or run-time architectures such as Object or Composite Structure diagrams.

Structural diagrams include the following diagram types:

Class Diagrams

[Class diagrams](#)^[1131] capture the logical structure of the system, the Classes and objects that make up the model, describing what exists and what attributes and behavior it has.

Composite Structure Diagrams

[Composite Structure diagrams](#)^[1132] reflect the internal collaboration of Classes, Interfaces and Components

(and their properties) to describe a functionality.

Component Diagrams

[Component diagrams](#) ^[1137] illustrate the pieces of software, embedded controllers and such that make up a system, and their organization and dependencies.

Deployment Diagrams

[Deployment diagrams](#) ^[1139] show how and where the system is to be deployed; that is, its execution architecture.

Object Diagrams

[Object diagrams](#) ^[1133] depict object instances of Classes and their relationships at a point in time.


Package Diagrams

[Package diagrams](#) ^[1130] depict the organization of model elements into packages and the dependencies amongst them.

15.1.2.1 Package Diagram

Package diagrams depict the organization of model elements into packages and the dependencies amongst them, including package imports and package extensions. They also provide a visualization of the corresponding namespaces.

The following example demonstrates a basic Package diagram.



The nesting connector between *ConnSeq* and *Controller* reflects what the package contents reveal. Package contents can be listed by clicking on the diagram background to display the [diagram's](#) ^[278] [Properties](#) ^[278] [dialog](#) ^[278], selecting the **Elements** tab and selecting the **Package Contents** checkbox.

The `«import»` connector indicates that the elements within the target *Integer* package, which in this example is the single Class *Integer*, are imported into the package *Controller*. The *Controller*'s namespace gains access to the *Integer* Class; the *Integer* namespace is not affected.

The «merge» connector indicates that the package *Controller's* elements are imported into *GenApply*, including *Controller's* nested and imported contents. If an element already exists within *GenApply*, such as *Loader* and *Time*, these elements' definitions are expanded by those included in the package *Controller*. All elements added or updated by the merge are noted by a generalization relationship back to that package.

Notes:


















- Private elements within a package cannot be imported or merged.
- If you click on an element listed in a package, and then double-click, you can display and edit the [element properties](#) ^[368].

Toolbox Elements and Connectors

Select Package diagram elements and connectors from the [Class pages](#) ^[108] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Package Diagram Elements	Package Diagram Connectors
 Package	 Associate
 Class	 Generalize
 Interface	 Compose
 Table	 Aggregate
 Enumeration	 Association Class
 Signal	 Assembly
 Association	 Realize
	 Nesting
	 Package Merge
	 Package Import


15.1.2.2 Class Diagram

The *Class* diagram captures the logical structure of the system; the [Classes](#) ^[1167] - including [Active](#) ^[1169] and [Parameterized](#) ^[1169] (template) Classes - and things that make up the model. It is a static model, describing what exists and what attributes and behavior it has, rather than how something is done. Class diagrams are most useful to illustrate relationships between Classes and Interfaces. Generalizations, Aggregations and Associations are all valuable in reflecting inheritance, composition or usage, and connections, respectively.

Example Diagram

The pale [Aggregation](#) ^[1257] relationship indicates that the Class *Account* uses *AddressBook*, but does not necessarily contain *AddressBook*. The dark [Composite Aggregation](#) ^[1257] by the other connectors indicate

ownership or containment by the target Classes (at the diamond end) of the source Classes.








Toolbox Elements and Connectors

Select Class diagram elements and connectors from the [Class pages](#) ⁽¹⁰⁸⁾ of the Enterprise Architect UML Toolbox.

Tip:

Click on the elements and connectors below for more information.

Class Diagram Elements	Class Diagram Connectors
Package	Associate
Class	Generalize
Interface	Compose
Table	Aggregate
Enumeration	Association Class
Signal	Assembly

Class Diagram Elements	Class Diagram Connectors
 Association	 Realize
	 Nesting
	 Package Merge
	 Package Import

15.1.2.3 Object Diagram


An *Object diagram* is closely related to a [Class diagram](#)^[1131], with the distinction that it depicts object instances of Classes and their relationships at a point in time. This might appear similar to a [Composite Structure](#)^[1134] diagram, which also models run-time behavior; the difference is that Object diagrams exemplify the static Class diagrams, whereas Composite Structure diagrams reflect run-time architectures different from their static counterparts. Object diagrams do not reveal architectures varying from their corresponding Class diagrams, but reflect multiplicity and the roles instantiated Classes could serve. They are useful in understanding a complex Class diagram, by creating different cases in which the relationships and Classes are applied. An Object diagram can also be a kind of [Communication diagram](#)^[1124], which also models the connections between objects, but additionally sequences events along each path.

Note:


Communication diagrams were known as Collaboration diagrams in UML 1.4.

Example Diagram

The following example first shows a simple Class diagram, with two [Class](#)^[1167] elements connected.



The Classes above are instantiated below as Objects in an Object diagram. There are two instances of *Computer* in this model, which can prove useful for considering the relationships and interactions Classes play in practice, as Objects.



Toolbox Elements and Connectors

Select Object diagram elements and connectors from the [Object pages](#)^[109] of the Enterprise Architect UML Toolbox.

Tip:

Click on the elements and connectors below for more information.

Object Diagram Elements	Object Diagram Connectors
Actor	Information Flow
Object	Associate
Collaboration	Dependency
Information Item	
Boundary	
Control	
Entity	


15.1.2.4 Composite Structure Diagram

A *Composite Structure* diagram reflects the internal collaboration of [Classes](#)^[1167], [Interfaces](#)^[1200] or [Components](#)^[1179] (and their [Properties](#)^[1136]) to describe a functionality. Composite Structure diagrams are similar to [Class diagrams](#)^[1131], except that they model a specific usage of the structure. Class diagrams model a static view of Class structures, including their attributes and behaviors. A Composite Structure diagram is used to express run-time architectures, usage patterns and the participating elements' relationships, which might not be reflected by static diagrams.


In a Composite Structure diagram, Classes are accessed as [Parts](#)^[1211] or run-time instances fulfilling a particular role. These Parts can have multiplicity, if the role filled by the Class requires multiple instances. [Ports](#)^[1212] defined by a Part's Class should be represented in the composite structure, maintaining that all connecting Parts provide the required interfaces specified by the Port. There is extensive flexibility, and an ensuing complexity, that come with modeling composite structures. To optimize your modeling, consider building [Collaborations](#)^[1171] to represent reusable patterns responding to your design issues.

Example Diagram

The following diagram shows a Collaboration used in Composite Structure diagrams to model common patterns. This particular example shows a relationship for performing an installation.



The following diagram uses the *Install* Collaboration in a [Collaboration Occurrence](#)^[1172], and applies it to the *UtilLoad* Class via a «represents» relationship. This indicates that the classifier *UtilLoad* uses the collaboration pattern within its implementation.









For further examples of Composite Structure diagrams, see the [Toolbox](#) elements listed below.







Toolbox Elements and Connectors

Select Composite Structure diagram elements and connectors from the [Composite pages](#)^[110] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Composite Structure Diagram Elements	Composite Structure Diagram Connectors
 Class	 Connector
 Interface	 Assembly
 Part	 Role Binding

Composite Structure Diagram Elements	Composite Structure Diagram Connectors
 Port	 Represents
 Collaboration	 Occurrence
 Expose Interface	 Delegate

OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 193*) states:

A composite structure diagram depicts the internal structure of a classifier, as well as the use of a collaboration in a collaboration use.

15.1.2.4.1 Properties

A *property* is a nested structure within a classifier, which is usually a [Class](#) ^[1167] or an [Interface](#) ^[1205] on a [Composite Structure diagram](#) ^[1134]. The contained structure reflects instances and relationships reflected within the containing classifier. Properties can have multiplicity.

To demonstrate properties, consider the following diagram, which demonstrates some properties of the *Library* Class.



There are two [Parts](#) ^[1217], *libBooks* and *records*, which are instances corresponding to the Classes *Books* and *Computer* respectively. After dragging Parts from the Enterprise Architect UML [Toolbox](#) out to the workspace, right-click on a Part and select the **Advanced | Set Property Type** menu option to link to a classifier.


Note:

If Parts disappear when dragged onto the Class, adjust the Z-order of the Class (right-click on it and select the **Z-Order** menu option).

The relationship between the two Parts is indicated by the connector, reflecting that communication between the Parts is via the *barcode*. This contained structure and its Parts are properties owned by the Library Class. To indicate a property that is not owned by composition to the containing classifier, use a box symbol with a

dashed outline, indicating *association*. To do this, right-click on the Part and select the **Advanced | Custom Properties** menu option. Set the **IsReference** option to **true**.

Properties can also be reflected using a normal composite structure (without containing it in a Class), with the appropriate connectors, parts and relationships indicated through connections to the Class. This alternative representation is shown below. However, this depiction fails to express the ownership immediately reflected by containing properties within a classifier.




15.1.2.5 Component Diagram

A *Component* diagram illustrates the pieces of software, embedded controllers and such that make up a system, and their organization and dependencies. A Component diagram has a higher level of abstraction than a [Class diagram](#)^[1131]; usually a component is implemented by one or more [Classes](#)^[1167] (or [Objects](#)^[1208]) at runtime. They are building blocks, built up so that eventually a component can encompass a large portion of a system.

Example Diagram

The diagram below demonstrates some components and their inter-relationships. [Assembly](#)^[1258] connectors link the provided interfaces supplied by *Product* and *Customer* to the required interfaces specified by *Order*. A [Dependency](#)^[1265] relationship maps a customer's associated account details to the required interface *Payment*, indicated by *Order*.







Toolbox Elements and Connectors

Select Component diagram elements and connectors from the [Component pages](#) ¹¹⁴ of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Component Diagram Elements	Component Diagram Connectors
Package	Assembly
Component	Delegate
Class	Associate
Interface	Realize
Object	Generalize


Component Diagram Elements	Component Diagram Connectors
 Port	
 Expose Interface	
 Artifact	
 Document Artifact	

15.1.2.6 Deployment Diagram

A *Deployment diagram* shows how and where the system is to be deployed; that is, its execution architecture. Hardware devices, processors and software execution environments (system [Artifacts](#)^[1165]) are reflected as [Nodes](#)^[1206], and the internal construction can be depicted by embedding or nesting Nodes. As Artifacts are allocated to Nodes to model the system's deployment, the allocation is guided by the use of deployment specifications.

Example Diagram

An example Deployment diagram is shown below. The two Nodes have a *TCP/IP* communication path indicated. [Deployment](#)^[1268] relationships indicate the deployment of Artifacts. Furthermore, a *deployment spec* defines the process of deployment for the *networkScanner* Artifact. The [Manifestation](#)^[1271] relationships reveal the physical implementation of components *ReposCustomer* and *ReposInternalRecords*.







Toolbox Elements and Connectors

Select Deployment diagram elements and connectors from the [Deployment pages](#) ^[115] of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Deployment Diagram Elements	Deployment Diagram Connectors
Node	Associate
Device	Communication Path
Execution Environment	Association Class
Component	Generalize
Interface	Realize
Artifact	Deployment
Document Artifact	Manifest

Deployment Diagram Elements	Deployment Diagram Connectors
 Deployment Specification	 Object Flow
 Package	 Nesting

15.1.3 Extended Diagrams


In addition to diagrams defined by the UML, Enterprise Architect provides some extended diagram platforms to model business processes or develop custom diagrams.

- [Analysis Diagram](#) ^[1141]
- [Custom Diagram](#) ^[1143]
- [Requirements Diagram](#) ^[1145]
- [Maintenance Diagram](#) ^[1146]
- [User Interface Diagram](#) ^[1148]
- [Database Schema](#) ^[1149]
- [Robustness Diagram](#) ^[1150]
- [Documentation](#) ^[1064]

15.1.3.1 Analysis Diagram

An *Analysis diagram* is a simplified [Activity diagram](#) ^[1080], which is used to capture high level business processes and early models of system behavior and elements. It is less formal than some other diagrams, but provides a good means of capturing the essential business characteristics and requirements.

Enterprise Architect supports some of the *Eriksson-Penker Business Extensions* that facilitate [business process modeling](#) ^[475]. The complete Eriksson-Penker Business Extensions UML Profile can also be loaded into Enterprise Architect and used to create detailed process models.








Toolbox Elements and Connectors

Select Analysis diagram elements and connectors from the [Analysis pages](#) ¹¹⁸¹ of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Analysis Diagram Elements	Analysis Diagram Connectors
Actor	Information Flow
Object	Object Flow
Process	Associate
Collaboration	Realize
Send	Representation
Receive	
Information Item	

Analysis Diagram Elements	Analysis Diagram Connectors
 Decision	
 Merge	
 Boundary	
 Control	
 Entity	


15.1.3.2 Custom Diagram

A *Custom* diagram is an extended [Class diagram](#) ^[1137] that is used to capture requirements, user interfaces or custom-design models.

The below example reflects a [Requirements diagram](#) ^[1145]. [Requirement elements](#) ^[1248] can be linked back to [Use Cases](#) ^[1237] and [Components](#) ^[1179] in the system to illustrate how a particular system requirement is met. [Change](#) ^[743] and [Defect \(Issue\)](#) ^[742] elements look the same as Requirement elements and can be coded and managed in the same way.

Screen design is supported through a stereotyped [Screen](#) ^[1249] element and [UI Controls](#) ^[1257]. Use this model to design high level system prototypes.

Custom models provide a few extensions to the UML model and enable some exploratory and non-rigorous experimentation with model elements and diagrams.




Toolbox Elements and Connectors

Select Custom diagram elements and connectors from the [Custom pages](#) of the Enterprise Architect UML [Toolbox](#).

Tip:

Click on the elements and connectors below for more information.

Custom Diagram Elements	Custom Diagram Connectors
Package	Associate
Requirement	Aggregate
Issue	Generalize
Change	Realize
Screen	Nesting
UI Control	


Custom Diagram Elements	Custom Diagram Connectors
 Test Case	

15.1.3.3 Requirements Diagram

A *Requirements* diagram is a custom diagram used to describe a system's requirements or features as a visual model.

Requirements are defined using [Requirement elements](#)^[1248] (*Custom* elements of type *Requirement*). To view the detailed description of a Requirement, double-click on the element to display its properties. Requirement elements can be linked back to [Use Cases](#)^[1231] and [Components](#)^[1179] in the system to illustrate how a particular system requirement is met.

Requirements models provide extensions to the UML model and enable traceability between specifications and design requirements, and the model elements that realize them.











Requirements can have relationships with other elements such as other Requirements and Use Cases. To view the traceability of a requirement, use the [Hierarchy](#)^[173] window, which you access using the **View | Hierarchy** menu option (or press **[Ctrl]+[Shift]+[4]**).

Toolbox Elements and Connectors

Select Requirements diagram elements and connectors from the [Requirements pages](#)^[120] of the Enterprise Architect UML **Toolbox**.

Tip:

Click on the elements and connectors below for more information.

Requirements Diagram Elements	Requirements Diagram Connectors
 Package	 Aggregate
 Requirement	 Inheritance
 Feature	 Associate
 Object	 Implements

15.1.3.4 Maintenance Diagram

A *Maintenance diagram* is a custom diagram used to describe change requests and issue items within a system model.

An example Maintenance diagram is shown below. *Change*, *Task* and *Issue* elements can be linked back to other model elements in the system to illustrate how they must be modified, fixed or updated.

Maintenance models provide extensions to the UML model and enable change management of change items, and of the model elements that require the changes to be made to them.

Changes

EA supports custom Elements of type 'Change'. These can be linked to other elements in the repository or used as a separate lists of any changes proposed for the model.

Below are a set of Change elements for the shopping basket with test definitions listed against them. They are ready for checking once they are confirmed as corrected.

The color markings reflect the Status of the element.







View Basket - add: alter quantity against the entries.
test scripts Unit : (Not Run) Alter Quantity
View Basket - Add button to update Change
test scripts Unit : (Deferred) Update Cart Button operative
Create Account: password confirmation fails
test scripts Unit : (Not Run) Password Confirmation

Toolbox Elements and Connectors

Select Maintenance diagram elements and connectors from the [Maintenance pages](#) ⁽¹²⁾ of the Enterprise Architect UML **Toolbox**.

Tip:


Click on the elements and connectors below for more information.

Maintenance Diagram Elements	Maintenance Diagram Connectors
 Package	 Aggregate
 Issue	
 Change	
 Test Case	
 Entity	

15.1.3.5 User Interface Diagram

User Interface Diagrams are custom diagrams used to visually mock-up a system's user interface using forms, controls and labels.

In the example User Interface diagram below, forms, controls and labels are arranged on the diagram to describe its appearance. [UI elements](#)^[1251] can also be traced to other model elements linking the UI with the underlying implementation.











Toolbox Elements and Connectors

Select User Interface diagram elements and connectors from the [User Interface pages](#)^[121] of the Enterprise Architect UML **Toolbox**.

Note:


Click on the elements and connectors below for more information.

User Interface Diagram Elements	User Interface Diagram Connectors
 Package	 Associate

User Interface Diagram Elements	User Interface Diagram Connectors
 Screen	 Aggregate
 UI Control	 Generalize
 Object	 Realize





15.1.3.6 Database Schema

Below is an example Database Schema. For information on [Database Modeling](#) ^[890], click on the link.




Toolbox Elements and Connectors

Select Database Schema diagram elements from the [Data Modeling pages](#) ^[125] of the Enterprise Architect UML [Toolbox](#).

Database Schema Diagram Elements	
	Table
	View
	Procedure
	Column

15.1.3.7 Robustness Diagram

Enterprise Architect supports business process modeling extensions from the UML business process model profile. Examples of these are below:



Robustness diagrams are simplified [Communication](#)^[1124] diagrams, but can be created in any diagram type that supports [Boundary](#)^[1237], [Control](#)^[1240] and [Entity](#)^[1241] elements. They are used extensively in the [ICONIX Process](#)^[470], where they can be created as [Analysis](#)^[1141] or [Interaction](#)^[1096] diagrams.

15.2 UML Elements



Models in the UML are constructed from elements. Each element has a different purpose, different rules and different notation. Model elements are used at different stages of the design process for different purposes. Elements include [Classes](#)^[1167], [Objects](#)^[1208], [Interfaces](#)^[1200], [Use Cases](#)^[1231], [Components](#)^[1179] and [Nodes](#)^[1208].

The features of Enterprise Architect cannot be fully applied without a good understanding of UML:


- During early analysis, Use Cases, Activities, Business Processes, Objects and Collaborations are used to capture the problem domain
- During elaboration, Sequence diagrams, Objects, Classes and State Machines are used to refine the system specification
- Components and Nodes are used to model larger parts of the system as well as the physical entities that are created and deployed into a production environment.

UML elements can be divided into two categories: those used on [Behavioral Diagrams](#)^[1151] and those used on [Structural Diagrams](#)^[1152]. This basic set can be extended almost without limit using [Stereotypes](#)^[448] and [UML Profiles](#)^[438].

15.2.1 Behavioral Diagram Elements

The following figure illustrates the main [UML elements](#) that are used in [Behavioral Diagrams](#). For more information on using each element, click on the element name:

- [Action](#), [Activity](#), [Actor](#)
- [Boundary](#)
- [Choice](#), [Collaboration](#), [Combined Fragment](#), [Continuation](#)
- [Datastore](#), [Decision](#)
- [Endpoint](#), [Entry Point](#), [Exception](#), [Expansion Region](#), [Exit Point](#)
- [Final](#), [Flow Final](#), [Fork](#)
- [History](#)
- [Initial](#), [Interaction Occurrence](#), [Interruptible Activity Region](#)
- [Join](#), [Junction](#)
- [Lifeline](#)
- [Object](#)
- [Package](#), [Partition](#)
- [Receive](#), [Region](#)
- [Send](#), [State](#), [State Lifeline](#), [State/Continuation](#), [SubActivity](#), [SubMachine](#), [Synch](#), [System Boundary](#)
- [Terminate](#)
- [Use Case](#)
- [Value Lifeline](#)




15.2.2 Structural Diagram Elements

The following figure illustrates the main [UML elements](#) ^[1150] that are used in [Structural Diagrams](#) ^[1129]. For more information on using each element, click on the element name:

- [Artifact](#) ^[1165]
- [Class](#) ^[1167], [Collaboration](#) ^[1171], [Collaboration Occurrence](#) ^[1172], [Component](#) ^[1179]

- [Deployment Specification](#) ^[1182]
- [Interface](#) ^[1200]
- [Node](#) ^[1206]
- [Object](#) ^[1208]
- [Package](#) ^[1210], [Part](#) ^[1211], [Port](#) ^[1212]
- [Qualifiers](#) ^[1215]




15.2.3 Basic Elements

This topic provides an introduction to elements defined by UML, which together compose the backbone of modeling. Most conceivable modeling elements are stereotypes or extensions of the elements introduced in this topic.

15.2.3.1 Action



An *Action* element describes a basic process or transformation that occurs within a system. It is the basic functional unit within an [Activity diagram](#)^[1080]. Actions can be thought of as children of [Activities](#)^[1160]. Both represent processes, but Activities can contain multiple steps or decomposable processes, each of which can be embodied in an Action. An Action cannot be further broken down or decomposed.



An Action can be further defined with [pre-condition and post-condition](#)^[1159] notes, and certain properties can be [graphically depicted](#)^[1155] on the Action. The data values passed out of and into an Action can be represented by [Action Pins](#)^[1158].

An Action can be depicted as an [Expansion Node](#)^[1157] to indicate that the Action comprises an [Expansion Region](#)^[1188].

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 241*) states:


An action is a named element that is the fundamental unit of executable functionality. The execution of an action represents some transformation or processing in the modeled system, be it a computer system or otherwise.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 313*) also states:


An action may have sets of incoming and outgoing activity edges that specify control flow and data flow from and to other nodes. An action will not begin execution until all of its input conditions are satisfied. The completion of the execution of an action may enable the execution of a set of successor nodes and actions that take their inputs from the outputs of the action.

15.2.3.1.1 Action Notation

Some properties can be graphically depicted on an [Action](#) element, as shown below.



These properties can be defined by right-clicking on the Activity and selecting the **Advanced | Custom Properties** menu option, which displays the **Custom Properties** dialog. Set the Action type by selecting a value from the **Kind** drop-down list.




Class Operations in Activity Diagrams

Operations from Classes can be displayed on Activity diagrams as Actions. When an operation is shown as an Action, the notation of the Action displays the name of the Class that features the operation. To add an operation to an Activity diagram follow the steps below:

1. Open an Activity diagram.
2. From the **Project Browser** window open a Class and locate the operation to be added to the Activity diagram.
3. Drag the operation on to the diagram.




4. When the operation has been added to the Activity diagram the Action displays the name of the Class that features the operation.



If it becomes necessary to change the operation that this Action refers to, follow the steps below:

1. Right-click on the Action. The context menu displays.
2. Select the **Advanced | Set Operation** menu option. The [Set Operation dialog](#) displays.
3. If necessary, in the **In Namespace** field, select the model that contains the required operation.
4. Double-click on the required operation. The Action updates to show the new classifier and operation.




15.2.3.1.1.1 Set Feature Dialog

The **Set Feature** dialog is the **Set Operation** dialog used to change the [operation represented by an Action](#) on an Activity diagram.

As the **Set Operation** or **Set Attribute** dialog, it is also used to set the *Value* operation or attribute for Tagged Values of type [RefGUID](#).


To use this dialog, follow the steps below:

1. The **Set Operation** (or **Set Attribute**) dialog displays.



2. In the **In Namespace** field, click on the drop-down arrow and select the model that contains the required operation or attribute. All operations or attributes in that model are listed on the dialog.
3. Double-click on the required item to set it.


15.2.3.1.2 Action Expansion Node



Representing an [Action](#)^[1154] as an *Expansion Node* is a shorthand notation to indicate that the Action comprises an [Expansion Region](#)^[1188].


To specify an Action as an Expansion Node, right-click on the Action to display the context menu and select the **Embedded Elements | Add Expansion Node** menu option. After designating an Action as an Expansion Node, you can modify or delete it using the **Embedded Elements | Embedded Elements** menu option.

15.2.3.1.3 Action Pin



An *Action Pin* is used to define the data values passed out of and into an [Action](#)¹¹⁵⁴. An *input pin* provides values to the Action, whereas an *output pin* contains the results from that Action.

Action Pins are used below to connect two Actions:



See *UML Superstructure Specification, v2.1.1, Figure 12.110, p. 391.*


Action Pins can be further characterized as defining exception parameters, streams, or states. Associating a state with a pin defines the state of input or output values. For instance, the pin could be called *Orders*, but the state could be *Validated* or *Canceled*.

To add an Action Pin to an Action, right-click on the Action to display the context menu and select the **Embedded Elements | Add Action Pin** menu option. To change the type of an Action Pin, right-click on the pin and select the **Advanced | Custom Properties** menu option. The following properties can be set:

Properties	
isReadOnly	False
precondition	
isSingleExecution	False
postcondition	
parameterName	

15.2.3.1.4 Local Pre/Post Conditions

[Actions](#) ^[1154] can be further defined with *pre-condition* and *post-condition* notes, which constrain an Action's entry and exit. These notes can be added to an Action as defined below.



See *UML Superstructure Specification, v2.1.1, Figure 12.32, p. 316.*

Create a Constraint

To attach a constraint to an Action follow the steps below:


1. Right-click on the action. The context menu displays:
2. Select the **Add | Constraint** menu option. A *Note* is created on the diagram, linked to the action.
3. Right-click on the *Note*. The context menu displays.
4. Select the **Properties** menu option. The **Constraint** dialog displays.

The screenshot shows the 'Constraint' dialog box. It has a 'Constraint Type:' field with a dropdown menu showing 'localPostCondition'. Below it is a 'Constraint:' text area containing the text 'The vending machine dispensed the drink that is selected.'. At the bottom of the dialog are 'OK' and 'Cancel' buttons.

5. In the **Constraint Type** field, click on the drop-down arrow and select the required constraint type.


6. In the **Constraint** field, type the text for the constraint.
7. Click on the **OK** button to save the constraint.

15.2.3.2 Activity



An *Activity* organizes and specifies the participation of subordinate behaviors, such as *sub-Activities* or *Actions*^[1154], to reflect the control and data flow of a process. Activities are used in *Activity diagrams*^[1080] for various modeling purposes, from procedural-type application development for system design, to business process modeling of organizational structures or workflow.


The following simple diagram of an Activity contains Action elements and includes [input parameters and output parameters](#)^[1162].



You can define an Activity as a *composite element*, either during creation or during later edits. However, when creating a composite Activity element you can also use the *Structured Activity* element, which is tailored to this purpose. If converting an Activity element, right-click on the element and select the **Advanced | Make Composite** context menu option. The **New Structured Activity** dialog displays; for information on this dialog, see the [Structured Activity](#)^[1226] topic.

Certain properties can be [graphically depicted](#)^[1161] on an Activity. The Actions in an Activity can be further organized by [Activity Partitions](#)^[1163].

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 318*) states:

An activity specifies the coordination of executions of subordinate behaviors, using a control and data flow model. The subordinate behaviors coordinated by these models may be initiated because other behaviors in

the model finish executing, because objects and data become available, or because events occur external to the flow. The flow of execution is modeled as activity nodes connected by activity edges. A node can be the execution of a subordinate behavior, such as an arithmetic computation, a call to an operation, or manipulation of object contents. Activity nodes also include flow-of-control constructs, such as synchronization, decision, and concurrency control. Activities may form invocation hierarchies invoking other activities, ultimately resolving to individual actions. In an object-oriented model, activities are usually invoked indirectly as methods bound to operations that are directly invoked.


Activities may describe procedural computation. In this context, they are the methods corresponding to operations on classes. Activities may be applied to organizational modeling for business process engineering and workflow. In this context, events often originate from inside the system, such as the finishing of a task, but also from outside the system, such as a customer call. Activities can also be used for information system modeling to specify system level processes. Activities may contain actions of various kinds:

- Occurrences of primitive functions, such as arithmetic functions.
- Invocations of behavior, such as activities.
- Communication actions, such as sending of signals.
- Manipulations of objects, such as reading or writing attributes or associations.

Actions have no further decomposition in the activity containing them. However, the execution of a single action may induce the execution of many other actions. For example, a call action invokes an operation that is implemented by an activity containing actions that execute before the call action completes.

15.2.3.2.1 Activity Notation

Certain properties can be graphically depicted on an [Activity](#)¹¹⁶⁰ element, as shown below.



To define these properties, right-click on the Activity and select the **Advanced | Custom Properties** menu option. The following dialog displays:

The screenshot shows a dialog box titled "Properties" with a table of properties and their values. The table is as follows:


Property	Value
isReadOnly	False
precondition	Order Complete
isSingleExecution	False
postcondition	Order Closed
parameterName	Order Type

At the bottom of the dialog, there are two buttons: "OK" and "Cancel".

15.2.3.2.2 Activity Parameter Nodes


An *Activity Parameter Node* accepts input to an [Activity](#)^[1160] and provides output from an Activity.

The following example depicts two entry parameters and one output parameter defined for the Activity.




To define an Activity Parameter Node for an Activity, follow the steps below:

1. Right-click on the element and select the **Embedded Elements | Add Activity Parameter** menu option.
2. The **Properties** dialog displays, which prompts for the **Name** and other properties of the embedded element.
3. After closing this dialog, you can further define the new activity parameter. Right-click on the Activity Parameter and select the **Advanced | Custom Properties** menu option. The following dialog displays:



Similar to characterizing [Action Pins](#)^[1158], Activity Parameter Nodes also have the *isException* and *isStream* options. *isException* indicates that a parameter can emit a value at the exclusion of other outputs, usually because of some error. *isStream* indicates whether or not a parameter can accept or post values during the execution of the Activity.

The following example uses the above settings:



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 338*) states:


An activity parameter node is an object node for inputs and outputs to activities.

... Activity parameter nodes are object nodes at the beginning and end of flows that provide a means to accept inputs to an activity and provide outputs from the activity, through the activity parameters.

Activity parameters inherit support for streaming and exceptions from Parameter.

15.2.3.2.3 Activity Partition

Activity Partitions are used to logically organize an [Activity](#)^[1160]. They do not affect the token flow of an Activity diagram, but help structure the view or parts of an Activity. An example of a partitioned Activity is shown below:



To define Partitions:

1. Right-click on the Activity element. The context menu displays.
2. Select the **Advanced | Partition Activity** menu option. The **Activity Partitions** dialog displays.


3. In the **Name** field, type the name of a partition. Click on the **Save** button.
4. Repeat step 3 for each partition to be created.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 341*) states:

Partitions divide the nodes and edges to constrain and show a view of the contained nodes. Partitions can share contents. They often correspond to organizational units in a business model. They may be used to allocate characteristics or resources among the nodes of an activity.

15.2.3.3 Actor



An *Actor* is a user of the system; *user* can mean a human user, a machine, or even another system or subsystem in the model. Anything that interacts with the system from the outside or system boundary is termed an Actor. Actors are typically associated with [Use Cases](#) ^[123].

Actors can use the system through a graphical user interface, through a batch interface or through some other media. An Actor's interaction with a Use Case is documented in a Use Case scenario, which details the functions a system must provide to satisfy the user requirements.

Actors also represent the role of a user in [Sequence Diagrams](#) ^[115].

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 584*) states:


An actor models a type of role played by an entity that interacts with the subject (e.g. by exchanging signals and data), but which is external to the subject. ... Actors may represent roles played by human users, external hardware, or other subjects. Note that an actor does not necessarily represent a specific physical entity but merely a particular facet (i.e., "role") of some entity that is relevant to the specification of its associated Use Cases. Thus, a single physical instance may play the role of several different actors and, conversely, a given actor may be played by multiple different instances.

15.2.3.4 Artifact



An *Artifact* is any physical piece of information used or produced by a system, represented in a [Deployment Diagram](#)^[1138]. Artifacts can have associated properties or operations, and can be instantiated or associated with other Artifacts. Examples of Artifacts include model files, source files, database tables, development deliverables or support documents.

Toolbox Icon



Create Artifact For External File

You can also create an Artifact element on a diagram for an external file, by clicking on the file in a file list (such as Windows Explorer) or on your Desktop and dragging it onto the diagram. A short context menu displays with two options - **Hyperlink** and **Artifact**.


Click on the **Artifact** option to create the element on the diagram. The **Properties** dialog displays, and you can define the name or other properties as required. Click on the **OK** button, and then open the **Properties** dialog again and click on the **Files** tab. The file pathname is listed in the **Files** panel.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 201*) states:

An Artifact defined by the user represents a concrete element in the physical world. A particular instance (or 'copy') of an artifact is deployed to a node instance. Artifacts may have composition associations to other artifacts that are nested within it. For instance, a deployment descriptor artifact for a component may be contained within the artifact that implements that component. In that way, the component and its descriptor are deployed to a node instance as one artifact instance.

15.2.3.5 Central Buffer Node



A *Central Buffer Node* is an object node for managing flows from multiple sources and destinations, represented in an [Activity diagram](#)^[1080]. It acts as a buffer for multiple in-flows and out-flows from other object nodes, but does not connect directly to Actions.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 352*) states:


A central buffer node is an object node for managing flows from multiple sources and destinations. ... A central buffer node accepts tokens from upstream object nodes and passes them along to downstream object nodes.

15.2.3.6 Choice



The *Choice pseudo-state*^[1087] is used to compose complex transitional paths in, for example, a [State Machine diagram](#)^[1084], where the outgoing transition path is decided by dynamic, run-time conditions. The run-time conditions are determined by the actions performed by the [State Machine](#)^[1219] on the path leading to the choice.

The following example depicts the Choice element. Upon reaching the *Filter* pseudo-state, a transition fires to the appropriate state based on the run-time value passed to the Filter. Very similar in form to a [Junction](#)^[1205] pseudo-state, the Choice pseudo-state's distinction is in deciding transition paths at run-time.



Toolbox Icon




Choice

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 538*) states:

...choice vertices which, when reached, result in the dynamic evaluation of the guards of the triggers of its outgoing transitions. This realizes a dynamic conditional branch. It enables splitting of transitions into multiple outgoing paths such that the decision on which path to take may be a function of the results of prior actions performed in the same run-to-completion step. If more than one of the guards evaluates to true, an arbitrary one is selected. If none of the guards evaluates to true, then the model is considered ill-formed. (To avoid this, it is recommended to define one outgoing transition with the predefined "else" guard for every choice vertex.) Choice vertices should be distinguished from static branch points that are based on junction points.

15.2.3.7 Class




A *Class* is a representation of objects that reflects their structure and behavior within the system. It is a

template from which actual running instances are created, although a Class can be defined either to [control its own execution](#)^[1169] or as a *template* or [parameterized Class](#)^[1169] that specifies parameters that must be defined by any binding Class.


A Class can have [attributes](#)^[330] (data) and *methods* ([operations](#)^[341] or behavior). Classes can inherit characteristics from parent Classes and delegate behavior to other Classes. Class models usually describe the logical structure of the system and are the building blocks from which components are built.

The top section of a Class, as illustrated below, shows the attributes (or data elements) associated with the Class. These hold the 'state' of an object at run-time. If the information is saved to a data store and can be reloaded, it is termed 'persistent'. The lower section contains the Class operations (or methods at run-time). Operations describe the behavior a Class offers to other Classes, and the internal behavior it has (private methods).

Class elements are generally used in [Class diagrams](#)^[1131] and [Composite Structure diagrams](#)^[1134].



Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, pp. 52-53*) states:


The purpose of a class is to specify a classification of objects and to specify the features that characterize the structure and behavior of those objects.

Objects of a class must contain values for each attribute that is a member of that class, in accordance with the characteristics of the attribute, for example its type and multiplicity.

When an object is instantiated in a class, for every attribute of the class that has a specified default, if an initial value of the attribute is not specified explicitly for the instantiation, then the default value specification is evaluated to set the initial value of the attribute for the object.

Operations of a class can be invoked on an object, given a particular set of substitutions for the parameters of the operation. An operation invocation may cause changes to the values of the attributes of that object. It may also return a value as a result, where a result type for the operation has been defined. Operation invocations may also cause changes in value to the attributes of other objects that can be navigated to, directly or indirectly, from the object on which the operation is invoked, to its output parameters, to objects navigable from its parameters, or to other objects in the scope of the operation's execution. Operation invocations may also cause the creation and deletion of objects.

15.2.3.7.1 Active Classes



An *Active Class* indicates that, when instantiated, the [Class](#)^[1167] controls its own execution. Rather than being invoked or activated by other objects, it can operate standalone and define its own thread of behavior.

To define an Active Class in Enterprise Architect, follow the steps below:

1. Highlight a Class, and display its **Properties** dialog.
2. Click on the **Advanced** button.
3. Select the **Is Active** checkbox.
4. Click on the **OK** button to save the details.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 438*) states:

An active object is an object that, as a direct consequence of its creation, commences to execute its classifier behavior, and does not cease until either the complete behavior is executed or the object is terminated by some external object. (This is sometimes referred to as “the object having its own thread of control.”) The points at which an active object responds to communications from other objects is determined solely by the behavior of the active object and not by the invoking object. If the classifier behavior of an active object completes, the object is terminated.

15.2.3.7.2 Parameterized Classes (Templates)

Enterprise Architect supports *template* or *parameterized Classes*, which specify parameters that must be defined by any binding [Class](#)^[1167]. A template Class enables its functionality to be reused by any bound Class. If a default value is specified for a parameter, and a binding Class doesn't provide a value for that parameter, the default is used. Parameterized Classes are commonly implemented in C++.

Enterprise Architect imports and generates templated Classes for C++. Template Classes are shown with the parameters in a dashed outline box in the upper right corner of a Class.

To create a parameterized Class, follow the steps below:

1. Display the **Property** dialog for a Class.
2. Select the **Detail** tab.

General Detail Require Constraints Link Scenario Files

Cardinality:

Visibility:

Concurrency

Sequential

Guarded

Active

Synchronous

Templates


Type

Parameter	Type	Default
BindType	Class	

Arguments

3. In the **Type** field, click on the drop-down arrow and select **Parameterized**.
4. Click on the **Add** button and define the required parameters in the **Class Parameter** dialog.

Notation Example



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 622*) states:


A template is a parameterized element that can be used to generate other model elements using TemplateBinding relationships. The template parameters for the template signature specify the formal parameters that will be substituted by actual parameters (or the default) in a binding.

15.2.3.8 Collaboration




A *Collaboration* defines a set of cooperating roles and their connectors. These are used to collectively illustrate a specific functionality, in a [Composite Structure diagram](#)^[1134]. A Collaboration should specify only the roles and attributes required to accomplish a specific task or function. Although in practice a behavior and its roles could involve many tangential attributes and properties, isolating the primary roles and their requisites simplifies and clarifies the behavior, as well as providing for reuse. A Collaboration often implements a pattern to apply to various situations.

The following example illustrates an *Install* Collaboration, with three roles ([Objects](#)^[1208]) connected as shown. The process for this Collaboration can be demonstrated by attaching an [Interaction diagram](#)^[1096].



To understand referencing a Collaboration in a specific situation, see the [Collaboration Occurrence](#)^[1172] topic.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 171*) states:


A collaboration describes a structure of collaborating elements (roles), each performing a specialized function, which collectively accomplish some desired functionality. Its primary purpose is to explain how a system works and, therefore, it typically only incorporates those aspects of reality that are deemed relevant to the explanation

15.2.3.9 Collaboration Occurrence



Use a *Collaboration Occurrence* to apply a pattern defined by a Collaboration to a specific situation, in a [Composite Structure diagram](#)^[1134].

The following example uses an occurrence, *NWServer*, of the Collaboration *Install*, to define the installation process of a network scanner. This process can be defined by an interaction attached to the Collaboration. (See the [Collaboration](#)^[1171] topic for a representation of the *Install* Collaboration.)




To create a Collaboration Occurrence, drag the required Collaboration from the **Project Browser** onto the diagram and, on the **Paste Element** dialog, select the **Paste as Link** radio button.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 173*) refers to a Collaboration Occurrence as a **Collaboration Use**, and states:

A collaboration use represents one particular use of a collaboration to explain the relationships between the properties of a classifier. A collaboration use shows how the pattern described by a collaboration is applied in a given context, by binding specific entities from that context to the roles of the collaboration. Depending on the context, these entities could be structural features of a classifier, instance specifications, or even roles in some containing collaboration. There may be multiple occurrences of a given collaboration within a classifier, each involving a different set of roles and connectors. A given role or connector may be involved in multiple occurrences of the same or different collaborations.


15.2.3.10 Combined Fragment



A *Combined Fragment* reflects a piece or pieces of interaction (called *interaction operands*) controlled by an [interaction operator](#)^[1176], whose corresponding boolean conditions are known as *interaction constraints*. It displays as a transparent window, divided by horizontal dashed lines for each operand.

The following diagram illustrates the use of Combined Fragments, with a [Sequence diagram](#)^[1115] modeling a simplified purchasing process. A loop fragment is created to iterate through an unknown number of items for purchase, after which the cashier requests payment. At this point, two payment options are considered and an alternative fragment is [created](#)^[1175], divided to show the two operands: cash and credit card. After the fragment completes its trace, the cashier gives a receipt to the customer, under the fulfilled condition that payment requirements were met.


The order of interaction fragment conditions can be changed directly on the diagram. Select an interaction fragment with more than one condition defined. Up and down arrows appear on the right hand side of the each condition. Just click on the arrow to change the order.

**Note:**


In order to select an interaction fragment, you must click near the inside edge or drag a selection rectangle around the fragment. This prevents accidental selection when moving connectors inside the interaction fragment.

Tip:

Press and hold **[Alt]** to move a combined fragment independently of its contents.



Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 467*) states:

A combined fragment defines an expression of interaction fragments. A combined fragment is defined by an interaction operator and corresponding interaction operands. Through the use of CombinedFragments the user will be able to describe a number of traces in a compact and concise manner.

15.2.3.10.1 Create a Combined Fragment

Use the following guidelines to create a [Combined Fragment](#)^[1173] in Enterprise Architect.

1. Drag the *Fragment* element from the **Interaction Elements** page of the Enterprise Architect UML **Toolbox**. The following dialog displays:

Type: alt

Name:

Interaction Operands

Condition
else

x < 3

New Save Delete

OK Cancel

2. In the **Type** field, click on the drop-down arrow and select the interaction operator. See the [Interaction Operators](#) topic for an explanation of the various types of Combined Fragments.
3. In the **Condition** field, specify a condition or interaction constraint for each operand.
4. A rectangular frame displays, partitioned by dashed lines into segments for each operand.
5. Adjust the frame to encompass the required event occurrences for each operand.

15.2.3.10.2 Interaction Operators

When creating [Combined Fragments](#), you must apply an appropriate interaction operator to characterize the fragment. The following table provides guidance on the various operators, and their corresponding descriptions.

Interaction Operator	Use to
alt	Divide up interaction fragments based on Boolean conditions.
opt	Enclose an optional fragment of interaction.
par	Indicate that operands operate in parallel.
loop	Indicate that the operand repeats a number of times, as specified by interaction constraints.
critical	Indicate a sequence that cannot be interrupted by other processing.
neg	Assert that a fragment is invalid, and implies that all other interaction is valid.
assert	Specify the only valid fragment to occur. Often enclosed within a <i>consider</i> or <i>ignore</i> operand.
strict	Indicate that the behaviors of the operands must be processed in strict sequence.

Interaction Operator	Use to
seq	Indicate that the Combined Fragment is weakly sequenced. This means that the ordering within operands is maintained, but the ordering between operands is undefined, so long as an event occurrence of the first operand precedes that of the second operand, if the event occurrences are on the same lifeline.
ignore	Indicate which messages should be ignored during execution, or can appear anywhere in the execution trace.
consider	Specify which messages should be considered in the trace. This is often used to specify the resulting event occurrences with the use of an assert operator.
ref	Provide a reference to another diagram. Note: The ref fragment is not created using the method described in the Create a Combined Fragment topic. To create a ref fragment, simply drag an existing diagram from the Project Browser window onto the current diagram.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 468-471*) states:

The semantics of a CombinedFragment is dependent upon the interactionOperator as explained below.

Alternatives

*The interactionOperator **alt** designates that the CombinedFragment represents a choice of behavior. At most one of the operands will be chosen. The chosen operand must have an explicit or implicit guard expression that evaluates to true at this point in the interaction. An implicit true guard is implied if the operand has no guard.*

The set of traces that defines a choice is the union of the (guarded) traces of the operands.

*An operand guarded by **else** designates a guard that is the negation of the disjunction of all other guards in the enclosing CombinedFragment.*

If none of the operands has a guard that evaluates to true, none of the operands are executed and the remainder of the enclosing InteractionFragment is executed.

Option

*The interactionOperator **opt** designates that the CombinedFragment represents a choice of behavior where either the (sole) operand happens or nothing happens. An option is semantically equivalent to an alternative CombinedFragment where there is one operand with non-empty content and the second operand is empty.*

Break

*The interactionOperator **break** designates that the CombinedFragment represents a breaking scenario in the sense that the operand is a scenario that is performed instead of the remainder of the enclosing InteractionFragment. A **break** operator with a guard is chosen when the guard is true and the rest of the enclosing Interaction Fragment is ignored. When the guard of the **break** operand is false, the **break** operand is ignored and the rest of the enclosing InteractionFragment is chosen. The choice between a **break** operand without a guard and the rest of the enclosing InteractionFragment is done non-deterministically.*

*A CombinedFragment with interactionOperator **break** should cover all Lifelines of the enclosing InteractionFragment.*

Parallel

*The interactionOperator **par** designates that the CombinedFragment represents a parallel merge between the*

behaviors of the operands. The *OccurrenceSpecifications* of the different operands can be interleaved in any way as long as the ordering imposed by each operand as such is preserved.

A parallel merge defines a set of traces that describes all the ways that *OccurrenceSpecifications* of the operands may be interleaved without obstructing the order of the *OccurrenceSpecifications* within the operand.

Weak Sequencing

The interactionOperator **seq** designates that the *CombinedFragment* represents a weak sequencing between the behaviors of the operands.

Weak sequencing is defined by the set of traces with these properties:

1. The ordering of *OccurrenceSpecifications* within each of the operands is maintained in the result.
2. *OccurrenceSpecifications* on different lifelines from different operands may come in any order.
3. *OccurrenceSpecifications* on the same lifeline from different operands are ordered such that an *OccurrenceSpecification* of the first operand comes before that of the second operand.

Thus weak sequencing reduces to a parallel merge when the operands are on disjunct sets of participants. Weak sequencing reduces to strict sequencing when the operands work on only one participant.

Strict Sequencing

The interactionOperator **strict** designates that the *CombinedFragment* represents a strict sequencing between the behaviors of the operands. The semantics of strict sequencing defines a strict ordering of the operands on the first level within the *CombinedIFragment* with interactionOperator **strict**. Therefore *OccurrenceSpecifications* within contained *CombinedFragment* will not directly be compared with other *OccurrenceSpecifications* of the enclosing *CombinedFragment*.

Negative

The interactionOperator **neg** designates that the *CombinedFragment* represents traces that are defined to be invalid.

The set of traces that defined a *CombinedFragment* with interactionOperator negative is equal to the set of traces given by its (sole) operand, only that this set is a set of invalid rather than valid traces. All *InteractionFragments* that are different from Negative are considered positive meaning that they describe traces that are valid and should be possible.

Critical Region

The interactionOperator **critical** designates that the *CombinedFragment* represents a critical region. A critical region means that the traces of the region cannot be interleaved by other *OccurrenceSpecifications* (on those *Lifelines* covered by the region). This means that the region is treated atomically by the enclosing fragment when determining the set of valid traces. Even though enclosing *CombinedFragments* may imply that some *OccurrenceSpecifications* may interleave into the region, such as with **par**-operator, this is prevented by defining a region.

Thus the set of traces of enclosing constructs are restricted by critical regions.

Ignore / Consider

(p. 473) The interactionOperator **ignore** designates that there are some message types that are not shown within this combined fragment. These message types can be considered insignificant and are implicitly ignored if they appear in a corresponding execution. Alternatively one can understand **ignore** to mean that the messages that are ignored can appear anywhere in the traces.

Conversely the interactionOperator **consider** designates which messages should be considered within this *CombinedFragment*. This is equivalent to defining every other message to be ignored.

Assertion

The interactionOperator **assert** designates that the *CombinedFragment* represents an assertion. The

sequences of the operand of the assertion are the only valid continuations. All other continuations result in an invalid trace. Assertions are often combined with Ignore or Consider.

Loop

The interactionOperator **loop** designates that the CombinedFragment represents a loop. The **loop** operand will be repeated a number of times.


The Guard may include a lower and an upper number of iterations of the loop as well as a Boolean expression. The semantics is such that a loop will iterate minimum the 'minint' number of times (given by the iteration expression in the guard) and at most the 'maxint' number of times. After the minimum number of iterations have executed, and the boolean expression is false the loop will terminate. The loop construct represent a recursive application of the **seq** operator where the **loop** operand is sequenced after the result of earlier iterations.

The Semantics of Gates

The gates of a CombinedFragment represent the syntactic interface between the CombinedFragment and its surroundings, which means the interface towards other InteractionFragments.

The only purpose of gates is to define the source and the target of messages.


15.2.3.11 Component



A *Component* is a modular part of a system, whose behavior is defined by its provided and required interfaces; the internal workings of the Component should be invisible and its usage environment-independent. Source code files, DLLs, Java beans and other artifacts defining the system can be manifested in Components.

A Component can be composed of multiple [Classes](#) ^[1167], or Components pieced together. As smaller Components come together to create bigger Components, the eventual system can be modeled, building-block style, in [Component diagrams](#) ^[1137]. By building the system in discrete Components, localization of data and behavior enables decreased dependency between Classes and [Objects](#) ^[1208], providing a more robust and maintainable design.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 148*) states:

A component represents a modular part of a system that encapsulates its contents and whose manifestation is replaceable within its environment.

A component defines its behavior in terms of provided and required interfaces. As such, a component serves as a type whose conformance is defined by these provided and required interfaces (encompassing both their static as well as dynamic semantics).

15.2.3.12 Datastore




A *Datastore* is an element used to define permanently stored data. A token of data that enters into a Datastore is stored permanently, updating tokens for data that already exists. A token of data that comes out of a Datastore is a copy of the original data.

Use [Object Flow](#)^[1288] connectors to link elements (such as [Activities](#)^[1160]) to Datastores, as values and information are being passed between nodes. Selection and transformation behavior, together composing a sort of query, can be specified as to the nature of data access. For instance, selection behavior determines which objects are affected by the connection to the Datastore. Transformation behavior might then further specify the value of an attribute pertaining to a selected object.

To define the behavior of access to a Datastore, attach a note to the *Object Flow* connector. To do this, right-click on the Object Flow and select **Attach Note or Constraint**. A dialog indicates other flows in the [Activity diagram](#)^[1080], to which you can attach the note (if the behavior applies to multiple flows). To comply with UML 2, preface behavior with the notation «*selection*» or «*transformation*».

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 360*) states:

A data store node is a central buffer node for non-transient information... A data store keeps all tokens that enter it, copying them when they are chosen to move downstream. Incoming tokens containing a particular object replace any tokens in the object node containing that object.


15.2.3.13 Decision



A *Decision* is an element of an [Activity diagram](#)^[1080] or [Interaction Overview](#)^[1127] diagram that indicates a point of conditional progression: if a condition is true, then processing continues one way; if not, then another.


This can also be used as a [Merge node](#)^[1204] in that multiple alternative flows can be merged (but not synchronized) to form one flow. The following examples show both of these modes of using the decision element.

Used as a decision:



See *UML Superstructure Specification, v2.1.1, figure 12.77, p. 363.*

Used as a merge:



See *UML Superstructure Specification, v2.1.1, figure 12.106, p. 388.*

Toolbox Icon



OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 361 (Decision symbol)*) states:

A decision node is a control node that chooses between outgoing flows. A decision node has one incoming edge and multiple outgoing activity edges.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 387 (Merge symbol)*) also states:

A merge node is a control node that brings together multiple alternate flows. It is not used to synchronize concurrent flows but to accept one among several alternate flows...A merge node has multiple incoming edges and a single outgoing edge.


15.2.3.14 Deployment Spec




A *Deployment Specification (spec)* specifies parameters guiding deployment of an artifact, as is necessary with most hardware and software technologies. A specification lists those properties that must be defined for deployment to occur, as represented in a [Deployment diagram](#)^[1139]. An instance of this specification specifies the values for the parameters; a single specification can be instantiated for multiple artifacts.

These specifications can be extended by certain component profiles. Examples of standard Tagged Values that a profile might add to a Deployment Specification are `«concurrencyMode»` with Tagged Values `{thread, process, none}` or `«transactionMode»` with Tagged Values `{transaction, nestedTransaction, none}`.

The following example depicts the artifact *RepositoryApp* deployed on the server node, as per the specifications of *RepositoryApp*, instantiated from the Deployment Specification *SystemSpec*.



Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 206*) states:

A deployment specification specifies a set of properties that determine execution parameters of a component artifact that is deployed on a node. A deployment specification can be aimed at a specific type of container. An artifact that reifies or implements deployment specification properties is a deployment descriptor.

15.2.3.15 Device



A *Device* is a physical electronic resource with processing capability upon which [Artifacts](#)^[1165] can be deployed for execution, as represented in a [Deployment diagram](#)^[1139]. Complex Devices can consist of other devices; that is, a Device can be a nested element, where a physical machine is decomposed into its elements either through namespace ownership or through attributes that are typed by Devices.

Toolbox Icon



OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, 10.3.7, v2.1.1, p. 207*) states:

In the metamodel, a Device is a subclass of Node.

15.2.3.16 Diagram Gate



A *Diagram Gate* is a simple graphical way to indicate the point at which messages can be transmitted into and out of interaction fragments. A fragment might be required to receive or deliver a message; internally, an ordered message reflects this requirement, with a gate indicated on the boundary of the fragment's frame. Any external messages 'synching' with this internal message must correspond appropriately. Gates can appear on [interactions](#)^[1096] (such as [Timing](#)^[1096] or [Sequence](#)^[1115] diagrams), [interaction occurrences](#)^[1200] and [combined fragments](#)^[1173] (to specify the expression).



Toolbox Icon


Diagram Gate

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 480*) states:

A Gate is a connection point for relating a Message outside an InteractionFragment with a Message inside the InteractionFragment ... Gates are connected through Messages. A Gate is actually a representative of an OccurrenceSpecification that is not in the same scope as the Gate. Gates play different roles: we have formal gates on Interactions, actual gates on InteractionUses, expression gates on CombinedFragments.

15.2.3.17 Document Artifact



A *Document Artifact* is an [artifact](#)^[1165] having a *stereotype* of «document». You create the Document Artifact on a [Component](#)^[1137], [Documentation](#)^[1062] or [Deployment diagram](#)^[1139], and associate it with an RTF document. Double-click on the element to display the [Linked Document Editor](#). See [Linked Documents](#)^[389].

Toolbox Icon


 Document Artifact

15.2.3.18 Endpoint




An *Endpoint* is used in [Interaction](#) ^[1096] diagrams to reflect a lost or found message in sequence. To model this, drag an *Endpoint* element onto the workspace. With [Sequence diagrams](#) ^[1115], drag a message from the appropriate lifeline to the Endpoint. With [Timing diagrams](#) ^[1096], the message connecting the lifeline to the Endpoint requires some timing specifications to draw the connection.

The following example depicts a lost message in a Sequence diagram.



Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 492*) states:

A lost message is a message where the sending event occurrence is known, but there is no receiving event occurrence. We interpret this to be because the message never reached its destination.

A found message is a message where the receiving event occurrence is known, but there is no (known) sending event occurrence. We interpret this to be because the origin of the message is outside the scope of the description. This may, for example, be noise or other activity that we do not want to describe in detail.

15.2.3.19 Entry Point



Entry Point [pseudo-states](#)^[1087] are used to define the beginning of a [State Machine](#)^[1084]. An Entry Point exists for each region, directing the initial concurrent state configuration.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 471*) states:


An entry point pseudostate is an entry point of a state machine or composite state. In each region of the state machine or composite state it has a single transition to a vertex within the same region.

15.2.3.20 Enumeration



An *Enumeration* is a data type, whose instances can be any of a number of user-defined enumeration literals. It is possible to extend the set of applicable enumeration literals in other packages or profiles. You create Enumerations in [Class](#)^[1137] or [Package diagrams](#)^[1130], and in diagrams developed from the [Metamodel](#)^[117] pages of the Enterprise Architect UML [Toolbox](#).

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 69*) states:


An enumeration is a data type whose values are enumerated in the model as enumeration literals.

15.2.3.21 Exception



The *Exception Handler* element defines the group of operations to carry out when an exception occurs. In an [Activity diagram](#) ^[1080], the protected element can contain a set of operations and is linked to the exception handler via an [Interrupt Flow](#) ^[1271] connector. Any defined error contained within an element's parts can trigger the flow to move to an exception.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 364*) states:

An exception handler is an element that specifies a body to execute in case the specified exception occurs during the execution of the protected node.

15.2.3.22 Execution Environment



An *Execution Environment* is a [node](#) ^[1205] that offers an execution environment for specific types of [components](#) ^[1179] that are deployed on it in the form of executable [artifacts](#) ^[1165]. This is depicted in a [Deployment diagram](#) ^[1139].

Execution Environments can be nested; for example, a database Execution Environment can be nested in an operating system Execution Environment. Components of the appropriate type are then deployed to specific Execution Environment nodes.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 210*) states:

... an ExecutionEnvironment is ... usually part of a general Node, representing the physical hardware environment on which the ExecutionEnvironment resides. In that environment, the ExecutionEnvironment

implements a standard set of services that Components require at execution time (at the modeling level these services are usually implicit). For each component Deployment, aspects of these services may be determined by properties in a DeploymentSpecification for a particular kind of ExecutionEnvironment.

15.2.3.23 Expansion Region




You [create](#) ^[119b] an *Expansion Region* as one variant of a [Region](#) ^[121b] (the other is an [Interruptible Activity Region](#) ^[120b]).

On an [Activity diagram](#) ^[108b], an Expansion Region surrounds a process to be imposed multiple times on the incoming data, once for every element in the input collection. If there are multiple inputs, the collection sizes must match, and the elements within each collection must be of the same type. Similarly, any outputs must be in the form of a collection matching the size of the inputs.

The concurrency of the Expansion Region's multiple executions can be specified as type *parallel*, *iterative*, or *stream*. Parallel reflects that the elements in the incoming collections can be processed at the same time or overlapping, whereas an iterative concurrency type specifies that execution must occur sequentially. A stream-type Expansion Region indicates that the input and output come in and exit as streams, and that the Expansion Region's process must have some method to support streams.

To modify the mode of an Expansion Region, right-click on it and select the **Advanced | Custom Properties** menu option.



See *UML Superstructure Specification, v2.1.1, figure 12.87, p. 372.*

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 367*) states:

An expansion region is a structured activity region that executes multiple times corresponding to elements of an input collection.

15.2.3.23.1 Add Expansion Region

When you add a [Region](#)^[1218] element to a diagram, the following prompt displays:



The **Select type** defaults to **InterruptibleActivityRegion**.

1. Select the type [ExpansionRegion](#)^[1188].
2. In the **Kind** field, click on the drop-down arrow and select the concurrency attribute.

15.2.3.24 Exit Point



Exit Points are used in [Submachine states](#)^[1228] and [State Machines](#)^[1219] to denote the point where the machine is exited and the transition sourcing this exit point, for Submachines, is triggered. Exit points are a type of [pseudo-state](#)^[1087] used in the [State Machine](#)^[1084] diagram.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1 p. 538*) states:

An exit point pseudostate is an exit point of a state machine or composite state. Entering an exit point within any region of the composite state or state machine referenced by a submachine state implies the exit of this composite state or submachine state and the triggering of the transition that has this exit point as source in the state machine enclosing the submachine or composite state.

15.2.3.25 Expose Interface




The *Expose Interface* element is a graphical method of depicting the required or supplied [interfaces](#) ^[1200] of a [Component](#) ^[1179], [Class](#) ^[1167] or [Part](#) ^[1217], in a [Component](#) ^[1137] or [Composite Structure](#) ^[1134] diagram. It just identifies the fact that the element provides or requires an interface; to depict the fact that the provided interface is used, or the required interface provided by another element, use the [Assembly](#) ^[1258] connector.

The *Expose Interface* element must be attached to the *Class* or *Component* element, and it becomes a child element of that *Class* or *Component*; it cannot exist independently. You can attach more than one *Expose Interface* element to another element.

When you create the *Expose Interface* element, a dialog displays in which you enter a name for the element and specify whether it represents a required interface or a provided interface.

Toolbox Icon



15.2.3.26 Final




There are two nodes used to define a *Final* state in an [Activity](#) ^[1160], both defined in UML 2.1 as of type *Final Node*. The *Activity Final* element, shown above, indicates the completion of an *Activity*; upon reaching the *Final*, all execution in the [Activity diagram](#) ^[1080] is aborted. The other type of final node, [Flow Final](#) ^[1192], depicts an exit from the system that has no effect on other executing flows in the *Activity*.

The following example illustrates the development of an application. The process comes to a *Flow Final* node when there are no more components to be built; note that the [Fork](#) ^[1195] element indicates a concurrent process with the building of new components and installation of completed components. The *Flow Final* terminates only the sub-process building components. Similarly, only those tokens entering the decision branch for the

installation of further components terminate with the connecting Flow Final (that is, stop installing this component, but keep on installing other components). It is only after the *Deliver Application* activity is completed, after the control flow reaches the Final node, that all flows stop.

The node that initiates a flow is the [Initial](#)^[1198] node.



See *UML Superstructure Specification, v2.1.1, figure 12.91, p. 374.*

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 332*) states:


An activity may have more than one activity final node. The first one reached stops all flows in the activity.

15.2.3.27 Flow Final




There are two nodes used to define a final state in an Activity, both defined in UML 2.1 as of type *Final Node*. The *Flow Final* element depicts an exit from the system, as opposed to the [Activity Final](#)^[1197], which represents the completion of the Activity. Only the flow entering the Flow Final node exits the Activity; other flows continue undisturbed.

The following example [Activity Diagram](#)^[1080] illustrates the development of an application. The process comes to a Flow Final node when there are no more components to be built; note that the [Fork](#)^[1195] element indicates a concurrent process with the building of new components and installation of completed components. The Flow Final terminates only the sub-process building components. Similarly, only those tokens entering the decision branch for the installation of further components terminate with the connecting Flow Final (that is, stop installing this component, but keep on installing other components). It is only after the *Deliver Application* activity is completed, after the control flow reaches the Final node, that all flows stop.



See *UML Superstructure Specification, v2.1.1, figure 12.91, p. 374.*

Toolbox Icon



Flow Final

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 375*) states:

A flow final destroys all tokens that arrive at it. It has no effect on other flows in the activity.

15.2.3.28 Fork/Join




The *Fork/Join* elements have different modes of use, as follows:

- To fork or split the flow into a number of concurrent flows.
- To join the flow of a number of concurrent flows.
- To both join and fork a number of incoming flows to a number of outgoing flows.

These elements are used in both [Activity](#) [1080] and [State Machine](#) [1084] diagrams. With respect to State Machine diagrams, [Forks](#) [1195] and [Joins](#) [1196] are used as [pseudo-states](#) [1087]. Other pseudo-states include [history states](#) [1197], [entry points](#) [1186] and [exit points](#) [1190]. Forks are used to split an incoming transition into concurrent multiple transitions leading to different target states. Joins are used to merge concurrent multiple transitions into a single transition leading to a single target. They are semantic inverses. To learn more about these individual elements see their specific topics.


Some examples of Fork/Join nodes include:

Fork or split the flow into a number of concurrent flows:




See *UML Superstructure Specification, v2.1.1, figure 12.95 p. 377.*

Join the flow of a number of concurrent flows:




See *UML Superstructure Specification, v2.1.1, figure 12.103, p. 384.*

Join and Fork a number of incoming flows to a number of outgoing flows:



Toolbox Icon



OMG UML Specification

Fork

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 376*) states:


A fork node is a control node that splits a flow into multiple concurrent flows... A fork node has one incoming edge and multiple outgoing edges.

Join

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 381-382*) states:


A join node is a control node that synchronizes multiple flows...A join node has multiple incoming edges and one outgoing edge.

15.2.3.28.1 Fork



See *UML Superstructure Specification, v2.1.1, figure 12.95 p. 377.*

These elements are used in both [Activity](#) ^[1080] and [State Machine](#) ^[1084] diagrams. With respect to State Machine diagrams, a [Fork pseudo-state](#) ^[1087] signifies that its incoming transition comes from a single state, and it has multiple outgoing transitions. These transitions must occur concurrently, requiring the use of concurrent [regions](#) ^[1218], as depicted below in the [Composite State](#) ^[1220]. Unlike [Choice](#) ^[1166] or [Junction](#) ^[1203] pseudo-states, Forks must not have triggers or guards. The following diagram demonstrates a Fork pseudo-state dividing into two concurrent regions, which then return to the *End State* via the [Join](#) ^[1196] pseudo-state




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 538*) states:

Fork vertices serve to split an incoming transition into two or more transitions terminating on orthogonal target


vertices (i.e. vertices in different regions of a composite state). The segments outgoing from a fork vertex must not have guards or triggers.

15.2.3.28.2 Join



See *UML Superstructure Specification, v2.1.1, figure 12.103, p. 384.*

The *Join* element is used by [Activity](#) ^[1080] and [State Machine](#) ^[1084] diagrams. The above example illustrates a Join transition between Activities. With respect to State Machine diagrams, a [Join pseudo-state](#) ^[1087] indicates multiple [States](#) ^[1219] concurrently transitioning into the Join and onto a single State. Unlike [Choice](#) ^[1165] or [Junction](#) ^[1203] pseudo-states, Joins must not have triggers or guards. The following diagram demonstrates a [Fork](#) ^[1195] pseudo-state dividing into two concurrent [Regions](#) ^[1218], which then return to the *End State* via the Join.



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 538*) states:


Join vertices serve to merge several transitions emanating from source vertices in different orthogonal regions. The transitions entering a join vertex cannot have guards or triggers.

15.2.3.29 History




There are two types of *History pseudo-state* ^[1087] defined in UML: *shallow* and *deep history*. A shallow History sub-state is used to represent the most recently active sub-state of a *Composite State* ^[1226]; this pseudo-state does not recurse into this sub-state's active configuration, should one exist. A single connector can be used to depict the default shallow History state, in case the Composite State has never been entered.

A deep History sub-state, in contrast, reflects the most recent active configuration of the Composite State. This includes active sub-states of all regions, and recurses into those sub-states' active sub-states, should they exist. At most one deep history and one shallow history can dwell within a composite state.



Toolbox Icon



History

OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 537*) states:

... *deepHistory* represents the most recent active configuration of the composite state that directly contains this pseudostate (e.g., the state configuration that was active when the composite state was last exited). A composite state can have at most one deep history vertex. At most one transition may originate from the history connector to the default deep history state. This transition is taken in case the composite state had never been active before. Entry actions of states entered on the path to the state represented by a deep history are performed.

... *shallowHistory* represents the most recent active substate of its containing state (but not the substates of that substate). A composite state can have at most one shallow history vertex. A transition coming into the shallow history vertex is equivalent to a transition coming into the most recent active substate of a state. At most one transition may originate from the history connector to the default shallow history state. This transition is taken in case the composite state had never been active before. Entry actions of states entered on the path


to the state represented by a shallow history are performed.

15.2.3.30 Information Item



An *Information Item* represents an abstraction of data. It is used in [Activity](#) ^[1080], [Analysis](#) ^[1147] and [Object](#) ^[1133] diagrams. An Information Item is also represented by an [Information Flow](#) ^[1268] connector.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 608*) states:

An information item is an abstraction of all kinds of information that can be exchanged between objects. It is a kind of classifier intended for representing information at a very abstract way, one which cannot be instantiated.


One purpose of information items is to be able to define preliminary models, before having made detailed modeling decisions on types or structures. One other purpose of information items and information flows is to abstract complex models by a less precise but more general representation of the information exchanged between entities of a system.

15.2.3.31 Initial



The *Initial* element is used by [Activity](#) ^[1080] and [State Machine](#) ^[1084] diagrams. In Activity diagrams, it defines the start of a flow when an [Activity](#) ^[1160] is invoked. With State Machines, the Initial element is a [pseudo-state](#) ^[1087] used to denote the default state of a [Composite State](#) ^[1220]; there can be one Initial vertex in each [Region](#) ^[1218] of the Composite State.

This simple example shows the start of a flow to receive an order.



See *UML Superstructure Specification, v2.1.1, Figure 12.97, p. 378*.

The activity flow is completed by a [Final](#) ^[1197] or [Flow Final](#) ^[1192] node.

Toolbox Icon



OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 537*) states:

An initial pseudostate represents a default vertex that is the source for a single transition to the default state of a composite state. There can be at most one initial vertex in a region. The outgoing transition from the initial vertex may have a behavior, but not a trigger or guard.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 378*) also states:

An initial node is a control node at which flow starts when the activity is invoked.

15.2.3.32 Interaction Occurrence



An *Interaction Occurrence* is a reference to an existing [Interaction diagram](#)^[1096]. Interaction Occurrences are visually represented by a frame, with **ref** in the frame's title space. The diagram name is indicated in the frame contents. To create an Interaction Occurrence, simply open an Interaction diagram and drag another Interaction diagram into its workspace. A dialog displays, providing configuration options.


OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 423*) refers to an Interaction Occurrence as an **Interaction Use**, and states:

An InteractionUse refers to an Interaction. The InteractionUse is a shorthand for copying the contents of the referred Interaction where the InteractionUse is. To be accurate the copying must take into account substituting parameters with arguments and connect the formal gates with the actual ones.


It is common to want to share portions of an interaction between several other interactions. An InteractionUse allows multiple interactions to reference an interaction that represents a common portion of their specification.

15.2.3.33 Interface



An *Interface* is a specification of behavior (or contract) that implementers agree to meet. By implementing an Interface, [Classes](#)^[1137] are guaranteed to support a required behavior, which enables the system to treat non-related elements in the same way; ie. through the common interface. You also use Interfaces in a [Composite Structure](#)^[1134] diagram.


Interfaces are drawn in a similar way to a [Class](#)^[1167], with operations specified, as shown below. They can also be drawn as a circle with no explicit operations detailed. Use the right-click context menu option **Use Circle Notation** to switch between styles. [Realization](#)^[1292] links to an Interface drawn as a circle are drawn as a solid line without target arrows.



Note:

An Interface cannot be instantiated (ie. you cannot create an object from an Interface). You must create a Class that 'implements' the Interface specification, and in the Class body place operations for each of the Interface operations. You can then instantiate the Class.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 88*) states:

An interface is a kind of classifier that represents a declaration of a set of coherent public features and obligations. An interface specifies a contract; any instance of a classifier that realizes the interface must fulfill that contract. The obligations that may be associated with an interface are in the form of various kinds of constraints (such as pre- and post-conditions) or protocol specifications, which may impose ordering restrictions on interactions through the interface.

Since interfaces are declarations, they are not instantiable. Instead, an interface specification is implemented by an instance of an instantiable classifier, which means that the instantiable classifier presents a public facade that conforms to the interface specification. Note that a given classifier may implement more than one interface and that an interface may be implemented by a number of different classifiers


15.2.3.34 Interruptible Activity Region



You [create](#)^[1202] an *Interruptible Activity Region* as one variant of a [Region](#)^[1218] (the other is an [Expansion Region](#)^[1188]).

In an [Activity diagram](#)^[1080], an Interruptible Activity Region surrounds a group of [Activity](#)^[1160] elements, all affected by certain interrupts in such a way that all tokens passing within the region are terminated should the interruption(s) be raised. Any processing occurring within the bounds of an Interruptible Activity Region is terminated when a flow is instigated across an interrupt flow to an external element.

The example below illustrates that an order cancellation kills any processing of the order at the receipt, filling or shipping stage.



See *UML Superstructure Specification, v2.1.1, figure 12.100, p. 381*.

To create an Interruptible Activity Region, click on this [Add an Interruptible Activity Region](#) ¹²⁰² link.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 380*) states:

An interruptible region contains activity nodes. When a token leaves an interruptible region via edges designated by the region as interrupting edges, all tokens and behaviors in the region are terminated.

15.2.3.34.1 Add Interruptible Activity Region

When you add a *Region* element to an Activity diagram, the following prompt displays:


The **Select type** panel defaults to [InterruptibleActivityRegion](#) ¹²⁰¹ and the **Kind** field is disabled. Click on the **OK** button.

15.2.3.35 Junction




Junction pseudo-states [1087] are used to design complex transitional paths in *State Machine* [1084] diagrams. A Junction can be used to combine or merge multiple paths into a shared transition path. Alternatively, a Junction can split an incoming path into multiple paths, similar to a *Fork* [1195] pseudostate. Unlike *Forks* or *Joins* [1196], Junctions can apply guards to each incoming or outgoing transition, such that if the guard expression is false, the transition is disabled.

The following example illustrates how guards can be applied to transitions coming into or out of a Junction pseudo-state.



Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 538*) states:

... junction vertices are semantic-free vertices that are used to chain together multiple transitions. They are

used to construct compound transition paths between states. For example, a junction can be used to converge multiple incoming transitions into a single outgoing transition representing a shared transition path (this is known as a merge). Conversely, they can be used to split an incoming transition into multiple outgoing transition segments with different guard conditions. This realizes a static conditional branch. (In the latter case, outgoing transitions whose guard conditions evaluate to false are disabled. A predefined guard denoted "else" may be defined for at most one outgoing transition. This transition is enabled if all the guards labeling the other transitions are false.) Static conditional branches are distinct from dynamic conditional branches that are realized by choice vertices.

15.2.3.36 Lifeline



A *Lifeline* is an individual participant in an interaction (ie. Lifelines cannot have multiplicity). A Lifeline represents a distinct connectable element. To specify that representation within Enterprise Architect, right-click on the Lifeline and select the **Advanced | Instance Classifier** menu option. A dialog displays containing a selectable list of all project classifiers.

Lifelines are available in [Sequence](#) ^[1115] diagrams. There are different Lifeline elements for [Timing diagrams](#) ^[1096] ([State Lifeline](#) ^[1222]) and [Value Lifeline](#) ^[1234] ^[1234]; however, although the representation differs between the two diagram types, the meaning of the Lifeline is the same.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p.489*) states:

A lifeline represents an individual participant in the Interaction. While Parts and StructuralFeatures may have multiplicity greater than 1, Lifelines represent only one interacting entity.

Lifeline is a specialization of NamedElement.

If the referenced ConnectableElement is multivalued (i.e. has a multiplicity > 1), then the Lifeline may have an expression (the 'selector') that specifies which particular part is represented by this Lifeline. If the selector is omitted this means that an arbitrary representative of the multivalued ConnectableElement is chosen.

15.2.3.37 Merge



A *Merge Node* brings together a number of alternative flow paths in [Activity](#) ^[1080], [Analysis](#) ^[1141] and [Interaction Overview](#) ^[1127] diagrams. For example, if a [Decision](#) ^[1180] is used after a [Fork](#) ^[1195], the two flows coming out of the Decision must be merged into one before going to a [Join](#) ^[1196]; otherwise, the Join waits for both flows, only one

of which arrives.

A Merge Node has multiple incoming edges and a single outgoing edge. The edges coming into and out of a Merge Node must be either all [object flows](#)^[1288] or all [control flows](#)^[1263].

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 387*) states:


A merge node is a control node that brings together multiple alternate flows. It is not used to synchronize concurrent flows but to accept one among several alternate flows.

15.2.3.38 Message Endpoint



A *Message Endpoint* element defines the termination of a [State](#)^[1227] or [Value](#)^[1234] Lifeline in a [Timing diagram](#)^[1096].

Toolbox Icon




15.2.3.39 Message Label




A *Message Label* is an alternative way of denoting [Messages](#)^[1284] between Lifelines, which is useful for 'uncluttering' [Timing diagrams](#)^[1096] strewn with messages. To indicate a Message between Lifelines, draw a connector from the source Lifeline into a Message Label. Next, draw a connector from another Message Label to the target Lifeline. Note that the label names must match to reflect that the message occurs between the two Message Labels.

The following diagram illustrates how Message Labels are used to construct a message between Lifelines.



Toolbox Icon


 Message Label

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 518*) states:

Labels are only notational shorthands used to prevent cluttering of the diagrams with a number of messages crisscrossing the diagram between Lifelines that are far apart. The labels denote that a Message may be disrupted by introducing labels with the same name.


15.2.3.40 Node



A *Node* is a physical piece of equipment on which the system is deployed, such as a workgroup server or workstation. A Node usually hosts components and other executable pieces of code, which again can be linked to particular processes or execution spaces. Typical Nodes are client workstations, application servers, mainframes, routers and terminal servers.

Nodes are used in [Deployment diagrams](#)^[1135] to model the deployment of a system, and to illustrate the physical allocation of implemented artifacts.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 213*) states:

In the metamodel, a Node is a subclass of Class. It is associated with a Deployment of an Artifact. It is also associated with a set of Elements that are deployed on it. This is a derived association in that these PackageableElements are involved in a Manifestation of an Artifact that is deployed on the Node. Nodes may have an internal structure defined in terms of parts and connectors associated with them for advanced modeling applications.

15.2.3.41 Note




A *Note* element is a textual annotation that can be attached to a set of elements of any other type. The attachment is created separately, using a [Notelink](#)^[1288] connector. Both Note and Notelink are available in any Enterprise Architect diagram, through the [Common pages](#)^[107] of the Enterprise Architect UML **Toolbox**.

A Note is also called a *Comment*.

A *Constraint* is a form of Note, identifying a constraint on other elements. As for a Note, you can link the Constraint element to other elements using a Notelink connector. This element is just a means of documenting the fact that there are constraints; it has no impact on the other elements. You define the types of constraint in the project [reference data](#)^[683], apply them to the element in the element [Properties](#)^[374] dialog, and manage them through the [Rules & Scenarios](#)^[173] window.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 59*) states:

A comment gives the ability to attach various remarks to elements. A comment carries no semantic force, but may contain information that is useful to a modeler.


A comment can be owned by any element.

15.2.3.42 Object



An *Object* is a particular *instance* of a [Class](#)^[1167] at run time. For example a car with the license plate **AAA-001** is an instance of the general class of cars with a license plate number attribute. Objects are often used in analysis to represent the numerous artifacts and items that exist in any business, such as pieces of paper, faxes and information. To model the varying behavior of Objects at run-time, use [run-time states](#)^[1208].

Early in analysis, Objects can be used to quickly capture all the things that are of relevance within the system domain, in an [Object](#)^[1133], [Composite Structure](#)^[1134] or [Communication](#)^[1124] diagram. As the model progresses these analysis Objects are refined into generic Classes from which instances can be derived to represent common business items. Once Classes are defined, Objects can be typed; that is they can have a classifier set that indicates their base type. See [Object Classifiers](#)^[383].



Toolbox Icon




15.2.3.42.1 Run-time State

At run-time, an [Object](#)^[1208] instance can have specific values for its attributes, or exist in a particular state. To model the varying behavior of Objects at run-time, use [instance values](#)^[384] and *run-time states*.

Typically there is interest in the run-time behavior of Objects that already have a classifier set. You can select from the classifier's attribute list and apply specific values for your Object instance. If the classifier has a child [State Machine](#)^[1084], its [States](#)^[1219] propagate to a list where the run-time state for the Object can be defined. To do this, see the following topics:

- [Define a Run-Time Variable](#)^[1209]
- [Remove a Defined Variable](#)^[1209]
- [Define an Object State](#)^[1209]

The following example defines run-time values for the listed variables, which are attributes of the instances' classifier *AccountItem*.



15.2.3.42.1.1 Define a Run-time Variable

To add [run-time state](#) ⁽¹²⁰⁸⁾ instance variables to an Object, follow the steps below:

1. Right-click on the Object. The context menu displays.
2. If Instance Variables are supported, select the **Advanced | Set Run State** menu option (or press **[Ctrl]+[Shift]+[R]**). The **Set Run State** dialog displays.

The screenshot shows the 'Set Run State' dialog box. It has four input fields: 'Variable' (with a drop-down arrow), 'Operator' (with a drop-down arrow), 'Value' (a text box), and 'Note' (a larger text box). At the bottom, there are four buttons: 'Help', 'Apply', 'OK', and 'Cancel'.

3. In the **Variable** field, click on the drop-down arrow and select the variable, or type in the new variable name.
4. Set the **Operator**, the **Value** and optionally type in a **Note**.
5. Click on the **OK** button to save the variable.

15.2.3.42.1.2 Remove a Defined Variable

To delete a [run-time state](#) ⁽¹²⁰⁸⁾ variable for an Object:

1. Right-click on the required Object. The context menu displays.
2. Select the **Set Run State** option. The **Run State** dialog displays.
3. In the **Variable** field, click on the drop-down arrow and select the variable to delete.
4. Clear the **Value** field.
5. Click on the **OK** button.

15.2.3.42.1.3 Define an Object State

To set the Object state for a Class instance, follow the steps below:


1. Right-click on the required Object and select the **Advanced | Set Object State** menu option. The **Set Instance State** dialog displays.

2. In the **State** field, type the required state (eg. **Awaiting Approval**).


Note:

If the associated classifier has a child State Machine element, those states propagate into the drop-down list for this field, and you can select one of them instead.

3. Click on the **OK** button to apply the state. The object now shows the run-time state in square brackets below the object name.



15.2.3.43 Package



A *Package* is a namespace as well as an element that can be contained in other Package's namespaces. A Package can own or merge with other Packages, and its elements can be imported into a Package's namespace. In addition to using Packages in the [Project Browser](#) window to organize your project contents, you can drag these Packages onto a diagram workspace (most diagram types, both standard and extended) for structural or relational depictions, including Package imports or merges.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 109*) states:

A package is a namespace for its members, and may contain other packages. Only packageable elements can be owned members of a package. By virtue of being a namespace, a package can import either individual members of other packages, or all the members of other packages. In addition a package can be merged with other packages.

15.2.3.44 Part



Parts are run-time instances of [Classes](#)^[1167] or [Interfaces](#)^[1200]. Multiplicity can be specified for a Part, using the notation:

[x{...}y]


where *x* specifies the initial or set amount of instances when the composite structure is created, and *y* indicates the maximum amount of instances at any time.

Parts are used to express [composite structures](#)^[1134], or modeling patterns that can be invoked by various objects to accomplish a specific purpose. When illustrating the composition of structures, Parts can be embedded as properties of other Parts. When embedded as [properties](#)^[1136], Parts can be bordered by a solid outline, indicating the surrounding Part owns the Part by composition. Alternatively, a dashed outline indicates that the property is referenced and used by the surrounding Part, but is not composed within it.

Toolbox Icon




15.2.3.45 Partition




[Activity Partitions](#)^[1163] are used to logically organize an [Activity](#)^[1160]. They do not affect the token flow of an [Activity diagram](#)^[1080], but help structure all or parts of the view.

This example depicts the partitioning between the Classes *Process Payment* and *Order Processor*.



The partition orientation defaults to horizontal. To turn it into a vertical partition, right-click on it and select the **Advanced | Vertical Partition** menu option.

Toolbox Icon



OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 341*) states:

Partitions divide the nodes and edges to constrain and show a view of the contained nodes. Partitions can share contents. They often correspond to organizational units in a business model. They may be used to allocate characteristics or resources among the nodes of an activity.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 341*) also states:

An activity partition is a kind of activity group for identifying actions that have some characteristic in common.

15.2.3.46 Port



Ports define the interaction between a classifier and its environment. *Interfaces* controlling this interaction can be depicted using the [Interface element](#)^[1200]. Any connector to a Port must provide the required interface, if defined. Ports can appear on a contained [Part](#)^[1211], a [Class](#)^[1167], or the boundary of a [Composite element](#)^[1239].

A Port is a *typed* structural feature or property of its containing classifier. Ports are typically [created](#)^[1213] in [Class Diagrams](#)^[1131], [Object Diagrams](#)^[1135] and [Composite Structure Diagrams](#)^[1134].

You can [expose an inherited Port, or redefine a Port](#)^[1213].

Toolbox Icon



- [Manage Inherited and Redefined Ports](#)^[1213]

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 182*) states:

A port is a property of a classifier that specifies a distinct interaction point between that classifier and its environment or between the (behavior of the) classifier and its internal parts. Ports are connected to properties of the classifier by connectors through which requests can be made to invoke the behavioral features of a classifier. A Port may specify the services a classifier provides (offers) to its environment as well as the services that a classifier expects (requires) of its environment.

15.2.3.46.1 Add a Port to an Element

To add a new [Port](#)^[1212] to an element, use one of the following steps:

1. Click on the **Port** symbol in the **Composite Elements** page of the Enterprise Architect UML **Toolbox** and drag it to (or click on) the target host element. This creates an untyped, simple Port on the boundary, near the cursor position.
2. On the context menu of a suitable Class, Part or [Composite element](#)^[1239], select the **Embedded Elements | Add Port** menu option to add a new Port at the cursor position.
3. Drag a suitable classifier from the **Project Browser** window onto a Class or Part. Enterprise Architect prompts you to add a typed Port or Part at the cursor position. The new Port is typed by the original dragged classifier.
4. Use the **Embedded Elements** dialog to add a new Port to the currently selected element.


15.2.3.46.2 Manage Inherited and Redefined Ports

A [Port](#)^[1212] is a *redefinable* and *re-useable* property of a composite classifier. So, as for attributes, any Class can inherit Ports from its parent and realized interfaces. If you have an inheritance hierarchy with Ports defined in the parent Classes, when you open the **Embedded Elements** window the inherited Ports and their named owners are listed there.


It is possible to expose, for design purposes, an inherited Port (ie. the child Class is re-using the parent Port). In this case, Enterprise Architect creates a clone of the re-used Port and marks it as read-only in the child Class. This is convenient for modeling Port interactions in child Classes where the Ports are defined in the parent elements.

It is also possible to redefine a Port in a child Class, so that the name is the same but the child is a modifiable clone of the original. This is useful where a child Class places additional restrictions or behavior on the Port. The **Embedded Elements** window enables you to highlight an inherited Port and mark it as *redefined*; this creates a new Port on the child Class, which is editable but still logically related to the initial Port.

The **Embedded Elements** window below illustrates Port inheritance. The Port *removableHD* is owned by the child Class. The Ports *eth0* and *USB* are owned by the *Computer* Class. The Port *firewire* has been added to *PC*. If any of the inherited Ports are made visible, they are considered re-use Ports and appear on the child in read-only format. By using the **Redefine** button, the inherited Port can be copied down and made writeable.




15.2.3.47 Primitive



A *Primitive* element identifies a predefined data type, without any relevant substructure (i.e. it has no parts in the context of UML).

Toolbox Icon



OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 124*) states:

A primitive data type may have an algebra and operations defined outside of UML, for example, mathematically ... The run-time instances of a primitive type are data values. The values are in many-to-one correspondence to mathematical elements defined outside of UML (for example, the various integers). Instances of primitive types do not have identity. If two instances have the same representation, then they are

indistinguishable.

Primitive for MOF Diagrams

Drag and drop a *Primitive* element from the [Metamodel Elements](#)^[117] page of the Enterprise Architect UML **Toolbox**; the following dialog displays.



The dialog box contains the following fields and controls:

- Name:** A text input field containing "Primitive 1".
- Type:** A dropdown menu with "Boolean" selected.
- Annotation:** A text area containing "Note for primitive".
- Buttons:** "OK", "Cancel", and "Help" buttons at the bottom.


Enter the Primitive name and type, and any notes required. The following **Types** are available, as defined in the MOF specification.

- Boolean
- Integer
- Long
- Float
- Double
- String

15.2.3.48 Qualifiers

A *Qualifier* is a property of an [Association](#)^[1258] that limits the nature of the relationship between two classifiers or objects.


Some examples of qualified associations are shown in the following diagram:



Qualifiers are set in the [Source Role](#)^[419] and [Target Role](#)^[421] tabs of the [Connector Properties](#)^[416] dialog.

Notes:

- Separate multiple Qualifiers with a semi-colon; each Qualifier then displays on a separate line. For example, in the diagram above the Qualifier 'rank:Rank;file:File' has been rendered in two lines, with a line break at the ; character.
- You can enable or disable Qualifier rectangles in the **Diagram** page of the **Options** dialog (select the **Tools | Options | Diagram** menu option). If disabled, the old style text Qualifiers are used. It is not recommended that you disable Qualifiers as they are an integral part of the UML.
- You can enable or disable a mild shading on the Qualifier rectangles in the **Links** page of the **Options** dialog.



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 129*) states:

A qualifier declares a partition of the set of associated instances with respect to an instance at the qualified end (the qualified instance is at the end to which the qualifier is attached). A qualifier instance comprises one value for each qualifier attribute. Given a qualified object and a qualifier instance, the number of objects at the other end of the association is constrained by the declared multiplicity. In the common case in which the

multiplicity is 0..1, the qualifier value is unique with respect to the qualified object, and designates at most one associated object. In the general case of multiplicity 0..*, the set of associated instances is partitioned into subsets, each selected by a given qualifier instance. In the case of multiplicity 1 or 0..1, the qualifier has both semantic and implementation consequences. In the case of multiplicity 0..*, it has no real semantic consequences but suggests an implementation that facilitates easy access of sets of associated instances linked by a given qualifier value.


15.2.3.49 Receive



A *Receive* element is used to define the acceptance or receipt of a request, in an [Activity diagram](#)^[1080]. Movement from a *Receive* element occurs only once receipt is fulfilled according to its specification. The *Receive* element comes in two forms:


- *Accept Event Action* element (pennant shape)
- *Accept Time Event Action* element (hourglass shape)

The following example reflects a payment process on an order. Upon receiving the payment (from *Request Payments*, a [Send](#)^[1218] element), the payment is confirmed and the flow continues to ship the order.




See *UML Superstructure Specification, v2.1.1, figure 12.26, p. 312*.

To depict an *Accept Time Event*, use the standard *Receive* element from the Enterprise Architect UML **Toolbox**. Right-click on this element, and select the **Advanced | Accept Time Event** menu option. The following example shows the hourglass-shaped *Accept Time Event Action*:



See *UML Superstructure Specification, v2.1.1, figure 12.27, p. 312*.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 239*) states:

AcceptEventAction is an action that waits for the occurrence of an event meeting specified conditions.


15.2.3.50 Region



Enterprise Architect supports two types of *Region*:

- [Expansion Region](#)^[1188]
- [Interruptible Activity Region](#)^[1201]


When you add a Region element to an [Activity diagram](#)^[1080], the following prompt appears. You use this to select the Region type.



Toolbox Icon




15.2.3.51 Send



The *Send* element is used to depict the action of sending a signal, in an [Activity diagram](#)^[1080]. It is the opposite of a [Receive](#)^[1217] element.

The following example shows an order being processed, where a signal is sent to fill the processed order and, upon creation of the resulting invoice, a notification is sent to the customer.



See *UML Superstructure Specification, v2.1.1, figure 12.132, p. 408.*

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 285*) states:


SendObjectAction is an action that transmits an object to the target object, where it may invoke behavior such as the firing of state machine transitions or the execution of an activity. The value of the object is available to the execution of invoked behaviors. The requestor continues execution immediately. Any reply message is ignored and is not transmitted to the requestor.

15.2.3.52 Signal



A *Signal* is a specification of [Send](#)^[1218] request instances communicated between objects, typically in a [Class](#)^[1131] or [Package](#)^[1130] diagram. The receiving object handles the [Received](#)^[1217] request instances as specified by its receptions. The data carried by a Send request is represented as attributes of the Signal. A Signal is defined independently of the classifiers handling the signal occurrence.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 450*) states:

A signal triggers a reaction in the receiver in an asynchronous way and without a reply. The sender of a signal will not block waiting for a reply but continue execution immediately. By declaring a reception associated to a given signal, a classifier specifies that its instances will be able to receive that signal, or a subtype thereof, and will respond to it with the designated behavior.

15.2.3.53 State



A *State* represents a situation where some invariant condition holds; this condition can be static (waiting for an event) or dynamic (performing a set of activities). State modeling is usually related to [Classes](#)^[1167], and describes the enableable states a Class or element can be in and the transitions that enable the element to

move there. There are two types of State: *Simple States* and [Composite States](#)^[1220], both created from the State element from the Enterprise Architect UML [Toolbox](#).

Furthermore, there are [pseudo-states](#)^[1087], resembling some aspect of a State but with a pre-defined implication. Pseudo-states are used to model complex transitional paths, and classify common [State Machine](#)^[1084] behavior.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 546*) states:


A state models a situation during which some (usually implicit) invariant condition holds. The invariant may represent a static situation such as an object waiting for some external event to occur. However, it can also model dynamic conditions such as the process of performing some activity (i.e., the model element under consideration enters the state when the activity commences and leaves it as soon as the activity is completed).

15.2.3.53.1 Composite State

Composite States are composed *within* the [State Machine diagram](#)^[1084] by expanding a [State](#)^[1219] element, adding [Regions](#)^[1218] if applicable, and dragging further State elements, related elements and connectors within its boundaries. The internal State elements are then referred to as *Sub-states*.

(You can also define a State element, as with many other types of element, as a [composite element](#)^[1235]; this then has a hyperlink to a child diagram that can be another State Machine diagram or other type of diagram elsewhere in the model.)

Composite States can be orthogonal, if Regions are created. If a Composite State is orthogonal, its entry denotes that a single Sub-state is concurrently active in all Regions. The hierarchical nesting of Composite States, coupled with Region use, generates a situation of multiple States concurrently active; this situation is referred to as the *active State configuration*.



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 478*) states:


A composite state either contains one region or is decomposed into two or more orthogonal regions. Each region has a set of mutually exclusive disjoint subvertices and a set of transitions. A given state may only be decomposed in one of these two ways.

Any state enclosed within a region of a composite state is called a substate of that composite state. It is called a direct substate when it is not contained by any other state; otherwise it is referred to as an indirect substate.

Each region of a composite state may have an initial pseudostate and a final state. A transition to the enclosing state represents a transition to the initial pseudostate in each region. A newly-created object takes its topmost default transitions, originating from the topmost initial pseudostates of each region.


A transition to a final state represents the completion of activity in the enclosing region. Completion of activity in all orthogonal regions represents completion of activity by the enclosing state and triggers a completion event on the enclosing state. Completion of the topmost regions of an object corresponds to its termination.

15.2.3.54 State Lifeline



A *Lifeline* is the path an object takes across a measure of time, as indicated by the x-axis. There are two sorts: *State Lifelines* (defined here) and *Value Lifelines* ^[1234], both used in *Timing diagrams* ^[1096].

A *State Lifeline* follows discrete transitions between states, which are defined along the y-axis of the timeline. Any transition has optional attributes of timing constraints, duration constraints and observations. An example of a State Lifeline is shown below:



See *UML Superstructure Specification, v2.1.1, figure 14.29, p. 519.*

A State Lifeline consists of a set of transition points. Each transition point can be defined with the following properties:

Property	Description
At time	Specifies the starting time for a change of state.
Transition to	Indicates the state to which the lifeline changes.
Event	Describes the occurring event.
Timing constraints	Refers to the time taken for a state to change within a lifeline, or the time taken to transmit a message (e.g. t..t+3).
Timing observations	Provides information on the time of a state change or sent message.
Duration constraints	Pertains to a lifeline's period at a particular state. The constraint could be instigated by a change of state within a lifeline, or that lifeline's receipt of a message.
Duration observations	Indicates the interval of a lifeline at a particular state, begun from a change in state or message receipt.

In the example diagram above, the **OK** transition point has these properties:

Property	Value
At Time	18 ms
Transition to	Idle
Event	OK
Timing constraints	t..t+3
Timing observations	–
Duration constraints	–
Duration observations	–

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 518*) states:

This is the state of the classifier or attribute, or some testable condition, such as an discrete enumerable value.


It is also permissible to let the state-dimension be continuous as well as discrete. This is illustrative for scenarios where certain entities undergo continuous state changes, such as temperature or density.

15.2.3.55 State/Continuation



The *State/Continuation* element serves two different purposes for [Interaction diagrams](#)^[196], as [State Invariants](#)^[1225] and [Continuations](#)^[1223]. Enterprise Architect prompts you to identify the purpose when you create the element.

Toolbox Icon




15.2.3.55.1 Continuation

A *Continuation* is used in *seq* and *alt* [Combined Fragments](#)^[1173], to indicate the branches of continuation an operand follows. To indicate a continuation, end an operand with a Continuation, and indicate the continuation branch with a matching Continuation (same name) preceding the *Interaction Fragment*.


You create a Continuation by dragging the [State/Continuation](#)^[1223] element onto the diagram from the [Interaction Elements](#) page of the Enterprise Architect UML [Toolbox](#).

For the following continuation example, an *alt* Combined Fragment has Continuations *pathSucc* and *pathFail*.

These Continuations are located within the [Interaction Occurrence](#)^[1200] *ConnHandler*, which has subsequent events based on the continuation.



Below is the interaction referenced by the *Interaction Occurrence*.



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 474*) states:

A Continuation is a syntactic way to define continuations of different branches of an Alternative CombinedFragment. Continuation is intuitively similar to labels representing intermediate points in a flow of control.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 474*) also states:


Continuations have semantics only in connection with Alternative CombinedFragments and (weak) sequencing.

If an InteractionOperand of an Alternative CombinedFragment ends in a Continuation with name (say) X, only InteractionFragments starting with the Continuation X (or no continuation at all) can be appended.

15.2.3.55.2 State Invariant

A *State Invariant* is a condition applied to a [Lifeline](#)^[1204], which must be fulfilled for the Lifeline to exist. You create a State Invariant by dragging the [State/Continuation](#)^[1223] element onto the diagram from the [Interaction Elements](#) page of the Enterprise Architect UML [Toolbox](#).

A State Invariant is illustrated below.



When a State Invariant is moved near to a Lifeline, it snaps to the center. If the sequence object is dragged left or right, the State Invariant moves with it.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 502*) states:


A StateInvariant is a runtime constraint on the participants of the interaction. It may be used to specify a variety of different kinds of constraints, such as values of attributes or variables, internal or external states, and so on.

A StateInvariant is an InteractionFragment and it is placed on a Lifeline.

15.2.3.56 Structured Activity

You can add a *Structured Activity* element to an [Activity diagram](#) ^[1080]. A Structured Activity element is a composite of an element, a link and a child Activity diagram, which is represented by the small symbol in the bottom right-hand corner of the element.

There are five types of Structured Activity, each representing a particular structure of activity events. The five types are represented below:




- *Simple Composite* - represents an arrangement of activities that take place independent of each other
- *Structured Activity node* - represents an ordered arrangement of activities; that is, activities that have

relationships

- *Conditional node* - represents an arrangement of activities where choice determines which activities are performed
- *Sequential node* - represents a sequential arrangement of activities
- *Loop node* - represents a sequence of activities that are - or can be - repeated on the same object.


To create a Structured Activity, drag the *Structured Activity* element from the **Activity Elements** page in the Enterprise Architect UML **Toolbox** onto the diagram. The **New Structured Activity** dialog displays, on which you specify which type of Structured Activity to create.




To display the Activity diagram represented by the Structured Activity element, double-click on the element.

Nested Structured Activities

Structured Activity elements can point to child diagrams that themselves contain or consist of Structured Activity elements; that is, the Structured Activity elements are nested. When you create nested Structured Activity elements, they are shown as nested in the **Project Browser** window; see the example below.



Toolbox Icon



OMG UML Specification

Structured Activity Node

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 409*) states:

A structured activity node is an executable activity node that may have an expansion into subordinate nodes as an ActivityGroup. The subordinate nodes must belong to only one structured activity node, although they

may be nested.

A structured activity node represents a structured portion of the activity that is not shared with any other structured node, except for nesting.

Loop Node

The OMG UML specification (*UML Superstructure Specification, v2.1.1, pp. 384-385*) states:

A loop node is a structured activity node that represents a loop with setup, test, and body sections.

Each section is a well-nested subregion of the activity whose nodes follow any predecessors of the loop and precede any successors of the loop. The test section may precede or follow the body section. The setup section is executed once on entry to the loop, and the test and body sections are executed repeatedly until the test produces a false value. The results of the final execution of the test or body are available after completion of execution of the loop.

Sequential Node

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 408*) states:

A sequence node is a structured activity node that executes its actions in order.


Conditional Node

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p.355*) states:

A conditional node is a structured activity node that represents an exclusive choice among some number of alternatives.

A conditional node consists of one or more clauses. Each clause consists of a test section and a body section. When the conditional node begins execution, the test sections of the clauses are executed. If one or more test sections yield a true value, one of the corresponding body sections will be executed. If more than one test section yields a true value, only one body section will be executed. The choice is nondeterministic unless the test sequence of clauses is specified. If no test section yields a true value, then no body section is executed; this may be a semantic error if output values are expected from the conditional node.

15.2.3.57 State Machine



A State Machine element is a container for groups of related State elements. You can create sections of a State Machine diagram, showing the organization of the inter-related State elements, and enclose each section in a State Machine element.

Toolbox Icon



15.2.3.58 Synch




A *Synch* state is useful for indicating that concurrent paths of a [State Machine](#)^[1084] are synchronized. After bringing the paths to a synch state, the emerging transition indicates unison.


Toolbox Icon



15.2.3.59 System Boundary



A *System Boundary* element signifies a classifier, such as a [Class](#)^[1167], [Component](#)^[1179] or *Sub-system*, to which the enclosed [Use Cases](#)^[1231] are applied. By depicting a boundary, its referenced classifier does not reflect ownership of the embodied Use Cases, but instead indicates usage.



The following properties of a System Boundary can be set: the name, the border style, and the number of horizontal or vertical swim lanes.

Name: System Boundary

Border Style:

- Solid
- Dotted
- Dashed
- Solid-No Fill

Horizontal Swim Lanes: 0

Vertical Swim Lanes: 0


Buttons: OK, Cancel, Help

A System Boundary element can be marked as *Selectable*, using the element's context menu. When not selectable, you can click within the System Boundary space without activating or selecting the Boundary itself. This is useful when you have many elements within the Boundary and the Boundary makes their selection difficult.

Note:

A System Boundary can have an associated image that it displays instead of its default format. Use the [Appearance | Alternate Image](#) ^[274] menu option to select an image.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 594*) states:


If a subject (or system boundary) is displayed, the Use Case ellipse is visually located inside the system boundary rectangle. Note that this does not necessarily mean that the subject classifier owns the contained Use Cases, but merely that the Use Case applies to that classifier.

15.2.3.60 Terminate



The *Terminate pseudo-state* ^[1087] indicates that upon entry of its pseudo-state, the *State Machine's* ^[1084] execution ends.

Toolbox Icon



15.2.3.61 Trigger



A *Trigger* indicates an event that initiates an action (and might arise from completion of a previous action). You initially define a Trigger in one of two ways:

- As a property of a [Transition](#) ^[1295] relationship
- As an event in a [State Machine Table](#) ^[1093].

When you save the Trigger, it is added to the list of elements for the parent package in the **Project Browser**. You can then right-click on it and, if required, edit its [properties](#) ^[368]. You can also drag the Trigger element onto another diagram, although there are limited uses for the element in that context.

This element is not the same as a [Trigger Operation](#) ^[915], which is an operation automatically executed as a result of the modification of data in a database.

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 456*) states:

Events may cause execution of behavior (e.g., the execution of the effect activity of a transition in a state machine). A trigger specifies the event that may trigger a behavior execution as well as any constraints on the event to filter out events not of interest.

15.2.3.62 Use Case




A *Use Case* is a UML modeling element that describes how a user of the proposed system interacts with the system to perform a discrete unit of work. It describes and signifies a single interaction over time that has meaning for the end user (person, machine or other system), and is required to leave the system in a complete state: the interaction either completed or rolled back to the initial state. A Use Case:

- Typically has requirements and constraints that describe the essential features and rules under which it operates
- Can have an associated [Sequence diagram](#) ^[1115] illustrating behavior over time; who does what to whom, and when
- Typically has scenarios associated with it that describe the work flow over time that produces the end result; alternative work flows (for example, to capture exceptions) are also enabled.

Note:


Use a Use Case diagram and model to build up the functional requirements and implementation details of the system.

The following is an example Use Case model:



If extending a Use Case, you can specify the points of extension with [Use Case Extension Points](#)^[1232]. To display the attributes, operations or constraints of a Use Case on a diagram, use [Rectangle Notation](#)^[1233].

Toolbox Icon



See Also

- [Use Case Extension Points](#)^[1232]
- [Rectangle Notation](#)^[1233]

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 592*) states:


A UseCase is a kind of behavior classifier that represents a declaration of an offered behavior. Each Use Case specifies some behavior, possibly including variants, that the subject can perform in collaboration with one or more actors.

15.2.3.62.1 Use Case Extension Points

Use *extension points* to specify the point of an extended [Use Case](#)^[1231] where an extending Use Case's behavior should be inserted. The specification text can be informal or precise to define the location of the extension point.


Note:

Conditions to apply that extending Use Case and the extension point to use should be attached as a note to the *extend* relationship.



To work with extension points, follow the steps below:


1. Right-click on the Use Case element. The context menu displays.
2. Select the **Advanced | Edit Extension Points...** menu option. The **Use Case Extension Points** dialog displays, listing defined points for that Use Case.



3. Select an extension point in the list and click on the appropriate button to add, edit or remove an extension point.

15.2.3.62.2 Rectangle Notation


You can display a [Use Case](#)^[1231] using *rectangle notation*. This displays the Use Case in a rectangle, with an oval in the top right-hand corner. Any [attributes](#), operations or constraints belonging to the Use Case are shown, in the same style as a [Class](#)^[1167].



To show a Use Case using rectangle notation, right-click on the Use Case object on the diagram and select the **Advanced | Use Rectangle Notation** context menu option. This setting only applies to the selected Use Case, and can be toggled on and off.

Note:


[Actor](#)^[1164] elements can also be displayed using rectangle notation.

15.2.3.63 Value Lifeline

A *Lifeline* is the path an object takes across a measure of time, indicated by the x-axis. There are two sorts: *Value Lifelines* (defined here) and *State Lifelines*^[1222], both used in [Timing diagrams](#)^[1096].

A *Value Lifeline* shows the Lifeline's state across the diagram, with parallel lines indicating a steady state. A cross between the lines indicates a transition or change in state.

An example of a Value Lifeline is shown below:



See *UML Superstructure Specification, v2.1.1, Figure 14.30, p. 520*.

A Value Lifeline consists of a set of transition points. Each transition point can be defined with the following properties:

Property	Description
At time	Specifies the starting time for a change of state.
Transition to	Indicates the state to which the Lifeline will change.
Event	Describes the occurring event.
Timing constraints	Refers to the time taken for a state to change within a Lifeline, or the time taken to transmit a message.
Timing observations	Provides information on the time of a state change or sent message.
Duration constraints	Pertains to a Lifeline's period at a particular state. The constraint could be instigated by a change of state within a Lifeline, or that Lifeline's receipt of a message.
Duration observations	Indicates the interval of a Lifeline at a particular state, begun from a change in state or message receipt.

In the example diagram above, the **10ms** transition point has these properties:

Property	Text
At Time	10ms
Transition to	Waitcard
Event	Switch
Timing constraints	–
Timing observations	–
Duration constraints	d..3*d
Duration observations	–

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 518*) states:

Shows the value of the connectable element as a function of time. Value is explicitly denoted as text. Crossing reflects the event where the value changed.

15.2.4 Inbuilt and Extended Stereotypes


There are many other UML elements that you can also work with in Enterprise Architect, most of which are basic elements extended by the use of stereotypes. This topic gives a brief introduction to some of these elements.

- [Analysis Stereotypes](#) ^[1236]
- [Boundary Element](#) ^[1237]
- [Business Modeling Stereotypes](#) ^[1238]
- [Composite Elements](#) ^[1239]
- [Control Element](#) ^[1240]
- [Entity Element](#) ^[1240]
- [Event Elements](#) ^[1242]
- [Hyperlinks](#) ^[1243]
- [N-Ary Association](#) ^[1246]
- [Process](#) ^[1247]
- [Requirements](#) ^[1248]
- [Screen](#) ^[1249]
- [Table](#) ^[1251]
- [UI Control Elements](#) ^[1251]
- [Web Stereotypes](#) ^[1253]
- [Worker Stereotypes](#) ^[1254]

For more information on the use of stereotypes in Enterprise Architecture, see the [UML Stereotypes](#) ^[448] topic.

15.2.4.1 Analysis Stereotypes


Enterprise Architect has some built in stereotypes that you can assign to an element during analysis. The effect of these stereotypes is to display a different icon from the normal element icon, providing a visual key to the element purpose. The diagram below illustrates the main types of inbuilt icons for elements:



The stereotypes used are:

- [Boundary](#)^[1237] - for a system boundary (eg. a Login screen)
- [Control](#)^[1240] - to specify an element is a controller of some process (as in the Model-View-Controller pattern)
- [Entity](#)^[1241] - the element is a persistent or data element
- [Worker](#)^[1254], [Caseworker](#)^[1254] and [Internal Worker](#)^[1254] - denote specific roles in the analysis based on RUP and Robustness analysis guidelines

15.2.4.2 Boundary




A *Boundary* is a stereotyped [Class](#) ^[1167] that models some system boundary, typically a user interface screen. It is used in the conceptual phase to capture users interacting with the system at a screen level (or some other boundary interface type). It is often used in [Sequence](#) ^[1115] and [Robustness](#) ^[1150] ([Analysis](#) ^[1147]) diagrams. It is the *View* in the [Model-View-Controller](#) ^[1237] pattern.

To [create](#) ^[1237] a *Boundary*, click on the link.

Tip:

Use *Boundary* elements in analysis to capture user interactions, screen flows and element interactions (or 'collaborations').

Toolbox Icon



15.2.4.2.1 Create a Boundary

Using the Toolbox

To create a [Boundary](#) ^[1237] element on a diagram, follow the steps below:


1. In the Enterprise Architect UML **Toolbox**, select the **More Tools | UML | Analysis** menu option.
2. From the [Analysis Elements](#) ^[118] page, drag the *Boundary* element onto the diagram.

Using the Properties Dialog

To create a *Boundary* element using the **Properties** dialog, follow the steps below:

1. Insert a new **Class**.
2. Right-click on the element and select the **Properties** menu option; the **Properties** dialog displays.
3. In the **Stereotype** field, type the value **boundary**.
4. Click on the **Apply** and **OK** buttons.
5. Save the diagram (**[Ctrl]+[S]**).

The illustration below shows an [Actor](#) ^[1164] interacting with a *Boundary* (in this case, a Login screen).




Note:

The Model-View-Controller (MVC) pattern is a design pattern for building a wide range of applications that have a user interface, business or application logic and persistent data.


15.2.4.3 Business Modeling Stereotypes

This diagram shows the range of inbuilt stereotyped icons for business modeling. These include business stereotypes for [Classes](#) [1167] and [Objects](#) [1208], and one each for [Actors](#) [1164] (*Business Actor*), [Use Cases](#) [1237] (*Business Use Case*) and [Collaborations](#) [1177] (*Business Use Case Realization*).



The name of each graphical element shown in the diagram is the value you type into the **Stereotype** field in the element **Properties** dialog. For example, for the *Business Use Case* element, type **business Use Case** in the **Stereotype** field.

The following diagram shows the inbuilt stereotype icons for business modeling with [Sequence diagrams](#)^[196]. As above, the name of each graphical element shown in the diagram is the value you type into the **Stereotype** field in the element **Properties** dialog.



15.2.4.4 Composite Elements

Enterprise Architect supports *Composite elements* for Classes, Objects, Use Cases and such. A Composite element is a pointer to a child diagram.

Create a Composite Element


To set Composite elements from the element context menu, follow the steps below:

1. Create the element to set as a Composite element.
2. Right-click on the element in the diagram and select the **Advanced | Make Composite** context menu option.

Note:

If the **Make Composite** option is not listed in the context menu, the option is not available for the type of element you have selected.


The element displays as follows:



Note the small icon in the bottom right hand corner indicating that this is now a Composite element.

3. Double-click on the Composite element to access the child diagram that it points to.

The Composite element and its child diagram are represented in the **Project Browser** window as follows:



Note that ClassX, ClassY and ClassZ are elements in the child diagram.

Alternative Notation


Composite elements might show their contents instead of their usual notation. To enable this notation, right-

click on the element to open the context menu, then select the **Advanced | Show Composite Diagram** option.

The Automation Interface

Automation support is available for Composite elements. *Element* has an *Elements* collection and a *Diagrams* collection.

15.2.4.5 Control



A *Control* is a stereotyped [Class](#) that represents a controlling entity or manager. A Control organizes and schedules other activities and elements, typically in [Analysis](#), [Sequence](#) and [Communication](#) diagrams. It is the *controller* of the [Model-View-Controller](#) pattern.

To [create](#) a Control, click on the link.

Toolbox Icon



15.2.4.5.1 Create a Control Element

Using the Toolbox

To create a [Control](#) element on a diagram, follow the steps below:


1. In the Enterprise Architect UML **Toolbox**, select the **More Tools | UML | Analysis** menu option.
2. From the [Analysis Elements](#) page, drag the *Control* element onto the diagram.

Using the Properties Dialog


To create a Control element using the **Properties** dialog, follow the steps below:

1. Insert a new Class.
2. Right-click on the element and select the **Properties** menu option; the **Properties** dialog displays.
3. In the **Stereotype** field, type the value **control**.
4. Click on the **Apply** and **OK** buttons.
5. Save the diagram (**[Ctrl]+[S]**).

The appearance changes as illustrated in the diagram below (for the *Security Controller* element):

**Note:**

The *Model-View-Controller (MVC)* pattern is a design pattern for building a wide range of applications that have a user interface, business or application logic and persistent data.


15.2.4.6 Entity

From: [Sequence Diagram](#) ^[1115]
Diagrams

[Communication](#) ^[1124], [Object](#) ^[1135], [Analysis](#) ^[1141]

An *Entity* is a store or persistence mechanism that captures the information or knowledge in a system. It is the *Model* in the [Model-View-Controller](#) ^[1240] pattern.

To [create](#) ^[1241] an Entity, click on the link.

Toolbox Icon**15.2.4.6.1 Create an Entity****Using the Toolbox**

To create an [Entity](#) ^[1241] element on a diagram, follow the steps below:

1. In the Enterprise Architect UML **Toolbox**, select the **More Tools | UML | Analysis** menu option.
2. From the [Analysis Elements](#) ^[118] page, drag the *Entity* element onto the diagram.


Using the Properties Dialog

To create an Entity element using the **Properties** dialog, follow the steps below:

1. Insert a new Class.
2. Right-click on the element and select the **Properties** menu option; the **Properties** dialog displays.
3. In the **Stereotype** field, type the value **entity**.
4. Click on the **Apply** and **OK** buttons.
5. Save the diagram (**[Ctrl]+[S]**).

15.2.4.7 Event

The UML includes two elements that are used to model *Events*. The first element is the *Send Event*. This element models the generation of a stimulus in the system and the passing of that stimulus to other elements, either within the system or external to the system.




The second element is the *Receive Event*, which is depicted as a rectangle with a recessed 'V' on the left side. This element indicates that an event occurs in the system due to some external or internal stimulus. Typically this invokes further activities and processing.


Send and Receive Events can be added from the [Analysis](#)^[118] and [Activity](#)^[114] **Element** pages of the Enterprise Architect UML **Toolbox**.

If you should select the wrong type of event, or otherwise want to change the type, right-click on the Event and select the **Advanced | Make Sender** or **Advanced | Make Receiver** menu option, as appropriate.

Toolbox Icons



15.2.4.8 Feature



A *Feature* is a small, granular function or characteristic expressed in client-valued terms as a satisfaction of a requirement; for example: 'context-sensitive Help', or 'ability to reverse-engineer VB.Net'.

Features are the primary requirements-gathering artifact of the [Feature-Driven Design \(FDD\) methodology](#). They define the product feature that satisfies what a [Requirement](#)^[1248] element has formalized as a contractual, testable, expected deliverable (for example: requirement - 'every element must provide context-sensitive Help'; feature - 'every element provides context-sensitive Help'). One Feature might realize one or more Requirements, and one Requirement might be realized by more than one Feature.

Features also have relationships with [Use Cases](#)^[1231]. A Use Case defines the interaction a user has with the system in order to satisfy one or more Requirements. The Feature identifies the facility that provides the means for that interaction.


Feature elements are non-UML and are not related to UML-defined features, which are either *BehavioralFeatures* ([operations](#)^[341], or methods) or *StructuralFeatures* ([Ports](#)^[1212], [Parts](#)^[1211] and [attributes](#)^[330]).

Feature elements are available from the [Requirements](#) page of the Enterprise Architect UML [Toolbox](#).


Note:

Feature elements can be created with or without an identifying **F** in the top right corner of the element. To toggle display of this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the [Options](#) dialog, [Objects](#)^[197] page.

Toolbox Icon



15.2.4.9 Hyperlinks




You can place a *Hyperlink* element onto a diagram. This element is a type of text element, but one that can contain a pointer to a document file or web address. When you double-click on the element, Enterprise Architect executes the related file or address. You can connect diagrams to associated files, web pages, Help and even other Enterprise Architect model files. To add a Hyperlink element, click on the **Hyperlink** icon in the [Elements](#) toolbar and then click on the diagram.

**Note:**

Once you have created the hyperlink, as described in the sections below, you can edit the hyperlink text on the diagram by clicking once on the field, once on the text, then right-clicking and selecting the **Edit Selected** context menu option.

Configure the Hyperlink



Note that you can add notes to the hyperlink (which display in the **Hyperlink Details** dialog when you right-click on the hyperlink and select the **Properties** context menu option). You can format these notes using the [Rich Text Notes](#) ^[134] toolbar.


Create Hyperlinks to Enterprise Architect Views

Hyperlinks can also be added as a Hyperlink object in a diagram with various other targets, such as a Matrix Profile or Help topic. The target opens within the Enterprise Architect work area, as a view. In the **Hyperlink Address** field:

- For a Matrix Profile, use `$matrix://` followed by the name of the profile (eg. `$matrix://MyProfile`).
- For a Help topic, use `$help://` followed by the name of the Help topic file (eg. `$help://ShipDiag.htm`)
- For a search, use `$search://Name=Searchtype;Term=Searchterm;` (eg. `$search://Name=Changes - In Progress;Term=High Priority;`)
- To open the discussion forum, use `$forum://`
- To access an internet facility use `$inet://` followed by the http address (eg. `$inet://http://www.google.com/`)

Note:

The difference between this `$inet` Hyperlink and the direct (`http://`) link is that whilst the `$inet` link opens the target as an Enterprise Architect view, the direct link opens the target as a new window separate from Enterprise Architect.



Create Hyperlink To File

You can also create a hyperlink on a diagram to an external file very simply, by clicking on the file in a file list (such as Windows Explorer) or on your Desktop and dragging it onto the diagram. A short context menu displays with two options - **Hyperlink** and **Artifact**. Click on the **Hyperlink** option to create the hyperlink on the diagram. The link is effective immediately, and you can right-click on it to define its properties as shown above.


Create Hyperlinks Between Diagrams

To create Hyperlinks between diagrams, follow the steps below.


Note:

If the Hyperlinks appear as Sub Activities, select the **Tools | Options | Diagram | Behavior** menu option and deselect the **Use Automatic SubActivities** checkbox.


1. Open the diagram in which to display a Hyperlink to another diagram. From the **Project Browser** window select the diagram you want to create a Hyperlink to.



2. Drag the diagram on to the current diagram. The **Select Type** dialog displays.




3. Select the **Hyperlink** option and click on the **OK** button. The final hyperlinked diagram should resemble the diagram below, where the *Class* diagram is the diagram to which the *Product Order* diagram hyperlinks.



15.2.4.10 N-Ary Association




An *n*-Ary Association element is used to model complex relationships between three or more elements, typically in a [Class diagram](#) ^[113]. It is not a commonly-employed device, but can be used to good effect where there is a dependant relationship between several elements. It is generally used with the [Associate](#) ^[125] connector, but the relationships can include other types of connector.




In the example above there is a relationship between a *Company*, an *Employee* and a *Salary*.

Toolbox Icon




15.2.4.11 Process



A *Process* is an [Activity](#)^[1160] element with the stereotype **process**, which expresses the concept of a business process. Typically this involves inputs, outputs, work flows, goals and connections with other Processes. The Process element is typically used in [Analysis diagrams](#)^[1141].

Business processes typically range across many parts of the organization and span one or more systems.


Toolbox Icon




15.2.4.12 Requirements

As an analysis step, often it is desirable to capture simple *system requirements*. These are eventually realized by [Use Cases](#) ^[1231].

In the initial requirement gathering phase, cataloging requirements can be achieved using the *Requirement* extension on a [Custom diagram](#) ^[1143].



Requirements can also be aggregated to create a hierarchy. The diagram below illustrates how this might be done.



A requirement that a user can log into a website is implemented by the *Login* Use Case, which in turn is implemented by the *Business Logic*, *ASP Pages* and *Login Web Page*. Using this approach, you can easily model quite detailed and complex dependencies and implementation relationships.

Notes:


- External requirements can be created with or without an identifying **E** in the top right corner of the element. To toggle display of the this letter, select or deselect the **Show stereotype icon for requirements** checkbox on the **Options** dialog, [Objects](#) ^[197] page.
- The colors on Requirement elements identify the status of the requirement. You change the status - and hence color - on the element [Properties](#) ^[430] dialog. You set the color for each status on the [Status Types](#) ^[682] dialog.

Toolbox Icon**15.2.4.13 Screen**

A *Screen* is used to prototype User Interface screen flow. By using UML features such as requirements, constraints and scenarios against [User Interface](#) ^[1145] diagram elements, you can build up a solid and detailed understanding of user interface behavior without having to use code. This becomes an excellent means of establishing the precise behavior the system has from a user perspective, and in conjunction with the [Use Case](#) ^[43] model, defines exactly how a user gets work done.

Web pages can also be prototyped and specified rigorously using Enterprise Architect's custom interface extensions.

The example diagram below illustrates some features of Enterprise Architect's screen modeling extensions that support web page prototyping. By adding requirements, rules, scenarios and notes to each element, a detailed model is built up of the form or web page, without having to resort to GUI builders or HTML.

**Note:**

Enterprise Architect displays [UI Controls](#) ⁽¹²⁵¹⁾ as a range of special icons, depending on the stereotype used; for example, a Control stereotyped as a «list» displays with a vertical scroll bar.

Toolbox Icon

15.2.4.14 Table



A *Table* is a stereotyped [Class](#) [1167]. It is drawn with a small table icon in the upper right corner. You typically use this element in [Data Modeling](#) [1149] and [Class](#) [1137] diagrams.

A Table element has a special **Properties** dialog, with settings for database type and the ability to set column information and data-related operations such as triggers and indexes. When setting up a Table, make sure you [set the default database type](#) [893] for that Table, otherwise you do not have any data types to choose from when creating columns.

Toolbox Icon




15.2.4.15 UI Control Element

A *UI Control element* represents any user interface control element (eg. edit box). It is used for capturing the components of a [screen](#) [1249] layout and requirements in a [Custom](#) [1143] or [User Interface](#) [1148] diagram.

UI Controls can be [drawn](#) [1252] in a variety of ways depending on the element *stereotype*:

Control Image	Stereotype
Vertical Scrollbar	list, treelist, report, listview
Simple rectangle	textbox, text, edit, editbox, input, date, time
Shaded rectangle	form, panel, dialog
Dark rectangle	button, click on button, action
Combo-box type	combobox, combo, dropdown, drop list
Checkbox	check, checkbox, tick
Radio button	radio, group, option




Toolbox Icon



15.2.4.15.1 Create A UI Control Element

Create a *UI Control element* with the [required representation](#) ^[1253], follow the steps below:

1. Create a [User Interface](#) ^[1148] diagram.
2. Drag a *UI Control* element from the [User Interface Elements](#) page of the Enterprise Architect UML [Toolbox](#) onto the diagram. The [GUIElement: UI Control](#) dialog displays.



3. In the **Stereotype** field, type the required stereotype name or click on the drop-down arrow and select the appropriate stereotype.


Note:

Initially, not every possible stereotype name is listed in the **Stereotype** field drop-down list; they are added as you type them into the field

4. In the **Name** field, type an appropriate name for the element, then click on the **Apply** button.

15.2.4.16 Web Stereotypes

Enterprise Architect supports a number of stereotypes for web page modeling. These supported types display with a graphical icon instead of the usual «*stereotype*» format. These stereotypes are only supported for [Class](#) [1167] elements. The image below indicates the various graphical icons and their associated stereotypes.




Set a Web Icon

To set a web icon, follow the steps below:

1. Create a new Class element in a diagram.
2. Display the Class **Properties** dialog.
3. In the **Stereotype** field, either type in the required stereotype name or click on the drop-down arrow and select the required stereotype (as named above).
4. Click on the **OK** button. The Class displays as in one of the examples above.

15.2.4.17 Worker Stereotypes



Some additional stereotyped [Classes](#)¹¹⁶⁷ are available for performing business process modeling. These stereotypes are used to model the workers within and external to the system.

The additional stereotypes are:

- *Case worker* (Class with stereotype *case worker*)
- *Internal worker* (Class with stereotype *internal worker*)
- *Worker* (Class with stereotype *worker*).




































15.3 UML Connectors




























What is a Connector?

A *connector* is a logical or functional relationship between model elements. There are several different connector types, each having a particular purpose and syntax. Enterprise Architect supports all of the UML connectors as well as some custom ones of its own. Together with the [UML Elements](#)^[1150], these form the basis of UML models.






For more information on using these connectors, consult the appropriate topic by clicking on the required connector icon in the table below.

Behavioral Diagram Connectors	Structural Diagram Connectors	Inbuilt and Extended Connectors
Activity Diagrams <ul style="list-style-type: none">  Control Flow  Object Flow  Interrupt Flow 	Composite Structure Diagrams <ul style="list-style-type: none">  Connector  Assembly  Delegate  Role Binding  Represents  Occurrence 	Analysis Diagrams <ul style="list-style-type: none">  Information Flow  Object Flow  Associate  Realize  Representation
Use Case Diagrams <ul style="list-style-type: none">  Use  Associate  Generalize  Include  Extend  Realize  Invokes  Precedes 	Package, Class and Object Diagrams <ul style="list-style-type: none">  Associate  Generalize  Compose  Aggregate  Association Class  Assembly  Dependency 	Common Connectors <ul style="list-style-type: none">  Dependency  Realize  Trace  Information Flow  Note Link
State Diagrams		Profile ^[438] <ul style="list-style-type: none">  Extension


Behavioral Diagram Connectors	Structural Diagram Connectors	Inbuilt and Extended Connectors	
 Transition	 Realize	 Generalize	
 Object Flow	 Information Flow	 Application	
Timing Diagrams			
 Message	 Nesting	 Tagged Value	
Sequence Diagrams			
 Message	 Package Merge	 Redefinition	
 Self-Message	 Package Import		
 Recursion	Component Diagrams		
 Call	 Assembly	 Generalize	
Communication Diagrams			
 Associate	 Delegate	 Associate	
 Realize	 Associate	 Compose	
 Nesting	 Realize	 Aggregate	
Interaction Overview Diagrams			
 Control Flow	 Generalize	Custom	
 Object Flow	 Realize	 Associate	
 Interrupt Flow	 Deployment	 Aggregate	
 Fork/Join	 Manifest	 Generalize	
 Fork/Join	 Object Flow	 Realize	
Maintenance			
 Aggregate	Deployment Diagrams		
User Interface			
 Associate			
Requirements			
 Aggregate			
 Inheritance			
 Associate			
 Implements			
WSDL			
No special connectors			

Metamodel ^[627] Generalize Associate Compose Aggregate**Custom** Associate Aggregate Generalize Realize Nesting**Requirements** Aggregate Inheritance Associate Implements**WSDL**

No special connectors

Behavioral Diagram Connectors	Structural Diagram Connectors	Inbuilt and Extended Connectors
	 Aggregate	
XML Schema	 Generalize	Data Modeling
 Generalize	 Realize	No special connectors
 Associate		

15.3.1 Aggregate




An *Aggregation* relationship is a type of association that shows that an element contains or is composed of other elements. It is used in [Class models](#) ^[1137], [Package models](#) ^[1138] and [Object models](#) ^[1139] to show how more complex elements (aggregates) are built from a collection of simpler elements (component parts; eg. a car from wheels, tires, motor and so on).

A stronger form of aggregation, known as Composite Aggregation, is used to indicate ownership of the whole over its parts. The part can belong to only one Composite Aggregation at a time. If the composite is deleted, all of its parts are deleted with it.

After drawing an Aggregation association, its [form can be changed](#) ^[1257].

Toolbox Icon



15.3.1.1 Change Aggregation Link Form


In Enterprise Architect, the default [Aggregation relationship](#) ^[1257] is the weak form of the relationship, represented by a hollow diamond. To change the form of an Aggregation link from weak to strong, follow the steps below.

1. Right-click on an Aggregation link to display the context menu.
2. Select **Set Aggregation to Composite**. The diamond is shown as filled.

Note:


If the link is already a Strong (Composition) link, the context menu option changes to **Set Aggregation to Shared**.

15.3.2 Assembly



An *Assembly* connector bridges a component's required [interface](#) ^[1197] (Component1) with the provided interface of another component (Component2), typically in a [Component diagram](#) ^[1137].

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 156*) states:

An assembly connector is a connector between two components that defines that one component provides the services that another component requires. An assembly connector is a connector that is defined from a required interface or port to a provided interface or port.

15.3.3 Associate



An *Association* implies two model elements have a relationship, usually implemented as an instance variable in one [Class](#) ^[1167]. This connector can include named roles at each end, multiplicity, direction and constraints. Association is the general relationship type between elements. To connect more than two elements in an association, you can use the [N-Ary Association](#) ^[1246] element.

When code is generated for [Class diagrams](#) ^[1131], Associations become instance variables in the target Class. The relationship is also used in [Package](#), ^[1130] [Object](#), ^[1133] [Communication](#) ^[1124] and [Deployment](#) ^[1139] diagrams.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 41*) states:

An association specifies a semantic relationship that can occur between typed instances. It has at least two ends represented by properties, each of which is connected to the type of the end. More than one end of the association may have the same type.

An end property of an association that is owned by an end class or that is a navigable owned end of the association indicates that the association is navigable from the opposite ends; otherwise, the association is not navigable from the opposite ends.

15.3.4 Association Class




An *Association Class* connection is a UML construct that enables an [Association](#) ^[1258] connector to have [attributes](#) ^[330] and [operations](#) ^[347] (features). This results in a hybrid relation with the characteristics of a connection and a [Class](#) ^[1167]. It is used to model particular types of connections in UML (see the [OMG UML Specification](#) ^[1260] for more details).


When you add an Association Class connection, Enterprise Architect also creates a Class that is automatically linked to the Association. When you hide or delete the Association, the Class is also hidden or deleted.

To add an Association Class to a [Class](#) ^[1137] or [Deployment](#) ^[1139] diagram, click on the *Association Class* icon in the Enterprise Architect UML [Toolbox](#). Click and hold on the source object in the diagram while you drag the line to the target element, then release the mouse button. Enterprise Architect draws the connector and adds the Class, then prompts you to add the Class name. Note that the names of the Class and the connector are the same. You can also [link a new Class to an existing Association](#) ^[1260].

The following diagram illustrates an Association Class between model elements. Note the dotted line from the Class to the Association. You cannot move or delete this line.



Toolbox Icon



OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 49*) states:

A model element that has both association and class properties. An AssociationClass can be seen as an association that also has class properties, or as a class that also has association properties. It not only connects a set of classifiers but also defines a set of features that belong to the relationship itself and not to any of the classifiers.

15.3.4.1 Link a New Class to an Existing Association


To link a new Class to an existing Association, follow the steps below:

1. Create a Class in the diagram containing the Association to link.
2. Right-click on the new Class. The context menu displays.
3. Select the **Advanced | Association Class** 1259 menu option. The **Create Association Class** dialog displays.




4. Select the link to connect to.
5. Click on the **OK** button.

15.3.5 Communication Path




A *Communication Path* defines the path through which two *DeploymentTargets* are able to exchange signals and messages. Communication Path is a specialization of [Association](#) [1258]. A *DeploymentTarget* is the target for a deployed [Artifact](#) [1165] and can be a [Node](#) [1206], Property or [InstanceSpecification](#) [1182] in a [Deployment diagram](#) [1139].

Toolbox Icon




15.3.6 Compose




A *Composite Aggregation* [1257] is used to depict an element that is made up of smaller components, typically in a [Class](#) [1131] or [Package](#) [1130] diagram. A component - or part instance - can be included in a maximum of one composition at a time. If a composition is deleted, usually all of its parts are deleted with it; however, a part

can be individually removed from a composition without having to delete the entire composition. Compositions are transitive, asymmetric relationships and can be recursive.

See the example below.



Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 43*) states:


Composite aggregation is a strong form of aggregation that requires a part instance be included in at most one composite at a time. If a composite is deleted, all of its parts are normally deleted with it.

15.3.7 Connector



Connectors illustrate communication links between parts to fulfill the structure's purpose, typically in a [Composite Structure](#) ^[1134] diagram. Each Connector end is distinct, controlling the communication pertaining to its connecting element. These elements can define constraints specifying this behavior. Connectors can have multiplicity.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 177*) states:


Specifies a link that enables communication between two or more instances. This link may be an instance of

an association, or it may represent the possibility of the instances being able to communicate because their identities are known by virtue of being passed in as parameters, held in variables or slots, or because the communicating instances are the same instance. The link may be realized by something as simple as a pointer or by something as complex as a network connection. In contrast to associations, which specify links between any instance of the associated classifiers, connectors specify links between instances playing the connected parts only.

15.3.8 Control Flow




The *Control Flow* is a connector linking two nodes in an [Activity diagram](#) ^[1080]. Control Flow connectors bridge the flow between Activity nodes, by directing the flow to the target node once the source node's activity is completed.



Control Flows and *Object Flows* can define a *Guard* and a *Weight* condition.

A *Guard* defines a condition that must be true before control passes along that activity edge. A practical example of this is where two or more activity edges (Control Flows) exit from a [Decision](#) ^[1180] element. Each flow should have a Guard condition that is exclusive of the other and defines which edge is taken under what conditions. The Control Flow **Properties** dialog enables you to set up Guard conditions on Control Flows and on Object Flows.

A *Weight* defines the number of tokens that can flow along a Control or Object Flow connection when that edge is traversed. Weight can also be defined on the Control Flow and Object Flow **Properties** dialogs.



Toolbox Icon




OMG UML specification:

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 356*) states:


A control flow is an edge that starts an activity node after the previous one is finished.

15.3.9 Delegate



A *Delegate Connector* defines the internal assembly of a component's external [Ports](#)^[1212] and [Interfaces](#)^[1200], on a [Component diagram](#)^[1137]. Using a Delegate Connector wires the internal workings of the system to the outside world, by a delegation of the external interfaces' connections.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 156*) states:


A delegation connector is a connector that links the external contract of a component (as specified by its ports) to the internal realization of that behavior by the component's parts. It represents the forwarding of signals (operation requests and events): a signal that arrives at a port that has a delegation connector to a part or to another port will be passed on to that target for handling.

15.3.10 Dependency



Dependency relationships are used to model a wide range of dependent relationships between model elements in [Use Case](#) ^[1082], [Activity](#) ^[1160] and [Structural](#) ^[1129] diagrams, and even between models themselves. You can create the Dependency from the [Common](#) ^[107] page of the Enterprise Architect UML [Toolbox](#). The Dependencies package as defined in UML 2.1 has many derivatives, such as [Realization](#) ^[1292], [Deployment](#) ^[1266] and [Use](#) ^[1297]. Once you create a Dependency you can further refine its meaning by [applying a specialized stereotype](#) ^[1265].

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 64*) states:

A dependency is a relationship that signifies that a single or a set of model elements requires other model elements for their specification or implementation. This means that the complete semantics of the depending elements is either semantically or structurally dependent on the definition of the supplier element(s).


15.3.10.1 Apply a Stereotype

To apply a stereotype to a [Dependency](#) ^[1265] relationship, follow the steps below:

1. Select the Dependency relationship to change.
2. Right-click on the link and, from the context menu, select the **Dependency Properties** option. The **Dependency Properties** dialog displays.
3. In the **Stereotype** field, either type in the required stereotype name or click on the drop-down arrow and select the stereotype from the list.
4. Click on the **OK** button.

Alternatively, you can right-click on the Dependency relationship and select the the **Advanced | Dependency Stereotypes** menu option, then select from a shorter list of standard stereotypes.

15.3.11 Deployment




A *Deployment* is a type of [Dependency](#)^[1265] relationship that indicates the deployment of an artifact onto a node or executable target, typically in a [Deployment diagram](#)^[1139]. A Deployment can be made at type and instance levels. At the type level, a Deployment would be made for every instance of the node. Deployment can also be specified for an instance of a node, so that a node's instances can have varied deployed artifacts. With composite structures modeled with nodes defined as [Parts](#)^[1211], Parts can also serve as targets of a Deployment relationship.

Toolbox Icon



15.3.12 Extend



An *Extend* connection is used to indicate that an element extends the behavior of another. Extensions are used in [Use Case models](#)^[1082] to indicate that one [Use Case](#)^[1231] (optionally) extends the behavior of another. An extending Use Case often expresses alternative flows.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 587*) states:

This relationship specifies that the behavior of a Use Case may be extended by the behavior of another (usually supplementary) Use Case. The extension takes place at one or more specific extension points defined in the extended Use Case. Note, however, that the extended Use Case is defined independently of the extending Use Case and is meaningful independently of the extending Use Case. On the other hand, the extending Use Case typically defines behavior that may not necessarily be meaningful by itself. Instead, the extending Use Case defines a set of modular behavior increments that augment an execution of the extended Use Case under specific conditions.


Note that the same extending Use Case can extend more than one Use Case. Furthermore, an extending Use Case may itself be extended.

15.3.13 Generalize



A *Generalization* is used to indicate inheritance. Drawn from the specific classifier to a general classifier, the generalize implication is that the source inherits the target's characteristics. It is used typically in [Class](#) [1131], [Component](#) [1137], [Object](#) [1133], [Package](#) [1130], [Use Case](#) [1082] and [Requirements](#) [1143] diagrams.

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 73*) states:

A generalization is a taxonomic relationship between a more general classifier and a more specific classifier. Each instance of the specific classifier is also an indirect instance of the general classifier. Thus, the specific classifier inherits the features of the more general classifier.

15.3.14 Include



An *Include* connection indicates that the source element includes the functionality of the target element. Include connections are used in [Use Case models](#) [1082] to reflect that one [Use Case](#) [1231] includes the behavior of another. Use an Include relationship to avoid having the same subset of behavior in many Use Cases; this is similar to [delegation](#) [1264] used in [Class models](#) [1131].

Toolbox Icon




Include

OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 591*) states:

Include is a DirectedRelationship between two Use Cases, implying that the behavior of the included Use Case is inserted into the behavior of the including Use Case. It is also a kind of NamedElement so that it can have a name in the context of its owning Use Case. The including Use Case may only depend on the result (value) of the included Use Case. This value is obtained as a result of the execution of the included Use Case.

15.3.15 Information Flow




The *Information Flow* is a connector linking two elements in any diagram. It represents [information items](#)^[1195] or classifiers flowing between two elements. The connector is available from the **Common** toolbox page and from every Quicklink menu.


You can have more than one Information Flow connector between the same two elements, identifying what items flow between the two under differing conditions.

Example of Use


1. Open a diagram and add two elements (for example, Nodes on a Deployment diagram).
2. Click on the *Information Flow* connector in the **Common** toolbox page and drag between the two elements. The [Information Items Conveyed](#)^[1265] dialog displays.
3. Add the classifier or information item element(s) to the Information Flow. The diagram now resembles the following.



4. Add another connector between the same two elements (for example, a *Communication Path* connector).
5. Right-click the connector and select the **Advanced | Information Flows Realized** context menu option. The [Information Flows Realized](#)^[1270] dialog displays.
6. Tick the checkbox against the required classifier element and click on the **OK** button. The combined connector now resembles the following:

**Note:**

Once the connectors are combined, you cannot access the [Information Items Conveyed](#) dialog directly. You add or delete information items on the connector using the [Information Items Realized](#) ^[1270] dialog. If you have more than one Information Flow connector between the elements, they form part of the same combined connector; you can again work on them separately through the [Information Items Realized](#) dialog.

Toolbox Icon**OMG UML Specification**

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 606*) states:

An InformationFlow specifies that one or more information items circulates from its sources to its targets.


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 607*) also states:

An information flow is an abstraction of the communication of an information item from its sources to its targets. It is used to abstract the communication of information between entities of a system. Sources or targets of an information flow designate sets of objects that can send or receive the conveyed information item.

15.3.15.1 Convey Information on a Flow

As you create an [Information Flow](#) ^[1268] connector between two elements, you can specify which [Information Items](#) ^[1199] or classifiers are conveyed on this flow.

To specify these Information Items or classifiers, right-click on the connection and select **Advanced | Information Item Conveyed**. The [Information Items Conveyed](#) dialog displays.




Button	Use to
Add	Display the Set Element Classifier ^[384] dialog, from which you select the required Information or Classifier element(s).
Remove	Remove the selected item.

Note:

If you select more than one element, they are listed in one entry for the Information Flow connector.

15.3.15.2 Realize an Information Flow




The **Information Flows Realized** dialog displays all flows that can be realized on the selected connector. To realize an [Information Flow](#) ^[1268] on this connector, select the corresponding checkbox and click on the **OK**

button.


If you want to change the information items conveyed on an information flow, click on the flow *text* (as for *Use Case2*, above) and click on the **Items** button. The [Information Items Conveyed](#) [1265] dialog displays, and you can add or remove items as required. When you click on the **OK** button, the **Information Items Realized** dialog redisplay and you can realize the selected flow or flows as above..

15.3.16 Interrupt Flow



The *Interrupt Flow* is a connection used to define the two UML concepts of connectors for [ExceptionHandler](#) [1187] and [Interruptible Activity Region](#) [1201]. An Interrupt Flow is also known as an *activity edge*. It is typically used in an [Activity diagram](#) [1060].

Toolbox Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 327*) states:


An activity edge is an abstract class for directed connections between two activity nodes.

15.3.17 Manifest



A *Manifest* relationship indicates that the [Artifact](#) [1165] source embodies the target model element, typically in [Component](#) [1137] and [Deployment](#) [1139] diagrams. [Stereotypes](#) [448] can be added to Enterprise Architect to classify the type of manifestation of the model element.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 212*) states:


An artifact embodies or manifests a number of model elements. The artifact owns the manifestations, each representing the utilization of a packageable element.

Specific profiles are expected to stereotype the manifestation relationship to indicate particular forms of manifestation, eg. «tool generated» and «custom code» might be two manifestations for different classes embodied in an artifact.

15.3.18 Message

Messages indicate a flow of information or transition of control between elements. Messages can be used by [Timing Diagrams](#) ^[1284], [Sequence Diagrams](#) ^[1273] and [Communication Diagrams](#) ^[1273] (but not [Interaction Overview](#) ^[1127] diagrams) to reflect system behavior. If between [Classes](#) ^[1167] or classifier instances, the associated list of operations is available to specify the event.

Toolbox Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 491*) states:

A Message defines a particular communication between Lifelines of an Interaction.


A Message is a NamedElement that defines one specific kind of communication in an Interaction. A communication can be, for example, raising a signal, invoking an Operation, creating or destroying an Instance. The Message specifies not only the kind of communication given by the dispatching ExecutionSpecification, but also the sender and the receiver.

A Message associates normally two OccurrenceSpecifications - one sending OccurrenceSpecification and one receiving OccurrenceSpecification.

Note:

Communication diagrams were known as Collaboration diagrams in UML 1.4.

15.3.18.1 Message (Sequence Diagram)



[Sequence diagrams](#) ^[196] depict work flow or activity over time using Messages passed from element to element. These Messages correspond in the software model to Class operations and behavior. They are semantically similar to the Messages passed between elements in a Communication diagram, and can be of many different [types](#) ^[1280].

To create a Message on a Sequence diagram, follow the steps below:

1. Access the Sequence diagram. The **Interaction** pages of the Enterprise Architect UML **Toolbox** display.
2. In the **Interaction Relationships** page, click on the **Message** icon, click on the source object and drag the cursor to the destination (target) object. The **Message Properties** dialog displays (if not, right-click on the Message and select the **Message Properties** menu option).

3. In the **Message** field, type the Message name.

Note:

If the Message flow is towards a [Class](#) ^[1167] element (dropped in from a Class diagram) or a [Lifeline](#) ^[1204] element having a classifier, and the destination Class has defined operations, you can click on the drop-down arrow and select an appropriate operation name. The Message reflects the destination Class operations.

Similarly, if the Message flow is from a Class element or Lifeline element with classifier, and the source Class has defined attributes, you can click on the drop-down arrow and select an appropriate attribute name. The Message reflects the attributes from the source Class.

4. In the **Parameters** field, type any parameters that the Message has, as a comma-separated list. If required, in the **Parameter Values** field type the actual value for each parameter, again as a comma-separated list.
5. If the Message is a return message, in the **Return Value** field enter the returned value or type.

Note:

It is possible to depict returns from a [Self Message](#)^[1276]. Simply create a second Self Message at the end of execution and select the **Is Return** checkbox in the **Control Flow Type** panel.

6. In the **Stereotype** field, type or select an optional stereotype for the link (this is displayed on the diagram, if entered).
7. If required, in the **Alias** field type an alias for the name of the Message.

Note:

On the diagram, the alias displays if the **Use Alias if Available** checkbox is selected on the **Diagram** tab of the **Diagram Properties** dialog. The Alias displays instead of or as well as the Message name, depending on the setting selected in the **Alias Usage** panel of the **Diagram Behavior**^[194] page of the **Options** dialog.

8. In the **Condition** field, type any conditions that must be true in order for the message to be sent.
9. In the **Synch:** field in the **Control Flow Type** panel, select **Synchronous** or **Asynchronous** as appropriate.
10. In the **Lifecycle** field, select **New** to create a new element at the end of the Message, or **Delete** to terminate the message flow at the end of the Message. If neither case applies, leave the field at the default of **<none>**.
11. If required, in the **Notes** field type any explanatory notes. You can format the notes using the [Rich Text Notes](#)^[134] toolbar at the top of the field.
12. Click on the **OK** button to save the Message definition.

Note:

You can [change the timing details](#)^[1277] of a message on the **Timing Details** dialog, and emphasize the sequence of closely-ordered messages using [General Ordering](#)^[1278].

Co-Region Notation


Co-Region notation can be used as a short hand for parallel combined fragments. To access the Co-Region submenu, right-click on a connector in a Sequence diagram and select the **Co-Region** menu option. There are four sub-options available:

- Start at head
- End at head
- Start at tail
- End at tail.

Toolbox Icon




15.3.18.1.1 Self-Message



A *Self-Message* reflects a new process or method invoked within the calling lifeline's operation. It is a specification of a [Message](#) ^[1272], typically in a [Sequence diagram](#) ^[1115].

Self-Message as Return

It is possible to depict a return from a Self Message call.




To create a Self Message return:


1. Create a second Self Message at the end of execution.
2. Double-click on the Message name to open the **Message Properties** dialog.
3. Select the **Is Return** checkbox.
4. [Raise the Activation level](#) ^[1127] of the return.

Self-Message [Calls](#) ^[1277] indicate a nested invocation; new activation levels are added with each Call.

Toolbox Icon



15.3.18.1.2 Call



A **Call** is a type of [Message](#) ^[1273] element that extends the level of activation from the previous Message. All [Self-Messages](#) ^[1276] create a new activation level, but this focus of control usually ends with the next Message (unless [activation levels](#) ^[1120] are manually adjusted). Self-Message Calls, as depicted above by the first Call, indicate a nested invocation; new activation levels are added with each Call. Unlike a regular Message between elements, a Call between elements continues the existing activation in the source element, implying that the Call was initiated within the previous Message's activation scope.

Toolbox Icon



15.3.18.1.3 Change the Timing Details

It is possible to change the timing details of a Message in a [Sequence diagram](#) ^[1115] by right-clicking on the [Message](#) ^[1272] connector and selecting the **Timing Details** menu option. The **Timing Details** dialog displays.

Duration Constraint:

Duration Constraint Between Messages:

Duration Observation:

Timing Constraint:

Timing Observation:

OK Cancel

Complete the fields on this dialog as follows:

Option	Use to
Duration Constraint	Indicate the minimum and maximum limits on how long a message can last.
Duration Constraint Between Messages	Indicate the minimum and maximum interval between sending or receipt of the previous message at the current message's source Lifeline, and sending the current message.
Duration Observation	Capture the duration of a message.
Timing Constraint	Indicate the minimum and maximum time at which the message should arrive at the target.
Timing Observation	Capture the point at which the message was sent.


See the OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 511*).

In the diagram below, on the *Open Order* Message:

- **Duration Constraint** has been set to **0...13**.

On the *Get Cart* Message:

- **Duration Constraint Between Messages** has been set to **d...d*3**
- **Duration Observation** has been set to **d=duration**
- **Timing Constraint** has been set to **t...t+3**
- **Timing Observation** has been set to **t=now**.



By typing a value in the **Duration Constraint** field, you enable the Message angle to be adjusted. After clicking on the **OK** button on the **Timing Details** dialog, click on the head of the Message connector and drag the connector up or down to change the angle. You cannot extend the angle beyond the life line of the connecting sequence object or create an angle of less than 5 degrees.


You can also create the **Duration Constraint Between Messages** line by dragging the [General Ordering](#) ¹²⁷⁹ arrow up to the point at which the previous message joins the source Lifeline for the current message. A dialog displays on which you enter the value for the constraint. Having created the line, you can move it to any

point within half way along the current message and half way along the previous message, to avoid overlap with other message timing details. You can edit or delete the value either through the **Timing Details** dialog or by right-clicking on the line itself and selecting the appropriate context menu option.

15.3.18.1.4 General Ordering

In a [Sequence diagram](#)^[1115], the workflow is represented by the sequence of Messages down the diagram. Messages near the top of the diagram are passed before Messages lower down the diagram.

Consider the following diagram.




Message 1 is earlier than Message 2. However, in a complex diagram, or when representing finely timed operations or parallel processing, this might not be apparent. You can reinforce the sequence using a *General Ordering* arrow.


Click on the Message arrow. A small arrow displays at the source anchor point.



Click on this arrow and drag it to the start of the next Message in sequence (Message 2 in the example). The General Ordering arrow displays, indicating that the second Message follows the first.




The General Ordering arrow is exaggerated in the above figure. You would normally have the arrow running almost horizontal across the diagram.



You can have more than one General Ordering arrow issuing from or targeting a Message, if necessary.


15.3.18.1.5 Message Examples

The following are different types of [Messages](#) ^[1273] available on [Sequence Diagrams](#) ^[1115].



Other Sequence Messages

The following are examples of Messages that are not part of the sequence described by the diagram.



15.3.18.2 Message (Communication Diagram)

A Message in a [Communication diagram](#)^[1124] is equivalent in meaning to a Message in a Sequence diagram. It implies that one object uses the services of another object, or sends a message to that object. Communication Messages in Enterprise Architect are always associated with an [Association](#)^[1258] link between object instances. Always create the Association link first, then [add Messages to the link](#)^[1281].

Messages can be dragged into a suitable position by clicking and dragging on the message text.

Communication Messages should be [ordered](#)^[1282] to reflect the sequencing of the diagram. The numbering scheme should reflect the nesting of each event. A sample sequencing scheme could be:

- 1
- 2, 2.1, 2.2
- 3.

This would indicate events 2.1 and 2.2 occur within an operation initiated by event 2.


If the target object is a Class or has its instance classifier set, the drop-down list of possible message names includes the exposed operations for the base type.

15.3.18.2.1 Create a Communication Message

To create a [Communication Message](#)^[1281], follow the steps below:

1. Open a diagram (one of: Communication, Analysis, Interaction Overview, Object, Activity or State Machine).

2. Add the required objects.
3. Add an [Association](#)^[1258] relationship between all objects that communicate.
4. Right-click on an *Association* to display the context menu.
5. Select the option to add a message from one object to another.
6. When the [Message Properties](#)^[1273] dialog displays, type in a name and any other required details.
7. Click on the **OK** button. The message is added, linked to the association and object instances.
8. Move the message to the required position.



15.3.18.2.2 Re-Order Messages

When constructing your Communication diagram, it is frequently necessary to re-order the sequence of Messages and to create or delete Message 'groups'. There are two dialogs that help you perform these tasks: the [Message Properties](#) dialog and the [Sequence Communications](#) dialog.

Organize Message Groups

If you have several [Messages](#)^[1281] in the form 1.1, 1.2, 1.3, 1.4, for example, but would like to start a new numbering group on, say, the third Message (ie. 1.1, 1.2, **2.1**, 2.2, 2.3), you can change a Message in the series to a *Start Group* message.

To reorganize *message groups*, follow the steps below:

1. Double-click on a Message *name*. The [Message Properties](#) dialog displays.

Signature

Message:

Parameters:

Parameter Values:

Return Value: Show Inherited Methods

Assign To:

Stereotype:

Alias:

Sequence Expression

Condition:

Constraint:

Is Iteration Start New Group

Control Flow Type:

Synch: Lifecycle:

Kind: Is Return

Notes:


B I U A | |

2. To make the selected Message the start of a new group, select the **Start New Group** checkbox.
3. If required, in the **Notes** field, type an explanatory note. You can format the text using the [Rich Text Notes](#) ^[134] toolbar at the top of the field.
4. Click on the **OK** button to save changes.

Sequence Messages

To re-order *messages*, follow the steps below:

1. Select the **Diagram | Sequence Messages** menu option. The **Communication Messages** dialog displays.




2. Click on the Message to move, and click on the 'hand' buttons at the bottom of the dialog to move the messages up or down the sequence. Repeat until the sequence matches your requirements.
3. Click on the **OK** button to save changes.


Note:

Communication diagrams were known as Collaboration diagrams in UML 1.4.

15.3.18.3 Message (Timing Diagram)




Messages are the communication links between [Lifelines](#) ^[1222] in a [Timing diagram](#) ^[1096]. In the case of a Timeline, a Message is a connection between two Timeline objects.



See *UML Superstructure Specification, v2.1.1, figures 14.30 and 14.31, p. 520.*

Toolbox Icon



15.3.18.3.1 Create a Timing Message

To create a [Message](#) ^[1284] in a [Timing diagram](#) ^[1096], at least two Lifeline objects ([State](#) ^[1219] or [Value](#) ^[1234]) must be created first, each with existing transition points. To create a Message between lifelines, follow the steps below:

1. Click on one of the Lifelines in the Timing diagram.
2. Select the **Message** icon from the **Timing Relationships** page of the Enterprise Architect UML **Toolbox** (**More tools | UML | Timing**).
3. Drag the cursor onto the Lifeline at the point at which the Message originates. The **Timing Message** dialog displays. (If not, double-click on the Message):

Scope

Start: End:

Message Details

Start Time:

End Time:

Name:

Time Observation:

Duration Observation:

Transition To Detail

Transition To:

Event:

Time Constraint:

Duration Constraint:


The dialog consists of a set of transition points. Each transition point can be defined with the following properties:

Property	Description
Start	Defines the lifeline where the message originates.
End	Defines the lifeline where the message terminates.

These are set by default when a Message is created by dragging the cursor between two Lifelines.

Property	Description
Start Time	Specifies the start time for a message.
End Time	Specifies the end time for a message.
Name	The name of the message.
Time Observation	Provides information on the time of a sent message.
Duration Observation	Indicates the interval of a Lifeline at a particular state, begun from a message receipt.
Transition To	The state in the target Lifeline that the Message points to.
Event	The occurring event.
Time Constraint	The time taken to transmit a message.
Duration Constraint	Pertains to a lifeline's period at a particular state. The constraint could be instigated by that Lifeline's receipt of a message.

The following diagram shows the Message configured by the above dialog snapshot.




See *UML Superstructure Specification, v2.1.1, figures 14.30 and 14.31, p. 520.*

Note:


You can move the source end of the Message freely along the source timeline. However, the target end (arrow head) must attach to a transition. If you create a new Message and do not give it a target transition, it automatically finds and attaches to the nearest transition. If you move the target end, it drags the transition with it.

15.3.19 Nesting




The *Nesting Connector* is an alternative graphical notation for expressing containment or nesting of elements within other elements. It is most appropriately used for displaying [Package](#) ^[1210] nesting in a [Package diagram](#) ^[1130]

Toolbox Icon



15.3.20 Notelink




A *Notelink* connector connects a [Note](#)^[1207] to one or more other elements of any other type.

Both Note and Notelink are available in any category of the Enterprise Architect UML [Toolbox](#), in the [Common](#)^[107] pages. You can also select them from the [UML Elements](#)^[129] toolbar.

Toolbox Icon



15.3.21 Object Flow




Object Flows are used in [Activity diagrams](#)^[1080] and [State Machine diagrams](#)^[1084]. When used in an Activity diagram, an Object Flow connects two elements, with specific data passing through it. To view sample Activity diagrams using Object Flows, see the [Object Flows in Activity Diagrams](#)^[1289] topic

In State Machine diagrams, an Object Flow is a specification of a state flow or transition. It implies the passing of an [Object](#)^[1208] instance between elements at run-time.

You can insert an Object Flow from the [State](#) or [Activity](#) pages of the Enterprise Architect UML [Toolbox](#), or from the drop-down list of all relationships located in the header toolbar. You can also modify a transition connection to an Object Flow by selecting the **ObjectFlow** checkbox on the connection [Properties](#) dialog.

See [Control Flow](#)^[1263] for information on setting up Guards and Weights on Object Flows.

Toolbox Icon



Object Flow

OMG UML Specification


The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 389*) states:

An object flow is an activity edge that only passes object and data tokens.

15.3.21.1 Object Flows in Activity Diagrams


In [Activity diagrams](#)^[1080], there are several ways to define the flow of data between objects.

The following diagram depicts a simple [Object Flow](#)^[1285] between two actions, *Fill Order* and *Ship Order*, both accessing order information.




See *UML Superstructure Specification, v2.1.1, figure 12.110, p. 391*.

This explicit portrayal of the data object *Order*, connected to the Activities by two Object Flows, can be refined by using the following format. Here, [Action Pins](#)^[1158] are used to reflect the order.



See *UML Superstructure Specification, v2.1.1, figure 12.110, p. 391*.


The following diagram is an example of multiple Object Flows exchanging data between two actions.



See *UML Superstructure Specification, v2.1.1, figure 12.111, p. 391*.


Selection and transformation behavior, together composing a sort of query, can specify the nature of the Object Flow's data access. Selection behavior determines which objects are affected by the connection. Transformation behavior might then further specify the value of an attribute pertaining to a selected object.

Selection and transformation behaviors can be defined by attaching a note to the Object Flow. To do this, right-click on the Object Flow and select the **Attach Note or Constraint** context menu option. A dialog lists other flows in the diagram, to which you can select to attach the note, if the behavior applies to multiple flows. To comply with UML 2, preface the behavior with the notation «selection» or «transformation».




See *UML Superstructure Specification, v2.1.1, figure 12.112, p. 392.*

15.3.22 Occurrence




An *Occurrence* relationship indicates that a [Collaboration](#)^[1171] represents a classifier, in a [Composite Structure diagram](#)^[1134]. An Occurrence connector is drawn from the Collaboration to the classifier.

Toolbox Icon




15.3.23 Package Import



A *Package Import* relationship is drawn from a source [Package](#)^[1210] to a Package whose contents are to be imported. Private members of a target Package cannot be imported. The relationship is typically used in a [Package diagram](#)^[1130].

Toolbar Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 112*) states:

A package import is a relationship between an importing namespace and a package, indicating that the importing namespace adds the names of the members of the package to its own namespace. Conceptually, a package import is equivalent to having an element import to each individual member of the imported namespace, unless there is already a separately-defined element import.

15.3.24 Package Merge




In a [Package diagram](#) [1130], a *Package Merge* indicates a relationship between two [Packages](#) [1210] whereby the contents of the target Package are merged with those of the source Package. Private contents of a target Package are not merged. The applicability of a Package Merge addresses any situation where multiple packages contain identically-named elements, representing the same thing. A Package Merge merges all matching elements across its merged Packages, along with their relationships and behaviors. Note that a Package Merge essentially performs generalizations and redefinitions of all matching elements, but the merged Packages and their independent element representations still exist and are not affected.

The Package Merge serves a graphical purpose in Enterprise Architect, but creates an ordered Package relationship applied to related Packages (which can be seen under the [Link](#) tab in the Package's [Properties](#) dialog). Such relationships can be reflected in XML exports or Enterprise Architect Automation Interface scripts for code generation or other Model Driven Architecture (MDA) interests.

Package Merge relationships are useful to reflect situations where existing architectures contain functionalities involving like elements, which are merged in a developing architecture. Merging doesn't affect the merged objects, and supports the common situation of product progression.

Toolbar Icon



OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 113-114*) states:


A package merge is a directed relationship between two packages that indicates that the contents of the two packages are to be combined. It is very similar to Generalization in the sense that the source element conceptually adds the characteristics of the target element to its own characteristics resulting in an element that combines the characteristics of both.

This mechanism should be used when elements defined in different packages have the same name and are intended to represent the same concept. Most often it is used to provide different definitions of a given concept

for different purposes, starting from a common base definition. A given base concept is extended in increments, with each increment defined in a separate merged package. By selecting which increments to merge, it is possible to obtain a custom definition of a concept for a specific end. Package merge is particularly useful in meta-modeling and is extensively used in the definition of the UML metamodel.


Conceptually, a package merge can be viewed as an operation that takes the contents of two packages and produces a new package that combines the contents of the packages involved in the merge. In terms of model semantics, there is no difference between a model with explicit package merges, and a model in which all the merges have been performed.

15.3.25 Realize



A source object implements or *Realizes* its destination object. Realize is used in a [Use Case](#)^[1082], [Component](#)^[1137] or [Requirements](#)^[1145] diagram to express traceability and completeness in the model. A business process or [Requirement](#)^[1248] is realized by one or more [Use Cases](#)^[1231], which in turn are realized by some [Classes](#)^[1167], which in turn are realized by a [Component](#)^[1179], and so on. Mapping Requirements, Classes and such across the design of your system, up through the levels of modeling abstraction, ensures the big picture of your system remembers and reflects all the little pictures and details that constrain and define it.

Toolbar Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 131*) states:

A Realization signifies that the client set of elements are an implementation of the supplier set, which serves as the specification. The meaning of 'implementation' is not strictly defined, but rather implies a more refined or elaborate form in respect to a certain modeling context. It is possible to specify a mapping between the specification and implementation elements, although it is not necessarily computable.

15.3.26 Recursion




A *Recursion* is a type of [Message](#) ^[1273] used in [Sequence diagrams](#) ^[196] to indicate a recursive function.

Toolbox Icon



15.3.27 Role Binding



Role Binding is the mapping between a [Collaboration Occurrence's](#) ^[1172] internal roles and the respective [Parts](#) ^[121] required to implement a specific situation, typically in a [Composite Structure diagram](#) ^[1134]. The associated Parts can have properties defined to enable the binding to occur, and the Collaboration to take place.

A Role Binding connector is drawn between a [Collaboration](#) ^[1171] and the classifier's fulfilling roles, with the Collaboration's internal binding roles labeled on the classifier end of the connector.

Toolbar Icon




OMG UML Specification

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 174*) states:


A mapping between features of the collaboration type and features of the classifier or operation. This mapping indicates which connectable element of the classifier or operation plays which role(s) in the collaboration. A connectable element may be bound to multiple roles in the same collaboration occurrence (that is, it may play multiple roles).

15.3.28 Represents




The *Represents* connector indicates that a [Collaboration](#)^[1171] is used in a classifier, typically in a [Composite Structure diagram](#)^[1134]. The connector is drawn from the Collaboration to its owning classifier.

Toolbar Icon




15.3.29 Representation





The *Representation* relationship is a specialization of a [Dependency](#)^[1265], linking [Information Item](#)^[1199] elements that represent the same idea across models, typically in an [Analysis diagram](#)^[1147]. For example, *Bonus* and *Salary* are both a representation of the Information Item *Wage*.

Toolbar Icon



15.3.30 Trace




The *Trace* relationship is a specialization of a [Dependency](#) ^[1265], linking model elements or sets of elements that represent the same concept across models. Traces are often used to track requirements and model changes, typically in a [Class](#) ^[1131], [Use Case](#) ^[1082], [Object](#) ^[1133] or [Composite Structure](#) ^[1134] diagram. As changes can occur in both directions, the order of this Dependency is usually ignored. The relationship's properties can specify the trace mapping, but the trace is usually bi-directional, informal and rarely computable.

Toolbar Icon



15.3.31 Transition



A *Transition* defines the logical movement from one [State](#) ^[1215] to another, in a [State Machine diagram](#) ^[1084]. The Transition can be controlled through the following connector **Properties** dialog:


The screenshot shows a 'Constraints' dialog box with the following elements:

- Guard:** A text input field.
- Effect:** A text input field with a scroll bar and a '...' button to its right.
- Effect is an Activity:** A checked checkbox.
- Trigger:** A section containing three dropdown menus for 'Name', 'Type', and 'Specification', each with a '...' button to its right. Below these are 'New', 'Save', and 'Remove' buttons.
- Triggers:** A table with columns 'Name', 'Type', and 'Specification'.

Option	Use to
Guard	Type in an expression that is evaluated after an Event is dispatched, but before the corresponding Transition is triggered. If the guard is true at that time, the Transition is enabled; otherwise, it is disabled.
Effect is an Activity	Convert the Effect field from a free-text field to the definition of a specific Activity. Enterprise Architect displays the Set Element Classifier ³⁸⁴ dialog to prompt you to select the Activity from the model.
Effect	Either: <ul style="list-style-type: none"> Type a description of the effect of the Transition, or If you have selected the Effect is an Activity check box, select an Activity to be performed during the Transition.
Trigger	
Name	Specify the name of the trigger.
Type	Specify the type of trigger: Call , Change , Signal or Time .
Specification	Specify the event instigating the Transition.
New	Create a new trigger.
Save	Save the current trigger.
Remove	Remove the selected trigger from the list.
Triggers	List the current triggers for the Transition.


Note:

Fork and Join segments can have neither triggers nor guards.

Toolbar Icon**OMG UML Specification**

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 568*) states:

A transition is a directed relationship between a source vertex and a target vertex. It may be part of a compound transition, which takes the state machine from one state configuration to another, representing the complete response of the state machine to an occurrence of an event of a particular type.

15.3.32 Use

A Use relationship indicates that one element requires another to perform some interaction. The Use (or Usage) relationship does not specify how the target supplier is used, other than that the source client uses it in definition or implementation. A Use relationship is a sub-typed [Dependency](#) ^[1265] relationship.

You typically use the Use relationship in [Use Case diagrams](#) ^[1082] to model how [Actors](#) ^[1164] use system functionality ([Use Cases](#) ^[1237]), or to illustrate usage dependencies between [Classes](#) ^[1167] or [Components](#) ^[1179].

Notes:

- It is more usual (and correct UML) to have an [Association Connector](#) ^[1258] between an Actor and a Use Case.
- To depict a usage dependency on a [Class](#) ^[1137] or [Component](#) ^[1137] diagram, draw a *Dependency* connector. Right-click on the Dependency, and select the **Dependency Stereotypes | Use** menu option.

Toolbar Icon**OMG UML Specification**

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 138*) states:

A usage is a relationship in which one element requires another element (or set of elements) for its full implementation or operation. In the metamodel, a Usage is a Dependency in which the client requires the presence of the supplier.

Part

16

16 Extend Enterprise Architect - Software Developers Kit



Introduction

Welcome to the *Sparx Systems Enterprise Architect Software Developers Kit (SDK)*. This is a special section of the *Enterprise Architect User Guide*, covering the more advanced aspects of extending and customizing Enterprise Architect.

In describing aspects of extending Enterprise Architect, it is expected that you are familiar with the concepts introduced in the main body of the *Enterprise Architect User Guide*. Wherever appropriate, linked cross-references to these concepts are provided in the text.

Contents

- [UML Profiles](#) ^[1299] (incorporating [UML Stereotypes](#) ^[1300])
- [MDG Technologies](#) ^[1543]
- [Enterprise Architect Object Model \(Automation Interface\)](#) ^[1439]
- [Enterprise Architect Add-In Model](#) ^[1385]
- [Code Template Framework](#) ^[1361]
- [Shape Scripts](#) ^[1338]
- [Tagged Value Types](#) ^[1354]

16.1 Developing Profiles



Introduction

UML Profiles provide a means of extending the UML Language, which enables you to build UML models in particular domains. They are based on additional [stereotypes](#) ^[1300] and [Tagged Values](#) ^[1354] that are applied to UML elements, connectors and their components. A Profile is a collection of such extensions that together describe some particular modeling problem and facilitate modeling constructs in that domain. UML Profiles for Enterprise Architect are specified in XML files, with a specific format. These XML files are imported into Enterprise Architect through the [Resources](#) window.

The imported Profile also automatically generates a page of elements and relationships in the Enterprise Architect UML [Toolbox](#).

The [Resources](#) window contains a tree structure with entries for items such as MDG Technologies, Documents, Stylesheets, Matrix profiles and UML Profiles. The *UML Profiles* node initially contains no entries; to be able to use Profiles you must import them into Enterprise Architect from supplied XML files.

Items in the Profile represent stereotypes. UML supports a large number of stereotypes, which are an inbuilt mechanism for logically extending or altering the meaning, display and syntax of a model element. Different model elements have different stereotypes associated with them.

For more information on the use of Profiles in Enterprise Architect, see [UML Profiles](#)^[438].

For information on developing your own Profiles, see the following topics:

- [Custom Stereotypes](#)^[1300]
- [Create Profiles](#)^[1302]
- [Quick Linker](#)^[1321]
- [Toolbox Profiles](#)^[1328]
- [Diagram Profiles](#)^[1331]
- [Task Pane Profiles](#)^[1332]


16.1.1 Custom Stereotypes

UML supports a large number of *stereotypes*, which are an inbuilt mechanism for logically extending or altering the meaning, display and syntax of a model element. Different model elements have different stereotypes associated with them. For more information on the use of stereotypes in Enterprise Architect, see [UML Stereotypes](#)^[448].

In Enterprise Architect you can create new stereotypes with their own custom appearance. The stereotypes can be altered to make use of metafiles (image files) and customized colors, or you can make use of the Enterprise Architect Shape Script to make new element shapes to determine the shape and dimensions of the element.

To add your own custom stereotypes, follow the steps below:

1. From the main menu, select **Settings | UML**. The **UML Types** dialog displays, defaulted to the **Stereotypes** tab.



2. Type or select a **Stereotype** name.
3. Select a **Base Class** from the drop-down list.
4. To associate a Metafile with this stereotype, click on the [...] (Browse) button and locate the required .emf or .wmf file.
5. Enter optional **Notes** and select **Default Colors** for this stereotype.
6. Click on the **Save** button to save the stereotype.

The table below describes the functionality of the **Stereotypes** tab.

Option	Use to
Stereotype	Specify the name of the stereotype.
Group name	Enable grouping of stereotype features by a plural name, for attributes and operations, and is shown on diagrams in the attribute and operations compartments.
Base Class	Enable the stereotyped element to inherit the base characteristics from a pre-existing element type.
Notes	Add any stereotype notes.
Override Appearance	
None	Switch to the default element appearance.

Option	Use to
Metafile	Enable an image file to be used for the appearance of the stereotype.
Shape Script	Specify custom shapes for the stereotype using the <i>Enterprise Architect Shape Scripting</i> language. For more information see the Shape Scripting ^[1338] topic.
Assign	Add the associated metafile or shape script from the stereotyped element.
Remove	Remove the associated metafile or shape script from the stereotyped element.
Default Colors	
Fill	Set the default background color of the element.
Border	Control the border color.
Font	Control the color of the stereotype font.
Reset	Reset the appearance of the element to the default element appearance.

Note:

You can transport these custom stereotype definitions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu.

16.1.2 Create Profiles

This topic describes how to create profiles and profile items. These creation tasks include creating the profile stereotypes, defining the metaclasses they apply to, and defining Tagged Values and constraints. This topic also describes how to export a profile for use in UML modeling.


To create a UML Profile, follow the steps below:

1. [Create a Profile Package](#) ^[1302]
2. [Add Stereotypes and Metaclasses](#) ^[1303]
3. [Define Tagged Values for Stereotypes](#) ^[1305]
4. [Define Constraints for Stereotypes](#) ^[1308]
5. [Add Enumerations](#) ^[1310]
6. [Export the Profile](#) ^[1313]

16.1.2.1 Create a Profile Package

In Enterprise Architect, you must create a UML Profile in a Package that has the stereotype «*profile*». To create a Profile Package, follow the steps below.

1. Open or create the appropriate Class diagram.
2. Open the **Profile** page of the Enterprise Architect UML **Toolbox (More tools | UML | Profile)**.




3. Drag the *Profile* item onto the Class diagram. The **New Package** dialog displays,
 4. In the **Package Name** field, type a name for the Profile.
 5. Click on the **OK** button. Enterprise Architect creates a package with the stereotype «*profile*» and with a child diagram.
 6. Double-click on the Profile Package on the diagram to open the child diagram.
- You now use this child diagram to [add stereotypes](#) ^[1303] to the Profile.


16.1.2.2 Add Stereotypes and Metaclasses to UML Profiles

To add metaclasses and stereotypes to a Profile, follow the steps below for as many stereotypes and metaclasses as you require:

1. Open the child diagram of the Profile Package.
2. Drag the *Metaclass* element from the **Profile** page of the Enterprise Architect UML **Toolbox** onto the diagram. The **Create New Metaclass** dialog displays, in which you can tick multiple metaclasses for dropping onto the diagram.



3. Scroll down the **Element** list and select the checkbox for **Class**.
4. Click on the **OK** button, and in the **Class Name** dialog type a name for the element. Click on the **OK** button again.
5. Drag a **Stereotype** element from the **Toolbox** onto the diagram. If the **Properties** dialog does not display, double-click on the element on the diagram.
6. In the **Name** field, type a name for the stereotype.
7. Click on the **OK** button and, if it displays, **Close** the **Generate Code** dialog.
8. Click on the **Extension** relationship in the **Toolbox** and drag the connection from the stereotype element to the metaclass element.
9. Your diagram should now resemble the one below:



You can now add [stereotype Tags](#)^[1305], [Constraints](#)^[1308], [Enumerations](#)^[1310], and/or [Shape Scripts](#)^[1311] to your Profile.

16.1.2.3 Define Stereotype Tags

Stereotypes within a UML Profile can have one or more associated Tagged Values. When creating a UML Profile, you define these Tagged Values as attributes of the stereotyped Class.

You can also:

- [Define Stereotype Tags with Predefined Tag Types](#)^[1306]
- [Define Stereotype Tags with Supported Attributes](#)^[1306]
- [Use the Tagged Value Connector](#)^[1307]

To define Tagged Values for a stereotype, follow the steps below:

1. Open the **Attributes** dialog for the stereotyped element.

Name	Type	Scope
keytrue	boolean	Private

2. Click on the **New** button to create a new attribute.
3. In the **Name** field, type the name of the stereotype tag.
4. In the **Type** field, click on the drop-down arrow and select the attribute type.
5. In the **Initial** field, type the initial value of the tag. (See [Add Enumerations to UML Profiles](#)^[1310] for the steps for creating enumerated types for Tagged Values.)
6. In the **Notes** field, type a description of the tag.

- Click on the **Save** button.


16.1.2.3.1 Define Stereotype Tags with Predefined Tag Types

Define Predefined Tag Types

To define a stereotype tag with a predefined tag type, you must first create the predefined tag type. For full instructions on how to do this, see the [Create Structured Tags](#) ^[1355] topic.

Assign Predefined Tag Types to Stereotypes

To assign a predefined tag type to a stereotype, just create an attribute with the same name. For example, to make the Tagged Value *Handicap* appear in a stereotype, create an attribute named *Handicap*. You can set the default value for the Tagged Value by giving the attribute an *Initial* value.



16.1.2.3.2 Define Stereotype Tags with Supported Attributes

Supported stereotype attribute tags are special tags that set the default behavior of stereotyped elements, such as the initial size of the element and the default location of any image files associated with the stereotype. For a list of supported attributes, see the [Supported Attributes](#) ^[1316] topic.

To define tags for a stereotype with supported attributes, follow the steps below:

- Open the **Attributes** dialog for the stereotyped element.

Name	Type	Scope
this is a tag	boolean	Private
_sizeX	int	Private
enumb	enum	Private

2. In the **Name** field, type the name of the stereotype tag.
3. In the **Initial** field, type the initial value of the tag.

Note:


For supported attributes you set only the **Name** (which must match the attributes listed in the supported attributes section) and the **Initial** value; do not set the other values.

4. Click on the **Save** button.

16.1.2.3.3 Use the Tagged Value Connector

The *Tagged Value* connector, found in the **Profile** group of the Enterprise Architect UML **Toolbox**, can be used to define a Tagged Value that takes as its value an element that has the stereotype pointed to.

The following example demonstrates how this might be used. It shows a profile that defines two stereotypes: «*Collection*» and «*Node*». «*Collection*» adds a tag named *rootNode*. Clicking in the **Value** field for the tag *rootNode* in the **Tagged Values** docked window enables you to select from a list of all elements in the current model with the «*Node*» stereotype.



16.1.2.4 Define Stereotype Constraints

Defining constraints for stereotypes uses the same procedure as defining constraints for any Class. To define constraints for a stereotype, follow the steps below:

1. Open the **Class Properties** dialog of the stereotype element in a diagram.
2. Click on the **Constraints** tab and click on the **New** button to create a new constraint.

Constraint:

t.isRegistered=false Type: Pre-condition Status: Mandatory


Defined Constraints

Constraint	Type	Status
s.isComplete=true	Invariant	Approved
c.isComplete=true	Invariant	Approved

3. In the **Constraint** field, type the value of the constraint.
4. In the **Type** field, click on the drop-down arrow and select the appropriate type.
5. In the **Status** field, click on the drop-down arrow and select the appropriate status.
6. In the **Notes** field, type any additional information required.
7. Click on the **Save** button.

16.1.2.5 Add Enumeration Elements to UML Profiles

Enumerations can be used to restrict the values available to stereotype tags.



Note:

Enumerations defined under a Profile Package do not appear as elements in the profile when imported.

To add an enumeration element, follow the steps below:

1. Open your Profile Package child Class diagram.
2. In the Enterprise Architect UML **Toolbox**, select **More tools | UML | Profile**. The contents of the **Profile** page of the **Toolbox** display.
3. Drag an *Enumeration* item from the toolbox onto the diagram. If the **Properties** dialog does not display, double-click on the element on the diagram.
4. In the **Name** field, type the name of the new Enumeration.
5. Click on the **Details** tab and click on the **Attributes** button. The **Attributes Properties** dialog displays..


Name	Type	Initial Value
Yellow	int	
Red	int	
Green	int	

6. In the **Name** field, type the name of the Enumeration attribute.
 7. In the **Type** field, click on the drop-down arrow and select the appropriate type.
 8. In the **Initial** field, type the initial value of the attribute.
 9. Click on the **Save** button, and repeat steps 6 to 9 for additional attributes.
 10. When you are finished, click on the **Close** button.
 11. Right-click on the *Stereotype* element and select the **Attributes** context menu option. The **Attribute Properties** dialog displays for the stereotype.
 12. In the **Name** field type a name for the attribute.
 13. In the **Type** field type the name of the Enumeration element.
 14. In the **Initial** field type the name of the first enumeration attribute you defined.
 15. Click on the **Save** and **Close** buttons.
- You have now generated a drop-down list for setting the value of the tag in the **Tagged Values** window.


16.1.2.6 Add Shape Scripts to UML Profiles

To add a [Shape Script](#) 1338 to a stereotype in a UML Profile, follow the steps below:

1. On the Profile Package child diagram, select a *Stereotype* element.
2. Right-click on the element and select the **Attributes** context menu option.
3. In the **Attributes Properties** dialog, in the **Name** field, type `_image`.



4. Click on the [...] button next to the **Initial** field. The **Shape Editor** dialog displays.
 5. Enter the shape script in the **Shape Editor** dialog, and click on the **OK** and **Close** buttons.
- The Stereotype element now resembles the example below:



16.1.2.7 Export a UML Profile

Once you have created a Profile and defined the elements and metaclasses, you can save (export) the Profile to disk for future UML models.


To save a Profile, follow the steps below:

1. If your profile is
 - a single profile spread over multiple diagrams within the same Profile package, find the Profile package in the **Project Browser** window, right-click it and select the **Save Package as UML Profile** menu option
 - one of multiple profiles within the same Profile package, right-click anywhere in the background of the Profile diagram and select the **Save as Profile** menu option
 - a single diagram within the Profile package, choose either the **Save Package as UML Profile** menu option or the **Save as Profile** menu option.

Note:

The two menu options give slightly different results. See [Save Profile Options](#) ¹³¹⁵.

2. The **Save UML Profile** dialog displays.




3. Click on the [...] (Browse) button, and select the destination for the XML Profile file to be exported. If necessary, edit the profile filename, but do not delete the .xml extension.
4. Against the **Profile Type**, select the **UML 2.0** radio button.

Note:

You can also create stereotypes using the same format as for pre-4.0 versions of Enterprise Architect, by clicking on the **EA Pre-4.0** radio button. This has a reduced feature set and is provided for legacy use.

5. Set the required export options for all stereotypes defined in the profile:
 - **Element Size** - select the checkbox to export the element size attributes
 - **Color and Appearance** - select the checkbox to export the color (background, border and font) and appearance (border thickness) attributes
 - **Alternate Image** - select the checkbox to export the metafile images
 - **Code Templates** - select the checkbox to export the code templates, if they exist.
6. Click on the **Order Stereotypes** button to define the order in which elements should appear in the generated profile (and therefore in the **Resources** window and Enterprise Architect UML **Toolbox**). The **Order Stereotypes** dialog displays.



7. In this dialog, you can select individual items and use the 'Hand' buttons to move the items up or down in the list. Alternatively, you can right-click on the dialog and select to list the items in ascending or descending alphabetical or type order.



8. Click on the **Save** button to save the profile to disk.

16.1.2.7.1 Save Profile Options

When you save a UML Profile, you can save it either from the package or from the diagram, depending on whether the Profile is:

- a single profile spread over multiple diagrams within the same Profile package (find the Profile *package* in the **Project Browser** window, right-click it and select the **Save Package as UML Profile** menu option), which is typically the case for a stereotypes profile
- one of multiple profiles within the same Profile package (right-click anywhere in the background of the Profile *diagram* and select the **Save as Profile** menu option); for example, when creating multiple toolbox profiles
- a single diagram within the Profile Package (choose *either* the **Save Package as UML Profile** menu option *or* the **Save as Profile** menu option).

The two context menu options produce slightly different results. You should take these into consideration, especially in the third instance where you could choose either option.

Save From Diagram	Save From Package	Notes
The profile takes the diagram name.	The profile takes the package name.	Package and diagram names are not necessarily the same, although you can save a lot of confusion if you make them the same or very similar. For example: package <i>GL</i> with diagrams <i>GL1</i> , <i>GL2</i> , <i>GL3</i> .
The profile takes the diagram's notes.	The profile takes the package's notes.	
Order Stereotypes is ignored and stereotypes are saved in Z-order.	Order Stereotypes is obeyed.	
Resetting the sort order involves changing the Z-order.	You can easily reset the sort order by deleting the package's <code>_profile_data</code> Tagged Value.	
You can take the default size and appearance (including alternate image) from the diagram object.	You cannot take the default size and appearance from the diagram object. You can use the <code>_sizeX</code> , <code>_sizeY</code> and <code>_image</code> properties, but there is no equivalent for default colors.	
Can be much faster.	Can be much slower.	Because diagram objects are kept in memory and project browser

Save From Diagram	Save From Package	Notes
		elements aren't. This is only likely to be an issue if the profile is a large one and you are using a slow network connection to a remote repository.

16.1.2.8 Supported Attributes

Supported Stereotype Attributes in UML Profiles

The following attributes can be applied to stereotypes in UML Profiles:

Attribute	Meaning
_sizeX	Initial width of the element, in pixels at 100% zoom.
_sizeY	Initial height of the element, in pixels at 100% zoom.
_image	Shape script definition.
_metatype	Used for defining stereotypes as metatypes [1317].
_strictness	Used for restricting application of multiple stereotypes [1318].
_instanceType	Used for defining behavior on creating an instance [1318].
_instanceMode	Used for defining behavior on creating an instance [1318].
_instanceOwner	Used for defining behavior on creating an instance [1318].
_Bezier	Denotes that the linestyle for a connector is Bezier style. The value of the Tagged Value should be set to 1.

Supported Metatype Attributes in UML Profiles

The following attributes can be applied to metatype Classes in UML Profiles, and refer to the stereotypes that extend them:


Attribute	Meaning
_defaultDiagramType	Used for defining child diagram types [1319].
_makeComposite	Used for creating composite elements [1320].
_AttPri	If set to 1, switches on the <i>Attribute Visibility: Private</i> setting.
_AttPro	If set to 1, switches on the <i>Attribute Visibility: Protected</i> setting.
_AttPub	If set to 1, switches on the <i>Attribute Visibility: Public</i> setting.
_AttPkg	If set to 1, switches on the <i>Attribute Visibility: Package</i> setting.
_OpPri	If set to 1, switches on the <i>Operation Visibility: Private</i> setting.
_OpPro	If set to 1, switches on the <i>Operation Visibility: Protected</i> setting.
_OpPub	If set to 1, switches on the <i>Operation Visibility: Public</i> setting.
_OpPkg	If set to 1, switches on the <i>Operation Visibility: Package</i> setting.
_AttInh	If set to 1, switches on the <i>Inherited Features: Show Attributes</i> setting.

Attribute	Meaning
_OpInh	If set to 1, switches on the <i>Inherited Features: Show Operations</i> setting.
_Constraint	If set to 1, switches on the <i>Show Element Compartments: Constraints</i> setting.
_ConInh	If set to 1, switches on the <i>Show Element Compartments: Inherited Constraints</i> setting.
_Responsibility	If set to 1, switches on the <i>Show Element Compartments: Responsibilities</i> setting.
_ResInh	If set to 1, switches on the <i>Show Element Compartments: Inherited Responsibilities</i> setting.
_Tag	If set to 1, switches on the <i>Show Element Compartments: Tags</i> setting.
_TagInh	If set to 1, switches on the <i>Show Element Compartments: Inherited Tags</i> setting.
_PType	If set to 1, switches on the <i>Show element type (Port and Part only)</i> setting.
_Runstate	If set to 1, switches on the <i>Hide Object Runstate in current diagram</i> setting.
_HideStype	If set to a comma-separated list of stereotypes, sets the <i>Hide Stereotyped Features</i> filter.

16.1.2.8.1 Define a Stereotype as a Metatype

The **_metatype** attribute is applied to a stereotype element. This is used where users want to hide the identity of an element as a stereotyped UML element. It is also a method of getting custom types to appear in contexts where only Enterprise Architect's inbuilt types would normally appear; for example in the lists of element types in the [Relationship Matrix](#).

In the following example from SysML, *block* is defined as a stereotype that extends a UML Class.



However, a SysML user isn't interested in UML Classes, only in SysML Blocks. An element created from a stereotype defined this way, while behaving like a stereotyped Class in most contexts:


- Shows *Block Properties* rather than *Class Properties* as the title of its [Properties](#) dialog
- Is auto-numbered as *Block1* not *Class1* on creation, and
- Appears as *Block* not *Class* in many other contexts throughout Enterprise Architect.

16.1.2.8.2 Restrict Application of Multiple Stereotypes

The `_strictness` attribute is applied to a stereotype element. It defines to what level multiple stereotypes can be applied to an element. The type of the attribute is `StereotypeStrictnessKind` and it can have one of four values:

- *profile*, which states that an element of this type cannot be given more than one different stereotype from the same profile,
- *technology*, which states that an element of this type cannot be given more than one different stereotype from the same technology,
- *all*, which states that an element of this type cannot have multiple stereotypes at all, or
- *none*, which is the default Enterprise Architect behaviour and states that there are no restrictions on the use of multiple stereotypes.

The following example is from SysML and shows that a `«flowPort»` cannot have any other stereotype applied to it.




16.1.2.8.3 Define Behavior on Creating an Instance

The `_instanceType` attribute is applied to a stereotype element and defines what kind of element is created as an instance of this element type. The value corresponds to the metatype given to a stereotype using the `_metatype` attribute. It is shown on the **Paste Element** dialog and is translated if it matches an Enterprise Architect element type.

The `_instanceMode` attribute is applied to a stereotype element and controls the text shown in the **Paste Element** dialog after being translated. Valid values are **instance** and **property**, with the default being **instance**.

The `_instanceOwner` attribute is applied to a stereotype element and controls the text shown in the **Paste Element** dialog. It is translated if it matches an Enterprise Architect element type. The default value is **Element**.


The following example from SysML shows that when an instance of a block is created, it is created as a **BlockProperty** element.



16.1.2.8.4 Define Child Diagram Types

The **_defaultDiagramType** attribute is applied to a metaclass element, not a stereotype element. It defines the type of diagram that is created when an element is made composite. This attribute can take as its name any of the inbuilt diagram types of Enterprise Architect (these are listed in the [Built-In Diagram Types](#) topic) ^[1332]. Alternatively, if a custom diagram type is required, it should be prefixed with the technology name and '::'.

The following examples show a *«BusinessProcess»Activity* that, when made a composite element, automatically creates a Class diagram (Class diagrams are defined by the keyword *Logical*) and a *«block»* stereotype that creates a SysML *InternalBlock* custom diagram.



You can also use the **_defaultDiagramType** attribute for packages, extending the Package metaclass.


16.1.2.8.5 Create Composite Elements

The `_makeComposite` attribute is applied to a metaclass element, not a stereotype element. It defines whether an element is always made composite when created.

Notes:

- A stereotyped package is not by default created with a child diagram, so you should use the `_makeComposite` attribute to ensure the child diagram is created.
- Unless you also use the `_defaultDiagramType` attribute to define the child diagram type, the child diagram created is a Package diagram.

The following example from BPMN shows that a *BusinessProcess* element is always created as a Composite element with a BPMN custom child diagram:



16.1.2.9 Stereotypes Profiles

In Enterprise Architect 6, an MDG Technology could consist of many UML Profiles, each representing an Enterprise Architect UML **Toolbox** page. Each profile could include stereotype definitions alongside redefinitions of standard UML elements. This meant that to define a stereotype in a technology, it had to appear in one of the **Toolbox** pages.

Enterprise Architect 7 takes a different approach, splitting the task of defining the stereotypes and the task of defining the **Toolbox** pages into separate profiles. The MDG Technology's stereotypes are contained in one or more profiles. The stereotypes within each profile use the profile name as the namespace.

Create one or more packages with the `«profile»` stereotype, each package name being the namespace. Within each package create profile diagrams defining all the stereotypes in the namespace. You can use multiple diagrams to do this, but do not use nested packages.

Give the `«profile»` package a description in the **Notes** field (eg *MDG Technology for BPMN*). When all of the stereotypes are defined (make sure that every stereotype extends at least one *Metaclass*) right-click the profile package in the **Project Browser** and select the **Save Package as UML Profile** context menu option, then proceed as usual.

16.1.3 Quick Linker

Introduction

The Quick Linker provides a simple and fast way to create new elements and connectors on a diagram. When an element is selected in a diagram, the Quick Linker icon is displayed in the upper right corner of a element. Simply clicking and dragging the icon enables you to create new connectors and elements. The philosophy behind the built-in Quick Linker definitions has always been to provide not a complete list of valid or legal connections, but a short and convenient list of the commonest connections for the given context. As part of a UML Profile, you can add to or replace the built-in Quick Linker definitions; the following sections of this document explain how:

- [Quick Linker Definition Format](#) ^[1321]
- [Quick Linker Example](#) ^[1323]
- [Hide Default Quick Linker Settings](#) ^[1325]
- [Quick Linker Object Names](#) ^[1325]

Customized Quick Linker Settings

A Quick Linker definition is a CSV format file. It is best manipulated in a spreadsheet which should be set up to save the CSV file as comma-separated text without quotation marks around text fields.

To add a Quick Linker definition file to a profile or technology, simply place a *DocumentArtifact* element onto the *Profile* diagram. Give it the name '*QuickLink*' then double-click on it. Open your CSV file in a text editor such as Notepad and copy and paste the contents into the *DocumentArtifact* element. The definitions are saved with the profile and are processed and applied when the profile is imported. The same applies if a profile is included within a technology, with the proviso that the *QuickLink* element must be in the same profile as the link stereotype definitions. This means that a technology could have a set of Quick Link definitions for each profile.

16.1.3.1 Quick Linker Definition Format

A Quick Linker definition is a text file consisting of records terminated by new-line characters. Each record must consist of 23 comma-separated fields, as defined by the table below. The values of each field must not be in quotes (" "). A Quick Linker definition can include comments: all lines that begin with // are ignored by Enterprise Architect.

Each record of the Quick Linker definition represents a single entry on the Quick Link menu. Some fields define the menu command; some fields can be thought of as filters, with the entry being ignored if the filter condition isn't met.

A Quick Linker definition has the following fields.


Column	Field	Description
A	Source Element Type	The row is ignored unless a link is being dragged away from this type of element.
B	Source Stereotype Filter	If set, the row is ignored unless a link is being dragged away from an element with this stereotype.
C	Target Element Type	If set, the row is ignored unless a link is being dragged onto this type of element. If blank, the row is ignored unless a link is being dragged onto an empty piece of diagram.
D	Target Stereotype Filter	If set and Target Element Type also set, the row is ignored unless a link is being dragged onto an element with this stereotype.
E	Diagram Filter	Contains either an inclusive or exclusive list of diagrams, which limits the

Column	Field	Description
		<p>diagrams the given kind of link can be included on.</p> <p>Each diagram name is terminated by a semi-colon. Excluded diagram names are preceded by an exclamation mark.</p> <p>Example of an inclusive list: <i>Collaboration;Object;Custom;</i></p> <p>Example of an Exclusive list: <i>!Sequence;</i></p>
F	New Element Type	If set and Create Element also set, results in the creation of an element of this type.
G	New Element Stereotype	If set and Create Element also set, results in the creation of an element with this stereotype.
H	New Link Type	If set and Create Link also set, results in the creation of a link of this type.
I	New Link Stereotype	If set and Create Link also set, results in the creation of a link with this stereotype.
J	New Link Direction	<p>Can be:</p> <ul style="list-style-type: none"> • directed (always creates an association from source to target) • from (always creates an association from target to source) • undirected (always creates an association with unspecified direction) • bidirectional (always creates a bi-directional association), or • to (creates either a directed or undirected association, depending on the value of the <i>Association Direction</i> option). <p>Note:</p> <p>Not all of the above work with all connector types; for example, you cannot create a bi-directional generalization.</p>
K	New Link Caption	If a new link is being created but not a new element, then this is the text that appears on the context menu.
L	New Link & Element Caption	If a new link AND a new element are being created, then this is the text that appears on the context menu.
M	Create Link	If set to TRUE , results in creation of a new link; otherwise should be left blank.
N	Create Element	<p>If set to TRUE the row is ignored unless a link is being dragged onto an empty piece of diagram and results in creation of a new element; otherwise should be left blank.</p> <p>This overrides the values of Target Element Type and Target Stereotype Filter.</p>
O	Disallow Self connector	Should be set to TRUE if self connectors are invalid for this kind of link; otherwise should be left blank.
P	Exclusive to ST Filter + No inherit from Metatype	If set to TRUE , indicates that elements of type <i>Source Element Type</i> with the stereotype <i>Source Stereotype Filter</i> do not display the QuickLink definitions of the equivalent unstereotyped element.
Q	Menu Group	If set, indicates the name of a sub-menu in which a menu item is created.
R	Complexity Level:	Not implemented, always set to 0.

Column	Field	Description
S	Target Must Be Parent	If set to TRUE this menu item only appears when dragging from a child element to its parent; for example from a port to its containing Class.
T	Embed element	If set to TRUE the element being created is embedded in the target element; otherwise should be left blank.
U	Precedes Separator LEAF	If set to TRUE results in a menu separator being added to the QuickLink menu; otherwise should be left blank.
V	Precedes Separator GROUP	If set to TRUE results in a menu separator being added to the QuickLink sub-menu; otherwise should be left blank.
W	Dummy Column	Depending on which spreadsheet application you use, this column might require a value in every cell to force CSV export to work correctly with trailing blank values.

16.1.3.2 Quick Linker Example

This example uses a Class element with the stereotype «*quick*». The example scenario is this: when you drag a quick link away from one of these elements, you want to create a dependency either to or from a component element. When you drag a quick link onto an existing *Port* or component element, you want a dependency either to or from the component **or**, in the case of a component, you want to be able to create an embedded Port element.

This results in 8 records in the [Quick Linker definition](#)  file.

1. Dependency to new Component
2. Dependency from new Component
3. Dependency to existing Component
4. Dependency from existing Component
5. Dependency to existing Port
6. Dependency from existing Port
7. Dependency to existing Component, create new Port
8. Dependency from existing Component, create new Port

In the spreadsheet, this is implemented by the following values:

	A	B	C	D	E	F	G	H	I	J	K
1	//Source Element Type	Source ST filter	Target Element Type	Target ST Filter	Diagram Filter	New Element Type	New Element ST	New Link Type	New Link ST	New Link Direction	New Link
2	Class	quick				Component		Dependency		to	
3	Class	quick				Component		Dependency		from	
4	Class	quick	Component					Dependency		to	Dependen
5	Class	quick	Component					Dependency		from	Dependen
6	Class	quick	Port					Dependency		to	Dependen
7	Class	quick	Port					Dependency		from	Dependen
8	Class	quick	Component			Port		Dependency		to	
9	Class	quick	Component			Port		Dependency		from	


	L	M	N	O	P	Q	R	S	T	U
1	New Link & Element Caption	Create Link	Create Element	Disallow Self connector	No inherit from metatype	Menu Group	Complexity Level	Target Must Be Parent	Embed element	Precee Separat LEAF
2	Dependency to	TRUE	TRUE	TRUE	TRUE	Component	0			
3	Dependency from	TRUE	TRUE	TRUE	TRUE	Component	0			TR
4		TRUE		TRUE	TRUE		0			
5		TRUE		TRUE	TRUE		0			TR
6		TRUE		TRUE	TRUE		0			
7		TRUE		TRUE	TRUE		0			TR
8	Dependency to	TRUE	TRUE	TRUE	TRUE	Port	0		TRUE	
9	Dependency from	TRUE	TRUE	TRUE	TRUE	Port	0		TRUE	TR

This saves to the following CSV:

```

Class,quick,,,,Component,,Dependency,,to,,Dependency to,TRUE,TRUE,TRUE,TRUE,Component,0,,,,
Class,quick,,,,Component,,Dependency,,from,,Dependency from,TRUE,TRUE,TRUE,TRUE,Component,0,,,TRUE,,
Class,quick,Component,,,,Dependency,,to,Dependency to,,TRUE,,TRUE,TRUE,,0,,,,
Class,quick,Component,,,,Dependency,,from,Dependency from,,TRUE,,TRUE,TRUE,,0,,,TRUE,,
Class,quick,Port,,,,Dependency,,to,Dependency to,,TRUE,,TRUE,TRUE,,0,,,,
Class,quick,Port,,,,Dependency,,from,Dependency from,,TRUE,,TRUE,TRUE,,0,,,TRUE,,
Class,quick,Component,,Port,,Dependency,,to,,Dependency to,TRUE,TRUE,TRUE,TRUE,Port,0,,TRUE,,,
Class,quick,Component,,Port,,Dependency,,from,,Dependency from,TRUE,TRUE,TRUE,TRUE,Port,0,,TRUE,TRUE,,
    
```

You can create the following profile and cut and paste the CSV data into the document artifact to test the effect:



16.1.3.3 Hide Default Quick Linker Settings

If you have a Quicklinker definition with the *Exclusive to stereotype* flag (column P) set to **TRUE**, then the default Quicklinker definitions between the given source and target are overridden. However, you might want to override the defaults without actually having a quicklink definition. For example, if you don't define any quicklinks for a «*quick*» Class to another «*quick*» Class, Enterprise Architect displays the default quicklinks for a Class to another Class. To override this behaviour, create a quicklinker definition that has the source element type, source stereotype filter, target element type and target stereotype filter fields (columns A, B, C and D) all set, with the **Exclusive to stereotype** flag (column P) set to **TRUE**, and with the new link type field (column H) set to **<none>**.

For example, add this line to the example in [Quick Linker Example](#)¹³²⁵⁷:

```
Class,quick,Interface,,,,,<none>,,,,,TRUE,,0,,,,
```

This overrides the default Class-to-Interface quicklinks when a quicklink is dragged from a «*quick*» Class to an Interface element.

Note:

This technique does not affect the automatic appearance of Dependency, Trace, Information Flow and Help items on the quicklink menu.

16.1.3.4 Quick Linker Object Names

List of Element Types

The following element names can be used in Quick Linker definitions:

Action	ExitPoint	Port
ActionPin	ExitState	ProvidedInterface
Activity	ExpansionNode	Receive
ActivityParameter	Feature	RequiredInterface
Actor	GUIElement	Requirement
Artifact	HistoryState	Screen

Boundary	InformationItem	Send
CentralBufferNode	InitialActivity	Sequence
Change	InitialState	Signal
ChoiceState	InteractionOccurrence	State
Class	Interface, Issue	StateLifeline
Collaboration	JunctionState	StateMachine
Component	MergeNode	Synchronization_H
Decision	MessageEndpoint	Synchronization_V
DeepHistoryState	n-ary Association	SynchState
Device	Node,	UMLDiagram
DiagramGate	Object	UseCase
EntryPoint	ObjectNode	ValueLifeline
EntryState	Package	
ExecutionEnvironment	Part	

List of Connector Types

The following connector names can be used in Quick Linker definitions:

Aggregation	Deployment	PackageMerge
Association	Extension	Realization
CommunicationPath	Generalization	Redefinition
Composition	InterfaceLink	Sequence
ConnectorLink	Manifest	StateFlow
ControlFlow	Nesting	UCExtends
DelegateLink	ObjectFlow	UCIncludes
Dependency	PackageImport	UseCase

16.1.4 Customize Toolbox Profiles

Here is a road map of how to create a set of custom toolboxes for Enterprise Architect.

1. Create a [Stereotypes Profile](#) ^[1320] containing all the stereotypes that you want to deliver with your MDG Technology.
2. Create a set of [Toolbox Profiles](#) ^[1327] that contain the definitions that Enterprise Architect requires to create the toolboxes.
3. [Create a .MTS file](#) ^[1553] containing instructions on how to build your MDG Technology. Use this .MTS file to build your MDG Technology.
4. [Deploy the MDG Technology](#) ^[1554] file.
5. Add some finishing touches:
 - Create [hidden sub-menus](#) ^[1327];
 - [Override Enterprise Architect's default toolboxes](#) ^[1328];
 - Change the default [icons for toolbox items](#) ^[1328].

16.1.4.1 Create Toolbox Profiles

You can create multiple toolbox profiles within an MDG Technology. Each toolbox profile contains definitions that determine what appears in the Enterprise Architect UML **Toolbox** when a specific toolbox page is open, either by selecting from the **More tools...** option in the Enterprise Architect UML **Toolbox** window, or by opening or creating a diagram of the type that is linked to the toolbox profile.

To create a toolbox profile, follow the steps below:

1. Create a diagram in a profile package. Give it a name by which you can refer to it later, such as *MyClassDiagram*. In the **Notes** field for the diagram give it an alias and a description in the following format:

Alias=MyClass;Notes=Structural elements for class diagrams;
2. On the diagram, create a Class, name it *ToolboxPage* and give it the «metaclass» stereotype.
3. Create a «stereotype» element for each of the toolbox pages to create within your toolbox, such as *MyClassElements* and *MyClassRelationships*. Set their Alias to the text to display in the title bar of each toolbox page, such as *My Class Elements* and *My Class Relationships* respectively. Use the **Notes** field to define the tool-tip for each toolbox page; that is, **Elements for Class Diagrams** and **Relationships for Class Diagrams**. Use the «extends» connector to set the stereotype elements to extend *ToolboxPage*. See also: [Toolbox Page Attributes](#) ^[1327].
4. In the «stereotype» elements, create an attribute for each toolbox item. The name of the attribute should be the name of the element to be dropped, including namespace, e.g. *UML::Package*, *UML::Class* and *UML::Interface*. The toolbox items display in the same order as the attributes in the Class, so make use of the attribute ordering buttons to define the order of your toolbox.

To name an attribute for an item from your own technology, precede it with your profile name as the namespace, and then follow it in brackets with the element type that you are extending (so that Enterprise Architect knows what element to create). For example, a SysML block element would appear as *SysML::Block(UML::Class)*. See also: [complete list of elements that can be extended](#) ^[1329].

You might prefer not to use names such as *UML::Package* or *UML::Class* in your toolbox, so give the attributes an **Initial Value** of, for example, *Package* and *Class*.

5. To save the toolbox profile, right-click the diagram and select the **Save as Profile** context menu option.

16.1.4.1.1 Toolbox Page Attributes


The following attributes can be added to a stereotype Class that extends the *ToolboxPage* metaclass:

- **imagesOnly**: If you give a toolbox page an attribute named *imagesOnly* with **Initial Value** set to **true**, the toolbox page displays without the text labels next to the icons
- **isCommon**: If you give a toolbox page an attribute named *isCommon* with **Initial Value** set to **true**, the toolbox page is common to all defined toolboxes while your technology is active
- **isCollapsed**: **Deprecated**
- **Icon**: see [Icons for Toolbox Items](#) ^[1328]
- **isHidden**: see [Hidden Sub-Menus](#) ^[1327].

16.1.4.2 Create Hidden Sub-Menus

To create a sub-menu, create an additional «stereotype» element in the same toolbox profile and give it an attribute named *isHidden* with **Initial Value** of **true**. Define the toolbox item attributes as before. In the parent «stereotype» element, create an attribute with the identical name to the sub-menu element. The sub-menu element can have an alias.

This technique is very useful for 'disambiguating' stereotypes that can be applied to multiple metaclasses. In the example below, the «*MyStereo*» stereotype can be applied to either a Class or an Interface. On dragging and dropping one from the toolbox, a hidden menu displays giving the choice of Class or Interface, then the appropriate element is dropped:



16.1.4.3 Override Default Toolboxes

Enterprise Architect has many default Toolbox Profiles, one for each of its inbuilt diagram types. These define the Toolbox pages that are displayed, by default, every time a diagram of a specific type is opened or brought into view.


To replace one of Enterprise Architect's default toolboxes with one of your own (for example, if you have your own version of the UML::Class toolbox that you want to be opened every time a Class diagram is opened - as long as your technology is active) then include a *RedefinedToolbox* clause in the **Notes** field for the diagram properties of your Toolbox Profile diagram. For example, the profile diagram's **Notes** field could resemble the following:

```
RedefinedToolbox=UML::Class;Alias=Class;Notes=Structural elements for Class diagrams;
```

This states that the profile is the new Enterprise Architect default for all UML Class diagrams. For a list of inbuilt diagram types, see [the names of the toolboxes](#) ^[1329].

16.1.4.4 Assign Icons To Toolbox Items

To assign an icon to a toolbox item, create a new «*stereotype*» element in the same toolbox profile as the toolbox item. Have the stereotype element extend a «*metaclass*» element named *ToolboxItemImage*. The «*stereotype*» element must have the same name as the attribute that it is assigning an image to (e.g. *MyTech::MyStereo(UML::Class)* in the diagram below) and must have an attribute named *Icon* with **Initial Value** set to the full path and file name of the image to be used. The image must be a 16x16 .BMP file.



16.1.4.5 List of Enterprise Architect Toolboxes

The following is a list of the Enterprise Architect UML Toolboxes that can be overridden:

UML::Activity	Extended::Analysis
UML::Class	Extended::Custom
UML::Communication	Extended::DataModeling
UML::Component	Extended::Maintenance
UML::Composite	Extended::Requirements
UML::Deployment	Extended::UserInterface
UML::Interaction	Extended::WSDL
UML::Metamodel	Extended::XMLSchema
UML::Object	
UML::Profile	
UML::State	
UML::Timing	
UML::UseCase	

16.1.4.6 Elements Used in Toolboxes

The following elements (all preceded with the namespace **UML::**) can be extended or redefined in Enterprise Architect **Toolbox** pages. The text in red indicates the label name displayed in the default Enterprise Architect **Toolbox** pages, where this differs in any way from the **UML::** statement text.

Action	Issue
Activity	Junction
ActivityFinal (Final)	Lifeline
ActivityInitial (Initial)	MergeNode (Merge)
ActivityPartition (Partition)	MessageEndPoint (Endpoint or Message Endpoint)
ActivityRegion (Region)	MessageLabel (Message Label)
Actor	Metaclass
Artifact	Node
AssociationElement (Association)	Object
Boundary (for Use Cases)	ObjectBoundary (Boundary)
CentralBufferNode (Central Buffer Node)	ObjectControl (Control)
Change	ObjectEntity (Entity)
Choice	Package
Class	Part
Collaboration	Port
Comment (Note)	Primitive
Component	Process

Constraint	Profile
Datastore	ProvidedInterface (Expose Interface)
Decision	ReceiveEvent (Receive)
DeploymentSpecification (Deployment Specification)	Requirement
Device	RobustBoundary (Boundary)
DocumentArtifact (Document Artifact or Document)	RobustControl (Control)
Entity (Information)	RobustEntity (Entity)
EntityObject (Entity)	Screen
EntryPoint (Entry)	SendEvent (Send)
Enumeration	SequenceBoundary (Boundary)
ExceptionHandler (Exception)	SequenceControl (Control)
ExecutionEnvironment (Execution Environment)	SequenceEntity (Entity)
ExitPoint (Exit)	Signal
Feature	State
FinalState (Final)	StateMachine (State Machine)
FlowFinalNode (Flow Final)	StateTimeLine (State Lifeline)
ForkJoinH (Fork/Join - Horizontal)	Stereotype
ForkJoinV (Fork/Join - Vertical)	StructuredActivity (Structured Activity)
Gate (Diagram Gate)	SynchState (Synch)
GUIElement (UI Control)	Table
HistoryState (History)	Terminate
InformationItem (Information Item)	TestCase (Test Case)
InitialState (Initial)	UseCase (Use Case)
InteractionFragment (Fragment)	UMLBoundary (Boundary)
InteractionState (State/Continuation)	ValueTimeLine (Value Lifeline)
Interface	

16.1.4.7 Connectors Used In Toolboxes

The following connectors (all preceded with the namespace **UML::**) can be extended or redefined in Enterprise Architect toolboxes. The text in red indicates the label name displayed in the default Enterprise Architect **Toolbox** pages, where this differs in any way from the **UML::** statement text.

Aggregation (Aggregate)	NoteLink (Note Link)
Assembly	ObjectFlow (Object Flow)
Association (Associate)	Occurrence
AssociationClass (Association Class)	PackageImport (Package Import)
CallFromRecursion (Call)	PackageMerge (Package Merge)
CommunicationPath (Communication Path)	Precedes
Composition (Compose)	ProfileApplication (Application)

Connector	Realization (Realize or Implements)
ControlFlow (Control Flow)	Recursion
Delegate	Redefinition
Dependency	Representation
Deployment	Represents
Extension	RoleBinding (Role Binding)
Generalization (Generalize or Inheritance)	SelfMessage (Self-Message)
InformationFlow (Information Flow)	TagValAssociation (Tagged Value)
InterruptFlow (Interrupt Flow)	TraceLink (Trace)
Invokes	Transition
Manifest	UCEExtend (Extend)
Message	UCInclude (Include)
Nesting	UseCaseLink (Use)


16.1.5 Diagram Profiles

Custom Diagram Types

You can create extended diagram types in Enterprise Architect and include them in MDG Technologies. To do this, perform the following steps.

1. Create a profile with the same name as the MDG Technology in which it is to be included; e.g. *SysML*.
2. Create a «*stereotype*» Class element which is named as the custom diagram, e.g. *BlockDefinition*.
3. Create a Class element and name it as one of the [Built-In Diagram Types](#)^[1332] prefixed with *Diagram_*, for example *Diagram_Logical* for Class diagrams or *Diagram_Use Case* for Use Case diagrams.
4. Give the *Diagram_x* class the «*metaclass*» stereotype and draw an «*extends*» connector from the stereotype to the metaclass.
5. In the **Notes** field, give the stereotype Class a brief description of what the diagram is used for. This description displays in the bottom right-hand corner of the **New Diagram** dialog.
6. Give the *Diagram_x* class the following attributes as required:
 - *diagramID*: *string = abc* (where *abc* is the diagram type that appears on the diagram frame label).
 - *toolbox*: *string = ToolboxName* (where *ToolboxName* is the name that appears in the toolbox heading for the toolbox to open automatically each time a diagram is opened).
 - *frameString*: *string = FrameFormatString* (where *FrameFormatString* is a string containing substitution macros for defining the frame title, with or without additional delimiters such as []). Macros that can be used are:
 - #DGMSTEREO#
 - #DGMID#
 - #DGMTYPE#
 - #DGMALIAS#
 - #DGMOWNERNAME#
 - #DGMOWNERNAMEFULL#
 - #DGMNAME#
 - #DGMNAMEFULL#
 - *styleex*: *string = TConnectorNotation=Option*; (where *Option* is one of **UML 2.1**, **IDEF1X**, or **Information Engineering**).
 - *styleex*: *string = ShowAsList=1*; (to make the diagram open directly into the [Element List](#)^[137]).

The following example shows the BPMN diagram profile which defines a BPMN diagram as an extension of the Enterprise Architect Analysis diagram.



7. Save the diagram as a profile in the usual manner.
8. If you are using the MDG Technology Wizard with an MTS file to generate your technology, edit the MTS file to get the DiagramProfile generated into your technology file. Inside the root <MDG.Selections> node insert the following.

```
<DiagramProfile directory="MyPath" files="MyFile1.xml,MyFile2.xml"/>
```

Where *MyPath* is the directory your *DiagramProfile* is saved in, and *MyFile1.xml* and *MyFile2.xml* are the diagram profiles to include in this technology.

9. Save the MTS file.

16.1.5.1 Built-In Diagram Types

The following is a full list of built-in diagram types provided by Enterprise Architect.

- Activity
- Analysis
- Collaboration
- Component
- CompositeStructure
- Custom
- Deployment
- InteractionOverview
- Logical
- Object
- Package
- Sequence
- Statechart
- Timing
- Use Case

Note the use of *Logical* for Class diagrams and also notice the space in the middle of *Use Case*. These names are used in [Defining Child Diagram Types](#)^[1335], or prefixed by *Diagram_* in creating [Diagram Profiles](#)^[1337].

16.1.6 Create Tasks Pane Profiles


Defining **Tasks Pane** profiles is a four-part process:

1. [Define Toolboxes](#)^[1335]. Create any number of stereotype elements that each define a **Tasks Pane** toolbox page
2. [Define Contexts](#)^[1335]. Create any number of stereotype elements that each define a named Context. A context might be when a specific diagram type is open, or when a specific element type is selected.

3. [Allocate Contexts](#) ^[1336] to Toolboxes. Define the many-to-many relationships between the **Tasks Pane** toolboxes and the available contexts.
4. [Create the Profile](#) ^[1337] and incorporate it into your Technology.

16.1.6.1 Define Tasks Pane Toolboxes

A **Tasks Pane** toolbox is defined by a «*stereotype*» Class that extends a «*metaclass*» ToolboxPage element. These elements must be owned by a «*profile*» package. Each «*stereotype*» Class represents the contents of the **Tasks Pane** for a given context, and each attribute of the «*stereotype*» Class defines a command button in the **Tasks Pane**. The following diagram shows an example of a **Tasks Pane** toolbox.



The title bar of the **Tasks Pane** toolbox is defined by the Alias of the «*stereotype*» Class, in this case *Debugging Profile*. This example uses the following standard attribute types:

- **EASystem::MenuCmd**. These entries name an Enterprise Architect main menu command inside round brackets. See a complete [list of inbuilt commands](#) ^[1334]. Type the text to appear in the **Tasks Pane** into the **Initial Value** field.
- **EASystem::ShowHelp**. These entries name a page from the *Enterprise Architect User Guide* inside round brackets. To find out the names of pages in the *Enterprise Architect User Guide*, right-click the page and select the **Properties** menu option. Type the text to appear in the **Tasks Pane** into the **Initial Value** field.
- **EASystem::ShowMovie**. These entries give the URL of a movie inside round brackets. Type the text to appear in the **Tasks Pane** into the **Initial Value** field.
- **SEPARATOR**. This entry indicates that a separator should be placed in the **Tasks Pane** toolbox. If it is necessary to place multiple separators in a single toolbox, note that Enterprise Architect does not allow identically named attributes for a Class: simply change the case of one or more letters to get around the problem.

Other useful attributes include:

- **isCommon**: A boolean attribute with **Initial Value** set to **True** defines a **Tasks Pane** toolbox as context-free and common, appearing for all contexts
- You can also [run Add-In functions](#) ^[1334] from the **Tasks Pane**.

Next Step

The next step is to create a set of [Tasks Pane Contexts](#) ^[1335].

16.1.6.1.1 Built-In Tasks Pane Commands

The following Enterprise Architect commands can all be used in user-defined **Tasks Pane** profiles. **Tasks Pane** pages have attributes named in the form *EASystem::MenuCmd(<CommandName>)* where *<CommandName>* is the name chosen from the following list:

- AddDiagram
- AddElement
- AddPackage
- AutoRecordThread
- AddModelFromPattern
- Build
- BuildScripts
- ConfigureCSV
- ConfigureValidation
- CreateBaseLine
- CreateSequenceDiagram
- DebugPause
- DebugRun
- DebugStop
- Deploy
- DiagramsOnlyReport
- ElementUsage
- ExportXML
- FileNew
- FileOpen
- GenerateDDL
- GenerateWSDL
- GenerateXMLSchema
- ImplementationDetails
- ImportBinary
- ImportExportCSV
- ImportSchema
- ImportSourceDirectory
- ImportWSDL
- ImportXML
- ImportXMLSchema
- Run
- RunHTMLReport
- RunRTFReport
- SetClassifier
- ShowHideExecution
- StartDebugRecording
- StepInto
- StepOut
- StepOver
- StopDebugRecording
- Test
- TestingReport
- ToggleLevelNumbering
- TransformPackage
- TransformSelectedElements
- ValidateModel
- ViewAuditing
- ViewDebug
- ViewElementList
- ViewForum
- ViewHierarchy
- ViewMaintenance
- ViewOutput
- ViewProjectManagement
- ViewRelationships
- ViewRelMatrix
- ViewRequirementTypes
- ViewRules
- ViewSearch
- ViewSourceCode
- ViewTaggedValues
- ViewTesting
- ViewTestingDetails
- ViewWebBrowser

16.1.6.1.2 Run Add-In Functions From Tasks Pane

To run Add-In functions from the **Tasks Pane**, you create an attribute in the **Tasks Pane** «stereotype» Class with the following format:

```
"Assembly::FunctionName()"
```

where *Assembly* is the name of the Add-In and *FunctionName* is the name of a public function in the Add-In. Give the attribute an initial value of the text that is to appear in the **Tasks Pane**. The function receives two parameters and returns a success status, as in the following VB.Net example:

```
Public Function ShowMyDiagram(ByRef Repository As EA.Repository, ByVal args As Object) As String
    Dim ret As String
    ret = Repository.SQLQuery("select ea_guid from t_diagram where diagram_type='Custom' and StyleEx like
    *;MDGDgm=MyDiagrams::MyCustomDiagram;*"")
    If ret Is Nothing Then
        ShowMyDiagram = False
    End If
End Function
```

```
        Exit Function
    End If

    Dim oXML As MSXML2.DOMDocument = New MSXML2.DOMDocument
    oXML.loadXML(ret)

    Dim NodeList As MSXML2.IXMLDOMNodeList = oXML.selectNodes("//ea_guid")
    If NodeList.length = 0 Then
        ShowMyDiagram = False
        Exit Function
    End If

    Dim Node As MSXML2.IXMLDOMNode
    Dim diag As EA.Diagram
    If NodeList.length >= 1 Then
        Node = NodeList.item(0)
        diag = Repository.GetDiagramByGuid(Node.text)
        Repository.OpenDiagram(diag.DiagramID)
        Repository.ShowInProjectView(diag)
    End If

    ShowMyDiagram = True
End Function
```


16.1.6.2 Define Tasks Pane Contexts

Named Contexts

In order to create a context-sensitive set of **Tasks Panes**, you must define a set of named contexts that can be used in the definition. A named context is a «*stereotype*» Class which extends a «*metaclass*» named *ToolboxContext*. These elements must be owned by a «*profile*» package, specifically the same «*profile*» package that owns the [Task Pane toolbox definitions](#)¹³³⁵. The context Class has one of the following attributes:

- contextDiagramType; this should have an **Initial Value** set to a valid diagram type
- contextItemType; this should have an **Initial Value** set to a valid element type
- contextKey.

Example Context Profile




Next Step

The next step is to [allocate](#) [Tasks Pane](#) [contexts to](#) [Tasks Pane](#) [toolboxes](#).

16.1.6.3 Allocate Tasks Pane Contexts

Once you have defined your [Tasks Pane](#) [toolboxes](#) and [Tasks Pane](#) [contexts](#), you can allocate your toolboxes to as many contexts as apply, and any number of toolboxes can be allocated to a single context. This is done by creating a *«taggedValue»* connector from the toolbox element to the context element. The association end at the context end must be named. The following diagram shows how this might appear.



Next Step

The next step is to [Save your Tasks Pane Profile](#).

16.1.6.4 Save a Tasks Pane Profile

The best organization structure for the model in which you are creating your **Tasks Pane** Profile is:

- A single «profile» package
- Three diagrams within the «profile» package named *Toolboxes*, *Contexts* and *Context Allocations*
- Each toolbox page «stereotype» element is owned by the «profile» package and appears on the *Toolboxes* and *Context Allocations* diagrams
- Each context «stereotype» element is owned by the «profile» package and appears on the *Contexts* and *Context Allocations* diagrams
- Each «metaclass» element is owned by the «profile» package and appears on the *Toolboxes* or *Contexts* diagram.

From this structure, creating a **Tasks Pane** Profile is as simple as right-clicking the «profile» package in the **Project Browser** and selecting the **Save Package as UML Profile** context menu option.

Incorporate Tasks Pane in Technology

To incorporate your **Tasks Pane** profile in an MDG Technology, modify the MTS file that you use to create your MDG Technology and then rebuild your MDG Technology. For further information, see [Working With MTS Files](#).

16.2 Shape Scripts




Introduction

Enterprise Architect *Shape Scripts* enable you to specify custom shapes via a scripting language. These custom shapes are drawn instead of the standard UML notation. Each script is associated with a particular stereotype, and is drawn for every element of that stereotype. The following topics describe how to create and apply Shape Scripts:

- [Getting Started](#) ^[1338]
- [Write Scripts](#) ^[1341]
- [Example Scripts](#) ^[1351]
- [Shape Editor](#) ^[1354]
- [Add Shape Scripts to UML Profiles](#) ^[1311]

16.2.1 Getting Started

[Shape Scripts](#) ^[1338] are associated with stereotypes and are defined via the **Stereotypes** tab of the **UML Types** dialog. To access this dialog, select the **Settings | UML** menu option. Each stereotype defined can have a Shape Script.



You can create a Shape Script for an existing stereotype by selecting the stereotype from the list. Alternatively, you can create new stereotypes by clicking on the **New** button and giving the stereotype a name. Select a base class and click on the **Save** button. Once the stereotype is saved, it displays in the list.

To override the appearance, select the **Shape Script** radio button and then click on the **Assign** button. The [Shape Script Editor](#) ¹³⁵⁴ displays.



Type the example shape scripts in the **Edit** window. You can click on the **Refresh** button in order to view the shape in the preview window.

Note:

If you define a composite Shape Script (such as the connector at the end of the [Example Scripts](#) ¹³⁵¹ topic), click on the Next Shape button to page through the components of the shape.

Once you have finished [writing your Shape Script](#) ¹³⁴¹, click on the **OK** button. To save the Shape Script you must click on the **Save** button on the **Stereotypes** tab.

Once you have created your Shape Script for a particular stereotype, you can assign that stereotype to an element or connector. The appearance reflects the Shape Script you created. To do this, drag and drop the appropriate element or connector to your diagram.

Note:

Shape Scripts do not function in Sequence diagrams.

Right-click on the element or connector and click on the **Properties** button. Click on the **Stereotype** drop-down arrow, select the stereotype you created and click on the **OK** button. The object's shape now reflects the shape script you created.

The screenshot shows a 'Properties' dialog box with the following fields and options:

- General** (selected tab), Detail, Require, Constraints, Link, Scenario, Files
- Name: Class1
- Stereotype: New Stereotype (dropdown menu)
- Author: (empty dropdown)
- Scope: Public (dropdown menu)
- Alias: (empty text field)
- Persistence: (empty dropdown)
- Phase: 1.0, Version: 1.0
- Abstract:
- Status: Proposed (dropdown menu)
- Complexity: *Easy (dropdown menu)
- Language: Java (dropdown menu)
- Keywords: (empty text field)
- Advanced (button)
- Notes: (empty text area)
- Apply, OK, Cancel, Help (bottom buttons)

16.2.2 Write Scripts

This topic is a detailed reference for writing [shape scripts](#)^[1338]. For an introduction to writing shape scripts, see the [Getting Started](#)^[1338] and [Example Scripts](#)^[1351] topics.

See the following reference topics for more detailed information on shape scripting:

- [Syntax Grammar](#)^[1341]
- [Shape attributes](#)^[1342]
- [Drawing methods](#)^[1343]
- [Color queries](#)^[1346]
- [Conditional branching](#)^[1346]
- [Query methods](#)^[1347]
- [Display Element properties](#)^[1347]
- [Sub-shapes](#)^[1349]
- [Reserved Names](#)^[1349]
- [Miscellaneous](#)^[1350]

16.2.2.1 Syntax Grammar

Grammar symbols:

- * = zero or more
- + = one or more
- | = or
- ; = terminator

ShapeScript	::=	<Shape>*;
Shape	::=	<ShapeDeclaration> <ShapeBody>;
ShapeDeclaration	::=	<ShapeType> <ShapeName>;
ShapeType	::=	"shape" "decoration";
ShapeName	::=	<ReservedShapeName> <stringliteral>;
ReservedShapeName	::=	See Reserved Names ^[1349] for full reserved shape listing
ShapeBody	::=	"{" <InitialisationAttributeAssignment>* <DrawingStatement>* <SubShape>* "}";
InitialisationAttributeAssignment	::=	<Attribute> "=" <Value> ",";
Attribute	::=	See Shape Attributes ^[1342] for full listing of attribute names
DrawingStatement	::=	<IfElseSection> <Method>;
IfElseSection	::=	"if" "(" <QueryExpression> ")" <TrueSection> [<ElseSection>];
QueryExpression	::=	<QueryName> "(" <ParameterList> ")";
QueryName	::=	See Query Methods ^[1347] for a full listing of Query names
TrueSection	::=	"{" <DrawingStatement>* "}"
ElseSection	::=	"else" "{" <DrawingStatement>* "}"
Method	::=	<MethodName> "(" <ParameterList> ")" ";"

MethodName	::=	See Drawing Methods ^[1343] for a full listing of method names
------------	-----	--

16.2.2.2 Shape Attributes

syntax: attribute "=" value ";"

example:

```
shape main
{
    //Initialisation attributes - must be before drawing commands
    noshadow = "true";
    h_align = "center";

    //drawing commands
    rectangle(0,0,100,100);
    println("foo bar");
}
```

Attribute Name	Type	Description
bottomAnchorOffset	<i>(int,int)</i>	When creating a shape script for an embedded element (e.g. Port), use this attribute to offset the shape from the bottom edge of its parent. For example: <i>bottomAnchorOffset=(0,-10)</i> : move embedded element up 10 pixels from the bottom edge
editableField	<i>string</i>	Defines a shape as an editable region of the element. This field impacts element shapes only, line glyphs are not supported. Valid Values: alias, name, note, stereotype
endpointy, endpointx	<i>integer</i>	Only used for the reserved target and source shapes for connectors; this point determines where the main connector line connects to the end shapes. Default: 0 and 0
h_align	<i>string</i>	Affects horizontal placement of printed text and subshapes depending on the layoutType attribute. Valid values: left, center, or right
layoutType	<i>string</i>	Determines how subshapes are sized and positioned. See Subshape Layout ^[1349] for further details. Valid values: leftright, topdown, border
leftAnchorOffset	<i>(int,int)</i>	When creating a shape script for an embedded element (e.g. Port), use this attribute to offset the shape from the left edge of its parent. For example: <i>leftAnchorOffset=(10,0)</i> : move embedded element right 10 pixels from the left edge
noshadow	<i>string</i>	Assign to true to suppress the shapes shadow from being rendered. Valid values: true or false (default= false)
orientation	<i>string</i>	Applies to decoration shapes only. Determines where the decoration is positioned within the containing element glyph. Valid values: NW, N, NE, E, SE, S, SW, W
preferredHeight		Used by border layoutType - north and south

Attribute Name	Type	Description
		Used in drawing the source and target shapes for connectors to determine how wide the line is.
preferredWidth		Used by border layoutType - east and west. Used by leftright layoutType, shapes where <i>scalable</i> is false to determine how much space they occupy for layout purposes.
rightAnchorOffset	<i>(int,int)</i>	When creating a shape script for an embedded element (e.g. Port), use this attribute to offset the shape from the right edge of its parent. For example: <i>rightAnchorOffset=(-10,0)</i> : move embedded element left 10 pixels from the right edge
rotatable	<i>string</i>	Set to false to prevent rotation of the shape. This attribute is only applicable to the source and target shapes for lines glyphs. Valid values: true or false (default = true)
scalable	<i>string</i>	Set to false to stop the shape from being relatively sized to the associated diagram glyph. Valid values: true or false (default= true)
topAnchorOffset	<i>(int,int)</i>	When creating a shape script for an embedded element (e.g. Port), use this attribute to offset the shape from the top edge of its parent. For example: <i>topAnchorOffset=(0,10)</i> : move embedded element down 10 pixels from the top edge
v_align	<i>string</i>	Affects vertical placement of printed text and subshapes depending on the layoutType attribute. Valid values: top , center , or bottom

16.2.2.3 Drawing Methods

Method Name	Description
addsubshape (string shapename[, int width, int height])	Adds a sub-shape with the name shapename that must be defined within the current shape definition.
arc (int left, int top, int right, int bottom, int startingpointx, int startingpointy, int endingpointx, int endingpointy)	Draws an elliptical arc with the ellipse having extents at left , top , right and bottom . The start point of the arc is defined by the intersection of the ellipse and the line from the center of the ellipse and the point (startingpointx , startingpointy). The end of the arc is similarly defined by (endingpointx , endingpointy).
bezierto (int controlpoint1x, int controlpoint1y, int controlpoint2x,	Draws a bezier curve and updates the pen position.

Method Name	Description
int controlpoint2y, int endpointx, int endpointy)	
drawnativeshape()	Causes Enterprise Architect to render the shape using its usual, non-Shapescript notation. Subsequent drawing commands are super-imposed over the native notation. This method is only enabled for element shape scripts; line shape scripts are not supported.
ellipse(int left, int top, int right, int bottom)	Draws an ellipse with extents defined by left , top , right and bottom .
endpath()	Ends the sequence of drawing commands that define a path.
fillandstrokepath()	Fills the previously defined path with the current fill color, then draws its outline with the current pen.
fillpath()	Fills the previously defined path with the current fill color.
hidelabel(string labelname)	Hides the label specified by labelname .
image(string imageld, int left, int top, int right, int bottom)	Draws the image that has the name imageld in the Image Manager.
lineto(int x, int y)	Moves the pen cursor to the point specified by x and y .
moveto(int x, int y)	Moves the pen cursor to the point specified by x and y .
polygon(int centerx, int centery, int numberofsides, int radius, float rotation)	Draws a regular polygon with center at the point (centerx , centery), and numberofsides number of sides.
print(string text)	Prints the specified text string. Note: You cannot change the font size, type or color of this text.
printifdefined(string propertyname, string truepart[, string falsepart])	Prints the <i>truepart</i> if the given property exists and has a non-empty value, otherwise prints the optional <i>falsepart</i> . Note: You cannot change the font size, type or color of this text.

Method Name	Description
println (string text)	Appends a line of text to the shape and a line break. Note: You cannot change the font size, type or color of this text.
printwrapped (string text)	Prints the specified text string, wrapped over multiple lines if the text is wider than its containing shape. Note: You cannot change the font size, type or color of this text.
rectangle (int left, int top, int right, int bottom)	Draws a rectangle with extents at left , top , right , bottom .
roundrect (int left, int top, int right, int bottom, int abs_cornerwidth, int abs_cornerheight)	Draws a rectangle with rounded corners, with extents defined by left , top , right and bottom . The size for the corners is defined by abs_cornerwidth and abs_cornerheight ; these values do not scale with the shape.
setdefaultcolors ()	Returns the brush and pen color to the default settings, or to the user-defined colors if available. See Color Queries ^[1346] .
setfillcolor (int red, int green, int blue)	Sets the fill color.
setlinestyle (string linestyle)	Changes the stroke pattern for commands that use the pen. Parameters: string linestyle : the following styles are valid: <ul style="list-style-type: none"> • solid • dash • dot • dashdot • dashdotdot
setorigin (string relativeTo, int xOffset, int yOffset)	Positions floating text labels relative to the main shape. relativeTo is one of N , NE , E , SE , S , SW , W , NW , CENTER xOffset and yOffset are in pixels, not percentage values, and can be negative.
setpen (int red, int green, int blue[,	Sets the pen to the defined color and optionally sets the pen width.

Method Name	Description
<code>int penwidth])</code>	<p>Note:</p> <p>This method is only for line-drawing commands. It does not affect any text commands.</p>
<code>setpencolor(int red, int green, int blue)</code>	<p>Sets the pen color.</p> <p>Note:</p> <p>This method is only for line-drawing commands. It does not affect any text commands.</p>
<code>setpenwidth(int penwidth)</code>	<p>Sets the width of the pen. Pen width should be between 1 and 5.</p> <p>Note:</p> <p>This method is only for line-drawing commands. It does not affect any text commands.</p>
<code>showlabel(string labelname)</code>	<p>Reveals the hidden label specified by labelname.</p>
<code>startcloudpath(puffWidth, puffHeight, noise)</code>	<p>Similar to StartPath, except that it draws the path with cloud-like curved segments (<i>puffs</i>).</p> <p>Parameters:</p> <ul style="list-style-type: none"> • <i>float</i> puffWidth (default = 30), the horizontal distance between puffs • <i>float</i> puffHeight (default = 15), the vertical distance between puffs • <i>float</i> noise (default = 1.0), the randomization of the puffs' positions.
<code>startpath()</code>	<p>Starts the sequence of drawing commands that define a path.</p>
<code>strokepath()</code>	<p>Draws the outline of the previously defined path with the current pen.</p>

16.2.2.4 Color Queries

Color queries can only be used to retrieve arguments for the *SetPenColor* and *SetFillColor* commands. These queries can be used in place of the arguments.

```
getUserFillColor()
getUserBorderColor()
getUserFontColor()
getUserPenSize()
```

```
shape main
{
    setfillcolor(getuserbordercolor());
    setpencolor(getuserfillcolor());

    rectangle(0,0,100,100);
}
```

16.2.2.5 Conditional Branching

Shape Scripts provide condition branching with the *if else* statement, and query methods that evaluate to either *True* or *False*. See:

- [Syntax Grammar](#) ^[134] for IF statement syntax.

- [Query Methods](#)^[1347] for methods that can be used as the conditional expression for IF statements.
- [Example Scripts](#)^[1351] for an example.

16.2.2.6 Query Methods

Two query methods are available for seeing if the associated element has certain tags or properties; these methods can be used as the conditional expression for an *if else* statement.

Method	Description
boolean HasTag(string tagname, [string tagvalue])	Returns true if the associated element has a tag value with the name <i>tagname</i> . If the second parameter <i>tagvalue</i> is provided, the tag <i>tagname</i> must be present, and the value of the tag has to be equal to <i>tagvalue</i> for the method to return true .
boolean HasProperty(string propertyname, [string propertyvalue])	Returns true if the associated element has a property with the name <i>propertyname</i> . If the second parameter <i>propertyvalue</i> is provided, the property must be present, and the value of the property has to be equal to <i>propertyvalue</i> for the method to return true . See Display Element Properties ^[1347] for a list of valid values for <i>propertyname</i> .

16.2.2.7 Display Element and Connector Properties

The commands **print**, **println**, and **printwrapped** all take a string parameter representing the text to be printed. Element and connector properties can be added to the text using the substitution macro *#propertyname#*.

For example: `println("name: #NAME#");`

In addition to the properties listed below, Tagged Values can also be displayed by prefixing the Tagged Value name with **TAG:**.

For example: `print("#TAG:condition#");`

Properties Visible to Shape Scripts

Properties for Element Shape Scripts

- alias
- author
- cardinality
- classifier
- classifier.alias
- classifier.metatype
- classifier.name
- classifier.stereotype
- complexity
- concurrency
- datecreated
- datemodified
- diagram.name
- diagram.stereotype
- diagram.type
- haslinkeddokument

- isabstract
- isactive
- iscomposite
- isembedded
- isleaf
- islocked
- isroot
- isspec
- istagged
- keywords
- language
- multiplicity
- name
- notes
- packagename
- parentedge
- persistence
- phase
- propertytype
- propertytype.alias
- propertytype.metatype
- propertytype.name
- propertytype.stereotype
- scope
- status
- stereotype
- type
- version
- visibility.

Properties for Connector Shape Scripts

- alias
- diagram.name
- diagram.stereotype
- diagram.type
- direction
- isroot
- isleaf
- name
- notes
- source.aggregation
- source.alias
- source.changeable
- source.constraints
- source.element.name
- source.element.stereotype
- source.metatype
- source.multiplicity

- source.multiplicityisordered
- source.qualifiers
- source.stereotype
- source.targetscope
- stereotype
- subtype
- target.aggregation
- target.alias
- target.changable
- target.constraints
- target.element.name
- target.element.stereotype
- target.metatype
- target.multiplicity
- target.multiplicityisordered
- target.qualifiers
- target.stereotype
- target.targetscope
- type.

16.2.2.8 Sub-Shapes

Shapes can contain - and be composed of - other shapes.

Subshape Layout

To set the layout type, the *layoutType* attribute must be set in the **initialization attributes** section of the script; in other words, before any of the methods are called. Valid values for this attribute are:

LeftRight

Shapes with *leftright* layout position subshapes side by side, with the first added on the left, and subsequent subshapes to the right.

TopDown

TopDown places subshapes in a vertical arrangement, with the first shape added to the top and subsequent shape added below.

Border

Border layout requires an additional argument to the *addsubshape* method to specify which region of the containing shape the subshape is to occupy: *N*, *E*, *S*, *W* or *CENTER*. Each region can only be occupied by one subshape.

A subshape that is assigned to the *E* or *W* region must have its *preferredwidth* attribute specified in its declaration. Similarly, subshapes added to *N* or *S* must have their *preferredheight* attribute set. In this case, the values for these attributes are treated as static lengths and do not scale glyph.

16.2.2.9 Reserved Names

Elements

Elements (such as Class, State or Event) have two reserved names for parts of the shape.

Name	Description
main	The main shape is the whole shape.
label	Define a shape for label to give that shape a detached label.

Connectors

Connectors (such as Association, Dependency or Generalization) have three reserved names for parts of the shape.

Name	Description
main	The main shape is the whole shape.
source	The source shape is an extra shape at the source end of the connector.
target	The target shape is an extra shape at the target end of the connector.

16.2.2.10 Miscellaneous

Return Command

Execution of the script can be terminated by using the return command. Please see [Example Scripts](#) ^[1351] for an example.

Looping

The Shape Script feature does not support looping constructs.

Comments

C-style comments are supported. For example:

```
// C Style Single Line comment  
/* Multi Line  
comment supported */
```

String Manipulation

Not Supported.

Arithmetical Operations

Not Supported.

Variables Declaration

Not Supported.

Change ShapeScript Fonts




Not possible.




Can I apply a Shapescrpt without using Stereotypes?





No.

16.2.3 Example Scripts

Below is a selection of example scripts.

Code	Result
<pre> //BASIC SHAPES shape main { setfillcolor(255,0,0); // (R,G,B) rectangle(0,0,90,30); // (x1,y1,x2,y2) setfillcolor(0,255,0); // (R,G,B) ellipse(0,30,90,60); // (x1,y1,x2,y2) setfillcolor(0,0,255); // (R,G,B) rectangle(0,60,90,90); // (x1,y1,x2,y2) } </pre>	
<pre> //SINGLE CONDITIONAL SHAPE shape main { if (HasTag("Trigger","Link")) { // Only draw if the object has a Tagged Value Trigger // Set the fill color for the path setfillcolor(0,0,0); startpath(); // Start to trace out a path moveto(23,40); lineto(23,60); lineto(50,60); lineto(50,76); lineto(76,50); lineto(50,23); lineto(50,40); endpath(); // End tracing out a path // Fill the traced path with the fill color fillandstrokepath(); return; } } </pre>	
<pre> //MULTI CONDITIONAL SHAPE shape main { startpath(); ellipse(0,0,100,100); endpath(); fillandstrokepath(); ellipse(3,3,27,27); if (HasTag("Trigger","None")) { return; } if (HasTag("Trigger","Error")) { setfillcolor(0,0,0); startpath(); moveto(23,77); lineto(37,40); lineto(60,47); lineto(77,23); lineto(63,60); lineto(40,53); } } </pre>	


Code	Result
<pre> lineto(23,77); endpath(); fillandstrokepath(); return; } if (HasTag("Trigger","Message")) { rectangle(22,22,78,78); moveto(22,22); lineto(50,50); lineto(78,22); return; } } </pre>	
<pre> //SUB SHAPES shape main { rectangle(0,0,100,100); addsubshape("red", 10, 20); addsubshape("blue", 30, 40); addsubshape("green", 50, 20); addsubshape("red", 100, 20); shape red { setfillcolor(200, 50, 100); rectangle(0,0,100,100); } shape blue { setfillcolor(100, 50, 200); rectangle(0,0,100,100); } shape green { setfillcolor(50, 200, 100); rectangle(0,0,100,100); } } </pre>	
<pre> //Editable Field Shape shape main { rectangle(0,0,100,100); addsubshape("namecompartment", 100, 20); addsubshape("stereotypecompartment", 100, 40); shape namecompartment { h_align = "center"; editablefield = "name"; rectangle(0,0,100,100); println("name: #name#"); } shape stereotypecompartment { h_align = "center"; editablefield = "stereotype"; rectangle(0,0,100,100); println("stereotype: #stereotype#"); } } </pre>	

Code	Result
<pre> //Return Statement Shape shape main { if(hasTag("alternatenotation", "false")) { //draw ea's inbuild glyph drawnativeshape(); //exit script with the return statement. return; } //alternate notation commands //... rectangle(0,0,100,100); } </pre>	 
<pre> //Cloud Path Example Shape shape main { StartCloudPath(); Rectangle(0,0,100,100); EndPath(); FillAndStrokePath(); } </pre>	
<pre> // Connector Example shape main { // draw a dashed line noshadow=true; setlinestyle("DASH"); moveto(0,0); lineto(100,0); } shape source { // draw a circle at the source end rotatable = true; startpath(); ellipse(0,6,12,-6); endpath(); fillandstrokepath(); } shape target { // draw an arrowhead at the target end rotatable = true; startpath(); moveto(0,0); lineto(16,6); lineto(16,-6); endpath(); fillandstrokepath(); } </pre>	

16.2.4 Shape Editor

The **Shape Editor** enables you to create [Shape Scripts](#) ^[1338]. To access the **Shape Editor**, follow the steps below:

1. Select the **Settings | UML** menu option; the **UML Types** dialog displays, defaulted to the **Stereotypes** tab.
2. Type a name in the **Stereotype** field, or click on an the required stereotype in the list.
3. From the **Override Appearance** panel, select the **Shape Script** radio button.
4. Click on the **Assign** button. The **Shape Editor** dialog displays.



Option	Use to
Format	Select the ShapeScript version.
Import	Import a shape script from a text file.
Export	Export a shape script to a text file.
OK	Exit from the Shape Editor , don't forget to save your script from the Stereotypes tab. See Getting Started ^[1338]
Next Shape	Rotate though the multiple shape definitions.
Refresh	Parse your script and display the result in the Preview window.

16.3 Tagged Value Types

A range of [predefined Tagged Values](#) ^[1356] have been created in Enterprise Architect to enable you to rapidly create masked Tagged Values. This enables you to [create structured tags](#) ^[1355] that adhere to a specific format. For example, for model features that use the *predefined* tag *Boolean* you can use the **Tagged Values** window to assign a value of *True* or *False* and no other value, as described in the [Enterprise Architect User Guide](#) ^[174].

In addition, you can define a [custom masked tag type](#) ^[1360], enabling you to define an almost unlimited number of structured tag types.

Note:

You can transport these Tagged Value Type definitions between models, using the [Export Reference Data](#) ^[697] and [Import Reference Data](#) ^[698] options on the **Tools** menu. Tagged Value Types are exported as *Property Types*.

16.3.1 Create Structured Tags

To create a structured tag, follow the steps below:

1. Select the **Settings | UML** menu option. The **UML Types** dialog displays. Select the **Tagged Value Types** tab.

The screenshot shows the 'UML Types' dialog box with the 'Tagged Value Types' tab selected. The 'Tag Name' field contains 'Handicap' and the 'Description' field contains 'Spin Control'. The 'Detail' field contains the text: 'Type=Spin; LowerBound=0; UpperBound=250;'. Below the detail field is a table of 'Defined Tag Types'.

Type	Description
Datafield	Database field
Handicap	Spin Control
Role	Person role
Software	Software component

2. Click on the **New** button.
3. In the **Tag Name** field type an appropriate tag name.
4. In the **Description** field type the purpose of the tag, if required.
5. In the **Detail** field type a value for the type of Tagged Value, and any extra information as required. In the example above the predefined values have been set for a **Spin** type, with the Upper and Lower Bound for the field.
6. Click on the **Save** button.

The tag type displays in the [Defined Tag Types](#) list.

16.3.2 Predefined Tagged Value Types

This table details the predefined Tagged Value types along with the format used to create the initial values for their use.

Tagged Value Type	Format	Description
Integer	Type=Integer;	Enables entry of an Integer value.
Float, Decimal, Double	Type=Float; Type=Decimal; Type=Double;	Enable entry of a Float, Decimal or Double value. These types all map to the same type of data.
String	Type=String;	Enables entry of a String value.
Enum	Type=Enum; Values=Val1,Val2,Val3; Default=Val2;	Enables definition of a comma-separated list, where Val1 , Val2 and Val3 represent values in the list and Default represents the default value of the list.
Const	Type=Const; Default=Val;	Enables creation of a read-only constant value.
Color	Type=Color;	Enables input of a color value from a color chooser menu.
Custom	Type= Custom;	Enables you to create your own template for predefined types; more information is provided in the Custom Tagged Values type ^[1360] topic.
DateTime	Type=DateTime;	Enables input of the date and time for the Tagged Value from a calendar menu.
Boolean	Type=Boolean;	Enables input of a true or false value.
Memo	Type=Memo;	Enables input of large and complex tag values.
Spin	Type=Spin; LowerBound=x; UpperBound=x;	Enables creation of a spin control with the value of LowerBound being the lowest value and UpperBound being the highest value.
File	Type=File;	Enables input of a filename from a file browser dialog. The named file can be launched in its default application.
Classifier	Type=Classifier; Values=Type1,Type2; Stereotypes=Stereotype 1;	Deprecated. Use RefGUID and RefGUIDList. Returns the <i>name</i> of a user-selected element from the model, where Type1 and Type2 specify one or more allowed element types and Stereotype1 represents an allowed stereotype.
RefGUID	Type=RefGUID; Values=Type1,Type2; Stereotypes=Stereotype 1;	Enables the Tagged Value to reference an element from the model by specifying the element's <i>GUID</i> , where Type1 and Type2 specify one or more allowed diagram objects (such as Class , Component), Attribute or Operation , and Stereotype1 represents an allowed stereotype. Set the Classifier ^[384] , Attribute or Operation ^[1156] for a Tagged Value of this type by clicking on the [...] button against the Tagged Value in the Tagged Value window.
RefGUIDList	Type=RefGUIDList;	Enables the Tagged Value to reference a list of

Tagged Value Type	Format	Description
	Values=Type1,Type2; Stereotypes=Stereotype 1;	elements from the model by specifying each element's <i>GUID</i> , where Type1 and Type2 specify one or more allowed diagram objects (such as Class , Component), Attribute or Operation , and Stereotype1 represents an allowed stereotype. Set the Classifier ^[384] , Attribute or Operation ^[1158] for a Tagged Value of this type by clicking on the [...] button against the Tagged Value in the Tagged Value window.

Tag Filters

You can restrict where a predefined Tagged Value is available. The following table details filters that can be used to restrict where a Tagged Value can be applied.

Filter	Format	Description
AppliesTo	AppliesTo=Type1,Type2;	Restricts the element types this filter can be applied to, where Type1 and Type2 are the valid types. Possible values are: <ul style="list-style-type: none"> • all element types • all connector types • Attribute • Operation and • OperationParameter.
BaseStereotype	BaseStereotype=S1,S2;	Restricts the stereotypes that this tag belongs to, where S1 and S2 are the allowed stereotypes.

16.3.3 Predefined Reference Data

This table details the predefined Tagged Value types that are used to return the values held in a relevant table in Enterprise Architect, along with the syntax required for their use:

Tagged Value Type	Format	Description
Authors	Type=Enum; List=Authors;	Returns a drop-down list of the Authors that have been defined for the Enterprise Architect model.
Cardinality	Type=Enum; List=Cardinality;	Returns a drop-down list of the Cardinality types that have been defined for the Enterprise Architect model.
Clients	Type=Enum; List=Clients;	Returns a drop-down list of the Clients that have been defined for the Enterprise Architect model.
ComplexityTypes	Type=Enum; List=ComplexityTypes ;	Returns a drop-down list of the Complexity types that have been defined for the Enterprise Architect model. Whilst complexity types can be exported ^[697] and imported as project reference data, they cannot be updated and so are effectively standard across all projects.
ConstraintTypes	Type=Enum; List=ConstraintTypes;	Returns a drop-down list of the Constraint types that have been defined for the Enterprise Architect model.

Tagged Value Type	Format	Description
EffortTypes	Type=Enum; List=EffortTypes;	Returns a drop-down list of the Effort types that have been defined for the Enterprise Architect model.
MaintenanceTypes	Type=Enum; List=MaintenanceTypes;	Returns a drop-down list of the Maintenance types that have been defined for the Enterprise Architect model.
ObjectTypes	Type=Enum; List=ObjectTypes;	Returns a drop-down list of the Object types that have been defined for the Enterprise Architect model.
Phases	Type=Enum; List=Phases;	Returns a drop-down list of the Phases that have been defined for the Enterprise Architect model.
ProblemTypes	Type=Enum; List=ProblemTypes;	Returns a drop-down list of the Problem types that have been defined for the Enterprise Architect model.
RoleTypes	Type=Enum; List=RoleTypes;	Returns a drop-down list of the Role types that have been defined for the Enterprise Architect model.
RequirementTypes	Type=Enum; List=RequirementTypes;	Returns a drop-down list of the Requirement types that have been defined for the Enterprise Architect model.
Resources	Type=Enum; List=Resources;	Returns a drop-down list of the Resources that have been defined for the Enterprise Architect model.
RiskTypes	Type=Enum; List=RiskTypes;	Returns a drop-down list of the Risk types that have been defined for the Enterprise Architect model.
RTFTemplates	Type=Enum; List=RTFTemplates;	Returns a drop-down list of the RTF Templates that have been defined for the Enterprise Architect model.
ScenarioTypes	Type=Enum; List=ScenarioTypes;	Returns a drop-down list of the Scenario types that have been defined for the Enterprise Architect model.
TestTypes	Type=Enum; List=TestTypes;	Returns a drop-down list of the Test types that have been defined for the Enterprise Architect model.

See the [Create Predefined Reference Data Tagged Value Type](#)^[1358] topic.

Note:

You can transport the predefined reference data between models, using the [Export Reference Data](#)^[697] and [Import Reference Data](#)^[698] options on the **Tools** menu.

16.3.4 Create Predefined Reference Data Tagged Value Types

To create a predefined reference data Tagged Value type, follow the steps below:

1. Select the **Settings | UML** menu option. The **UML Types** dialog displays; select the **Tagged Value Types** tab.

Stereotypes Tagged Value Types Cardinality Values

Tag Name: Author Description: Returns Authors of the Model

Detail:

```
Type=Enum;
Type=List;
List=Authors;
```

New Save Delete


Defined Tag Types:

Type	Description
Author	Returns Authors of the Model
Datafield	Database field
Handicap	Spin Control
Role	Person role
Software	Software component

Close Help

2. In the **Tag** field type an appropriate tag name.
3. In the **Description** field type a description of the purpose of the tag if required.
4. In the **Detail** field type a value for the Tagged Value type, and any extra information as required by the predefined type. In the example above, the predefined value's return values have been set to return the values for all of the Authors in the Enterprise Architect model.

This enables you to assign any of the previously defined Authors to a model feature (Model features that can have Tagged Values applied to them are detailed in the [Model Elements and Features with Tagged Values](#)^[176] topic in the *Enterprise Architect User Guide*).

**Note:**

If the values in the reference data are changed after the Tagged Value Type is created, Enterprise Architect must be reloaded in order to reflect the changes with the Tagged Value Type.

16.3.5 Create a CustomTagged Value Type

Creating a custom Tagged Value gives you great flexibility for creating your own masked Tagged Values. To create a masked Tagged Value follow the steps below:

1. Select the **Settings | UML** menu option. The **UML Types** dialog displays; select the **Tagged Value Types** tab.
2. In the **Tag** field type an appropriate name for the tag.
3. In the **Description** field type a description of the purpose of the tag.
4. In the **Detail** field type **Type=Custom;**

By defining the type as **Custom**, you can set up the appropriate mask using the following characters to define the format of the mask:

Mask	Description
D	Enables the Tagged Value to display digits only.
d	Enables the Tagged Value to display digits or spaces.
+	Enables the use of + , - or <i>spaces</i> .
C	Enables the use of alpha characters only.
c	Enables the Tagged Value to be an alpha character or a space.
A	Enables the use of alphanumeric characters.
a	Enables the Tagged Value to use alphanumeric values or a space.

In the diagram below the **Mask** configuration option shows syntax that first defines seven blank spaces, which are occupied by characters determined by the template option. The first two visible characters in the **Mask** option are represented by a lower case **c** indicating that the enableable information can entered as either an alpha character or as a space, the following blank spaces again indicate space defined by the template option and the remaining characters are defined by the **d** character which represents the enableable characters as digits or spaces. The hyphen is present in the final output, splitting up the digits.

With the **Template** configuration option, the syntax defines the template of the masked option by occupying the blank spaces that are present in the **Mask** option. The template is used to ensure that this information is

present with every use of this custom Tagged Value. The underscored values indicate the area that is to be occupied by data input by you and defined in the **Mask** option.

The screenshot shows the 'Tagged Value Types' configuration window. At the top, there are three tabs: 'Stereotypes', 'Tagged Value Types' (selected), and 'Cardinality Values'. Below the tabs, there are two input fields: 'Tag Name' containing 'MemberZip' and 'Description' containing 'Zip code'. A 'Detail' section contains a text area with the following configuration: 'Type=Custom;', 'Mask= cc dddd-dddd;', and 'Template=State: __Zip: ____: ____;'. To the right of the text area are 'New', 'Save', and 'Delete' buttons. Below the buttons is a table titled 'Defined Tag Types' with two columns: 'Type' and 'Description'. The table contains the following entries:

Type	Description
Datafield	Database field
MemberZip	Zip code
Role	Person role
Software	Software component

16.4 Code Template Framework in SDK

The Code Template Framework (CTF) is used during forward engineering of UML models. It is introduced in the [Enterprise Architect User Guide](#)^[803]. This section of the SDK discusses how you customize the way in which Enterprise Architect generates source code, using the [Code Template Editor](#)^[1387].

Enterprise Architect's code templates specify the transformation from UML elements to the various parts of a given programming language. The templates are written as plain text with a [syntax](#)^[1361] that shares some aspects of both mark-up languages and scripting languages. The Base Templates provided in Enterprise Architect are described in the [Enterprise Architect User Guide](#)^[804].

16.4.1 Code Template Syntax

Code Templates are written as plain text, using Enterprise Architect's code template editor (see [The Code Template Editor](#)^[1387]). The template syntax centers on three basic constructs:

- [Literal Text](#)^[1362]
- [Macros](#)^[1362]
- [Variables](#)^[1380]

Templates can contain any or all of these constructs.

16.4.1.1 Literal Text

All text within a given template that is not part of a macro or a variable definition/reference, is considered literal text. With the exception of blank lines, which are ignored, literal text is directly substituted from the template into the generated code.

Consider the following excerpt from the java Class Declaration template:

```
%PI=" "%
%CONVERT_SCOPE(classScope)%

%classStereotype=="static" ? "static": ""%
%classStereotype=="final" ? "final": ""%
%classStereotype=="static final" ? "static final": ""%
%classAbstract=="T" ? "abstract": ""%
%PI=""%
class %className%$bases
```

On the final line, the word *class*, including the subsequent space, would be treated as literal text and thus reproduced in the output. The blank line following the *CONVERT_SCOPE* macro, however, would have no effect on the output.

The %, \$ and " characters have special meaning in the template syntax and cannot always be used as literal text. If these characters must be generated from within the templates, they can be safely reproduced using the following direct substitution macros:

Macro	Description
%dl%	Produces a literal \$ character.
%pc%	Produces a literal % character.
%qt%	Produces a literal " character.

16.4.1.2 Macros

Macros provide access to element fields within the UML model and are also used to structure the generated output. All macros are enclosed within percent (%) signs. The CTF contains five basic types of macros:

- [Template substitution macros](#) ^[1362]
- [Field substitution macros](#) ^[1363]
- [Tagged Value substitution macros](#) ^[1373]
- [Control macros](#) ^[1377]
- [Function macros](#) ^[1374]

In general, macros (including the % delimiters) are substituted with literal text in the output. For example consider the following item from the *Class Declaration* template:

```
... class %className% ...
```

The field substitution macro, *%className%*, would result in the current Class name being substituted in the output. So if the Class being generated was named *Foo*, the output would be:

```
... class Foo ...
```

16.4.1.2.1 Template Substitution Macros

The *template substitution* macros correspond to the [Base templates](#) ^[804] (see the *Enterprise Architect User Guide*). These macros result in the execution of the named template. By convention, template macros are named according to Pascal casing.

Structure: %<TemplateName>%

where *<TemplateName>* can be one of the templates listed below.

When a template is referenced from within another template, it is generated with respect to the elements currently in scope. The specific template is selected based on the stereotypes of the elements in scope.

As noted previously, there is an implicit hierarchy among the various templates. Some care should be taken in order to preserve a sensible hierarchy of template references. For example, it does not make sense to use the *%ClassInherits%* macro within any of the attribute or operation templates. Conversely, the *Operation* and *Attribute* templates are designed for use within the *ClassBody* template.

The CTF contains the following template substitution macros:

- AttributeDeclaration
- AttributeNotes
- Attribute
- Class
- ClassImpl
- ClassBase
- ClassBody
- ClassBodyImpl
- ClassDeclaration
- ClassDeclarationImpl
- ClassInherits
- ClassInterface
- ClassNotes
- ClassParameter
- File
- FileImpl
- ImportSection
- ImportSectionImpl
- InnerClass
- InnerClassImpl
- LinkedAttribute
- LinkedAttributeNotes
- LinkedAttributeDeclaration
- LinkedClassBase
- LinkedClassInterface
- Namespace
- NamespaceBody
- NamespaceDeclaration
- NamespaceImpl
- Operation
- OperationBody
- OperationBodyImpl
- OperationDeclaration
- OperationDeclarationImpl
- OperationImpl
- OperationNotes
- Parameter

16.4.1.2.2 Field Substitution Macros

The *field substitution* macros provide access to data in the model. In particular, they are used to access data fields from:

- Packages
- Classes
- Attributes
- Operations
- Parameters.

Field substitution macros are named according to Camel casing. By convention, the macro is prefixed with an abbreviated form of the corresponding model element. For example, attribute-related macros begin with **att**, as in the *%attName%* macro, to access the name of the attribute in scope.

The following table lists each of the field substitution macros with a description of the result.

Note:

Macros that represent checkboxes return a value of **T** if the box is selected. Otherwise the value is empty.

Macro Name	Description
attAlias	Attribute dialog: Alias
attallowDuplicates	Attribute Detail dialog: Allow Duplicates checkbox

Macro Name	Description
attClassifierGUID	The unique GUID for the classifier of the current attribute.
attCollection	Attribute Detail dialog: Attribute is a Collection checkbox
attConst	Attribute dialog: Const checkbox
attContainerType	Attribute Detail dialog: Container Type
attContainment	Attribute dialog: Containment
attDerived	Attribute dialog: Derived checkbox
attGUID	The unique GUID for the current attribute.
attInitial	Attribute dialog: Initial
attLength	Column dialog: Length
attLowerBound	Attribute Detail dialog: Lower Bound
attName	Attribute dialog: Name
attNotes	Attribute dialog: Notes
attOrderedMultiplicity	Attribute Detail dialog: Ordered Multiplicity checkbox
attProperty	Attribute dialog: Property checkbox
attQualType	The attribute type qualified by the namespace path (if generating namespaces) and the classifier path (dot delimited). If the attribute classifier has not been set, is equivalent to the <i>attType</i> macro.
attScope	Attribute dialog: Scope
attStatic	Attribute dialog: Static checkbox
attStereotype	Attribute dialog: Stereotype
attType	Attribute dialog: Type
attUpperBound	Attribute Detail dialog: Upper Bound
attVolatile	Attribute Detail dialog: Transient checkbox
classAbstract	Class dialog: Abstract checkbox
classAlias	Class dialog: Alias
classArguments	Class Detail dialog: C++ Templates: Arguments
classAuthor	Class dialog: Author
classBaseName	Type Hierarchy dialog: Class Name (for use where no link exists between child and base Classes).
classBaseScope	The scope of the inheritance as reverse engineered. (For use where no link exists between child and base Classes.)
classBaseVirtual	The virtual property of the inheritance as reverse engineered. (For use where no link exists between child and base Classes.)
classComplexity	Class dialog: Complexity
classCreated	The date and time the Class was created.
classGUID	The unique GUID for the current Class.
classHasParent	True , if the Class in scope has one or more base Classes.

Macro Name	Description
classImports	Code Gen dialog: Imports .
classIsActive	Class Advanced dialog: Is Active checkbox
classIsInstantiated	True , if the Class is an instantiated template Class.
classIsLeaf	Class Advanced dialog: Is Leaf checkbox
classIsRoot	Class Advanced dialog: Is Root checkbox
classIsSpecification	Class Advanced dialog: Is Specification checkbox
classKeywords	Class dialog: Keywords
classLanguage	Class dialog: Language
classMacros	A space separated list of macros defined for the Class.
classModified	The date and time the Class was last modified.
classMultiplicity	Class Advanced dialog: Multiplicity
className	Class dialog: Name
classNotes	Class dialog: Note
classParamDefault	Class Detail dialog
classParamName	Class Detail dialog
classParamType	Class Detail dialog
classPersistence	Class dialog: Persistence
classPhase	Class dialog: Phase
classQualName	The Class name prefixed by its outer Classes. Class names are separated by double colons (::).
classScope	Class dialog: Scope
classStereotype	Class dialog: Stereotype
classStatus	Class dialog: Status
classVersion	Class dialog: Version
connectorAlias	Connector Properties dialog: Alias
connectorDestAccess	Connector target role properties: <i>Access</i>
connectorDestAggregation	Connector target role properties: <i>Aggregation</i>
connectorDestAlias	Connector target role properties: <i>Alias</i>
connectorDestAllowDuplicates	Connector target role properties: <i>Allow Duplicates</i>
connectorDestChangeable	Connector target role properties: <i>Changeable</i>
connectorDestConstraint	Connector target role properties: <i>Constraint</i>
connectorDestContainment	Connector target role properties: <i>Containment</i>
connectorDestDerived	Connector target role properties: <i>Derived</i>
connectorDestDerivedUnion	Connector target role properties: <i>DerivedUnion</i>
connectorDestElem*	A set of macros that access a property of the element at the target end of a connector. The * (asterisk) is a wildcard that corresponds to any class substitution macro in this list; for example: <i>connectorDestElemAlias</i> (

Macro Name	Description
	<i>classAlias</i>), <i>connectorDestElemAuthor</i> (<i>classAuthor</i>).
connectorDestElemType	The element type of the connector destination element. (Separate from the <i>connectorDestElem*</i> macros because there is no <i>classType</i> substitution macro.)
connectorDestMemberType	Connector target role properties: <i>Member Type</i>
connectorDestMultiplicity	Connector target role properties: <i>Multiplicity</i>
connectorDestNavigability	Connector target role properties: <i>Navigability</i>
connectorDestNotes	Connector target role properties: <i>Notes</i>
connectorDestOrdered	Connector target role properties: <i>Multiplicity is Ordered</i>
connectorDestOwned	Connector target role properties: <i>Owned</i>
connectorDestQualifier	Connector target role properties: <i>Qualifier</i>
connectorDestRole	Connector target role properties: <i>Role</i>
connectorDestScope	Connector target role properties: <i>Target Scope</i>
connectorDestStereotype	Connector target role properties: <i>Stereotype</i>
connectorDirection	Connector properties: <i>Direction</i>
connectorEffect	Transition Constraints dialog: Effect
connectorGuard	Object Flow and Transition Constraints dialog: Guard
connectorGUID	The unique GUID for the current connector.
connectorName	Connector properties: <i>Name</i>
connectorNotes	Connector properties: <i>Notes</i>
connectorSourceAccess	Connector source role properties: <i>Access</i>
connectorSourceAggregation	Connector source role properties: <i>Aggregation</i>
connectorSourceAlias	Connector source role properties: <i>Alias</i>
connectorSourceAllowDuplicates	Connector source role properties: <i>Allow Duplicates</i>
connectorSourceChangeable	Connector source role properties: <i>Changeable</i>
connectorSourceConstraint	Connector source role properties: <i>Constraint</i>
connectorSourceContainment	Connector source role properties: <i>Containment</i>
connectorSourceDerived	Connector source role properties: <i>Derived</i>
connectorSourceDerivedUnion	Connector source role properties: <i>Derived Union</i>
connectorSourceElem*	A set of macros that access a property of the element at the source end of a connector. The * (asterisk) is a wildcard that corresponds to any class substitution macro in this list; for example: <i>connectorSourceElemAlias</i> (<i>classAlias</i>), <i>connectorSourceElemAuthor</i> (<i>classAuthor</i>).
connectorSourceElemType	The element type of the connector source element. (Separate from the <i>connectorSourceElem*</i> macros because there is no <i>classType</i> substitution macro.)
connectorSourceMemberType	Connector source role properties: <i>Member Type</i>
connectorSourceMultiplicity	Connector source role properties: <i>Multiplicity</i>

Macro Name	Description
connectorSourceNavigability	Connector source role properties: <i>Navigability</i>
connectorSourceNotes	Connector source role properties: <i>Notes</i>
connectorSourceOrdered	Connector source role properties: <i>Multiplicity is Ordered</i>
connectorSourceOwned	Connector source role properties: <i>Owned</i>
connectorSourceQualifier	Connector source role properties: <i>Qualifier</i>
connectorSourceRole	Connector source role properties: <i>Role</i>
connectorSourceScope	Connector source role properties: <i>Target Scope</i>
connectorSourceStereotype	Connector source role properties: <i>Stereotype</i>
connectorStereotype	Connector properties: <i>Stereotype</i>
connectorTrigger	Transition Constraints dialog: Trigger
connectorType	The connector type. eg. Association or Generalization.
connectorWeight	Object Flow Constraints dialog: Weight
eaDateTime	The current time with format: DD-MMM-YYYY HH:MM:SS AM/PM.
eaGUID	A unique GUID for this generation.
eaVersion	Program Version (Located in an Enterprise Architect dialog by selecting Help About EA.)
elemType	The element type: Interface or Class.
fileExtension	The file type extension of the file being generated.
fileName	The name of the file being generated.
fileNameImpl	The filename of the implementation file for this generation, if applicable.
fileHeaders	Code Gen dialog: Headers
fileImports	Code Gen dialog: Imports . For supported languages this also includes dependencies derived from associations.
filePath	The full path of the file being generated.
filePathImpl	The full path of the implementation file for this generation, if applicable.
genOptActionScriptVersion	ActionScript Specifications dialog: Default Version
genOptCDefaultAttributeType	C Specifications dialog: Default Attribute Type
genOptCGenMethodNotesInBody	C Specifications dialog: Method Notes In Implementation
genOptCGenMethodNotesInHeader	C Specifications dialog: Method Notes In Header
genOptCSynchNotes	C Specifications dialog: Synchronize Notes in Generation
genOptCSynchCFile	C Specifications dialog: Synchronise Implementation file in Generation
genOptCDefaultSourceDirectory	C Specifications dialog: Default Source Directory
genOptCNamespaceDelimiter	C Specifications dialog: Namespace Delimiter
genOptCOperationRefParam	C Specifications dialog: Reference as Operation Parameter
genOptCOperationRefParamStyle	C Specifications dialog: Reference Parameter Style

Macro Name	Description
genOptCOperationRefParamName	C Specifications dialog: Reference Parameter Name
genOptCConstructorName	C Specifications dialog: Default Constructor Name
genOptCDestructorName	C Specifications dialog: Default Destructor Name
genOptCPPCommentStyle	C++ Specifications dialog: Comment Style
genOptCPPDefaultAttributeType	C++ Specifications dialog: Default Attribute Type
genOptCPPDefaultReferenceType	C++ Specifications dialog: Default Reference Type
genOptCPPDefaultSourceDirectory	C++ Specifications dialog: Default Source Directory
genOptCPPGenMethodNotesInHeader	C++ Specifications dialog: Method Notes In Header checkbox
genOptCPPGenMethodNotesInBody	C++ Specifications dialog: Method Notes In Body checkbox
genOptCPPGetPrefix	C++ Specifications dialog: Get Prefix
genOptCPPHeaderExtension	C++ Specifications dialog: Header Extension
genOptCPPSetPrefix	C++ Specifications dialog: Set Prefix
genOptCPPSourceExtension	C++ Specifications dialog: Source Extension
genOptCPPSynchCPPFile	C++ Specifications dialog: Synchronize Notes
genOptCPPSynchNotes	C++ Specifications dialog: Synchronize CPP File
genOptCSDefaultAttributeType	C# Specifications dialog: Default Attribute Type
genOptCSSourceExtension	C# Specifications dialog: Default file extension
genOptCSGenDispose	C# Specifications dialog: Generate Dispose
genOptCSGenFinalizer	C# Specifications dialog: Generate Finalizer
genOptCSGenNamespace	C# Specifications dialog: Generate Namespace
genOptCSDefaultSourceDirectory	C# Specifications dialog: Default Source Directory
genOptDefaultAssocAttName	Attribute Specifications dialog: Default name for associated attrib
genOptDefaultConstructorScope	Object Lifetimes dialog: Default Constructor Visibility
genOptDefaultCopyConstructorScope	Object Lifetimes dialog: Default Copy Constructor Visibility
genOptDefaultDatabase	Code Editors dialog: Default Database
genOptDefaultDestructorScope	Object Lifetimes dialog: Default Destructor Constructor Visibility
genOptGenCapitalisedProperties	Source Code Engineering dialog: Capitalize Attribute Names for Properties checkbox
genOptGenComments	Source Code Engineering dialog: Generate Comments checkbox
genOptGenConstructor	Object Lifetimes dialog: Generate Constructor checkbox
genOptGenConstructorInline	Object Lifetimes dialog: Constructor Inline checkbox
genOptGenCopyConstructor	Object Lifetimes dialog: Generate Copy Constructor checkbox
genOptGenCopyConstructorInline	Object Lifetimes dialog: Copy Constructor Inline checkbox
genOptGenDestructor	Object Lifetimes dialog: Generate Destructor checkbox

Macro Name	Description
genOptGenDestructorInline	Object Lifetimes dialog: Destructor Inline checkbox
genOptGenDestructorVirtual	Object Lifetimes dialog: Virtual Destructor checkbox
genOptGenImplementedInterfaceOps	Attribute/Operations Specifications dialog: Generate methods for implemented interfaces checkbox
genOptGenPrefixBoolProperties	Source Code Engineering dialog: Use is prefix for boolean property Get()
genOptGenRoleNames	Source Code Engineering dialog: Autogenerate role names when creating code
genOptGenUnspecAssocDir	Source Code Engineering dialog: Do not generate members where Association direction is unspecified checkbox
genOptJavaDefaultAttributeType	Java Specifications dialog: Default attribute type
genOptJavaGetPrefix	Java Specifications dialog: Get Prefix
genOptJavaDefaultSourceDirectory	Java Specifications dialog: Default Source Directory
genOptJavaSetPrefix	Java Specifications dialog: Set Prefix
genOptJavaSourceExtension	Java Specifications dialog: Source code extension
genOptPHPDefaultSourceDirectory	PHP Specifications dialog: Default Source Directory
genOptPHPGetPrefix	PHP Specifications dialog: Get Prefix
genOptPHPSetPrefix	PHP Specifications dialog: Set Prefix
genOptPHPSourceExtension	PHP Specifications dialog: Default file extension
genOptPHPVersion	PHP Specifications dialog: PHP Version
genOptPropertyPrefix	Source Code Engineering dialog: Remove prefixes when generating Get/Set properties
genOptVBMultiUse	VB Specifications dialog: Multiuse checkbox
genOptVBPersistable	VB Specifications dialog: Persistable checkbox
genOptVBDataBindingBehavior	VB Specifications dialog: Data binding behavior checkbox
genOptVBDataSourceBehavior	VB Specifications dialog: Data source behavior checkbox
genOptVBGlobal	VB Specifications dialog: Global namespace checkbox
genOptVBCreatable	VB Specifications dialog: Creatable checkbox
genOptVBExposed	VB Specifications dialog: Exposed checkbox
genOptVBMTS	VB Specifications dialog: MTS Transaction Mode
genOptVBNetGenNamespace	VB.Net Specifications dialog: Generate Namespace
genOptVBVersion	VB Specifications dialog: Default Version
genOptWrapComment	Source Code Engineering dialog: Wrap length for comment lines
importClassName	The name of the Class being imported.
importFileName	The filename of the Class being imported.
importFilePath	The full path of the Class being imported.
importFromAggregation	T if the Class has an aggregation link to a Class in this file, F otherwise.

Macro Name	Description
importFromAssociation	T if the Class has an association link to a Class in this file, F otherwise.
importFromAtt	T if an attribute of a Class in the current file is of the type of this Class, F otherwise.
importFromDependency	T if the Class has a dependency link to a Class in this file, F otherwise.
importFromGeneralization	T if the Class has a generalization link to a Class in this file, F otherwise.
importFromMeth	T if a method return type of a Class in the current file is the type of this Class, F otherwise.
importFromParam	T if a method parameter of a Class in the current file is of the type of this Class, F otherwise.
importFromRealization	T if the Class has a realization link to a Class in this file, F otherwise.
importInFile	T if the Class is in the current file, F otherwise.
importPackagePath	The package path with a '.' separator of the Class being imported.
importRelativeFilePath	The relative file path of the Class being imported from the file path of the file being generated.
linkAttAccess	Association Properties Target Role dialog: Access
linkAttCollectionClass	The collection appropriate for the linked attribute in scope
linkAttContainment	Association Properties Target Role dialog: Containment
linkAttName	Association Properties dialog: Target
linkAttNotes	Association Properties Target Role dialog: Role Notes
linkAttQualName	The Association target qualified by the namespace path (if generating namespaces) and the classifier path (dot delimited).
linkAttRole	Association Properties Target Role dialog: Role
linkAttStereotype	Association Properties Target Role dialog: Stereotype
linkAttTargetScope	Association Properties Target Role dialog: Target Scope
linkCard	Link Properties Target Role dialog: Multiplicity
linkGUID	The unique GUID for the current link
linkParentName	Generalization Properties dialog: Target
linkParentQualName	The Generalization target qualified by the namespace path (if generating namespaces) and the classifier path (dot delimited).
linkStereotype	The stereotype of the current link.
linkVirtualInheritance	Generalization Properties dialog: Virtual Inheritance
opAbstract	Operation dialog: Virtual checkbox
opAlias	Operation dialog: Alias
opBehavior	Operation Behavior dialog: Behavior
opCode	Operation Behavior dialog: Initial Code
opConcurrency	Operation dialog: Concurrency
opConst	Operation dialog: Const checkbox
opGUID	The unique GUID for the current operation

Macro Name	Description
opImplMacros	A space separated list of macros defined in the implementation of this operation.
opIsQuery	Operation dialog: IsQuery checkbox
opMacros	A space separated list of macros defined in the declaration for this operation
opName	Operation dialog: Name
opNotes	Operation dialog: Notes
opPure	Operation dialog: Pure checkbox
opReturnArray	Operation dialog: Return Array checkbox
opReturnClassifierGUID	The unique GUID for the classifier of the current operation.
opReturnQualType	The operation return type qualified by the namespace path (if generating namespaces) and the classifier path (dot delimited). If the return type classifier has not been set, is equivalent to the <i>opReturnType</i> macro.
opReturnType	Operation dialog: Return Type
opScope	Operation dialog: Scope
opStatic	Operation dialog: Static checkbox
Operation dialog: Stereotype	Operation dialog: Stereotype
opSynchronized	Operation dialog: Synchronized checkbox
packageAbstract	Package dialog: Abstract
packageAlias	Package dialog: Alias
packageAuthor	Package dialog: Author
packageComplexity	Package dialog: Complexity
packageGUID	The unique GUID for the current package.
packageKeywords	Package dialog: Keywords
packageLanguage	Package dialog: Language
packageName	Package dialog: Name
packagePath	The string representing the hierarchy of packages, for the Class in scope. Each package name is separated by a dot (.)
packagePhase	Package dialog: Phase
packageScope	Package dialog: Scope
packageStatus	Package dialog: Status
packageStereotype	Package dialog: Stereotype
packageVersion	Package dialog: Version
paramClassifierGUID	The unique GUID for the classifier of the current parameter.
paramDefault	Operation Parameters dialog: Default
paramFixed	Operation Parameters dialog: Fixed checkbox
paramGUID	The unique GUID for the current parameter.

Macro Name	Description
paramIsEnum	True , if the parameter uses the <i>enum</i> keyword (C++).
paramKind	Operation Parameters dialog: Kind
paramName	Operation Parameters dialog: Name
paramNotes	Operation Parameters dialog: Notes
paramQualType	The parameter type qualified by the namespace path (if generating namespaces) and the classifier path (dot delimited). If the parameter classifier has not been set, is equivalent to the <i>paramType</i> macro.
paramType	Operation Parameters dialog: Type

Field substitution macros can be used in one of two ways:

Use 1: Direct Substitution

This form directly substitutes the corresponding value of the element in scope into the output.

Structure: %<macroName>%

Where <macroName> can be any of the macros listed above.

Examples:

- %className%
- %opName%
- %attName%

Use 2: Conditional Substitution

This form of the macro enables alternative substitutions to be made depending on the macro's value.

Structure: %<macroName> [== "<test>"] ? <subTrue> [: <subFalse>] %

Where:

- [<text>] denotes that <text> is optional
- <test> is a string representing a possible value for the macro
- <subTrue> and <subFalse> can be a combination of quoted strings and the keyword value; where the value is used, it is replaced with the macro's value in the output.

Examples:

- %classAbstract=="T" ? "pure" : ""%
- %opStereotype=="operator" ? "operator" : ""%
- %paramDefault != "" ? " = " value : ""%

The above three examples output nothing if the condition fails. In this case the false condition can be omitted, resulting in the following usage:

Examples:

- %classAbstract=="T" ? "pure"%
- %opStereotype=="operator" ? "operator"%
- %paramDefault != "" ? " = " value%

The third example of both blocks shows a comparison checking for a non-empty value or existence. This test can also be omitted.

- %paramDefault ? " = " value : ""%
- %paramDefault ? " = " value%

All of the above examples containing paramDefault are equivalent. If the parameter in scope had a default value of **10**, the output from each of them would normally be:

= 10

Note:

In a conditional substitution macro, any white space following <macroName> is ignored. If white space is required in the output, it should be included within the quoted substitution strings.

16.4.1.2.3 Tagged Value Macros

Tagged Value macros are a special form of field substitution macros, which provide access to element tags and the corresponding Tagged Values.

Use 1: Direct Substitution

This form of the macro directly substitutes the value of the named tag into the output.

Structure: %<macroName>:"<tagName>"%

<macroName> can be one of:

- attTag
- classTag
- opTag
- packageTag
- paramTag
- connectorTag
- connectorSourceTag
- connectorDestTag
- linkTag
- linkAttTag

This corresponds to the tags for attributes, Classes, operations, packages, parameters, connectors with both ends and links including the attribute end respectively.

<tagName> is a string representing the specific tag name.

Examples:

```
%opTag:"attribute"%
```

Use 2: Conditional Substitution

This form of the macro mimics the conditional substitution defined for field substitution macros.

Structure: %<macroName>:"<tagName>" [== "<test>"] ? <subTrue> [: <subFalse>]%

Where:

- <macroName> and <tagName> are as defined above
- [<text>] denotes that <text> is optional
- <test> is a string representing a possible value for the macro
- <subTrue> and <subFalse> can be a combination of quoted strings and the keyword value. Where the value is used, it gets replaced with the macro's value in the output.

Examples:

```
%opTag:"opInline" ? "inline" : ""%
```

```
%opTag:"opInline" ? "inline"%
%classTag:"unsafe" == "true" ? "unsafe" : ""%
%classTag:"unsafe" == "true" ? "unsafe"%
```

Tagged Value macros use the same naming convention as field substitution macros.

16.4.1.2.4 Function Macros

Function macros are a convenient way of manipulating and formatting various element data. Each function macro returns a result string. There are two primary ways to use the results of function macros:

- Direct substitution of the returned string into the output, such as: `%TO_LOWER(attName)%`
- Storing the returned string as part of a variable definition such as: `$name = %TO_LOWER(attName)%`

Function macros can take parameters, which can be passed to the macros as:

- String literals, enclosed within double quotation marks
- Direct substitution macros without the enclosing percent signs
- Variable references
- Numeric literals.

Multiple parameters are passed using a comma-separated list.

The available function macros are described below. Parameters are denoted by angle brackets, as in: `FUNCTION_NAME(<param>)`.

Note:

Function macros are named according to the All-Caps style, as in: `%CONVERT_SCOPE(opScope)%`

CONVERT_SCOPE(<umlScope>)

For use with supported languages. Converts `<umlScope>` to the appropriate scope keyword for the language being generated. The following table shows the conversion of `<umlScope>` with respect to the given language.

Language	Package	Public	Private	Protected
C++	public	public	private	protected
C#	internal	public	private	protected
Delphi	protected	public	private	protected
Java		public	private	protected
PHP	public	public	private	protected
VB	Protected	Public	Private	Protected
VB .Net	Friend	Public	Private	Protected

COLLECTION_CLASS(<language>)

Gives the appropriate collection Class for the language specified for the current linked attribute.

CSTYLE_COMMENT(<wrap_length>)

Converts the notes for the element currently in scope to plain C-style comments, using `/*` and `*/`.

DELPHI_PROPERTIES(<scope>, <separator>, <indent>)

Generates a Delphi property.

DELPHI_COMMENT(<wrap_length>)

Converts the notes for the element currently in scope to Delphi comments.

EXEC_ADD_IN(<addin_name>, <function_name>, <prm_1>, ..., <prm_n>)

Invokes an Enterprise Architect Add-In function, which can return a result string. <addin_name> and <function_name> specify the names of the Add-In and function to be invoked. Parameters to the Add-In function can be specified via parameters <prm_1> to <prm_n>. For example:

```
$result = %EXEC_ADD_IN("MyAddin","ProcessOperation",classGUID,opGUID)%
```

Any function that is to be called by the *EXEC_ADD_IN* macro must have two parameters: an *EA.Repository* object, and a *Variant* array that contains any additional parameters from the *EXEC_ADD_IN* call. Return type should be *Variant*. For example:

```
Public Function ProcessOperation(Repository As EA.Repository, args As Variant) As Variant
```

FIND(<src>, <subString>)

Position of the first instance of <subString> in <src>; -1 if none.

GET_ALIGNMENT()

Returns a string where all of the text on the current line of output is converted into spaces and tabs.

JAVADOC_COMMENT(<wrap_length>)

Converts the notes for the element currently in scope to *javadoc*-style comments.

LEFT(<src>, <count>)

The first <count> characters of <src>.

LENGTH(<src>)

Length of <src>.

MID(<src>, <count>)**MID(<src>, <start>, <count>)**

Substring of <src> starting at <start> and including <count> characters. Where <count> is omitted the rest of the string is included.

PI(<option>, <value>, ...)

Sets the PI for the current template to <value>. <option> controls when the new PI takes effect. Valid values are:

- *I, Immediate*: the new PI is generated before the next non-empty template line
- *N, Next*: the new PI is generated after the next non-empty template line.

Multiple pairs of options are allowed in one call. For more details, see the [description of PI](#).¹³⁷⁷

REMOVE_DUPLICATES(<source>, <separator>)

Where <source> is a <separator> separated list; this removes any duplicate or empty strings.

REPLACE(<string>, <old>, <new>)

Replaces all occurrences of <old> with <new> in the given string <string>.

RESOLVE_OP_NAME()

Resolves clashes in interface names where two method-from interfaces have the same name.

RESOLVE_QUALIFIED_TYPE()
RESOLVE_QUALIFIED_TYPE(<separator>)
RESOLVE_QUALIFIED_TYPE(<separator>, <default>)

Generates a qualified type for the current attribute, linked attribute, linked parent, operation, or parameter. Enables the specification of a separator other than . and a default value for when some value is required.

RIGHT(<src>, <count>)

The last <count> characters of <src>.

TO_LOWER(<string>)

Converts <string> to lower case.

TO_UPPER(<string>)

Converts <string> to upper case.

TRIM(<string>)
TRIM(<string>, <trimChars>)

Removes trailing and leading white spaces from <string>. If <trimChars> is specified, all leading and trailing characters in the set of <trimChars> are removed.

TRIM_LEFT(<string>)
TRIM_LEFT(<string>, <trimChars>)

Removes the specified leading characters from <string>.

TRIM_RIGHT(<string>)
TRIM_RIGHT(<string>, <trimChars>)

Removes the specified trailing characters from <string>.

VB_COMMENT(<wrap_length>)

Converts the notes for the element currently in scope to Visual Basic style comments.

WRAP_COMMENT(<comment>, <wrap_length>, <indent>, <start_string>)

Wraps the text <comment> at width <wrap_length> putting <indent> and <start_string> at the beginning of each line. For example:

```
$behavior = %WRAP_COMMENT(opBehavior, "40", " ", "//")%
```

Note:

<wrap_length> must still be passed as a string, even though **WRAP_COMMENT** treats this parameter as an integer.

WRAP_LINES(<text>, <wrap_length>, <start_string>[, <end_string>])

Wraps <text> as designated to be <wrap_length>, adding <start_string> to the beginning of every line and <end_string> to the end of the line if it is specified.

XML_COMMENT(<wrap_length>)

Converts the notes for the element currently in scope to XML-style comments.

16.4.1.2.5 Control Macros

Control macros are used to control the processing and formatting of the templates. The basic types of control macro include:

- The *list* macro, for generating multiple elements, such as attributes and operations
- The branching macros, which form *if-then-else* constructs to conditionally execute parts of a template
- The PI macro, which takes effect from the next non-empty line
- A PI [function macro](#) ^[1374] that enables setting PI to a variable and adds the ability to set the PI that is generated before the next line
- The PI macro for formatting new lines in the output
- The synchronization macros.

In general, control macros are named according to Camel casing.

List

The *list* macro is used to generate multiple elements. The basic structure is:

```
%list=<TemplateName> @separator=<string> @indent=<string> [<conditions>]%
```

where *<string>* is a double-quoted literal string and *<TemplateName>* can be one of the following template names:

- Namespace
- Class
- ClassImpl
- Attribute
- InnerClass
- InnerClassImpl
- Operation
- OperationImpl
- Parameter
- ClassBase
- ClassInterface
- Custom Template (custom templates enable you to define your own templates; for more information see [Custom Templates](#) ^[1382]).

<conditions> is optional and appears the same as the conditions for *if* and *elseif* statements.

Example:

```
%list="Attribute" @separator="\n" @indent="  "%
```

The *separator* attribute, denoted above by *@separator*, specifies the space that should be used between the list items. This excludes the last item in the list.

The *indent* attribute, denoted by *@indent*, specifies the space by which each line in the generated output should be indented.

The above example would output the result of processing the *Attribute* template, for each attribute element of the *Class* in scope. The resultant list would separate its items with a single new line and indent them two spaces respectively. If the *Class* in scope had any stereotyped attributes, they would be generated using the appropriately specialized template.

There are some special cases to consider when using the *list* macro:

- If the *Attribute* template is used as an argument to the list macro, this also generates attributes derived from associations by executing the appropriate *LinkedAttribute* template
- If the *ClassBase* template is used as an argument to the list macro, this also generates Class bases derived from links in the model by executing the appropriate *LinkedClassBase* template
- If the *ClassInterface* template is used as an argument to the list macro, this also generates Class bases

derived from links in the model by executing the appropriate *LinkedClassInterface* template

- If *InnerClass* or *InnerClassImpl* is used as an argument to the list macro, these Classes are generated using the *Class* and *ClassImpl* templates respectively. These arguments tell Enterprise Architect that it should process the templates based on the inner Classes of the Class in scope.

Branching (if-then-else Constructs)

The CTF supports a limited form of branching through the following macros:

- *if*
- *elseif*
- *endif*
- *endTemplate*

The basic structure of the *if* and *elseif* macros is:

```
%if <test> <operator> <test>%
```

where *<operator>* can be one of:

- ==
- !=

and *<test>* can be one of:

- a string literal, enclosed within double quotation marks
- a direct substitution macro, without the enclosing percent signs
- a variable reference.

Branches can be nested, and multiple conditions can be specified using one of:

- and
- or.

Note:

When specifying multiple conditions, *and* and *or* have the same order of precedence, and conditions are processed left to right.

The *endif* or *endTemplate* macros must be used to signify the end of a branch. In addition, the *endTemplate* macro causes the template to return immediately, if the corresponding branch is being executed.

Example:

```
%if elemType == "Interface"%
;
%else%
%OperationBody%
%endif%
```

Example:

```
$bases=%list="ClassBase" @separator=", "%
$interfaces=%list="ClassInterface" @separator=", "%
%if $bases != "" and $interfaces != ""%
: $bases, $interfaces
%elseif $bases != ""%
: $bases
%elseif $interfaces != ""%
: $interfaces
%endif%
```

The PI Macro

There are two primary means of generating whitespace from the templates:

- Explicitly using the *newline*, *space* and *tab* characters (**\n**, **,t**) as part of Literal Text
- Using the *PI* macro to format lines in the template that result in non-empty substitutions in the output

By default, each template line that generates a non-empty substitution also results in a newline being produced in the output. This behavior can be changed through the *PI* macro.

To demonstrate the use of the *PI* macro, consider the default *C# Operation* template:

<pre>%opTag:"Attribute"%</pre>	<p>Default PI is <code>\n</code>, so any attributes would be on their own line</p>
<pre>%PI=" "%</pre>	<p>Blank lines have no effect on the output</p>
<pre>%opTag:"unsafe"=="true" ? "unsafe" : ""% %CONVERT_SCOPE(opScope)% %opTag:"new"=="true" ? "new" : ""% %opAbstract=="T" ? "abstract" : ""% %opConst=="T" ? "sealed" : ""% %opStatic=="T" ? "static" : ""% %opTag:"extern"=="true" ? "extern" : ""% %opTag:"delegate"=="true" ? "delegate" : ""% %opTag:"override"=="true" ? "override" : ""% %opTag:"virtual"=="true" ? "virtual" : ""% %opReturnType%%opReturnArray=="T" ? "[]" : ""% %opStereotype=="operator" ? "operator" : ""% %opName%(%list="Parameter" @separator=", "%)</pre>	<p>Set the PI, so keywords are separated by a space</p> <p>Any keyword that does not apply, ie. the macro produces an empty result, does not result in a space</p> <p>Only one space is generated for this line</p> <p>The final line in the template does not generate a space</p>

In the above example macros for the various keywords are to be arranged vertically for readability. In the output, however, each relevant keyword is to be separated by a single space. This is achieved by the line:

```
%PI=" "%
```

Notice how you do not specify the space between each of the possible keywords. This space is already implied by setting the PI to a single space. Essentially the PI acts as a convenience mechanism for formatting the output from within the templates.

The structure for setting the processing instruction is:

```
%PI=<value>%
```

where *<value>* can be a literal string enclosed by double quotes.

The following points apply to the *PI* macro:

- The value of the PI is not accessed explicitly
- Only template lines that result in a non-empty substitution cause the PI to be generated
- The last non-empty template line does not cause the PI to be generated
- The PI is not appended to the last substitution, regardless of which template line caused that substitution.

The Synchronization Macros

The *synchronization macros* are used to provide formatting hints to Enterprise Architect when inserting new sections into the source code, during forward synchronization. The values for synchronization macros must be set in the **File** templates.

The structure for setting synchronization macros is:

```
%<name>=<value>%
```

where *<name>* can be one of the macros listed below and *<value>* is a literal string enclosed by double quotes.

Macro Name	Description
synchNewClassNotesSpace	Space to append to a new Class note. Default value: <code>\n</code> .
synchNewAttributeNotesSpace	Space to append to a new attribute note. Default value: <code>\n</code> .
synchNewOperationNotesSpace	Space to append to a new operation note. Default value: <code>\n</code> .

Macro Name	Description
synchNewOperationBodySpace	Space to append to a new operation body. Default value: \n.
synchNamespaceBodyIndent	Indent applied to Classes within non-global namespaces. Default value: \t.

16.4.1.3 Variables

Template variables provide a convenient way of storing and retrieving data within a template. This section explains how variables are [defined](#) ^[1380] and [referenced](#) ^[1381].

16.4.1.3.1 Variable Definitions

Variable definitions take the basic form:

```
$<name> = <value>
```

where *<name>* can be any alpha-numeric sequence and *<value>* is derived from a macro or another variable.

A simple example definition would be:

```
$foo = %className%
```

Variables can be defined, using values from:

- Substitution, function or list macros.
- String literals, enclosed within double quotation marks
- Variable references

The following rules apply to variable definitions:

- Variables have global scope within the template in which they are defined and are not accessible to other templates
- Each variable must be defined at the start of a line, without any intervening whitespace
- Variables are denoted by prefixing the name with \$, as in \$foo
- Variables do not have to be declared, prior to being defined
- Variables must be defined using either the assignment operator (=), or the addition-assignment operator (+=)
- Multiple terms can be combined in a single definition using the addition operator (+)

Examples

Using a substitution macro:

```
$foo = %opTag:"bar"%
```

Using a literal string:

```
$foo = "bar"
```

Using another variable:

```
$foo = $bar
```

Using a list macro:

```
$ops = %list="Operation" @separator="\n\n" @indent="\t"%
```

Using the addition-assignment operator (+=):

```
$body += %list="Operation" @separator="\n\n" @indent="\t"%
```

The above definition is equivalent to the following:

```
$body = $body + %list="Operation" @separator="\n\n" @indent="\t"%
```

Using multiple terms:

```
$templateArgs = %list="ClassParameter" @separator=", "%
$template = "template<" + $templateArgs + ">"
```

16.4.1.3.2 Variable References

Variable values can be retrieved by using a reference of the form:

```
$<name>
```

where <name> can be a previously defined variable.

Variable references can be used in one of the following ways:

- As part of a macro, such as the argument to a function macro
- As a term in a variable definition
- As a direct substitution of the variable value into the output.

Note:

It is legal to reference a variable before it is defined. In this case, the variable is assumed to contain an empty string value: ""

Example 1

Using variables as part of a macro. The following is an excerpt from the default C++ ClassNotes template.

```
$wrapLen = %genOptWrapComment%
$style = %genOptCPPCommentStyle%
```

Define variables to store the style and wrap length options.

```
%if $style == "XML.NET"%
%XML_COMMENT($wrapLen)%
%else%
%CSTYLE_COMMENT($wrapLen)%
%endif%
```

Reference to *\$style* as part of a condition.

Reference to *\$wrapLen* as an argument to function macro.

Example 2

Using variable references as part of a variable definitions:

```
$foo = "foo"
$bar = "bar"
```

Define our variables.

```
$foobar = $foo + $bar
```

\$foobar now contains the value *foobar*.

Example 3

Substituting variable values into the output

```
$bases=%classInherits%
```

Store the result of the *ClassInherits* template in *\$bases*.

```
Class %className%$bases
```

Now output the value of *\$bases* after the Class name.

16.4.2 The Code Template Editor in SDK

The **Code Template Editor** window is introduced in the [Enterprise Architect User Guide](#)^[807]. The following topics describe how you use it to create custom templates:


- [Custom Templates](#)^[1382]
- [Override Default Templates](#)^[1383]
- [Add New Stereotyped Templates](#)^[1384]
- [Create Templates For Custom Languages](#)^[1384]
- [Import and Export Code Templates](#)^[1385]

16.4.2.1 Custom Templates


Custom templates enable you to generate an element in many different ways. Enterprise Architect enables you to define custom templates that are associated with given elements and call these templates from existing templates. You can even add stereotype overrides to your custom templates. For example, you might list all of your parameters and their notes in your method notes.

To create a new custom template, follow the steps below:

1. Select the **Settings | Code Generation Templates** menu option, or press **[Ctrl]+[Shift]+[P]**. The **Code Templates Editor** tab opens.
2. In the **Language** field, click on the drop-down arrow and select the appropriate language.
3. Click on the **Add New Custom Template** button. The **Create New Custom Template** dialog displays.



4. In the **Template Type** field, click on the drop-down arrow and select the appropriate element. The elements currently supported are:
 - Attribute
 - Class
 - Operation
 - Parameter
5. In the **Template Name** field, type an appropriate name, then click on the **OK** button.
6. On the **Code Templates Editor** tab, the new template displays in the **Templates** list with the value **Yes** in the **Modified** field. The template is called <Element Type>__<Template Name> - for example, *Parameter__JavaDoc*.
7. Select the appropriate template from the **Templates** list and edit the contents in the **Template** field to meet your requirements.



- Click on the **Save** button. This stores the new stereotyped template in the .EAP file. The template is now available from the list of templates and via direct substitution for use.

16.4.2.2 Override Default Templates

Enterprise Architect has a set of built-in or default code generation templates. The **Code Templates Editor** enables you to modify these default templates, hence customizing the way in which Enterprise Architect generates code. You can choose to modify any or all of the base templates to achieve your required coding style.

Any templates that you have overridden are stored in the .EAP file. When generating code, Enterprise Architect first checks whether a template has been modified and if so, uses that template. Otherwise the appropriate default template is used.

Procedure

To override a default code generation template, follow the steps below.

- Select the **Configuration | Code Generation Templates** menu option. The **Code Templates Editor** displays.
- Select the appropriate language from the **Language** list.
- Select one of the base templates from the **Templates** list.
- If the base template has stereotyped overrides, you can select one of these from the **Stereotype Overrides** list.
- In the **Code Templates Editor**, make the required modifications.
- Click on the **Save** button. This stores the modified version of the template to the .EAP file. The template is marked as modified.

When generating code, Enterprise Architect now uses the overridden template, instead of the default template.


16.4.2.3 Add New Stereotyped Templates

Sometimes it is useful to define a specific code generation template for use with elements of a given stereotype. This enables different code to be generated for elements, depending on their stereotype. Enterprise Architect provides some default templates, which have been specialized for commonly used stereotypes in supported languages. For example the Operation Body template for C# has been specialized for the property stereotype, so that it automatically generates its constituent get and set methods. Users can override the default stereotyped templates as described in the previous topic. Additionally users can define templates for their own stereotypes, as described below.

Add A New Stereotyped Template

To override a default code generation template, follow the steps below.

1. Select the **Configuration | Code Generation Templates** menu option to open the **Code Templates Editor**.
2. Select the appropriate language, from the **Language** list.
3. Select one of the base templates, from the **Templates** list.
4. Click on the **Add New Stereotyped Override** button. The **New Template Override** dialog displays.



5. Select the required **Feature** and/or **Class** stereotype and click on the **OK** button.
6. The new stereotyped template override displays in **Stereotype Overrides** list, marked as modified.
7. Make the required modifications in the **Code Templates Editor**.
8. Click on the **Save** button. This stores the new stereotyped template in the .EAP file.

Enterprise Architect can now use the stereotyped template, when generating code for elements of that stereotype.

Note that Class and feature stereotypes can be combined to provide a further level of specialization for features. For example, if properties should be generated differently when the Class has a stereotype *MyStereotype*, then both *property* and *MyStereotype* should be specified in the **New Template Override** dialog.

16.4.2.4 Create Templates For Custom Languages

Enterprise Architect can forward generate code for languages that it does not specifically support, if the appropriate code generation templates are defined for that language. This topic outlines the steps required to define templates for custom languages.

Define a Template for a Custom Language

1. Create the custom language as a new product. To do this:

- Select the **Settings | Code Datatypes** menu option. The **Programming Languages Datatypes** dialog displays.
 - In the **Product Name** field type the name of the new language, and in the **Datatype** field type a datatype (one is enough to declare that the new language exists). See [Data Types](#) ^[695] in the *Enterprise Architect User Guide* for more details.
2. Select the **Settings | Code Generation Templates** menu option. The **Code Templates Editor** view displays.
3. In the **Language** field, click on the drop-down arrow and select the custom language.
4. From the **Templates** list, select one of the base templates.
5. Define the template using the **Code Templates Editor**.
6. Click on the **Save** button. This stores the template in the .EAP file.
7. Repeat steps 1 to 6 for each of the relevant base templates for the custom language.

Note:

The *File* template must be defined for the custom language. The *File* template can then see the *Import Section*, *Namespace* and *Class* templates.

16.4.2.5 Import and Export Code Templates

User-defined Code Templates can be imported and exported as Reference Data (see [Import and Export Reference Data](#) in the *Enterprise Architect User Guide*). The templates defined for each language appear in a list of tables with the language name suffixed with *_Code_Templates*.

16.5 Enterprise Architect Add-In Model

Introduction

Add-Ins enable you to add functionality to Enterprise Architect. The Enterprise Architect Add-In model builds on the features provided by the [Automation Interface](#) ^[1439] to enable you to extend the Enterprise Architect user interface.

Add-Ins are ActiveX COM objects that expose public Dispatch methods. They have several advantages over stand-alone automation clients:

- Add-Ins can define Enterprise Architect menus and sub-menus
- Add-Ins receive notifications about various Enterprise Architect user-interface events including menu clicks and file changes
- Add-Ins can (and should) be written as in-process (DLL) components. This provides lower call overhead and better integration into the Enterprise Architect environment
- Because a current version of Enterprise Architect is already running there is no requirement to start a second copy of Enterprise Architect via the automation interface
- Because the Add-In receives object handles associated with the currently running copy of Enterprise Architect, more information is available about the current user's activity; for example, which diagram objects are selected
- You are not required to do anything other than to install the Add-In to make it usable; that is, you do not have to configure Add-Ins to run on your systems.

Because Enterprise Architect is constantly evolving in response to customer requests, the Add-In interface is flexible:

- The Add-In interface does not have its own version, rather it is identified by the version of Enterprise Architect it first appeared in; for example, the current version of the Enterprise Architect Add-In interface is version 2.1.
- When creating your Add-In, you do not have to subscribe to a type-library.

Note:

From Enterprise Architect release 7.0 Add-Ins created before 2004 are no longer supported. If an Add-In subscribes to the *Addn_Tmpl.tlb* interface (2003 style), it will fail on load. In this event, contact the vendor or author of the Add-In and request an upgrade.

- Add-Ins do not have to implement methods that they never use.
- Add-Ins prompt users via context menus in the tree view and the diagram.
- Menu check and disable states can be controlled by the Add-In.

Add-Ins enhance the existing functionality of Enterprise Architect through a variety of mechanisms such as [UML Profiles](#)^[1299] and the [Automation Interface](#)^[1439]. Once an Add-In is [registered](#)^[707], it can be managed using the [Add-In Manager](#)^[1390].

Create and Use Add-Ins

This topic of the help file covers the following information on Add-Ins:

- [Add-In Tasks](#)^[1386]
- [Add-In Events](#)^[1392]
- [Broadcast Events](#)^[1398]
- [Custom Views](#)^[1427]
- [MDG Add-Ins](#)^[1428]

16.5.1 Add-In Tasks

This topic provides instructions on how to create, test, deploy and manage Add-Ins.

1. [Create an Add-In](#)^[1386]
 - [Define Menu Items](#)^[1387]
 - [Respond to Menu Events](#)^[1395]
 - [Handle Add-In Events](#)^[1392]
2. [Deploy your Add-In](#)^[1386]
 - [Potential Pitfalls](#)^[1389]
3. Manage Add-Ins
 - [Register an Add-In](#)^[707] (developed in-house or brought-in)
 - [The Add-In Manager](#)^[1390]

16.5.1.1 Create Add-Ins

Before you start you must have an application development tool that is capable of creating ActiveX COM objects supporting the IDispatch interface, such as:

- Borland Delphi
- Microsoft Visual Basic
- Microsoft Visual Studio .Net.

You should consider how to [define menu items](#)^[1387]. To help with this, you could review some [examples of Automation Interfaces](#) (this web page provides examples of code used to create Add-Ins for Enterprise Architect).

Create an Add-In

An Enterprise Architect Add-In can be created in four steps:

1. Use a development tool to create an ActiveX COM DLL project. Visual Basic users, for example, choose *File>Create New Project-ActiveX DLL*.

2. Connect to the interface using the syntax appropriate to the language as detailed in the [Connecting to the Interface](#) ^[1438] topic.
3. Create a COM Class and implement each of the [general Add-In Events](#) ^[1392] applicable to your Add-In. You only have to define methods for events to respond to.
4. Add a registry key identifying your Add-In to Enterprise Architect, as described in [Deploying Add-Ins](#) ^[1388].

16.5.1.1.1 Define Menu Items

Menu items are defined by responding to the *GetMenuItems* event.

The first time this event is called, *MenuName* is an empty string, representing the top-level menu. For a simple Add-In with just a single menu option you can return a string, eg:

```
Function EA_GetMenuItems(Repository as EA.Repository, MenuLocation As String, MenuName As String) As Variant
    EA_GetMenuItems = "&Joe's Add-In"
End Function
```

To define sub-menus, prefix a parent menu with a dash. Parent and sub-items are defined as follows:

```
Function EA_GetMenuItems(Repository as EA.Repository, MenuLocation As String, MenuName As String) As Variant
    Select Case MenuName
        Case ""
            'Parent Menu Item
            EA_GetMenuItems = "-&Joe's Add-In"
        Case "-&Joe's Add-In"
            'Define Sub-Menu Items using the Array notation.
            'In this example, "Diagram" and "Treeview" compose the "Joe's Add-In" sub-menu.
            EA_GetMenuItems = Array("&Diagram", "&Treeview")
        Case Else
            MsgBox "Invalid Menu", vbCritical
    End Select
End Function
```

Similarly, you can define further sub-items:

```
Function EA_GetMenuItems(Repository as EA.Repository, MenuLocation As String, MenuName As String) As Variant
    Select Case MenuName
        Case ""
            EA_GetMenuItems = "-Joe's Add-In"
        Case "-Joe's Add-In"
            EA_GetMenuItems = Array("-&Diagram", "&TreeView")
        Case "-&Diagram"
            EA_GetMenuItems = "&Properties"
        Case Else
            MsgBox "Invalid Menu", vbCritical
    End Select
End Function
```

To enable or disable menu options by default, you can use this method to show particular items to the user:

```
Sub EA_GetMenuState(Repository As EA.Repository, Location As String, MenuName As String, ItemName As String,
    IsEnabled As Boolean, IsChecked As Boolean)
    Select Case Location
        Case "TreeView"
            'Always enable
        Case "Diagram"
            'Always enable
        Case "MainMenu"
            Select Case ItemName
                Case "&Translate", "Save &Project"
                    If GetIsProjectSelected() Then
                        IsEnabled = False
                    End If
            End Select
    End Select
End Sub
```



```

End Select
End Select
IsChecked = GetIsCurrentSelection()
End Sub

```


16.5.1.1.2 Deploy Add-Ins

To deploy Add-Ins to users' sites, follow the steps below:


1. Add the Add-In DLL file to an appropriate directory on the user's computer; i.e. C:\Program Files\ [new dir].
2. Register the DLL using the **RegSvr32** command from the command prompt as shown in the example below.



3. Place a new entry into the registry so that Enterprise Architect recognizes the presence of your Add-In by using the registry editor (run **regedit**).
4. Add a new key value **EAAddIns** under the location: HKEY_CURRENT_USER\Software\Sparx Systems




5. Add a new key under this key with the project name.



Note:

[ProjectName] is not necessarily the name of your DLL, but the name of the Project. In VB, this is the value for the property **Name** corresponding to the project file.

6. Specify the default value by modifying the default value of the key.



7. Enter the value of the key by entering the [project name].[class name]; e.g. EaRequirements.Requirements where *EaRequirements* is the project name as shown in the example below.

Value name:

Value data:

EaRequirements.Requirements

OK Cancel

16.5.1.1.3 Tricks and Traps

Visual Basic 5/6 Users Note

Visual Basic 5/6 users should note that the version number of the Enterprise Architect interface is stored in the VBP project file in a form similar to the following:

```
Reference=*\G{64FB2BF4-9EFA-11D2-8307-C45586000000}#2.2#0#..\..\..\Program Files\Sparx Systems\EA\EA.TLB#Enterprise Architect Object Model 2.02
```

If you experience problems moving from one version of Enterprise Architect to another, open the VBP file in a text editor and remove this line. Then open the project in Visual Basic and use *Project-References* to create a new reference to the Enterprise Architect Object model.

Add-In Fails to Load

From Enterprise Architect release 7.0, Add-Ins created before 2004 are no longer supported. If an Add-In subscribes to the Addn_Tmpl.tb interface (2003 style), it will fail on load. In this event, contact the vendor or author of the Add-In and request an upgrade.

Holding State Information

It is possible for an Add-In to hold state information, meaning that data can be stored in member variables in response to one event and retrieved in another. There are some dangers in doing this:

- Enterprise Architect Automation Objects do not update themselves in response to user activity, to activity on other workstations, or even to the actions of other objects in the same automation client. Retaining handles to such objects between calls can result in the second event querying objects that have no relationship with the current state of Enterprise Architect.
- When you close Enterprise Architect, all Add-Ins are asked to shut down. If there are any external automation clients Enterprise Architect must stay active, in which case all the Add-Ins are reloaded, losing all the data.
- Enterprise Architect acting as an automation client does not close if an Add-In still holds a reference to it (releasing all references in the Disconnect() event avoids this problem).

It is recommended that unless there is a specific reason for doing so, the Add-In should use the repository

parameter and its method and properties to provide the necessary data.

Enterprise Architect Not Closing

.Net Specific Issues

Automation checks the use of objects and won't enable any of them to be destroyed until they are no longer being used.

As noted in the [Automation Interface](#)^[1442] topic, if your automation controller was written using the .NET framework, Enterprise Architect does not close even after you release all your references to it. To force the release of the COM pointers, call the memory management functions as shown below:

```
GC.Collect();
GC.WaitForPendingFinalizers();
```

Additionally, because automation clients hook into Enterprise Architect, which creates Add-Ins which in turn hook back into Enterprise Architect, it is possible to get into a deadlock situation where Enterprise Architect and the Add-Ins won't let go of one another and keep each other active. An Add-In might retain hooks into Enterprise Architect because:

- It keeps a private reference to an Enterprise Architect object (see [Holding State Information](#)^[1388] above), or
- It has been created by .NET and the GC mechanism hasn't got around to releasing it.

There are two actions required to avoid deadlock situations:

- Automation controllers must call `Repository.CloseAddins()` at some point (presumably at the end of processing).
- Add-Ins must release all references to Enterprise Architect in the `Disconnect()` event. See the [Add-In Methods](#)^[1392] topic for details.

It is possible that your Automation client controls a running instance of Enterprise Architect where the Add-Ins have not complied with the rule above. In this case you could call `Repository.Exit()` to terminate Enterprise Architect.

Miscellaneous

In developing Add-Ins using the .Net framework you must select COM Interoperability in the project's properties in order for it to be recognized as an Add-In.

Some development environments do not automatically register COM DLLs on creation. You might have to do that manually before Enterprise Architect recognizes the Add-In.

You can use your private Add-In key (as required for Add-In deployment) to store configuration information pertinent to your Add-In.

Concurrent calls

In Enterprise Architect releases up to release 7.0, there is a possibility that Enterprise Architect could call two Add-In methods concurrently if the Add-In calls:

- A message box
- A modal dialog
- VB DoEvents, .NET Application DoEvents or the equivalent in other languages.

In such cases, Enterprise Architect could initiate a second Add-In method before the first returns (re-entrancy). In release 7.0 and subsequent releases, Enterprise Architect cannot make such concurrent calls.

If developing Add-Ins, ensure that the Add-In users are running Enterprise Architect release 7.0 or a later release to avoid any risk of concurrent method calls.

16.5.2 The Add-In Manager

You can use the [Add-In Manager](#) to view what Add-Ins are available and to disable those not to be used.

Access the [Add-In Manager](#) dialog by selecting the **Add-Ins | Manage Add-Ins** menu option.

Available Add-Ins	Status	Load on Startup
Eclipse	Disabled	<input type="checkbox"/>
SearchAddin	Enabled	<input checked="" type="checkbox"/>

To enable an Add-In for use, select the **Load on Startup** check box. To disable an Add-in, deselect the checkbox.

Note:

Enterprise Architect must be restarted for changes to take effect.

16.5.3 Add-In Search

Enterprise Architect enables Add-Ins to integrate with the [Model Search](#)^[144] (as described in the *Enterprise Architect User Guide*). Searches can be defined that execute a method within your Add-In and display your results in an integrated way.

The method that runs the search must be structured in the following way:

variant <method name> (Rep as Repository, SearchText as String, XMLResults as String)

Parameter	Description
Rep	The currently open repository.
SearchText	An optional field that the you can fill in through the Model Search .
XMLResults	At completion of the method, this should contain the results for the search. The results should be an XML String that conforms to the Search Data Format ^[1392] .

Return

The method must return a value for the results to be displayed.

Advanced Usage

In addition to the displayed results, two additional hidden fields can be passed into the XML that provide special functionality.

CLASSTYPE

Returning a field of CLASSTYPE, containing the Object_Type value from the t_object table, displays the appropriate icon in the column you place the field.

CLASSGUID

Returning a field of CLASSGUID, containing an ea_guid value, enables the [Model Search](#) to track the object in the [Project Browser](#) window and open the [Properties](#) window for the element by double-clicking in the [Model](#)

Search.

16.5.3.1 XML Format (Search Data)

The XML below provides the format for the *SearchData* parameter of the *RunModel* method. See the [Repository](#) ^[1453] topic for more information.

```
<ReportViewData>
  <!--
    // Use this section to declare all possible fields - columns that appear in Enterprise Architect's search window - that
    are used below in <Rows/>.
    // The order of the columns of information to be appended here must match the order that the search run in
    Enterprise Architect would normally display.
    // Furthermore, if you append results onto a custom SQL Search, then order used in your Custom SQL must match
    the order used below.
  -->

  <Fields>
    <Field name=""/>
    <Field name=""/>
    <Field name=""/>
    <Field name=""/>
  </Fields>

  <Rows>
    <Row>
      <Field name="" value=""/>
      <Field name="" value=""/>
      <Field name="" value=""/>
      <Field name="" value=""/>
    </Row>
    <Row>
      <Field name="" value=""/>
      <Field name="" value=""/>
      <Field name="" value=""/>
      <Field name="" value=""/>
    </Row>
    <Row>
      <Field name="" value=""/>
      <Field name="" value=""/>
      <Field name="" value=""/>
      <Field name="" value=""/>
    </Row>
  </Rows>
</ReportViewData>
```

16.5.4 Add-In Events

All Enterprise Architect Add-Ins can choose to respond to the following general Add-In events:

- [EA_Connect](#) ^[1393]
- [EA_Disconnect](#) ^[1393]
- [EA_GetMenuItems](#) ^[1394]
- [EA_MenuClick](#) ^[1395]
- [EA_GetMenuState](#) ^[1394]
- [EA_ShowHelp](#) ^[1397]
- [EA_OnOutputItemClicked](#) ^[1396]
- [EA_OnOutputItemDoubleClicked](#) ^[1397]

16.5.4.1 EA_Connect

Details

EA_Connect events enable Add-Ins to identify their type and to respond to Enterprise Architect start up.

This event occurs when Enterprise Architect first loads your Add-In. Enterprise Architect itself is loading at this time so that while a Repository object is supplied, there is limited information that you can extract from it.

The chief uses for *EA_Connect* are in initializing global Add-In data and for identifying the Add-In as an [MDG Add-In](#) ^[1428].

Also look at [EA_Disconnect](#) ^[1393].

Syntax

Function EA_Connect(Repository As EA.Repository) As String

The *EA_Connect* function syntax has the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An EA.Repository object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

Return Value

String identifying a specialized type of Add-In:

Type	Details
"MDG"	MDG Add-Ins receive MDG Events ^[1428] and extra menu options.
""	None-specialized Add-In

16.5.4.2 EA_Disconnect

Details

The *EA_Disconnect* event enables the Add-In to respond to user requests to disconnect the model branch from an external project.

This function is called when the Enterprise Architect closes. If you have stored references to Enterprise Architect objects (not particularly recommended anyway), you must release them here.

In addition, .NET users must call memory management functions as shown below:

```
GC.Collect();
GC.WaitForPendingFinalizers();
```

Also look at [EA_Connect](#) ^[1393].

Syntax

Sub EA_Disconnect()

Return Value

None.

16.5.4.3 EA_GetMenuItems

Details

The *EA_GetMenuItems* event enables the Add-In to provide the Enterprise Architect user interface with additional Add-In menu options in various context and main menus. When a user selects an Add-In menu option, an event is raised and passed back to the Add-In that originally defined that menu option.

This event is raised just before Enterprise Architect has to show particular menu options to the user, and its use is described in the [Defining Menu Items](#) ^[1387] topic.

Also look at:

- [EA_MenuClick](#) ^[1395]
- [EA_GetMenuState](#) ^[1394].

Syntax

Function *EA_GetMenuItems(Repository As EA.Repository, MenuLocation As String, MenuName As String) As Variant*

The *EA_GetMenuItems* function syntax has the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An EA.Repository object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
MenuLocation	<i>String</i>		String representing the part of the user interface that brought up the menu. Can be <i>TreeView</i> , <i>MainMenu</i> or <i>Diagram</i> .
MenuName	<i>String</i>		The name of the parent menu for which sub-items are to be defined. In the case of the top-level menu it is an empty string.

Return Value

One of the following types:

- A string indicating the label for a single menu option.
- An array of strings indicating a multiple menu options.
- Empty (Visual Basic/VB.NET) or null (C#) to indicate that no menu should be displayed.

In the case of the top-level menu it should be a single string or an array containing only one item, or Empty/null.

16.5.4.4 EA_GetMenuState

Details

The *EA_GetMenuState* event enables the Add-In to set a particular menu option to either enabled or disabled. This is useful when dealing with locked packages and other situations where it is convenient to show a menu option, but not enable it for use.

This event is raised just before Enterprise Architect has to show particular menu options to the user. Its use is described in the [Define Menu Items](#) ^[1387] topic.

Also look at [EA_GetMenuItems](#) ^[1394].

Syntax

Sub EA_GetMenuState(Repository as EA.Repository, MenuLocation As String, MenuName as String, ItemName as String, IsEnabled as Boolean, IsChecked as Boolean)

The *EA_GetMenuState* function syntax has the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
MenuLocation	String		String representing the part of the user interface that brought up the menu. Can be <i>TreeView</i> , <i>MainMenu</i> or <i>Diagram</i> .
MenuName	String		The name of the parent menu for which sub-items must be defined. In the case of the top-level menu it is an empty string.
ItemName	String		The name of the option actually clicked, eg. <i>Create a New Invoice</i> .
IsEnabled	Boolean		Boolean. Set to False to disable this particular menu option.
IsChecked	Boolean		Boolean. Set to True to check this particular menu option.

Return Value

None.

16.5.4.5 EA_MenuClick

Details

EA_MenuClick events are received by an Add-In in response to user selection of a menu option.

The event is raised when the user clicks on a particular menu option. When a user clicks on one of your non-parent menu options, your Add-In receives a *MenuClick* event, defined as follows:

```
Sub EA_MenuClick(Repository As EA.Repository, ByVal MenuName As String, ByVal ItemName As String)
```

The code below illustrates an example of use:

```
If MenuName = "-&Diagram" And ItemName = "&Properties" then
    MsgBox Repository.GetCurrentDiagram.Name, vbInformation
Else
    MsgBox "Not Implemented", vbCritical
End If
```

Notice that your code can directly access Enterprise Architect data and UI elements using [Repository](#)
[1452] methods.

Also look at [EA_GetMenuItems](#)
[1394].

Syntax

Sub EA_MenuClick(Repository As EA.Repository, MenuLocation As String, MenuName As String, ItemName As String)

The *EA_MenuClick* function syntax has the following elements

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
MenuName	String		The name of the parent menu for which sub-items are to be defined. In the case of the top-level menu it is an empty string.
ItemName	String		The name of the option actually clicked, eg. <i>Create a New Invoice</i> .

Return Value

None.

16.5.4.6 EA_OnOutputItemClicked

Details

EA_OnOutputItemClicked events inform Add-Ins that the user has clicked on a list entry in the system tab or one of the user defined output tabs.

Usually an Add-In responds to this event in order to capture activity on an output tab they had previously created through a call to *Repository.AddTab()*.

Note that every loaded Add-In receives this event for every click on an output tab in Enterprise Architect - irrespective of whether the Add-In created that tab. Add-Ins should therefore check the **TabName** parameter supplied by this event to ensure that they are not responding to other Add-Ins' events.

Also look at [EA_OnOutputItemDoubleClicked](#)[1397].

Syntax

EA_OnOutputItemClicked(Repository As EA.Repository, TabName As String, LineText As String, ID As Long)

The *EA_OnOutputItemClicked* function syntax has the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
TabName	String	IN	The name of the tab that the click occurred in. Usually this would have been created through <i>Repository.AddTab()</i> .
LineText	String	IN	The text that had been supplied as the String parameter in the original call to <i>Repository.WriteOutput()</i> .
ID	Long	IN	The ID value specified in the original call to <i>Repository.WriteOutput()</i> .

Return Value

None.

16.5.4.7 EA_OnOutputItemDoubleClicked

Details

EA_OnOutputItemDoubleClicked informs Add-Ins that the user has used the mouse to double-click on a list entry in one of the user defined output tabs.

Usually an Add-In responds to this event in order to capture activity on an output tab they had previously created through a call to *Repository.AddTab()*.

Note that every loaded Add-In receives this event for every double-click on an output tab in Enterprise Architect - irrespective of whether the Add-In created that tab. Add-Ins should therefore check the **TabName** parameter supplied by this event to ensure that they are not responding to other Add-Ins' events.

Also look at [EA_OnOutputItemClicked](#)¹³⁹⁶.

Syntax

EA_OnOutputItemDoubleClicked(Repository As EA.Repository, TabName As String, LineText As String, LineNo As Long)

The *EA_OnOutputItemClicked* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ¹⁴⁵³	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
TabName	String	IN	The name of the tab that the click occurred in. Usually this would have been created through <i>Repository.AddTab()</i> .
LineText	String	IN	The text that had been supplied as the String parameter in the original call to <i>Repository.WriteOutput()</i> .
ID	Long	IN	The ID value specified in the original call to <i>Repository.WriteOutput()</i> .

Return Value

None.

16.5.4.8 EA_ShowHelp

Details

The *EA_ShowHelp* event enables the Add-In to show a help topic for a particular menu option. When the user has an Add-In menu option selected, pressing **[F1]** can be delegated to the required Help topic by the Add-In and a suitable help message shown.

This event is raised when the user presses **[F1]** on a menu option that is not a parent menu.

Also look at [EA_GetMenuItems](#)¹³⁹⁴.

Syntax

Sub EA_ShowHelp(Repository as EA.Repository, MenuLocation As String, MenuName as String, ItemName as String)

The *EA_ShowHelp* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
MenuLocation	String		String representing the part of the user interface that brought up the menu. Can be <i>Treeview</i> , <i>MainMenu</i> or <i>Diagram</i> .
MenuName	String		The name of the parent menu for which sub-items are to be defined. In the case of the top-level menu it is an empty string.
ItemName	String		The name of the option actually clicked, eg. <i>Create a New Invoice</i> .

Return Value

None.

16.5.5 Broadcast Events

Overview

The following general Broadcast events are sent to all loaded Add-Ins. For an Add-In to receive the event, they must first implement the required automation event interface. If Enterprise Architect detects that the Add-In has the required interface, the event is dispatched on to the Add-In.

- [File Open Event](#) [1398]
- [File Close Event](#) [1399]
- [Pre-Deletion Events](#) [1399]
- [Pre-New Events](#) [1402]
- [Post-New Events](#) [1406]
- [Technology Events](#) [1409]
- [Context Item Events](#) [1411]
- [Transformation Events](#) [1414]
- [Compartment Events](#) [1415]
- [Model Validation Broadcasts](#) [1417]
- [Retrieve Model Template Event](#) [1426]
- [Initialize Technology Event](#) [1427]

[MDG Events](#) [1428] add quite a number of additional events, but the Add-In must first have registered as an MDG-style Add-In, rather than as a generic Add-In.

16.5.5.1 EA_FileOpen

Details

The *EA_FileOpen* event enables the Add-In to respond to a *File Open* event. When Enterprise Architect opens a new model file, this event is raised and passed to all Add-Ins implementing this method.

The event occurs when the model being viewed by the Enterprise Architect user changes, for whatever reason (through user interaction or Add-In activity).

Also look at [EA_FileClose](#) [1399].

Syntax

Sub EA_FileOpen(*Repository As EA.Repository*)

The *EA_FileOpen* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

Return Value

None

16.5.5.2 EA_FileClose

Details

The *EA_FileClose* event enables the Add-In to respond to a *File Close* event. When Enterprise Architect closes an opened Model file, this event is raised and passed to all Add-Ins implementing this method.

This event occurs when the model currently opened within Enterprise Architect is about to be closed (when another model is about to be opened or when Enterprise Architect is about to shutdown).

Also look at [EA_FileOpen](#)[1398].

Syntax

Sub EA_FileClose(*Repository As EA.Repository*)

The *EA_FileClose* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the Enterprise Architect model about to be closed. Poll its members to retrieve model data and user interface status information.

Return Value

None

16.5.5.3 Pre-Deletion Events

Enterprise Architect Add-Ins can respond to requests to delete elements, connectors, diagrams, packages and technologies using the following broadcast events:

- [EA_OnPreDeleteElement](#)[1400]
- [EA_OnPreDeleteConnector](#)[1400]
- [EA_OnPreDeleteDiagram](#)[1401]
- [EA_OnPreDeletePackage](#)[1401]

16.5.5.3.1 EA_OnPreDeleteElement

Details

EA_OnPreDeleteElement notifies Add-Ins that an element is to be deleted from the model. It enables Add-Ins to permit or deny deletion of the element.

This event occurs when a user deletes an element from the **Project Browser** window or on a diagram. The notification is provided immediately before the element is deleted, so that the Add-In can disable deletion of the element.

Syntax

Function *EA_OnPreDeleteElement*(*Repository* As *EA.Repository*, *Info* As *EA.EventProperties*) As *Boolean*

The *EA_OnPreDeleteElement* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties <small>[1468]</small>	IN	Contains the following <i>EventProperty Objects</i> for the element to be deleted: <ul style="list-style-type: none"> <i>ElementID</i>: A long value corresponding to <i>Element.ElementID</i>.

Return Value

Return **True** to enable deletion of the element from the model. Return **False** to disable deletion of the element.

16.5.5.3.2 EA_OnPreDeleteConnector

Details

EA_OnPreDeleteConnector notifies Add-Ins that a connector is to be deleted from the model. It enables Add-Ins to permit or deny deletion of the connector.


This event occurs when a user attempts to permanently delete a connector on a diagram. The notification is provided immediately before the connector is deleted, so that the Add-In can disable deletion of the connector.

Syntax

Function *EA_OnPreDeleteConnector*(*Repository* As *EA.Repository*, *Info* As *EA.EventProperties*) As *Boolean*

The *EA_OnPreDeleteConnector* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties	IN	Contains the following <i>EventProperty Objects</i> for the connector to be deleted:

Parameter	Type	Direction	Description
			<ul style="list-style-type: none"> <i>ConnectorID</i>: A long value corresponding to <i>Connector.ConnectorID</i>.

Return Value

Return **True** to enable deletion of the connector from the model. Return **False** to disable deletion of the connector.

16.5.5.3.3 EA_OnPreDeleteDiagram

Details



EA_OnPreDeleteDiagram notifies Add-Ins that a diagram is to be deleted from the model. It enables Add-Ins to permit or deny deletion of the diagram.

This event occurs when a user attempts to permanently delete a diagram from the **Project Browser** window. The notification is provided immediately before the diagram is deleted, so that the Add-In can disable deletion of the diagram.

Syntax

Function *EA_OnPreDeleteDiagram(Repository As EA.Repository, Info As EA.EventProperties) As Boolean*

The *EA_OnPreDeleteDiagram* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository 	IN	An <i>EA.Repository</i> object representing the currently-open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA.EventProperties 	IN	Contains the following <i>EventProperty Objects</i> for the connector to be deleted: <ul style="list-style-type: none"> <i>DiagramID</i>: A long value corresponding to <i>Diagram.DiagramID</i>

Return Value

Return **True** to enable deletion of the diagram from the model. Return **False** to disable deletion of the diagram.

16.5.5.3.4 EA_OnPreDeletePackage

Details

EA_OnPreDeletePackage notifies Add-Ins that a package is to be deleted from the model. It enables Add-Ins to permit or deny deletion of the package.

This event occurs when a user attempts to permanently delete a package from the **Project Browser** window. The notification is provided immediately before the package is deleted, so that the Add-In can disable deletion of the package.

Syntax

Function *EA_OnPreDeletePackage(Repository As EA.Repository, Info As EA.EventProperties) As Boolean*

The *EA_OnPreDeletePackage* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties ^[1468]	IN	Contains the following <i>EventProperty Objects</i> for the connector to be deleted: <ul style="list-style-type: none"> <i>PackageID</i>: A long value corresponding to <i>Package.PackageID</i>

Return Value

Return **True** to enable deletion of the package from the model. Return **False** to disable deletion of the package.

16.5.5.4 Pre-New Events

Enterprise Architect Add-Ins can respond to requests to create new elements, connectors, attributes, methods and packages using the following broadcast events:

- [EA_OnPreNewElement](#)^[1402]
- [EA_OnPreNewConnector](#)^[1403]
- [EA_OnPreNewAttribute](#)^[1404]
- [EA_OnPreNewMethod](#)^[1404]
- [EA_OnPreNewPackage](#)^[1405]

16.5.5.4.1 EA_OnPreNewElement

Details

EA_OnPreNewElement notifies Add-Ins that a new element is about to be created on a diagram. It enables Add-Ins to permit or deny creation of the new element.

This event occurs when a user drags a new element from the Enterprise Architect UML **Toolbox** or **Resources** window onto a diagram. The notification is provided immediately before the element is created, so that the Add-In can disable addition of the element.

Also look at [EA_OnPostNewElement](#)^[1406].

Syntax

Function *EA_OnPreNewElement(Repository As EA.Repository, Info As EA.EventProperties) As Boolean*

The *EA_OnPreNewElement* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model

Parameter	Type	Direction	Description
			data and user interface status information.
Info	EA.EventProperties <small>[1468]</small>	IN	<p>Contains the following <i>EventProperty Objects</i> for the element to be created:</p> <ul style="list-style-type: none"> • <i>Type</i>: A string value corresponding to <i>Element.Type</i> • <i>Stereotype</i>: A string value corresponding to <i>Element.Stereotype</i> • <i>ParentID</i>: A long value corresponding to <i>Element.ParentID</i> • <i>DiagramID</i>: A long value corresponding to the ID of the diagram to which the element is being added.

Return Value

Return **True** to enable addition of the new element to the model. Return **False** to disable addition of the new element.

16.5.5.4.2 EA_OnPreNewConnector

Details

EA_OnPreNewConnector notifies Add-Ins that a new connector is about to be created on a diagram. It enables Add-Ins to permit or deny creation of a new connector.

This event occurs when a user drags a new connector from the Enterprise Architect UML **Toolbox** or **Resources** window, onto a diagram. The notification is provided immediately before the connector is created, so that the Add-In can disable addition of the connector.

Also look at [EA_OnPostNewConnector](#)[1403].

Syntax

Function *EA_OnPreNewConnector(Repository As EA.Repository, Info As EA.EventProperties) As Boolean*

The *EA_OnPreNewConnector* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA.EventProperties <small>[1468]</small>	IN	<p>Contains the following <i>EventProperty Objects</i> for the connector to be created:</p> <ul style="list-style-type: none"> • <i>Type</i>: A string value corresponding to <i>Connector.Type</i> • <i>Subtype</i>: A string value corresponding to <i>Connector.Subtype</i> • <i>Stereotype</i>: A string value corresponding to <i>Connector.Stereotype</i> • <i>ClientID</i>: A long value corresponding to <i>Connector.ClientID</i> • <i>SupplierID</i>: A long value corresponding to <i>Connector.SupplierID</i> • <i>DiagramID</i>: A long value corresponding to <i>Connector</i>.

Parameter	Type	Direction	Description
			<i>DiagramID.</i>

Return Value

Return **True** to enable addition of the new connector to the model. Return **False** to disable addition of the new connector.

16.5.5.4.3 EA_OnPreNewAttribute

Details

EA_OnPreNewAttribute notifies Add-Ins that a new attribute is about to be created on an element. It enables Add-Ins to permit or deny creation of the new attribute.

This event occurs when a user creates a new attribute on an element by either drag-dropping from the **Project Browser** window, using the **Attributes Properties** dialog, or using the in-place editor on the diagram. The notification is provided immediately before the attribute is created, so that the Add-In can disable addition of the attribute.

Also look at [EA_OnPostNewAttribute](#)^[1407].

Syntax

Function EA_OnPreNewAttribute(Repository As EA.Repository, Info As EA.EventProperties) As Boolean

The *EA_OnPreNewAttribute* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An EA.Repository object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA.EventProperties ^[1468]	IN	Contains the following <i>EventProperty Objects</i> for the attribute to be created: <ul style="list-style-type: none"> <i>Type</i>: A string value corresponding to <i>Attribute.Type</i> <i>Stereotype</i>: A string value corresponding to <i>Attribute.Stereotype</i> <i>ParentID</i>: A long value corresponding to <i>Attribute.ParentID</i> <i>ClassifierID</i>: A long value corresponding to <i>Attribute.ClassifierID</i>.

Return Value

Return **True** to enable addition of the new attribute to the model. Return **False** to disable addition of the new attribute.

16.5.5.4.4 EA_OnPreNewMethod

Details

EA_OnPreNewMethod notifies Add-Ins that a new method is about to be created on an element. It enables Add-Ins to permit or deny creation of the new method.

This event occurs when a user creates a new method on an element by either drag-dropping from the **Project Browser** window, using the **Method Properties** dialog, or using the in-place editor on the diagram. The notification is provided immediately before the method is created, so that the Add-In can disable addition of the method.

Also look at [EA_OnPostNewMethod](#)^[1408].

Syntax

Function EA_OnPreNewMethod(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPreNewMethod* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties ^[1468]	IN	Contains the following <i>EventProperty Objects</i> for the method to be created: <ul style="list-style-type: none"> <i>ReturnType</i>: A string value corresponding to <i>Method.ReturnType</i> <i>Stereotype</i>: A string value corresponding to <i>Method.Stereotype</i> <i>ParentID</i>: A long value corresponding to <i>Method.ParentID</i> <i>ClassifierID</i>: A long value corresponding to <i>Method.ClassifierID</i>.

Return Value

Return **True** to enable addition of the new method to the model. Return **False** to disable addition of the new method.

16.5.5.4.5 EA_OnPreNewPackage

Details

EA_OnPreNewPackage notifies Add-Ins that a new package is about to be created in the model. It enables Add-Ins to permit or deny creation of the new package.

This event occurs when a user drags a new package from the Enterprise Architect UML **Toolbox** or **Resources** window onto a diagram, or by selecting the **New Package** icon from the **Project Browser** window. The notification is provided immediately before the package is created, so that the Add-In can disable addition of the package.

Also look at [EA_OnPostNewPackage](#)^[1409].

Syntax

Function EA_OnPreNewPackage(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPreNewPackage* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open

Parameter	Type	Direction	Description
			Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA.EventProperties <small>[1468]</small>	IN	<p>Contains the following <i>EventProperty Objects</i> for the package to be created:</p> <ul style="list-style-type: none"> • <i>Stereotype</i>: A string value corresponding to <i>Package.Stereotype</i> • <i>ParentID</i>: A long value corresponding to <i>Package.ParentID</i> • <i>DiagramID</i>: A long value corresponding to the ID of the diagram to which the package is being added.

Return Value

Return **True** to enable addition of the new package to the model. Return **False** to disable addition of the new package.

16.5.5.5 Post-New Events

Enterprise Architect Add-Ins can respond to the creation of new elements, connectors, attributes, methods and packages using the following broadcast events:

- [EA_OnPostNewElement](#)[1406]
- [EA_OnPostNewConnector](#)[1407]
- [EA_OnPostNewAttribute](#)[1407]
- [EA_OnPostNewMethod](#)[1408]
- [EA_OnPostNewPackage](#)[1409]

16.5.5.5.1 EA_OnPostNewElement

Details

EA_OnPostNewElement notifies Add-Ins that a new element has been created on a diagram. It enables Add-Ins to modify the element upon creation.

This event occurs after a user has dragged a new element from the Enterprise Architect UML **Toolbox** or **Resources** window onto a diagram. The notification is provided immediately after the element is added to the model. Set *Repository.SuppressEADialogs* to **true** to suppress Enterprise Architect from showing its default dialogs.

Also look at [EA_OnPreNewElement](#)[1402].

Syntax

Function *EA_OnPostNewElement*(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPostNewElement* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

Parameter	Type	Direction	Description
Info	EA. EventProperties <small>[1468]</small>	IN	Contains the following <i>EventProperty</i> objects for the new element: <ul style="list-style-type: none"> <i>ElementID</i>: A long value corresponding to <i>Element.ElementID</i>.

Return Value

Return **True** if the element has been updated during this notification. Return **False** otherwise.

16.5.5.5.2 EA_OnPostNewConnector

Details

EA_OnPostNewConnector notifies Add-Ins that a new connector has been created on a diagram. It enables Add-Ins to modify the connector upon creation.

This event occurs after a user has dragged a new connector from the Enterprise Architect UML **Toolbox** or **Resources** window onto a diagram. The notification is provided immediately after the connector is added to the model. Set *Repository.SuppressEADialogs* to **true** to suppress Enterprise Architect from showing its default dialogs.

Also look at [EA_OnPreNewConnector](#)[1403].

Syntax

Function *EA_OnPostNewConnector*(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPostNewConnector* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA. EventProperties <small>[1468]</small>	IN	Contains the following <i>EventProperty</i> objects for the new connector: <ul style="list-style-type: none"> <i>ConnectorID</i>: A long value corresponding to <i>Connector.ConnectorID</i>.

Return Value

Return **True** if the connector has been updated during this notification. Return **False** otherwise.

16.5.5.5.3 EA_OnPostNewAttribute

Details

EA_OnPostNewAttribute notifies Add-Ins that a new attribute has been created on a diagram. It enables Add-Ins to modify the attribute upon creation.

This event occurs when a user creates a new attribute on an element by either drag-dropping from the **Project Browser** window, using the **Attributes Properties** dialog, or using the in-place editor on the diagram. The notification is provided immediately after the attribute is created. Set *Repository.SuppressEADialogs* to **true** to

suppress Enterprise Architect from showing its default dialogs.

Also look at [EA_OnPreNewAttribute](#)^[1404].

Syntax

Function EA_OnPostNewAttribute(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPostNewAttribute* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA. EventProperties ^[1468]	IN	Contains the following <i>EventProperty</i> objects for the new attribute: <ul style="list-style-type: none"> <i>AttributeID</i>: A long value corresponding to <i>Attribute.AttributeID</i>.

Return Value

Return **True** if the attribute has been updated during this notification. Return **False** otherwise.

16.5.5.5.4 EA_OnPostNewMethod

Details

EA_OnPostNewMethod notifies Add-Ins that a new method has been created on a diagram. It enables Add-Ins to modify the method upon creation.

This event occurs when a user creates a new method on an element by either drag-dropping from the **Project Browser** window, using the method's **Properties** dialog, or using the in-place editor on the diagram. The notification is provided immediately after the method is created. Set *Repository.SuppressEADialogs* to **true** to suppress Enterprise Architect from showing its default dialogs.

Also look at [EA_OnPreNewMethod](#)^[1404].

Syntax

Function EA_OnPostNewMethod(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPostNewMethod* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	EA. EventProperties ^[1468]	IN	Contains the following <i>EventProperty</i> objects for the new method: <ul style="list-style-type: none"> <i>MethodID</i>: A long value corresponding to <i>Method.MethodID</i>.

Return Value

Return **True** if the method has been updated during this notification. Return **False** otherwise.

16.5.5.5.5 EA_OnPostNewPackage

Details

EA_OnPostNewPackage notifies Add-Ins that a new package has been created on a diagram. It enables Add-Ins to modify the package upon creation.

This event occurs when a user drags a new package from the Enterprise Architect UML **Toolbox** or **Resources** window onto a diagram, or by selecting the **New Package** icon from the **Project Browser** window. Set *Repository.SuppressEADialogs* to **true** to suppress Enterprise Architect from showing its default dialogs.

Also look at [EA_OnPreNewPackage](#)^[1405].

Syntax

Function *EA_OnPostNewPackage*(*Repository As EA.Repository, Info As EA.EventProperties*) **As Boolean**

The *EA_OnPostNewPackage* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties ^[1468]	IN	Contains the following <i>EventProperty</i> objects for the new package: <ul style="list-style-type: none"> <i>PackageID</i>: A long value corresponding to <i>Package.PackageID</i>.

Return Value

Return **True** if the package has been updated during this notification. Return **False** otherwise.

16.5.5.6 Technology Events

Enterprise Architect Add-Ins can respond to the following events associated with the use of MDG Technologies:

- [EA_OnPreDeleteTechnology](#)^[1409]
- [EA_OnDeleteTechnology](#)^[1410]
- [EA_OnImportTechnology](#)^[1411]

16.5.5.6.1 EA_OnPreDeleteTechnology

Details

EA_OnPreDeleteTechnology notifies Add-Ins that an MDG Technology resource is about to be deleted from the model. This event occurs when a user deletes an MDG

Technology resource from the model. The notification is provided immediately after the user confirms their request to delete the MDG Technology, so that the Add-In can disable deletion of the MDG Technology.

Also look at [EA_OnImportTechnology](#)^[1411] and [EA_OnDeleteTechnology](#)^[1410].

Syntax

Function *EA_OnPreDeleteTechnology(Repository As EA.Repository, Info As EA.EventProperties) As Boolean*

The *EA_OnPreDeleteTechnology* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties ^[1468]	IN	Contains the following <i>EventProperty</i> objects for the MDG Technology to be deleted: <ul style="list-style-type: none"> <i>TechnologyID</i>: A string value corresponding to the MDG Technology ID.

Return Value

Return **True** to enable deletion of the MDG Technology resource from the model. Return **False** to disable deletion of the MDG Technology resource.

16.5.5.6.2 EA_OnDeleteTechnology

Details

EA_OnDeleteTechnology notifies Add-Ins that an MDG Technology resource has been deleted from the model.

This event occurs after a user has deleted an MDG Technology resource from the model. Add-Ins that require an MDG Technology resource to be loaded can catch this Add-In to disable certain functionality.

Also look at [EA_OnImportTechnology](#)^[1417] and [EA_OnPreDeleteTechnology](#)^[1405].

Syntax

Sub *EA_OnDeleteTechnology(Repository As EA.Repository, Info As EA.EventProperties)*

The *EA_OnDeleteTechnology* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties ^[1468]	IN	Contains the following <i>EventProperty</i> objects: <ul style="list-style-type: none"> <i>TechnologyID</i>: A string value corresponding to the MDG Technology ID.

Return Value

None

16.5.5.6.3 EA_OnImportTechnology

Details

EA_OnImportTechnology notifies Add-Ins that you have imported an MDG Technology resource into the model.

This event occurs after you have imported an MDG Technology resource into the model. Add-Ins that require an MDG Technology resource to be loaded can catch this Add-In to enable certain functionality.

Also look at [EA_OnDeleteTechnology](#)^[1410].

Syntax

Sub EA_OnImportTechnology(Repository As EA.Repository, Info As EA.EventProperties)

The *EA_OnImportTechnology* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties ^[1468]	IN	Contains the following <i>EventProperty</i> objects: <ul style="list-style-type: none"> <i>TechnologyID</i>: A string value corresponding to the MDG Technology ID.

Return Value

None

16.5.5.7 Context Item Events

Enterprise Architect Add-Ins can respond to the following events associated with changing context:

- [EA_OnContextItemChanged](#)^[1411]
- [EA_OnContextItemDoubleClicked](#)^[1412]
- [EA_OnNotifyContextItemModified](#)^[1413]

16.5.5.7.1 EA_OnContextItemChanged

Details

EA_OnContextItemChanged notifies Add-Ins that a different item is now in context.

This event occurs after a user has selected an item anywhere in the Enterprise Architect GUI. Add-Ins that require knowledge of the current item in context can subscribe to this broadcast function. If *ot = otRepository*, then this function behaves the same as [EA_FileOpen](#)^[1398].

Also look at [EA_OnContextItemDoubleClicked](#)^[1412] and [EA_OnNotifyContextItemModified](#)^[1413].

Syntax

Sub EA_OnContextItemChanged(Repository As EA.Repository, GUID As String, ot as EA.ObjectType)

The *EA_OnContextItemChanged* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
GUID	String	IN	Contains the GUID of the new context item. This value corresponds to the following properties, depending on the value of the ot parameter: <i>ot (ObjectType)</i> - GUID value <i>otElement</i> - <i>Element.ElementGUID</i> <i>otPackage</i> - <i>Package.PackageGUID</i> <i>otDiagram</i> - <i>Diagram.DiagramGUID</i> <i>otAttribute</i> - <i>Attribute.AttributeGUID</i> <i>otMethod</i> - <i>Method.MethodGUID</i> <i>otConnector</i> - <i>Connector.ConnectorGUID</i> <i>otRepository</i> - NOT APPLICABLE, GUID is an empty string
ot	<i>EA.ObjectType</i>	IN	Specifies the type of the new context item.

Return Value

None.

16.5.5.7.2 EA_OnContextItemDoubleClicked

Details

EA_OnContextItemDoubleClicked notifies Add-Ins that the user has double-clicked the item currently in context.

This event occurs when a user has double-clicked (or pressed **[Enter]**) on the item in context, either in a diagram or in the **Project Browser**. Add-Ins to handle events can subscribe to this broadcast function.

Also look at [EA_OnContextItemChanged](#)^[1417] and [EA_OnNotifyContextItemModified](#)^[1418].

Syntax

Function *EA_OnContextItemDoubleClicked*(*Repository* As *EA.Repository*, *GUID* As String, *ot* as *EA.ObjectType*)

The *EA_OnContextItemDoubleClicked* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
GUID	String	IN	Contains the GUID of the new context item. This value corresponds to the following properties, depending on the value of the ot parameter:

Parameter	Type	Direction	Description
			<i>ot (ObjectType)</i> - GUID value <i>otElement</i> - <i>Element.ElementGUID</i> <i>otPackage</i> - <i>Package.PackageGUID</i> <i>otDiagram</i> - <i>Diagram.DiagramGUID</i> <i>otAttribute</i> - <i>Attribute.AttributeGUID</i> <i>otMethod</i> - <i>Method.MethodGUID</i> <i>otConnector</i> - <i>Connector.ConnectorGUID</i>
ot	<i>EA.ObjectType</i>	IN	Specifies the type of the new context item.

Return Value

Return **True** to notify Enterprise Architect that the double-click event has been handled by an Add-In. Return **False** to enable Enterprise Architect to continue processing the event.

16.5.5.7.3 EA_OnNotifyContextItemModified

Details

EA_OnNotifyContextItemModified notifies Add-Ins that the current context item has been modified.

This event occurs when a user has modified the context item. Add-Ins that require knowledge of when an item has been modified can subscribe to this broadcast function.

Also look at [EA_OnContextItemChanged](#)^[1411] and [EA_OnContextItemDoubleClicked](#)^[1412].

Syntax

Sub EA_OnNotifyContextItemModified(Repository As EA.Repository, GUID As String, ot as EA.ObjectType)

The *EA_OnNotifyContextItemModified* function syntax contains the following elements

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
GUID	<i>String</i>	IN	Contains the GUID of the new context item. This value corresponds to the following properties, depending on the value of the ot parameter:

Parameter	Type	Direction	Description
			<i>ot (ObjectType)</i> - GUID value <i>otElement</i> - <i>Element.ElementGUID</i> <i>otPackage</i> - <i>Package.PackageGUID</i> <i>otDiagram</i> - <i>Diagram.DiagramGUID</i> <i>otAttribute</i> - <i>Attribute.AttributeGUID</i> <i>otMethod</i> - <i>Method.MethodGUID</i> <i>otConnector</i> - <i>Connector.ConnectorGUID</i>
ot	<i>EA.ObjectType</i>	IN	Specifies the type of the new context item.

Return Value

None.

16.5.5.8 EA_OnPostTransform

Details

EA_OnPostTransform notifies Add-Ins that an MDG transformation has taken place with the output in the specified target package.

This event occurs when a user runs an MDG transform on one or more target packages. The notification is provided for each transform/target package immediately after all transform processes have completed.

Syntax

Function *EA_OnPostTransform(Repository As EA.Repository, Info As EA.EventProperties) As Boolean*

The *EA_OnPostTransform* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Info	<i>EA.</i> EventProperties <small>[1468]</small>	IN	Contains the following <i>EventProperty Objects</i> for the transform performed: <ul style="list-style-type: none"> <i>Transform</i>: A string value corresponding to the name of the transform used <i>PackageID</i>: A long value corresponding to <i>Package.PackageID</i> of the destination package.

Return Value

Reserved for future use.

16.5.5.9 Compartment Events

Enterprise Architect Add-Ins can respond to the following events associated with user-generated element compartments:

- [EA_QueryAvailableCompartments](#)^[1415]
- [EA_GetCompartmentData](#)^[1415]

16.5.5.9.1 EA_QueryAvailableCompartments

Details

This event occurs when Enterprise Architect's diagrams are refreshed. It is a request for the Add-In to provide a list of user-defined compartments. The [EA_GetCompartmentData](#)^[1415] event then queries each object for the data to display in each user-defined compartment.

Syntax

Function EA_QueryAvailableCompartments(Repository As EA.Repository) As Variant

The *EA_QueryAvailableCompartments* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

Return Value

A *String* containing a comma-separated list of user-defined compartments.

Example

```
Function EA_QueryAvailableCompartments(Repository As EA.Repository) As Variant
    Dim sReturn As String
    sReturn = ""
    If m_FirstCompartmentVisible = True Then
        sReturn = sReturn + "first,"
    End If
    If m_SecondCompartmentVisible = True Then
        sReturn = sReturn + "second,"
    End If
    If m_ThirdCompartmentVisible = True Then
        sReturn = sReturn + "third,"
    End If

    If Len(sReturn) > 0 Then
        sReturn = Left(sReturn, Len(sReturn)-1)
    End If

    EA_QueryAvailableCompartments = sReturn
End Function
```

16.5.5.9.2 EA_GetCompartmentData

Details

This event occurs when Enterprise Architect is instructed to redraw an element. It requests that the Add-In provide the data to populate the element's compartment.

Syntax

Function EA_GetCompartmentData(*Repository As EA.Repository, sCompartment As String, sGUID As String, oType As EA.ObjectType*) *As Variant*

The *EA_QueryAvailableCompartments* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository [1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
sCompartment	<i>String</i>	IN	The name of the compartment for which data is being requested.
sGUID	<i>String</i>	IN	The GUID of the element for which data is being requested.
oType	<i>ObjectType</i>	IN	The type of the element for which data is being requested.

Return Value

Variant containing a formatted string. See the example below to understand the format.

Example

Function EA_GetCompartmentData(*Repository As EA.Repository, sCompartment As String, sGUID As String, oType As EA.ObjectType*) *As Variant*

```
If Repository Is Nothing Then
    Exit Function
End If
```

```
Dim sCompartmentData As String
Dim oXML As MSXML2.DOMDocument
Dim Nodes As MSXML2.IXMLDOMNodeList
Dim Node1 As MSXML2.IXMLDOMNode
Dim Node As MSXML2.IXMLDOMNode
Dim sData As String
```

```
sCompartmentData = ""
Set oXML = New MSXML2.DOMDocument
sData = ""
```

```
On Error GoTo ERR_GetCompartmentData
```

```
oXML.loadXML (Repository.GetTreeXMLByGUID(sGUID))
Set Node1 = oXML.selectSingleNode("//ModellItem")
```

```
If Node1 Is Nothing Then
    Exit Function
End If
```

```
sCompartmentData = sCompartmentData + "Name=" + sCompartment + ";"
sCompartmentData = sCompartmentData + "OwnerGUID=" + sGUID + ";"
sCompartmentData = sCompartmentData + "Options=SkipIfOnDiagram&_eq_^1&_sc_^"
```

```
Select Case sCompartment
```

```
Case "parts"
```

```
    Set Nodes = Node1.selectNodes("ModellItem[@Metatype=""Part""]")
```

```
    For Each Node In Nodes
```

```
        sData = sData + "Data&_eq_^" + Node.Attributes.getNamedItem("Name").nodeValue + "&_sc_^"
```

```
        sData = sData + "GUID&_eq_^" + Node.Attributes.getNamedItem("GUID").nodeValue + "&_sc_^,"
```

```
    Next
```

```
Case "ports"
```

```

Set Nodes = Node1.selectNodes("ModellItem[@Metatype=""Port""]")
For Each Node In Nodes
    sData = sData + "Data&_eq_^" + Node.Attributes.getNamedItem("Name").nodeValue + "&_sc_^"
    sData = sData + "GUID&_eq_^" + Node.Attributes.getNamedItem("GUID").nodeValue + "&_sc_^,"
Next

End Select

' If there's no data to display, then don't return any compartment data
If sData <> "" Then
    sCompartmentData = sCompartmentData + "CompartmentData=" + sData + ";"
Else
    sCompartmentData = ""
End If

EA_GetCompartmentData = sCompartmentData
Exit Function

ERR_GetCompartmentData:
EA_GetCompartmentData = ""

End Function

```

16.5.5.10 Model Validation Broadcasts

Perform Model Validation from an Add-In

Using Enterprise Architect broadcasts, it is possible to define a set of rules that are evaluated when the user instructs Enterprise Architect to perform model validation. An Add-In that performs model validation would involve the following broadcast events:

- [EA_OnInitializeUserRules](#)^[1417] is intercepted in order to define rule categories and rules.
- [EA_OnStartValidation](#)^[1418] can be intercepted to perform any required processing prior to validation.
- The following functions intercept each request to validate an individual element, package, diagram, connector, attribute and method:
 - [EA_OnRunElementRule](#)^[1419]
 - [EA_OnRunPackageRule](#)^[1419]
 - [EA_OnRunDiagramRule](#)^[1419]
 - [EA_OnRunConnectorRule](#)^[1420]
 - [EA_OnRunAttributeRule](#)^[1420]
 - [EA_OnRunMethodRule](#)^[1421]
- [EA_OnEndValidation](#)^[1418] can be intercepted to perform any required clean-up after validation has completed.

Consider the [Model Validation Example](#)^[1422].

16.5.5.10.1 EA_OnInitializeUserRules

Details

EA_OnInitializeUserRules is called on Enterprise Architect start-up and requests that the Add-In provide Enterprise Architect with a rule category and list of rule IDs for model validation.

This function must be implemented by any Add-In that is to perform its own model validation. It must call *Project.DefineRuleCategory* once and *Project.DefineRule* for each rule; these functions are described in the [Project Interface](#)^[1521] section.

Syntax

Sub EA_OnInitializeUserRules(Repository As EA.Repository)

The *EA_OnInitializeUserRules* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

16.5.5.10.2 EA_OnStartValidation

Details

EA_OnStartValidation notifies Add-Ins that a user has invoked the model validation command from Enterprise Architect.

Syntax

Sub EA_OnStartValidation(Repository As EA.Repository, ParamArray Args() as Variant)

The *EA_OnStartValidation* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Args	<i>ParamArray of Variant</i>	IN	Contains a list of Rule Categories that are active for the current invocation of model validation.

16.5.5.10.3 EA_OnEndValidation

Details

EA_OnEndValidation notifies Add-Ins that model validation has completed. Use this event to arrange any clean-up operations arising from the validation.

Syntax

Sub EA_OnEndValidation(Repository As EA.Repository, ParamArray Args() as Variant)

The *EA_OnEndValidation* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
Args	<i>ParamArray of Variant</i>	IN	Contains a list of Rule Categories that were active for the invocation of model validation that has just completed.

16.5.5.10.4 EA_OnRunElementRule

Details

This event is triggered once for each rule defined in *EA_OnInitializeUserRules* to be performed on each element in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given element, then simply return without performing any action. On performing any validation, if a validation error is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Also look at [EA_OnInitializeUserRules](#)^[1417].

Syntax

Sub EA_OnRunElementRule(Repository As EA.Repository, RuleID As String, Element As EA.Element)

The *EA_OnRunElementRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> command.
Element	<i>EA.Element</i>	IN	The element to potentially perform validation on.

16.5.5.10.5 EA_OnRunPackageRule

Details

This event is triggered once for each rule defined in [EA_OnInitializeUserRules](#)^[1417] to be performed on each package in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given package, then simply return without performing any action. On performing any validation, if a validation error is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Syntax

Sub EA_OnRunPackageRule(Repository As EA.Repository, RuleID As String, PackageID As Long)

The *EA_OnRunElementRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> method.
PackageID	Long	IN	The ID of the package to potentially perform validation on. Use the <i>Repository.GetPackageByID</i> method to retrieve the package object.

16.5.5.10.6 EA_OnRunDiagramRule

Details

This event is triggered once for each rule defined in [EA_OnInitializeUserRules](#)^[1417] to be performed on each

diagram in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given diagram, then simply return without performing any action. On performing any validation, if a validation error is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Syntax

Sub EA_OnRunDiagramRule(Repository As EA.Repository, RuleID As String, DiagramID As Long)

The *EA_OnRunDiagramRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> command.
DiagramID	Long	IN	The ID of the diagram to potentially perform validation on. Use the <i>Repository.GetDiagramByID</i> method to retrieve the diagram object.

16.5.5.10.7 EA_OnRunConnectorRule

Details

This event is triggered once for each rule defined in [EA_OnInitializeUserRules](#)^[1417] to be performed on each connector in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given connector, then simply return without performing any action. On performing any validation, if a validation error is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Syntax

Sub EA_OnRunConnectorRule(Repository As EA.Repository, RuleID As String, ConnectorID As Long)

The *EA_OnRunConnectorRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> command.
ConnectorID	Long	IN	The ID of the connector to potentially perform validation on. Use the <i>Repository.GetConnectorByID</i> method to retrieve the connector object.

16.5.5.10.8 EA_OnRunAttributeRule

Details

This event is triggered once for each rule defined in [EA_OnInitializeUserRules](#)^[1417] to be performed on each attribute in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given attribute, then simply return without performing any action. On performing any validation, if a validation error is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Syntax

Sub EA_OnRunAttributeRule(Repository As EA.Repository, RuleID As String, AttributeGUID As String, ObjectID As Long)

The *EA_OnRunAttributeRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> command.
AttributeGUID	String	IN	The GUID of the attribute to potentially perform validation on. Use the <i>Repository.GetAttributeByGuid</i> method to retrieve the attribute object.
ObjectID	Long	IN	The ID of the object that owns the given attribute. Use the <i>Repository.GetObjectByID</i> method to retrieve the object.

16.5.5.10.9 EA_OnRunMethodRule

Details

This event is triggered once for each rule defined in [EA_OnInitializeUserRules](#)[1417] to be performed on each method in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given method, then simply return without performing any action. On performing any validation, if a validation error is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Syntax

Sub EA_OnRunMethodRule(Repository As EA.Repository, RuleID As String, MethodGUID As String, ObjectID As Long)

The *EA_OnRunMethodRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> command.
MethodGUID	String	IN	The GUID of the method to potentially perform validation on. Use the <i>Repository.GetMethodByGuid</i> method to retrieve the method object.
ObjectID	Long	IN	The ID of the object that owns the given method. Use the <i>Repository.GetObjectByID</i> method to retrieve the object.

16.5.5.10.10 EA_OnRunParameterRule

Details

This event is triggered once for each rule defined in [EA_OnInitializeUserRules](#)[1417] to be performed on each parameter in the selection being validated. If you don't want to perform the rule defined by **RuleID** on the given parameter, then simply return without performing any action. On performing any validation, if a validation error

is found, use the *Repository.ProjectInterface.PublishResult* method to notify Enterprise Architect.

Syntax

Sub EA_OnRunParameterRule(*Repository As EA.Repository, RuleID As String, ParameterGUID As String, MethodGUID As String, ObjectID As Long*)

The *EA_OnRunMethodRule* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
RuleID	String	IN	The ID that was passed into the <i>Project.DefineRule</i> command.
ParameterGUID	String	IN	The GUID of the parameter to potentially perform validation on. Use it to retrieve the parameter by iterating through the <i>Method.Parameters</i> collection.
MethodGUID	String	IN	The GUID of the method that owns the given parameter. Use the <i>Repository.GetMethodByGuid</i> method to retrieve the method object.
ObjectID	Long	IN	The ID of the object that owns the given parameter. Use the <i>Repository.GetObjectByID</i> method to retrieve the object.

16.5.5.10.11 Model Validation Example

The following example code is written in C# and provides a skeleton model validation implementation that you might like to use as a starting point in writing your own model validation rules.

Main.cs

```
using System;

namespace myAddin
{
    public class Main
    {
        public Rules theRules;

        public Main()
        {
            theRules = new Rules();
        }

        public string EA_Connect(EA.Repository Repository)
        {
            return "";
        }

        public void EA_Disconnect()
        {
            GC.Collect();
            GC.WaitForPendingFinalizers();
        }

        private bool IsProjectOpen(EA.Repository Repository)
        {
            try
            {
                EA.Collection c = Repository.Models;
                return true;
            }
        }
    }
}
```

```

        }
        catch
        {
            return false;
        }
    }

    public object EA_GetMenuItems(EA.Repository Repository, string MenuLocation, string MenuName)
    {
        switch (MenuName)
        {
            case "":
                return "-&myAddin";
            case "-&myAddin":
                string[] ar = { "&Test" };
                return ar;
        }
        return "";
    }

    public void EA_GetMenuState(EA.Repository Repository, string MenuLocation, string MenuName, string
    ItemName, ref bool IsEnabled, ref bool IsChecked)
    {
        // if no open project, disable all menu options
        if (IsProjectOpen(Repository))
            IsEnabled = true;
        else
            IsEnabled = false;
    }

    public void EA_MenuClick(EA.Repository Repository, string MenuLocation, string MenuName, string
    ItemName)
    {
        switch (ItemName)
        {
            case "&Test":
                DoTest(Repository);
                break;
        }
    }

    public void EA_OnInitializeUserRules(EA.Repository Repository)
    {
        if (Repository != null)
        {
            theRules.ConfigureCategories(Repository);
            theRules.ConfigureRules(Repository);
        }
    }

    public void EA_OnRunElementRule(EA.Repository Repository, string RuleID, EA.Element element)
    {
        theRules.RunElementRule(Repository, RuleID, element);
    }

    public void EA_OnRunDiagramRule(EA.Repository Repository, string RuleID, long IDiagramID)
    {
        theRules.RunDiagramRule(Repository, RuleID, IDiagramID);
    }

    public void EA_OnRunConnectorRule(EA.Repository Repository, string RuleID, long IConnectorID)
    {
        theRules.RunConnectorRule(Repository, RuleID, IConnectorID);
    }

    public void EA_OnRunAttributeRule(EA.Repository Repository, string RuleID, string AttGUID, long
    IObjectID)
    {
        return;
    }

```

```
    }  
  
    public void EA_OnDeleteTechnology(EA.Repository Repository, EA.EventProperties Info)  
    {  
        return;  
    }  
  
    public void EA_OnImportTechnology(EA.Repository Repository, EA.EventProperties Info)  
    {  
        return;  
    }  
  
    private void DoTest(EA.Repository Rep)  
    {  
        // TODO: insert test code here  
    }  
}  
}
```

Rules.cs

```
using System;  
using System.Collections;  
  
namespace myAddin  
{  
    public class Rules  
    {  
        private string m_sCategoryID;  
        private System.Collections.ArrayList m_RuleIDs;  
        private System.Collections.ArrayList m_RuleIDEx;  
  
        private const string cRule01 = "Rule01";  
        private const string cRule02 = "Rule02";  
        private const string cRule03 = "Rule03";  
        // TODO: expand this list as much as necessary  
  
        public Rules()  
        {  
            m_RuleIDs = new System.Collections.ArrayList();  
            m_RuleIDEx = new System.Collections.ArrayList();  
        }  
  
        private string LookupMap(string sKey)  
        {  
            return DoLookupMap(sKey, m_RuleIDs, m_RuleIDEx);  
        }  
  
        private string LookupMapEx(string sRule)  
        {  
            return DoLookupMap(sRule, m_RuleIDEx, m_RuleIDs);  
        }  
  
        private string DoLookupMap(string sKey, ArrayList arrValues, ArrayList arrKeys)  
        {  
            if (arrKeys.Contains(sKey))  
                return arrValues[arrKeys.IndexOf(sKey)].ToString();  
            else  
                return "";  
        }  
  
        private void AddToMap(string sRuleID, string sKey)  
        {  
            m_RuleIDs.Add(sRuleID);  
            m_RuleIDEx.Add(sKey);  
        }  
  
        private string GetRuleStr(string sRuleID)  
        {
```

```

        switch (sRuleID)
        {
            case cRule01:
                return "Error Message 01";
            case cRule02:
                return "Error Message 02";
            case cRule03:
                return "Error Message 03";
            // TODO: add extra cases as much as necessary
        }
        return "";
    }

    public void ConfigureCategories(EA.Repository Repository)
    {
        EA.Project Project = Repository.GetProjectInterface();
        m_sCategoryID = Project.DefineRuleCategory("Enterprise Collaboration Architecture (ECA
Rules");
    }

    public void ConfigureRules(EA.Repository Repository)
    {
        EA.Project Project = Repository.GetProjectInterface();
        AddToMap(Project.DefineRule(m_sCategoryID, EA.EnumMVErrortype.mvError,
GetRuleStr(cRule01)), cRule01);
        AddToMap(Project.DefineRule(m_sCategoryID, EA.EnumMVErrortype.mvError,
GetRuleStr(cRule02)), cRule02);
        AddToMap(Project.DefineRule(m_sCategoryID, EA.EnumMVErrortype.mvError,
GetRuleStr(cRule03)), cRule03);
        // TODO: expand this list
    }

    public void RunConnectorRule(EA.Repository Repository, string sRuleID, long IConnectorID)
    {
        EA.Connector Connector = Repository.GetConnectorByID((int)IConnectorID);
        if (Connector != null)
        {
            switch (LookupMapEx(sRuleID))
            {
                case cRule02:
                    // TODO: perform rule 2 check
                    break;
                // TODO: add more cases
            }
        }
    }

    public void RunDiagramRule(EA.Repository Repository, string sRuleID, long IDiagramID)
    {
        EA.Diagram Diagram = Repository.GetDiagramByID((int)IDiagramID);
        if (Diagram != null)
        {
            switch (LookupMapEx(sRuleID))
            {
                case cRule03:
                    // TODO: perform rule 3 check
                    break;
                // TODO: add more cases
            }
        }
    }

    public void RunElementRule(EA.Repository Repository, string sRuleID, EA.Element Element)
    {
        if (Element != null)
        {
            switch (LookupMapEx(sRuleID))
            {
                case cRule01:
                    DoRule01(Repository, Element);
            }
        }
    }

```

```

        break;
        // TODO: add more cases
    }
}

private void DoRule01(EA.Repository Repository, EA.Element Element)
{
    if (Element.Stereotype != "myStereotype")
        return;

    // TODO: validation logic here

    // report validation errors
    EA.Project Project = Repository.GetProjectInterface();
    Project.PublishResult(LookupMap(cRule01), EA.EnumMVErrorType.mvError,
        GetRuleStr(cRule01));
}
}
}

```

16.5.5.11 EA_OnRetrieveModelTemplate

Details

EA_OnRetrieveModelTemplate requests that an Add-In pass a model template to Enterprise Architect.

This event occurs when a user executes the **Add Model Using Wizard** command to add a model that has been defined by an MDG Technology. See the [Incorporate Model Templates in a Technology](#)^[1553] topic for details of how to define such model templates.

Syntax

Function EA_OnRetrieveModelTemplate(Repository As EA.Repository, sLocation As String) As String

The *EA_OnRetrieveModelTemplate* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
sLocation	<i>String</i>	IN	The name of the template requested. This should match the <i>location</i> attribute in the <i><ModelTemplates></i> section of an MDG Technology File. For more information, see the Incorporate Model Templates in a Technology ^[1553] topic.

Return Value

Return a string containing the XML export of the model that is being used as a template.

Example

```

Public Function EA_OnRetrieveModelTemplate(ByRef Rep As EA.Repository, ByRef sLocation As String) As String
    Dim sTemplate As String
    Select Case sLocation
        Case "Templates\Template1.xml"
            sTemplate = My.Resources.Template1
        Case "Templates\Template2.xml"
            sTemplate = My.Resources.Template2
        Case "Templates\Template3.xml"
            sTemplate = My.Resources.Template3
        Case Else
    
```

```

MsgBox("Path for " & sLocation & " not found")
sTemplate = ""
End Select
EA_OnRetrieveModelTemplate = sTemplate
End Function

```

16.5.5.12 EA_OnInitialize_Technologies

Details

EA_OnInitializeTechnologies requests that an add-in pass an MDG Technology to Enterprise Architect for loading.

This event occurs on Enterprise Architect startup. Return your technology XML to this function and Enterprise Architect loads and enables it.

Syntax

Function EA_OnInitializeTechnologies(Repository As EA.Repository) As Object

The *EA_OnInitializeTechnologies* function syntax contains the following element:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

Return Value

Return the MDG Technology as a single XML string.

Example

```

Public Function EA_OnInitializeTechnologies(ByVal Repository As EA.Repository) As Object
EA_OnInitializeTechnologies = My.Resources.MyTechnology
End Function

```

16.5.6 Custom Views

Enterprise Architect enables custom windows to be inserted as tabs in the **Diagram View** that appears at the center of the Enterprise Architect frame.

[Creating a custom view](#)^[1427] enables you to easily and quickly tab between a custom interface and diagrams and other views normally provided by Enterprise Architect.

Uses for this facility include:

- Reports and graphs showing summary data of the model
- Alternative views of a diagram
- Alternative views of the model
- Views of external data related to model data
- Documentation tools.

16.5.6.1 Create a Custom View

A custom view must be designed as an ActiveX custom control and inserted through the automation interface.

ActiveX custom controls can be created using most well-known programming tools including Microsoft Visual

Studio.NET. See the documentation provided by the relevant vendor on how to create a custom control to produce an OCX file.

Once the custom control has been created and registered on the target system, it can be added through the **AddTab()** method of the [Repository](#)^[1453] object.

While it is possible to call **AddTab()** from any automation client, it is likely that you would call it from an Add-In, and that Add-In is defined in the same OCX that provides the custom view.

Example C# code is shown below:

```
public class Addin
{
    UserControl1 m_MyControl;

    public void EA_Connect(EA.Repository Rep)
    {
    }

    public object EA_GetMenuItems(EA.Repository Repository, string Location, string MenuName)
    {
        if( MenuName == "" )
            return "-&C# Control Demo";
        else
        {
            String[] ret = {"&Create", "&Show Button"};
            return ret;
        }
    }

    public void EA_MenuClick(EA.Repository Rep, string Location, string MenuName, string ItemName)
    {
        if( ItemName == "&Create" )
            m_MyControl = (UserControl1) Rep.AddTab("C# Demo","ContDemo.UserControl1");
        else
            m_MyControl.ShowButton();
    }
}
```

16.5.7 MDG Add-Ins

MDG Add-Ins are specialized types of Add-Ins that have additional features and extra requirements for Add-In authors who want to contribute to Enterprise Architect's goal of Model Driven Generation. Unlike general Add-In events, MDG Add-In events are only sent to the Add-In that has taken ownership of an Enterprise Architect model branch on a particular PC.

One of the additional responsibilities of an MDG Add-In is to take ownership of a branch of an Enterprise Architect model, which is done through the [MDG Connect](#)^[1429] event.

MDG Add-Ins identify themselves as such during [EA Connect](#)^[1395] by returning the string *MDG*.

Unlike ordinary Add-Ins, responding to MDG Add-In events is not optional, and methods must be published for each of the [MDG Events](#)^[1428].

Two examples of MDG Add-Ins are the commercially available *MDG Link for Eclipse* and *MDG Link for Visual Studio*, published by [Sparx Systems](#).

16.5.7.1 MDG Events

An MDG Add-In must respond to all MDG Events. These events usually identify processes such as Build, Run, Synchronize, PreMerge and PostMerge, amongst others.

An MDG Link Add-In is expected to implement some form of forward and reverse engineering capability within

Enterprise Architect, and as such requires access to a specific set of events, all to do with generation, synchronization and general processes concerned with converting models to code and code to models.

- [MDG_BuildProject](#)^[1429]
- [MDG_Connect](#)^[1429]
- [MDG_Disconnect](#)^[1430]
- [MDG_GetConnectedPackages](#)^[1431]
- [MDG_GetProperty](#)^[1431]
- [MDG_Merge](#)^[1432]
- [MDG_NewClass](#)^[1433]
- [MDG_PostGenerate](#)^[1434]
- [MDG_PostMerge](#)^[1435]
- [MDG_PreGenerate](#)^[1436]
- [MDG_PreMerge](#)^[1436]
- [MDG_PreReverse](#)^[1437]
- [MDG_RunExe](#)^[1437]
- [MDG_View](#)^[1438]

16.5.7.1.1 MDGBuild Project

Details

MDG_BuildProject enables the Add-In to handle file changes caused by generation. This function is called in response to a user selecting the **Add-Ins | Build Project** menu option.

Respond to this event by compiling the project source files into a running application.

Also look at [MDG_RunExe](#)^[1437].

Syntax

Sub MDG_BuildProject(Repository As EA.Repository, PackageGuid As String)

The *MDG_BuildProject* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	<i>String</i>	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.

Return Value

None.

16.5.7.1.2 MDGConnect

Details

MDG_Connect enables the Add-In to handle user driven request to connect a model branch to an external application. This function is called when the user attempts to connect a particular Enterprise Architect package to an as yet unspecified external project. This event enables the Add-In to interact with the user to specify such a project.

The Add-In is responsible for retaining the connection details, which should be stored on a per-user or per-workstation basis. That is, users who share a common Enterprise Architect model over a network should be able to connect and disconnect to external projects independently of one another.

The Add-In should therefore not store connection details in an Enterprise Architect repository. A suitable place to store such details would be:

```
SHGetFolderPath(..CSIDL_APPDATA..)AddinName.
```

The *PackageGuid* parameter is the same identifier as required for most events relating to the MDG Add-In. Therefore it is recommended that the connection details be indexed using the *PackageGuid* value.

The *PackageID* parameter is provided to aid fast retrieval of package details from Enterprise Architect, should this be required.

Also look at [MDG_Disconnect](#)^[1430].

Syntax

Function MDG_Connect(Repository As EA.Repository, PackageID as Long, PackageGuid As String) As Long

The *MDG_Connect* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageID	Long	IN	The <i>PackageID</i> of the Enterprise Architect package the user has requested to have connected to an external project.
PackageGuid	String	IN	The unique ID identifying the project provided by the Add-In when a connection to a project branch of an Enterprise Architect model was first established

Return Value

Returns a non-zero to indicate that a connection has been made; a zero indicates that the user has not nominated a project and connection should not proceed.

16.5.7.1.3 MDGDisconnect

Details

MDG_Disconnect enables the Add-In to respond to user requests to disconnect the model branch from an external project. This function is called when the user attempts to disconnect an associated external project. The Add-In is required to delete the details of the connection.

Also look at [MDG_Connect](#)^[1429].

Syntax

Function MDG_Disconnect(Repository As EA.Repository, PackageGuid As String) As Long

The *MDG_Disconnect* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.	IN	An <i>EA.Repository</i> object representing the currently open Enterprise

Parameter	Type	Direction	Description
	Repository <small>[1453]</small>		Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.

Return Value

Returns a non-zero to indicate that a disconnection has occurred enabling Enterprise Architect to update the user interface. A zero to indicates that the user has not disconnected from an external project.

16.5.7.1.4 MDGGetConnectedPackages

Details

MDG_GetConnectedPackages enables the Add-In to return a list of current connection between Enterprise Architect and an external application. This function is called when the Add-In is first loaded, and is expected to return a list of the available connections to external projects for this Add-In.

Also look at [MDG_Connect](#)[1425].

Syntax

Function *MDG_GetConnectedPackages(Repository As EA.Repository) As Variant*

The *MDG_GetConnectedPackages* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.

Return Value

Return an array of GUID strings representing individual Enterprise Architect packages.

16.5.7.1.5 MDGGetProperty

Details

MDG_GetProperty provides miscellaneous Add-In details to Enterprise Architect. This function is called by Enterprise Architect to poll the Add-In for information relating to the *PropertyName*. This event should occur in as short a duration as possible as Enterprise Architect does not cache the information provided by the function.

Values corresponding to the following *PropertyNames* must be provided:

- **IconID** - Return the name of a DLL and a resource identifier in the format *#ResID*, where the resource ID indicates an Icon; eg. *c:\program files\myapp\myapp.dll#101*
- **Language** - Return the default language that Classes should be assigned when they are created in Enterprise Architect
- **HiddenMenus** - Return one or more values from the *MDGMenus* enumeration to hide menus that do not apply to your Add-In. For example:

```
if( PropertyName == "HiddenMenus" )
```

```
return mgBuildProject + mgRun;
```

Syntax

Function MDG_GetProperty(Repository As EA.Repository, PackageGuid As String, PropertyName As String) As Variant

The *MDG_GetProperty* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently-open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.
PropertyName	String	IN	The name of the property that is used by Enterprise Architect See <i>Description</i> for the possible values

Return Value

See *Description*, above.

16.5.7.1.6 MDGMerge

Details

MDG_Merge enables the Add-In to jointly handle changes to both the model branch and the code project that the model branch is connected to. This event should be called whenever the user has asked to merge their model branch with its connected code project, or whenever the user has established a new connection to a code project. The purpose of this event is to enable the Add-In to interact with the user to perform a merge between the model branch and the connected project.

Also look at [MDG_Connect](#)[1429], [MDG_PreMerge](#)[1436] and [MDG_PostMerge](#)[1435].

Syntax

Function MDG_Merge(Repository As EA.Repository, PackageGuid As String, SynchObjects As Variant, SynchType As String, ExportObjects As Variant, ExportFiles As Variant, ImportFiles As Variant, IgnoreLocked As String, Language As String) As Long

The *MDG_Merge* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.
SynchObjects	Variant	OUT	A string array containing a list of objects (<i>Object ID</i> format) to be jointly synchronized between the model branch and the project. See below <small>[1433]</small> for the format of the Object IDs.
SynchType	String	OUT	The value determining the user-selected type of synchronization to take place. See below <small>[1433]</small> for a list of valid values.

Parameter	Type	Direction	Description
ExportObjects	<i>Variant</i>	OUT	The string array containing the list of new model objects (in <i>Object ID</i> format) to be exported by Enterprise Architect to the code project.
ExportFiles	<i>Variant</i>	OUT	A string array containing the list of files for each model object chosen for export by the Add-In. Each entry in this array must have a corresponding entry in the <i>ExportObjects</i> parameter at the same array index, so <i>ExportFiles(2)</i> must contain the filename of the object by <i>ExportObjects(2)</i> .
ImportFiles	<i>Variant</i>	OUT	A string array containing the list of code files made available to the code project to be newly imported to the model. Enterprise Architect imports each file listed in this array for import into the connected model branch.
IgnoreLocked	<i>String</i>	OUT	A value indicating whether to ignore any files locked by the code project (i.e "TRUE" or "FALSE").
Language	<i>String</i>	OUT	The string value containing the name of the code language supported by the code project connected to the model branch.

Return Value

Return a non-zero if the merge operation completed successfully and a zero value when the operation has been unsuccessful.

Merge

A merge consists of three major operations:

- **Export:** Where newly created model objects are exported into code and made available to the code project.
- **Import:** Where newly created code objects, Classes and such things are imported into the model.
- **Synchronize:** Where objects available both to the model and in code are jointly updated to reflect changes made in either the model, code project or both.

Synchronize Type

The *Synchronize* operation can take place in one of four different ways. Each of these ways corresponds to a value returned by *SynchType*:

- None: (*SynchType* = 0) No synchronization is to be performed
- Forward: (*SynchType* = 1) Forward synchronization, between the model branch and the code project is to occur
- Reverse: (*SynchType* = 2) Reverse synchronization, between the code project and the model branch is to occur
- Both: (*SynchType* = 3) Reverse, then Forward synchronization's are to occur.

Object ID Format

Each of the Object IDs listed in the string arrays described above should be composed in the following format:

(@namespace)*(#class)*(\$attribute|%operation|:property)*

16.5.7.1.7 MDGNewClass

Details

MDG_NewClass enables the Add-In to alter details of a Class before it is created.

This method is called when Enterprise Architect generates a new Class, and requires information relating to assigning the language and file path. The file path should be passed back as a return value and the language should be passed back via the language parameter.

Also look at [MDG_PreGenerate](#)^[1436].

Syntax

Function MDG_NewClass(Repository As EA.Repository, PackageGuid As String, CodeID As String, Language As String) As String

The *MDG_NewClass* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.
CodeID	String	IN	A string used to identify the code element before it is created, for more information see MDG_View ^[1436]
Language	String	IN	A string used to identify the programming language for the new Class. The language must be supported by Enterprise Architect.

Return Value

Return a string containing the file path that should be assigned to the Class.

16.5.7.1.8 MDGPostGenerate

Details

MDG_PostGenerate enables the Add-In to handle file changes caused by generation.

This event is called after Enterprise Architect has prepared text to replace the existing contents of a file. Responding to this event enables the Add-In to write to the linked application's user interface rather than modify the file directly.

When the contents of a file are changed, Enterprise Architect passes *FileContents* as a non-empty string. New files created as a result of code generation are also sent through this mechanism, enabling Add-Ins to add new files to the linked project's file list.

When new files are created Enterprise Architect passes *FileContents* as an empty string. When a non-zero is returned by this function, the Add-In has successfully written the contents of the file. A zero value for the return indicates to Enterprise Architect that the file must be saved.

Also look at [MDG_PreGenerate](#)^[1436].

Syntax

Function MDG_PostGenerate(Repository As EA.Repository, PackageGuid As String, FilePath As String, FileContents As String) As Long

The *MDG_PostGenerate* function syntax contains the following elements

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.
FilePath	String	IN	The path of the file Enterprise Architect intends to overwrite.
FileContents	String	IN	A string containing the proposed contents of the file.

Return Value

Return value depends on the type of event that this function is responding to (see **Details**, below). This function is required to handle two separate and distinct cases.

16.5.7.1.9 MDGPostMerge

Details

MDG_PostMerge is called after a merge process has been completed.

This function is called by Enterprise Architect after the merge process has been completed.

Note:

File save checking should not be performed with this function, but should be handled by [MDG_PreGenerate](#)
[1436], [MDG_PostGenerate](#)
[1434] and [MDG_PreReverse](#)
[1437].

Also look at [MDG_PreMerge](#)
[1436] and [MDG_Merge](#)
[1432].

Syntax

Function *MDG_PostMerge(Repository As EA.Repository, PackageGuid As String) As Long*

The *MDG_PostMerge* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository <small>[1453]</small>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.

Return Value

Return a zero value if the post-merge process has failed, a non-zero return indicates that the post-merge has been successful. Enterprise Architect assumes a non-zero return if this method is not implemented

16.5.7.1.10 MDGPreGenerate

Details

MDG_PreGenerate enables the Add-In to deal with unsaved changes. This function is called immediately before Enterprise Architect attempts to generate files from the model. A possible use of this function would be to prompt the user to save unsaved source files.

Also look at [MDG_PostGenerate](#)^[1434].

Syntax

Function *MDG_PreGenerate(Repository As EA.Repository, PackageGuid As String) As Long*

The *MDG_PreGenerate* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository ^[1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	<i>String</i>	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.

Return Value

Return a zero value to abort generation. Any other value enables the generation to continue.

16.5.7.1.11 MDGPreMerge

Details

MDG_PreMerge is called after a merge process has been initiated by the user and before Enterprise Architect performs the merge process.

This event is called after a user has performed their interactions with the merge screen and has confirmed the merge with the **OK** button, but before Enterprise Architect performs the merge process using the data provided by the *MDG_Merge* call, before any changes have been made to the model or the connected project.

This event is made available to provide the Add-In with the opportunity to generally set internal Add-In flags to augment the *MDG_PreGenerate*, *MDG_PostGenerate* and *MDG_PreReverse* events.

Note:

File save checking should not be performed with this function, but should be handled by [MDG_PreGenerate](#)^[1436], [MDG_PostGenerate](#)^[1434] and [MDG_PreReverse](#)^[1437].

Also look at [MDG_Merge](#)^[1432] and [MDG_PostMerge](#)^[1435].

Syntax

Function *MDG_PreMerge(Repository As EA.Repository, PackageGuid As String) As Long*

The *MDG_PreMerge* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user

Parameter	Type	Direction	Description
	[1453]		interface status information.
PackageGuid	<i>String</i>	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.

Return Value

A return value of zero indicates that the merge process will not occur. If the value is not zero the merge process will proceed. If this method is not implemented then it is assumed that a merge process is used.

16.5.7.1.12 MDGPreReverse

Details

MDG_PreReverse enables the Add-In to save file changes before being imported into Enterprise Architect.

This function operates on a list of files that are about to be reverse-engineered into Enterprise Architect. If the user is working on unsaved versions of these files in an editor, you could either prompt the user or save automatically.

Also look at [MDG_PostGenerate](#) [\[1434\]](#) and [MDG_PreGenerate](#) [\[1436\]](#).

Syntax

Sub MDG_PreReverse(Repository As EA.Repository, PackageGuid As String, FilePaths As Variant)

The *MDG_PreReverse* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository [1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	<i>String</i>	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.
FilePaths	<i>String array</i>	IN	An array of filepaths pointed to the files that are to be reverse engineered.

Return Value

None.

16.5.7.1.13 MDGRunExe

Details

MDG_RunExe enables the Add-In to run the target application. This function is called when the user selects the **Add-Ins | Run Exe** menu option. Respond to this event by launching the compiled application.

Also look at [MDG_BuildProject](#) [\[1429\]](#).

Syntax

Sub MDG_RunExe(Repository As EA.Repository, PackageGuid As String)

The *MDG_RunExe* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	EA.Repository [1453]	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.

Return Value

None.

16.5.7.1.14 MDGView

Details

MDG_View enables the Add-In to display user specified code elements. This function is called by Enterprise Architect when the user asks to view a particular code element. This enables the Add-In to present that element in its own way, usually in a code editor

Syntax

Function *MDG_View(Repository As EA.Repository, PackageGuid As String, CodeID as String) As Long*

The *MDG_View* function syntax contains the following elements:

Parameter	Type	Direction	Description
Repository	<i>EA.Repository</i>	IN	An <i>EA.Repository</i> object representing the currently open Enterprise Architect model. Poll its members to retrieve model data and user interface status information.
PackageGuid	String	IN	The GUID identifying the Enterprise Architect package sub-tree that is controlled by the Add-In.
CodeID	String	IN	Identifies the code element in the following format: <code><type>ElementPart<type>ElementPart...</code> where each element is proceeded with a token identifying its type: @ -namespace # - Class \$ - attribute % - operation For example if a user has selected the <i>m_Name</i> attribute of <i>Class1</i> located in <i>namespace Name1</i> , the <i>class ID</i> would be passed through in the following format: <code>@Name1#Class1%m_Name</code>

Return Value

Return a non-zero value to indicate that the Add-In has processed the request. Returning a zero value results

in Enterprise Architect employing the standard viewing process which is to launch the associated source file.

16.6 Enterprise Architect Object Model

Introduction

Automation provides a way for other applications to access the information in an Enterprise Architect model using Windows OLE Automation (ActiveX). Typically this involves scripting clients such as MS Word or Visual Basic.

The *Automation Interface* provides a way of accessing the internals of Enterprise Architect models. Examples of things you can do using the Automation Interface include:

- Perform repetitive tasks, such as update the version number for all elements in a model.
- Generate code from a State Machine diagram.
- Produce custom reports.
- Perform ad hoc queries.

Connecting to the Automation Interface

All development environments capable of generating *ActiveX Com* clients should be able to connect to the Enterprise Architect Automation Interface. This guide provides detailed instructions on [connecting to the interface](#)^[1439] using Microsoft Visual Basic 6.0, Borland Delphi 7.0, Microsoft C# and Java. There are also more detailed steps on how to [set-up Visual Basic](#)^[1441]; the principles are applicable to other languages.

Examples and Tips

Instruction on how to use the Automation Interface is provided by means of sample code. See [pointers to the samples](#)^[1442] and other [available resources](#)^[1445]. Also, consult the extensive [Reference Section](#)^[1445].

Calling Executables from Enterprise Architect

Enterprise Architect can be set up to call an external application. You can pass parameters on the current position selected in the **Project Browser** window to the application being called. For instructions, go to [Call from Enterprise Architect](#)^[1443]. A more sophisticated method is to create [Add-Ins](#)^[1385], which are discussed in a separate topic.

16.6.1 Using the Automation Interface

This section provides instructions on how to connect to and use the Automation Interface, including:

- [Connecting to the Interface](#)^[1439]
- [Set References In Visual Basic](#)^[1441]
- [Examples and Tips](#)^[1442]

16.6.1.1 Connect to the Interface

All development environments capable of generating ActiveX Com clients should be able to connect to the Enterprise Architect Automation Interface.

By way of example, the following sections describe how to connect using several such tools. The procedure might vary slightly with different versions of these products.

Microsoft Visual Basic 6.0

1. Create a new project.
2. Select the **Project | References** menu option.

3. Select *Enterprise Architect Object Model 2.0* from the list. (If this does not appear, go to the command line and re-register Enterprise Architect using

```
EA.exe /unregister
```

then

```
EA.exe /register).
```

4. See the general library documentation on the use of Classes. The following example creates and opens a repository object:

```
Public Sub ShowRepository()
    Dim MyRep As New EA.Repository
    MyRep.OpenFile "c:\eatest.eap"
End Sub
```

Borland Delphi 7.0

1. Create a new project.
2. Select the **Project | Import Type Library** menu option.
3. Select **Enterprise Architect Object Model 2.0** from the list. (If this does not appear, go to the command line and re-register Enterprise Architect using

```
EA.exe /unregister
```

then

```
EA.exe /register).
```

4. Click on the **Create Unit** button.
5. Include *EA_TLB* in Project1's *Uses* clause.
6. See the general library documentation on the use of Classes. The following example creates and opens a repository object:

```
procedure TForm1.Button1Click(Sender: TObject);
var
    r: TRepository;
    b: boolean;
begin
    r := TRepository.Create(nil);
    b := r.OpenFile('c:\eatest.eap');
end;
```

Microsoft C#

1. Select the Visual Studio **Project | Add Reference** menu option.
2. Click on the **Browse** tab.
3. Navigate to the folder in which you installed Enterprise Architect (usually Program Files/Sparx Systems/EA) and select Interop.EA.dll.
4. See the general library documentation on the use of Classes. The following example creates and opens a repository object:

```
private void button1_Click(object sender, System.EventArgs e)
{
    EA.Repository r = new EA.RepositoryClass();
    r.OpenFile("c:\\eatest.eap");
}
```

Java

1. Copy the file SSJavaCOM.dll from the Java API subdirectory of your installed directory (usually Program Files/Sparx Systems/EA) into any location within the Windows PATH. For example, the windows\system32 directory.

- Copy the eaapi.jar file from the *Java API* subdirectory of your installed directory (usually Program Files/Sparx Systems/EA) to a location in the Java CLASSPATH or where the Java class loader can find it at run time.
- All of the Classes described in the documentation are in the package org.sparx. See the general library documentation for their use. The following example creates and opens a repository object.

```
public void OpenRepository()
{
    org.sparx.Repository r = new org.sparx.Repository();
    r.OpenFile("c:\\eatest.eap");
}
```


16.6.1.1.1 Set References In Visual Basic

This topic describes how to use the Enterprise Architect ActiveX interface with Visual Basic (VB). Use is ensured for Visual Basic version 6. This might vary slightly with versions other than version 6.

It is assumed that you have accessed VB through a Microsoft Application such as VB 6.0, MS Word or MS Access. If the code is not called from within Word, the *Word VB* reference must also be set.

On creating a new VB project, set a reference to an Enterprise Architect Type Library and a Word Type Library. Follow the steps below:

- Select the **Tools | References** menu option. The following dialog displays:



- Select the **Enterprise Architect Object Model 2.10** checkbox from the list.
- Do the same for VB or VB Word: select the checkbox for the **Microsoft Word 10.0 Object Library**.
- Click on the **OK** button.

Note:


If Enterprise Architect Object Model 2.10 does not appear in the list, go to the command line and manually re-enter Enterprise Architect using the following:

- To unregister Enterprise Architect: `ea.exe /unregister`
- To register Enterprise Architect: `ea.exe /register.`

Visual Basic 5/6 users should also note that the version number of the Enterprise Architect interface is stored in the VBP project file in a form similar to the following:

```
Reference="G{64FB2BF4-9EFA-11D2-8307-C45586000000}#2.2#0#..\..\..\Program Files\Sparx Systems\EA\EA.TLB#Enterprise Architect Object Model 2.02
```

If you experience problems moving from one version of Enterprise Architect to another, open the VBP file in a text editor and remove this line. Then open the project in Visual Basic and use **Project-References** to create a new reference to the Enterprise Architect Object model.



Reference to objects in Enterprise Architect and Word should now be available in the **Object Browser**. This can be accessed from the main menu by selecting **View | Object Browser**, or by pressing **[F2]**.

The drop-down list on the top-left of the window should now include Enterprise Architect and Word. If MS-Project is installed this must also be set up.

16.6.1.2 Examples and Tips

Instructions for using the interface are provided through sample code. There are several sets of examples:

- VB 6 and C# examples are available in the *Code Samples* folder under your Enterprise Architect installation (default: `C:\Program Files\Sparx Systems\EA\Code Samples`).
- Enterprise Architect can be set up to [call an external application](#)^[1443].

- Several VB.NET code snippets are provided in the [reference section](#) ^[1531].
- A comprehensive example of using Visual Basic to create MS Word documentation is available from the internet at www.sparxsystems.com/AutIntVB.htm.
- Additional samples are available from the Sparx Systems website; see [Available Resources](#) ^[1445].

Additionally, you should note the following tips and tricks:

- An instance of the Enterprise Architect (EA.exe) process is executed when you initialize a new repository object. This process must remain running in order to perform automation tasks. If the main window is visible, you can safely minimize it, but it must remain running.
- The Enterprise Architect ActiveX Interface is a functional interface rather than a data interface. When you load data through the interface there is a noticeable delay as Enterprise Architect user interface elements (eg. Windows, menus) are loaded and the specified database connection is established.
- Collections use a zero-based index; for example, `Repository.Models(0)` represents the first model in the repository.
- During the development of your client software your program might terminate unexpectedly and leave EA.exe running in such a state that it is unable to support further interface calls. If your program terminates abnormally, ensure that Enterprise Architect is not left running in the background (see the Windows **Task Manager / Process** tab).
- A handle to a currently running instance of Enterprise Architect can be obtained through the use of a `GetObject()` call. For more information, refer to the reference page for the [App](#) ^[1445] object. Accessing your Enterprise Architect model via the `App` object enables querying the current User Interface status, such as using `GetCurrentItem()` on the [Repository](#) ^[1453] object to detect the current selection by the user, allowing for rapid prototyping and testing.

Enterprise Architect Not Closing

If your automation controller was written using the .NET framework, Enterprise Architect does not close even after you release all your references to it. To force the release of the COM pointers, call the memory management functions as shown below:

```
GC.Collect();  
GC.WaitForPendingFinalizers();
```


There are additional concerns when controlling a running instance of Enterprise Architect that loads Add-Ins - see the [Tricks and Traps](#) ^[1389] topic for details.

16.6.1.2.1 Call from Enterprise Architect

Automation Interface Examples: Call Applications from Enterprise Architect

Enterprise Architect can be set up to call an external application. You can pass parameters on the current position selected in the **Project Browser** window to the application being called.

To define an application that you can run from Enterprise Architect, select the **Tools | Customize** menu option. The **Customize** dialog displays. Select the **Tools** tab.



With this you can:

- Add a command line for an application
- Define parameters to pass to this application

The parameters required for running the AutInt executable are:

- The Enterprise Architect file parameter \$f and
- The current PackageID \$p

Hence the arguments should simply contain: \$f, \$p

The available parameters for passing information to external applications are:

Parameter	Description	Notes
\$f	Project Name	For example: C:\projects\EAexample.eap.
\$F	Calling Application (Enterprise Architect)	'Enterprise Architect'.
\$p	Current Package ID	For example: 144.
\$P	Package GUID	GUID for accessing this package.
\$d	Diagram ID	ID for accessing associated diagram.
\$D	Diagram GUID	GUID for accessing the associated diagram.
\$e	Comma separated list of element IDs	All elements selected in the current diagram.
\$E	Comma separated list of element GUIDs	All elements selected in the current diagram.

Once this has been set up, the application can be called from the main menu in Enterprise Architect using the **Tools | YourApplication** menu option.

16.6.1.2.2 Available Resources

Other available resources include:

Resource	Download Link
VB 6 Add-In for generating MS Word documentation	www.sparxsystems.com/resources/developers/autint_vb.html
VB 6 Add-In to display a custom ActiveX graph control within the Enterprise Architect window as a new view.	www.sparxsystems.com/resources/developers/autint_vb_custom_view.html
A basic Add-In framework written in C#. Useful as a starting point for authoring your own custom Enterprise Architect Add-In.	www.sparxsystems.com/bin/CS_AddinFramework.zip
An extension on the <i>CS_AddinFramework</i> example showing how to export Tagged Values to a .csv file.	www.sparxsystems.com/bin/CS_AddinTaggedCSV.zip
A basic Add-In skeleton written in Delphi.	www.sparxsystems.com/bin/DelphiDemo.zip
A simple example Add-In written in C#.	www.sparxsystems.com/bin/CS_Sample.zip

For further information, see www.sparxsystems.com/resources/developers/autint.html.

16.6.2 Reference

This section provides detailed information on all the objects available in the object model provided by the Automation Interface, covering:

- [Interface Overview](#) ^[1445]
- [App](#) ^[1448]
- [Enumerations](#) ^[1449]
- [Repository](#) ^[1452]
- [Element](#) ^[1479]
- [Element Features](#) ^[1495]
- [Connector](#) ^[1506]
- [Diagram Package](#) ^[1513]
- [Project Interface](#) ^[1520]
- [Code Samples](#) ^[1531]

16.6.2.1 Interface Overview


public Package

This package provides an overview of the main elements within the Automation Interface. These are:


- The [Repository](#) ^[1452], which represents the model as a whole and provides entry to model packages and collections
- [Elements](#) ^[1479], which are the basic structural unit (eg. Class, Use Case and Object)
- [Element Features](#) ^[1495], which are attributes and operations defined on an element
- [Diagram Package](#) ^[1513], the visible drawings contained in the model
- [Connectors](#) ^[1506], relationships between elements.

The following diagram illustrates the main interface elements and their associated contents. Each element in this document is creatable by Automation and can be accessed through the various collections that exist or, in

some cases, directly.



The following diagram provides a high level overview of the Automation Interface for accessing, manipulating, modifying and creating Enterprise Architect UML elements. The top level object is the Repository, which contains collections for a variety of system level objects, as well as the main Models collection that provides access to the UML elements, diagrams and packages within the project. In general, the Role names applied at the Target end of associations indicate the name of the Collection that is used to access instances of that object.



Internal Links

- Logical diagram:: Automation Interface Package:: Automation Interface
- Logical diagram:: Automation Interface Package:: Automation Interface
- Logical diagram:: Automation Interface Package:: Automation Interface
- Logical diagram:: Automation Interface Package:: Automation Interface
- Logical diagram:: Automation Interface Package:: Automation Interface
- Logical diagram:: Automation Interface

Package:: Automation Interface

- Logical diagram:: Automation Interface
Package:: Automation Interface

Connectors

Connector	Source	Target
<i>Nesting</i> source > target	<i>Connector</i> Contained Element	<i>Overview</i> Containing Element
<i>Nesting</i> source > target	<i>Repository</i> Contained Element	<i>Overview</i> Containing Element
<i>Nesting</i> source > target	<i>Diagram</i> Contained Element	<i>Overview</i> Containing Element
<i>Nesting</i> source > target	<i>Element</i> Contained Element	<i>Overview</i> Containing Element
<i>Nesting</i> source > target	<i>Project Interface</i> Contained Element	<i>Overview</i> Containing Element
<i>Nesting</i> source > target	<i>ElementFeatures</i> Contained Element	<i>Overview</i> Containing Element

16.6.2.2 App

The *App* object represents a running instance of Enterprise Architect. Its object provides access to the Automation Interface.

Attribute	Type	Notes
Project	Project	Read Only. Provides a handle to the Project Interface.
Repository	Repository	Read Only. Provides a handle to the Repository object.
Visible	Boolean	Read/Write. Whether or not the application is visible.

GetObject() Support

The *App* object is creatable and a handle can be obtained by creating one. In addition, clients can use the equivalent of Visual Basic's *GetObject()* to obtain a reference to a currently running instance of Enterprise Architect.

Use this method to more quickly test changes to Add-Ins and external clients, as the Enterprise Architect application and data files do not have to be constantly re-loaded.

For example:

```
Dim App as EA.App
Set App = GetObject(,"EA.App")
MsgBox App.Repository.Models.Count
```

Another example, which uses the *App* object without saving it to a variable:

```
Dim Rep as EA.Repository
Set Rep = GetObject(,"EA.App").Repository
MsgBox Rep.ConnectionString
```

16.6.2.3 Enumerations

These enumerations are defined by the Automation Interface:

- [ConstLayoutStyles Enum](#) ^[1449]
- [EnumRelationSetType Enum](#) ^[1449]
- [MDGMenus Enum](#) ^[1450]
- [ObjectType Enum](#) ^[1450]
- [PropType Enum](#) ^[1451]
- [ReloadType Enum](#) ^[1451]
- [XMIType Enum](#) ^[1451]

16.6.2.3.1 ConstLayoutStyles Enum

The *enum* values defined here are used exclusively for the *Lay Out a Diagram* method. They enable you to define the layout options as depicted in the **Layout a Diagram** menu option (see the *Enterprise Architect User Guide* - [Lay Out a Diagram](#) ^[250] topic for further information).

Method	Notes
<i>IsCrossReduceAggressive</i>	Perform aggressive Cross-reduction in the layout process (time consuming).
<i>IsCycleRemoveDFS</i>	Use the <i>Depth First Cycle Removal</i> algorithm.
<i>IsCycleRemoveGreedy</i>	Use the <i>Greedy Cycle Removal</i> algorithm.
<i>IsDiagramDefault</i>	Use existing layout options specified for this diagram.
<i>IsInitializeDFSIn</i>	Initialize the layout using the <i>Depth First Search Inward</i> algorithm.
<i>IsInitializeNaive</i>	Initialize the layout using the <i>Naive Initialize Indices</i> algorithm.
<i>IsInitializeDFSOut</i>	Initialize the layout using the <i>Depth First Search Outward</i> algorithm.
<i>IsLayeringLongestPathSink</i>	Layer the diagram using the <i>Longest Path Sink</i> algorithm.
<i>IsLayeringLongestPathSource</i>	Layer the diagram using the <i>Longest Path Source</i> algorithm.
<i>IsLayeringOptimalLinkLength</i>	Layer the diagram using the <i>Optimal Link Length</i> algorithm.
<i>IsLayoutDirectionDown</i>	Direct links to point downwards.
<i>IsLayoutDirectionLeft</i>	Direct links to point leftwards.
<i>IsLayoutDirectionRight</i>	Direct links to point rightwards.
<i>IsLayoutDirectionUp</i>	Direct links to point upwards.
<i>IsProgramDefault</i>	Use factory default layout options as specified by Enterprise Architect.

16.6.2.3.2 EnumRelationSetType Enum

This enumeration represents values returned from the *GetRelationSet* method of the [Element](#) ^[1482] object.

Method	Notes
<i>rsDependEnd</i>	List of elements that depend on the current element.
<i>rsDependStart</i>	List of elements that the current element depends on.
<i>rsGeneralizeEnd</i>	List of elements that are generalized by the current element.

Method	Notes
<i>rsGeneralizeStart</i>	List of elements that the current element generalizes.
<i>rsParents</i>	List of all parent elements of the current element.
<i>rsRealizeEnd</i>	List of elements that are realized by the current element.
<i>rsRealizeStart</i>	List of elements that the current element realizes.

16.6.2.3.3 MDGMenus Enum

Use this enumeration when providing the *HiddenMenus* property to [MDG_GetProperty](#)^[1431].

These options are exclusive of one another and can be read or added to hide more than one menu.

See the [MDG_GetProperty](#)^[1431] topic for an example of use.

Method	Notes
<i>mgBuildProject</i>	Hide Build Project menu option.
<i>mgMerge</i>	Hide Merge menu option.
<i>mgRun</i>	Hide Run menu option.

16.6.2.3.4 ObjectType Enum

The *ObjectType* enumeration identifies Enterprise Architect object types even when referenced through a Dispatch interface.

For example:

```
Object ob = Repository.GetElementByID(13);
if ( ob.ObjectType == otElement )
;
else if( ob.ObjectType == otAuthor )
...

```

All of the following are valid enumeration values:

<i>otNone</i>	<i>otClient</i>
<i>otProject</i>	<i>otAuthor</i>
<i>otRepository</i>	<i>otDatatype</i>
<i>otCollection</i>	<i>otStereotype</i>
<i>otElement</i>	<i>otTaskotTerm</i>
<i>otPackage</i>	<i>otProjectIssues</i>
<i>otModel</i>	<i>otAttributeConstraint</i>
<i>otConnector</i>	<i>otAttributeTag</i>
<i>otDiagram</i>	<i>otMethodConstraint</i>
<i>otRequirement</i>	<i>otMethodTag</i>
<i>otScenario</i>	<i>otConnectorConstraint</i>
<i>otConstraint</i>	<i>otConnectorTag</i>
<i>otTaggedValue</i>	<i>otProjectResource</i>
<i>otFile</i>	<i>otReference</i>
<i>otEffort</i>	<i>otRoleTag</i>
<i>otMetric</i>	<i>otCustomProperty</i>
<i>otIssue</i>	<i>otPartition</i>
<i>otRisk</i>	<i>otTransition</i>
<i>otTest</i>	<i>otEventProperty</i>

<i>otDiagramObject</i>	<i>otEventProperties</i>
<i>otDiagramLink</i>	<i>otPropertyType</i>
<i>otResource</i>	<i>otProperties</i>
<i>otConnectorEnd</i>	<i>otProperty</i>
<i>otAttribute</i>	<i>otSwimlaneDef</i>
<i>otMethod</i>	<i>otSwimlanes</i>
<i>otParameter</i>	<i>otSwimlane</i>

16.6.2.3.5 PropType Enum

The *PropType* enumeration gives the automation programmer an indication of what sort of data is going to be stored by this property.

Method	Notes
<i>ptArray</i>	An array containing values of any type.
<i>ptBoolean</i>	True or False.
<i>ptEnum</i>	A string being an entry in the semi-colon separated list specified in the validation field of the Property.
<i>ptFloatingPoint</i>	4 or 8 byte floating point value.
<i>ptInteger</i>	16-bit or 32-bit signed integer.
<i>ptString</i>	Unicode string.

16.6.2.3.6 ReloadType Enum

This enumeration represents values returned from the *GetReloadItem* and *PeekReloadItem* methods of the *ModelWatcher* Class. It has four possible values, which define the type of change that was made to a model.

Method	Notes
<i>rtElement</i>	The <i>Item</i> parameter represents a particular element that must be reloaded.
<i>rtEntireModel</i>	Entire model must be reloaded to ensure that all changes are reloaded.
<i>rtNone</i>	No change in the model.
<i>rtPackage</i>	The <i>Item</i> parameter represents a particular package that must be reloaded.

16.6.2.3.7 XMType Enum

The following enumeration values are used in the *Project.ExportPackageXML()* method. They enable specification of the XML export type.

xmiEADefault
xmiRoseDefault
xmiEA10
xmiEA11
xmiEA12
xmiRose10
xmiRose11
xmiRose12
xmiMOF13
xmiMOF14


xmiEA20
xmiEA21

16.6.2.4 Repository

public Package

The *Repository* package contains the high level system objects and entry point into the model itself using the *Models* collection and the other system level collections.

This diagram illustrates the [Repository](#) and its first level functions and collections.



16.6.2.4.1 Repository

public Class

The *Repository* is the main container of all structures such as models, packages and elements. You can iteratively begin accessing the model using the *Models* collection. It also has some convenient methods to directly access the structures without having to locate them in the hierarchy first.

Associated table in .EAP file: <none>

Repository Attributes

Attribute	Type	Notes
Authors	Collection <small>[1466]</small>	Read only. The system <i>Authors</i> collection. Contains 0 or more <i>Author objects</i> , each of which can be associated with, for example, elements or diagrams as the item author or owner. Use <i>AddNew</i> , <i>Delete</i> and <i>GetAt</i> to manage Authors.
BatchAppend	Boolean	Read/Write. Set this property to true when your automation client has to rapidly insert many elements, operations, attributes and/or operation parameters. Set to false when work is complete This can result in 10- to 20-fold improvement in adding new elements in bulk.
Clients	Collection <small>[1466]</small>	Read only. A list of <i>Clients</i> associated with the project. You can modify, delete and add new <i>Client objects</i> using this collection.
ConnectionString	String	Read only. The filename/connection string of the current Repository.
Datatypes	Collection <small>[1466]</small>	Read only. The <i>Datatypes</i> collection. Contains a list of <i>Datatype objects</i> , each representing a data type definition for either data modeling or code generation purposes.
EnableCache	Boolean	Read/Write: An optimization for pre-loading package objects when dealing with large sets of automation objects
EnableUIUpdates	Boolean	Read/Write. Set this property to false to improve the performance of changes to the model; eg. bulk addition of elements to a package. To reveal the changes to the user, call <i>Repository.RefreshModelView()</i> .
FlagUpdate	Boolean	Read/Write. Instructs Enterprise Architect to update the Repository with the <i>LastUpdate</i> value.
InstanceGUID	String	Read only: The identifier string identifying the Enterprise Architect runtime session.
Issues	Collection <small>[1466]</small>	Read only. The <i>System Issues</i> list. Contains <i>ProjectIssues objects</i> , each detailing a particular issue as it relates to the project as a whole.
LastUpdate	String	Read only. The identifier string identifying the Enterprise Architect runtime session and the timestamp for when it was set.
LibraryVersion	Long	Read only. The build number of the Enterprise Architect runtime.
Models	Collection <small>[1466]</small>	Read only. <i>Models</i> are of type <i>package</i> and belong to a collection of packages. This is the top level entry point to an

Attribute	Type	Notes
	of type Package ^[1470]	Enterprise Architect project file. Each model is a <i>root node</i> in the Project Browser window and can contain items such as Views and packages. A model is a special form of a package; it has a <i>ParentID</i> of 0 . By iterating through all models, you can access all the elements within the project hierarchy. You can also use the <i>AddNew</i> function to create a new model. A model can also be deleted, but remember that everything contained in the model is deleted as well.
ObjectType	ObjectType ^[1450]	Read only. Distinguishes objects referenced through the Dispatch interface
ProjectGUID	String	Read only: Returns a unique ID for the project
PropertyTypes	Collection ^[1466]	Read only. Collection of Property Types ^[1475] available to the Repository.
Resources	Collection ^[1466]	Read only. Contains available <i>ProjectResource</i> objects to assign to work items within the project. Use the add new , modify and delete functions to manage resources.
Stereotypes	Collection ^[1466]	Read only. The Stereotypes ^[1476] collection. A list of <i>Stereotype objects</i> that contain information on a stereotype and which elements it can be applied to.
SuppressEADialogs	Boolean	Read/Write. Set this property in the EA_OnPostNewElement ^[1406] or EA_OnPostNewConnector ^[1407] broadcast events to control whether Enterprise Architect should suppress showing the default properties dialogs to the user when an element or connector is created.
Tasks	Collection ^[1466]	Read only. A list of system tasks (to do list). Each entry is a Task ^[1477] <i>Item</i> ; you can modify, delete and add new tasks.
Terms	Collection ^[1466]	Read only. The project <i>Glossary</i> . Each Term ^[1478] object is an entry in the Glossary. Add, modify and delete Terms to maintain the Glossary.

Repository Methods

Method	Type	Notes
ActivateDiagram (long DiagramID)		Activates an already open diagram (ie. makes it the active tab) in the main Enterprise Architect user interface. Parameters: <ul style="list-style-type: none"> DiagramID: Long - the ID of the diagram to make active.
ActivatePerspective (string Perspective, long Options)	Boolean	Deprecated - no longer in use.
ActivateTab (string Name)		Activates an open Enterprise Architect tabbed view. Parameters: <ul style="list-style-type: none"> Name: String - the name of the view to activate.
ActivateToolbox (string Toolbox, long Options)	Boolean	Activates a Toolbox page in the GUI. Parameters: <ul style="list-style-type: none"> Toolbox: String - the name of the Toolbox page to activate.

Method	Type	Notes
		<ul style="list-style-type: none"> Options: Long - reserved for future use. Returns true if the specified Toolbox page is successfully activated, otherwise returns false .
AddDefinedSearches (string sXML)		Enables you to enter a set of defined searches that last in Enterprise Architect for the life of the application. When Enterprise Architect loads again they must be inserted again by your Add-In. Parameters: <ul style="list-style-type: none"> sXML: String - the XML of the defined searches; you can get this XML by performing an <i>export</i> of the searches from the Manage Searches ^[149] dialog ^[149] in Enterprise Architect.
AddPerspective (string Perspective, long Options)	<i>Boolean</i>	Deprecated - no longer in use.
AddTab (string TabName, string ControlID)	<i>activeX custom control</i>	Adds an ActiveX custom control as a tabbed window. Enterprise Architect creates a control and, if successful, returns its Unknown pointer, which can be used by the caller to manipulate the control. Parameters: <ul style="list-style-type: none"> TabName: String - used as the tab caption. ControlID: String - the ProgID of the control. eg. Project1, UserControl1.
AdviseConnectorChange (long ConnectorID)		Provides an Add-In or automation client with the ability to advise the Enterprise Architect user interface that a particular connector has changed and, if it is visible in any open diagram, to reload and refresh that connector for the user. Parameters: <ul style="list-style-type: none"> ConnectorID: Long - the ID of the connector.
AdviseElementChange (long ObjectID)		Provides an Add-In or automation client with the ability to advise the Enterprise Architect user interface that a particular element has changed and, if it is visible in any open diagram, to reload and refresh that element for the user. Parameters: <ul style="list-style-type: none"> ObjectID: Long - the ID of the element.
ChangeLoginUser (string Name, string Password)	<i>Boolean</i>	Sets the currently logged on user to be that specified by a name and password. This logs the user into the repository when security is enabled. If security is not enabled an exception (<i>Security not enabled</i>) is thrown. Parameters: <ul style="list-style-type: none"> Name: String - the name of the user. Password: String - the password of the user.
ClearAuditLogs (Object StartDateTime, Object EndDateTime)	<i>Boolean</i>	Clears all Audit Logs from the model. Parameters: <ul style="list-style-type: none"> StartDateTime: Variant [DateTime] - the earliest date and time of log entries to clear.

Method	Type	Notes
		<ul style="list-style-type: none"> EndDateTime; Variant [DateTime] - the latest date and time of log entries to clear. <p>If <i>StartDateTime</i> and <i>EndDateTime</i> are not null then only log items that fall into this period are cleared.</p> <p>Returns true for success, false for failure.</p> <p>Notes:</p> <ul style="list-style-type: none"> This method cannot be undone. It is strongly advised that you call <i>SaveAuditLogs</i> first to backup the logs. This method might fail if the user logged into the model does not have the correct access permission.
ClearOutput (string Name)		<p>Removes all the text from a tab in the Output window.</p> <p>Parameters:</p> <ul style="list-style-type: none"> Name: String - the name of the tab to remove text from.
CloseAddins ()		<p>Called by automation controllers to ensure that Add-Ins created in .NET do not linger after all controller references to Enterprise Architect have been cleared.</p>
CloseDiagram (long DiagramID)		<p>Closes a diagram in the current list of diagrams that Enterprise Architect has open.</p> <p>Parameters:</p> <ul style="list-style-type: none"> DiagramID: Long - the ID of the diagram to close.
CloseFile ()		<p>Closes any open file.</p>
CreateOutputTab (string Name)		<p>Creates a tab in the Output window.</p> <p>Parameters:</p> <ul style="list-style-type: none"> Name: String - the name of the tab to create.
DeletePerspective (string Perspective, long Options)	<i>Boolean</i>	<p>Deprecated - no longer in use.</p>
DeleteTechnology (string ID)	<i>Boolean</i>	<p>Removes a specified MDG Technology resource from the repository.</p> <p>Parameters:</p> <ul style="list-style-type: none"> ID: String - the ID of the technology. <p>Returns true, if the technology is successfully removed from the model. Returns false otherwise.</p> <p>Note:</p> <p>This applies to technologies imported into pre-7.0 versions of Enterprise Architect (imported technologies), not to technologies referenced in version 7.0 and later (referenced technologies). See Deploying MDG Technologies^[1554] (from Add-Ins).</p>
EnsureOutputVisible (string Name)		<p>Ensures that a specified tab in the Output window is visible to the user. The Output window is made visible if it is hidden.</p>

Method	Type	Notes
		Parameters: <ul style="list-style-type: none"> Name: String - the name of the tab to make visible.
ExecutePackageBuildScript (long ScriptOptions, string PackageGuid)		Enables you to run the active package build script based on your current selection in the Project Browser window. You can also run a script by passing in the package GUID. Parameters: <ul style="list-style-type: none"> ScriptOptions: Long - the script type; can be any one of these numerical values: <ol style="list-style-type: none"> 1 = Build 2 = Test 3 = Run 4 = Create Workbench Instance 5 = Debug. PackageGuid: String - the ID of the package for which to run the script.
Exit		Shut down Enterprise Architect immediately. Used by DotNET programmers where the garbage collector does not immediately release all referenced COM objects.
GetActivePerspective ()	String	Deprecated - no longer in use.
GetAttributeByGuid (string Guid)	Attribute <small> 1496 </small>	Returns a pointer to an attribute in the repository, located by its GUID. This is usually found using the <i>AttributeGUID</i> property of an attribute. Parameters: <ul style="list-style-type: none"> Guid: String - the GUID of the attribute to locate.
GetConnectorByGuid (string Guid)	Connector <small> 1509 </small>	Returns a pointer to a connector in the repository, located by its GUID. This is usually found using the <i>ConnectorGUID</i> property of a connector. Parameters: <ul style="list-style-type: none"> Guid: String - the GUID of the connector to locate.
GetConnectorByID (long ConnectorID)	Connector <small> 1509 </small>	Searches the repository for a connector with a specific ID. Parameters: <ul style="list-style-type: none"> ConnectorID: Long - the ID of the connector to locate.
GetContextItem (Object Item)	ObjectType <small> 1450 </small>	Sets a pointer to an item in context within Enterprise Architect. Parameters: <ul style="list-style-type: none"> Item: Object - the item to point to. Also returns the corresponding <i>ObjectType</i> . For additional information about <i>ContextItems</i> and the supported <i>ObjectTypes</i> see the GetContextItemType method (below).
GetContextItemType ()	ObjectType <small> 1450 </small>	Returns the <i>ObjectType</i> of an item in context within Enterprise Architect. A <i>ContextItem</i> is defined as an item selected anywhere within the Enterprise Architect GUI including:

Method	Type	Notes
		<ul style="list-style-type: none"> An Item selected in the Project Browser tree An Item selected in an open diagram An Item selected in certain dialogs, such as the Attributes Properties dialog. <p>The supported <i>ObjectTypes</i> can be any one of the following values:</p> <ul style="list-style-type: none"> <i>otElement</i> <i>otPackage</i> <i>otDiagram</i> <i>otAttribute</i> <i>otMethod</i> <i>otConnector</i>
GetCounts ()	<i>String</i>	Returns a set of counts from a number of tables within the base Enterprise Architect repository. These can be used to determine whether records have been added or deleted from the tables for which information is retrieved.
GetCurrentDiagram ()	Diagram <small>[1514]</small>	Returns a selected diagram.
GetCurrentLoginUser (boolean GetGuid = false)	<i>String</i>	<p>If security is not enabled in the repository, an error is generated.</p> <p>If <i>GetGuid</i> is True, a GUID generated by Enterprise Architect representing the user is returned; otherwise the text as entered in <i>System Users/User Details/Login</i> is returned.</p>
GetDiagramByGuid (string Guid)	Diagram <small>[1514]</small>	<p>Returns a pointer to a diagram using the global reference ID (global ID). This is usually found using the diagram <i>GUID</i> property of an element, and stored for later use to open a diagram without using the collection <i>GetAt()</i> function.</p> <p>Parameters:</p> <ul style="list-style-type: none"> Guid: String - the GUID of the diagram to locate.
GetDiagramByID (long DiagramID)	Diagram <small>[1514]</small>	<p>Gets a pointer to a diagram using an absolute reference number (local ID). This is usually found using the <i>DiagramID</i> property of an element, and stored for later use to open a diagram without using the collection <i>GetAt()</i> function.</p> <p>Parameters:</p> <ul style="list-style-type: none"> DiagramID: Long - the ID of the diagram to locate.
GetElementByGuid (string Guid)	Element <small>[1482]</small>	<p>Returns a pointer to an element in the repository, using the element's GUID reference number (global ID). This is usually found using the <i>ElementGUID</i> property of an element, and stored for later use to open an element without using the collection <i>GetAt()</i> function.</p> <p>Parameters:</p> <ul style="list-style-type: none"> Guid: String - the GUID of the element to locate.
GetElementByID (long ElementID)	Element <small>[1482]</small>	<p>Gets a pointer to an element using an absolute reference number (local ID). This is usually found using the <i>ElementID</i> property of an element, and stored for later use to open an</p>

Method	Type	Notes
		<p>element without using the collection <i>GetAt()</i> function.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • ElementID: Long - the ID of the element to locate.
GetElementsByQuery (string QueryName, string SearchTerm)		<p>Enables you to run a search in Enterprise Architect, returning the result as a collection.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • QueryName: String - the name of the search to run, for example <i>'Simple'</i>. • SearchTerm: String - the term to search for. <p>For example <i>GetElementsByQuery('Simple','Class1')</i>, where results contain elements with <i>Class1</i> in the Name and Notes fields.</p>
GetElementSet ()	Collection <small>[1468]</small>	<p>Returns a set of elements as a collection based on an input of element ID numbers in comma separated form.</p> <p>For example: <i>GetElementSet("34,56,21,5")</i>.</p>
GetFieldFromFormat (string Format, string Text)	String	<p>Converts a field from your preferred format to Enterprise Architect's internal format. Returns the field in Enterprise Architect's internal format.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Format: String - The format to convert the field from. Valid formats are: <ul style="list-style-type: none"> • HTML - Full HTML • RTF - Rich Text Format • TXT - Plain text • Text: String - The field to be converted.
GetFormatFromField (string Format, string Text)	String	<p>After accessing a field that contains formatting, use this method to convert it to your preferred format. Returns the field in the format specified.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Format: String - The format to convert the field to. Valid formats are: <ul style="list-style-type: none"> • HTML - Full HTML • RTF - Rich Text Format • TXT - Plain text • Text: String - The field to be converted.
GetLastError ()	String	<p>Returns a string value describing the most recent error that occurred in relation to this object.</p> <p>This function is rarely used as an exception is thrown when an error occurs.</p>
GetMethodByGuid (string Guid)	Method <small>[1508]</small>	<p>Returns a pointer to a method in the repository. This is usually found using the <i>MethodGUID</i> property of a method.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Guid: String - the GUID of the method to look for.

Method	Type	Notes
GetPackageByGuid (string Guid)	Package <small>[1470]</small>	Returns a pointer to a package in the repository using the package's GUID reference number (global ID). This is usually found using the <i>PackageGUID</i> property of the package. Parameters: <ul style="list-style-type: none"> Guid: String - the GUID of the package to look for. Each package in the model also has an associated element with the same GUID, so if you have an element with <i>Type="Package"</i> then you can load the package by calling: <i>GetPackageByGuid(Element.ElementGUID)</i> .
GetPackageByID (long PackageID)	Package <small>[1470]</small>	Get a pointer to a package using an absolute reference number (local ID). This is usually found using the <i>PackageID</i> property of an package, and stored for later use to open a package without using the collection <i>GetAt()</i> function. Parameters: <ul style="list-style-type: none"> PackageID: Long - the ID of the package to locate.
GetProjectInterface ()	Project <small>[1521]</small>	Return a pointer to the EA.Project interface <small>[1520]</small> (the XML-based automation server for Enterprise Architect). Use this interface to work with Enterprise Architect using XML, and also to access utility functions for loading diagrams, running reports and so on.
GetReferenceList (String Type)	Reference <small>[1475]</small>	Uses the list type to get a pointer to a <i>Reference List</i> object. Parameters: <ul style="list-style-type: none"> Type: String - specifies the list type to get; valid list types are: <i>Diagram</i> <i>Element</i> <i>Constraint</i> <i>Requirement</i> <i>Connector</i> <i>Status</i> <i>Cardinality</i> <i>Effort</i> <i>Metric</i> <i>Scenario</i> <i>Status and</i> <i>Test.</i>
GetTechnologyVersion (string ID)	<i>String</i>	Returns the version of a specified MDG Technology resource. Parameters: <ul style="list-style-type: none"> ID: String - the specified technology ID.
GetTreeSelectedItem (Object SelectedItem)	ObjectType <small>[1450]</small>	Gets an object variable and type corresponding to the currently selected item in the tree view. To use this function, create a generic object variable and pass this as the parameter. Depending on the return type, cast it to a more specific type. The object passed back through the parameter can be a package, element, diagram, attribute or operation object. Parameters:

Method	Type	Notes
		<ul style="list-style-type: none"> SelectedItem: Object - the object to get the variable and type for.
GetTreeSelectedItemType ()	ObjectType <small>[1450]</small>	<p>Returns the type of the object currently selected in the tree. One of:</p> <ul style="list-style-type: none"> <i>otDiagram</i> <i>otElement</i> <i>otPackage</i> <i>otAttribute</i> <i>otMethod</i>.
GetTreeSelectedObject ()	Object	The related method GetTreeSelectedItem <small>[1460]</small> () has an output parameter that is inaccessible by some scripting languages. As an alternative, this method provides the selected item through the return value.
GetTreeSelectedPackage ()	Package <small>[1470]</small>	Returns the package in which the currently selected tree view object is contained.
HasPerspective (string Perspective)	String	Deprecated - no longer in use.
ImportPackageBuildScripts (string PackageGuid, string BuildScriptXML)		<p>Imports build scripts into a package in Enterprise Architect.</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGuid: String - the GUID of the package into which to import the build scripts. BuildScriptXML: String - the build script XML data, which you can export from within Enterprise Architect.
ImportTechnology (string Technology)	Boolean	<p>Installs a given MDG Technology resource into the repository.</p> <p>Parameters:</p> <ul style="list-style-type: none"> Technology: String - the contents of the technology resource file. <p>Returns True, if the technology is successfully loaded into the model. Otherwise returns False.</p> <p>Note:</p> <p>This applies to technologies imported into pre-7.0 versions of Enterprise Architect (imported technologies), not to technologies referenced in version 7.0 and later (referenced technologies). See Deploying MDG Technologies<small>[1554]</small> (from Add-Ins).</p>
IsTabOpen ()	String	<p>Checks whether a named tab is open and active.</p> <p>Parameters:</p> <ul style="list-style-type: none"> TabName: String - the name of the tab to check for. <p>Returns:</p> <ul style="list-style-type: none"> 2 to indicate that a tab is open and active (top-most) 1 to indicate that it is open but not top-most, or

Method	Type	Notes
		<ul style="list-style-type: none"> • 0 to indicate that it is not visible at all. <p>Note: TabName is case-sensitive.</p>
IsTechnologyEnabled (string ID)	<i>Boolean</i>	<p>Checks whether a specified technology is enabled in Enterprise Architect.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • ID: String - the technology ID to check for <p>Returns True if the MDG Technology resource is enabled. Otherwise returns False.</p>
IsTechnologyLoaded (string ID)	<i>Boolean</i>	<p>Checks whether a specified technology is loaded into the repository.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • ID: String - the technology ID to check for <p>Returns True if the MDG Technology resource is loaded into the repository. Otherwise returns False.</p>
OpenDiagram (long DiagramID)		<p>Provides a method for an automation client or Add-In to open a diagram. The diagram is added to the tabbed list of open diagrams in the main Enterprise Architect view.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • DiagramID: Long - the ID of the diagram to open.
OpenFile (String Filename)	<i>Boolean</i>	<p>This is the main point for opening an Enterprise Architect project file from an automation client, and working with the contained objects.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Filename: String - the filename of the Enterprise Architect project to open. <p>If the required project is a DBMS repository, and you have created a shortcut .EAP file containing the database connection string, you can call this shortcut file to access the DBMS repository.</p> <p>You can also connect to a SQL database by passing in the connection string itself instead of a filename. A valid connection string can be obtained from the Open Project dialog⁴⁸⁶ by selecting a recently opened SQL repository.</p>
OpenFile2 (string FilePath, string Username, string Password)	<i>Boolean</i>	<p>As for <i>OpenFile()</i> except this enables the specification of a password.</p>
RefreshModelView (long PackageID)		<p>Reloads a package or the entire model, updating the user interface.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • PackageID: Long - the ID of the package to reload: if 0, the entire model is reloaded; if a valid package ID, only that package is reloaded.

Method	Type	Notes
RefreshOpenDiagrams (Boolean FullReload)		Refreshes the diagram contents for all diagrams open in Enterprise Architect. Parameters: <ul style="list-style-type: none"> FullReload: Boolean - if false the displayed contents of elements and connectors are refreshed in each diagram; if true each of the diagrams is completely reloaded from the repository.
ReloadDiagram (long DiagramID)		Reloads a specified diagram. This would commonly be used to refresh a visible diagram after code import/export or other batch process where the diagram requires complete refreshing. Parameters: <ul style="list-style-type: none"> DiagramID: Long - the ID of the diagram to be reloaded.
RemoveOutputTab (string Name)		Removes a specified tab from the Output window. Parameters: <ul style="list-style-type: none"> Name: String - the name of the tab to be removed.
RunModelSearch (string 'QueryName', string 'SearchTerm', string 'SearchOptions', string 'SearchData')		Runs a search, displaying the results in Enterprise Architect's Model Search window. Parameters: <ul style="list-style-type: none"> sQueryName: String - the name of the search to run, for example <i>'Simple'</i> sSearchTerm: String - the term to search for. sSearchOptions: String - currently not being used. sSearchData: String - enables you to supply a list of results in the form of XML, which is appended onto the result list in Enterprise Architect. See XML Format^[1392]; this parameter is not mandatory so pass in an empty string to run the search as per normal.
SaveAllDiagrams ()		Saves all open diagrams.
SaveAuditLogs (string FilePath, Object StartDateTime, Object EndDateTime)	<i>Boolean</i>	Saves the Audit Logs contained within a model to a specified file. Parameters: <ul style="list-style-type: none"> FilePath: String - the file to save the Audit Logs to. StartDateTime: Variant [DateTime] - the earliest date and time of log entries to save. EndDateTime; Variant [DateTime] - the latest date and time of log entries to save. <p>If <i>StartDateTime</i> and <i>EndDateTime</i> are not null then only log items that fall into this period are saved.</p> <p>Returns true for success, false for failure.</p> <p>Note:</p> <p>This might fail if the user logged into the model does not have the correct access permission.</p>

Method	Type	Notes
SaveDiagram (long DiagramID)		Saves an open diagram. Assumes the diagram is open in the main user interface Tab list. Parameters: <ul style="list-style-type: none"> DiagramID: Long - the ID of the diagram to save.
ShowDynamicHelp (string Topic)		Shows a help topic as a view. Parameters: <ul style="list-style-type: none"> Topic: String - specifies the help topic
ShowInProjectView (Object Item)		Selects a specified object in the Project Browser window. Parameters: <ul style="list-style-type: none"> Item: Object - the object to highlight. <p>Accepted object types are Package, Element, Diagram, Attribute, and Method. An exception is thrown if the object is of an invalid type.</p>
ShowProfileToolbox (string Technology, string Profile, boolean Show)		Shows/hides the contents of a specified technology or profile in the Enterprise Architect UML Toolbox . Parameters: <ul style="list-style-type: none"> Technology: String - the ID of the technology Profile: String - the ID of the profile Show: Boolean - if true, show the technology or profile; if false, hide the technology or profile. <p>To show/hide a profile in the Toolbox, specify the profile's ID value in the <i>Profile</i> parameter and set the <i>Technology</i> parameter to a null string.</p> <p>To show/hide a technology in the Toolbox, specify the technology's ID in the <i>Technology</i> parameter and set the <i>Profile</i> parameter to a null string.</p>
ShowWindow (long Show)		Shows or hides Enterprise Architect. Parameters: <ul style="list-style-type: none"> Show: Long.
SQLQuery (string SQL)	<i>String</i>	Enables execution of a SQL <i>select</i> statement against the current repository. Returns an XML formatted string value of the resulting recordset. Parameters: <ul style="list-style-type: none"> SQL: String - contains the SQL Select statement.
WriteOutput (string Name, string String, long ID)		Writes text to a specified tab in the Output window, and associates the text with an ID. Parameters: <ul style="list-style-type: none"> Name: String - specifies the tab on which to display the text. String: String - specifies the text to display. ID: Long - specifies the ID the text is associated with.

16.6.2.4.2 Author

public Class

An *Author* object represents a named model author. Accessed using the Repository *Authors* collection.

Associated table in .EAP file: *t_authors*

Author Attributes

Attribute	Type	Notes
Name	String	Read/Write. Author name.
Notes	String	Read/Write. Notes about the author.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Roles	String	Read/Write. Roles the author might play in this project.

Author Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Updates the current Author object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.3 Client

public Class

A *Client* represents one or more people or organizations related to the project. Accessed using the Repository *Clients* collection.

Associated table in .EAP file: *t_clients*

Client Attributes

Attribute	Type	Notes
Email	String	Read/Write. Email address.
Fax	String	Read/Write. Fax number.
Mobile	String	Read/Write. Mobile phone if available.
Name	String	Read/Write. Client name.
Notes	String	Read/Write. Notes about client.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through the <i>Dispatch</i> interface.
Organization	String	Read/Write. Associated organization.

Attribute	Type	Notes
Phone1	String	Read/Write. Main phone number.
Phone2	String	Read/Write. Second phone number.
Roles	String	Read/Write. Roles this client might play in the project.

Client Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Updates the current Client object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.4 Collection

public Class

This is the main collection Class used by all elements within the Automation Interface. It contains methods to iterate through the collection, refresh the collection and delete an item from the collection. It is important to realize that when *AddNew* is called, the item is not automatically added to the current collection. The typical steps are:

1. Call *AddNew* to add a new item.
2. Modify the item as required.
3. Call *Update* on the item to save it to the database.
4. Call *Refresh* on the collection to include it in the current set.

Delete is much the same; until *Refresh* is called, the collection still contains a reference to the deleted item, which should not be called.

Each can be used to iterate through the collection for languages that support this type of construct.

Collection Attributes

Attribute	Type	Notes
Count	Short	Read only. The number of objects referenced by this list.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.

Collection Methods

Method	Type	Notes
AddNew (String, String)	Object	Adds a new item to the current collection. Note that the interface is the same for all collections; you must provide a <i>Name</i> and <i>Type</i> argument. What these are used for depends on the actual collection member. Also note that you must call <i>Update()</i> on the returned object to complete the <i>AddNew</i> . If <i>Update()</i> is not called the object is left in an indeterminate state. Parameters:

Method	Type	Notes
		<ul style="list-style-type: none"> Name: String Type: String (up to 30 characters long)
Delete (short)	Void	Deletes the item at the selected reference. Parameters: <ul style="list-style-type: none"> Index: Short
DeleteAt (short, Boolean)	Void	Deletes the item at the selected index. The second parameter is currently unused. Parameters: <ul style="list-style-type: none"> Index: Short Refresh: Boolean
GetAt (short)	Object	Retrieves the array object using a numerical index. If the index is out of bounds, an error occurs. Parameters: <ul style="list-style-type: none"> Index: Short
GetByName (String)	Object	Gets an item in the current collection by Name. Only applies to the following collections: Models, Packages ^[1470] , Elements ^[1482] , Diagrams ^[1514] , TaggedValues ^[1493] . Parameters: <ul style="list-style-type: none"> Name: String
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Refresh ()	Void	Refreshes the collection by re-querying the model and reloading the collection. Should be called after adding a new item or after deleting an item.

16.6.2.4.5 Datatype

public Class

A *Datatype* is a named type that can be associated with attribute or method types. It typically is related to either code engineering or database modeling. Datatypes also indicate which language or database system they relate to. Accessed using the Repository *Datatypes* collection.

Associated table in .EAP file: *t_datatypes*

Datatype Attributes

Attribute	Type	Notes
DatatypeID	Long	Read/Write. Instance ID for this datatype within the current model. System maintained.
DefaultLen	Long	Read/Write. Default length (DDL only.)
DefaultPrec	Long	Read/Write. Default precision (DDL only).

Attribute	Type	Notes
DefaultScale	Long	Read/Write. Default scale (DDL only).
GenericType	String	Read/Write. The associated generic type for this data type.
HasLength	String	Read/Write. Indicates datatype has a length component.
MaxLen	Long	Read/Write. Maximum length (DDL only).
MaxPrec	Long	Read/Write. Maximum precision(DDL only).
MaxScale	Long	Read/Write. Maximum scale(DDL only).
Name	String	Read/Write. The datatype name (eg. <i>integer</i>). This appears in the related drop-down datatype lists where appropriate.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Product	String	Read/Write. The datatype product - eg. Java, C++, Oracle.
Size	Long	Read/Write. The datatype size.
Type	String	Read/Write. The type can be <i>DDL</i> for database datatype or <i>Code</i> for language datatypes.
UserDefined	Long	Read/Write. Indicates if datatype is a user defined type or system generated. Datatypes distributed with Enterprise Architect are all system. Datatypes created in the Datatype dialog are marked 1 (true) .

Datatype Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Updates the current Datatype object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.6 EventProperties

An *EventProperties* object is passed to *BroadcastFunctions* to facilitate parameter passing.

EventProperties Attributes

Attribute	Type	Notes
Count	Long	Read only. Number of parameters being passed to this broadcast event.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.

EventProperties Methods

Method	Type	Notes
Get	EventProperty <small>[1469]</small>	Read only. Returns an <i>EventProperty</i> in the list, raising an error if <i>Index</i> is out of range.

Method	Type	Notes
		Parameters: <ul style="list-style-type: none"> Index (Variant) - can either be a number representing a zero-based index into the array, or a string representing the name of the <i>EventProperty</i>. eg. <i>Props.Get(3)</i> or <i>Props.Get("ObjectID")</i>

16.6.2.4.7 EventProperty

EventProperty objects are always part of an [EventProperties](#) ^[1468] collection, and are passed to Add-In methods responding to [broadcast events](#) ^[1398].

EventProperty Attributes

Attribute	Type	Notes
Description	String	Explanation of what this property represents.
Name	String	A string distinguishing this property from others in the list.
ObjectType	ObjectType ^[1450]	Distinguishes objects referenced through a Dispatch interface.
Value	Variant	A string, number or object reference representing the property value.

16.6.2.4.8 ModelWatcher

public Class

The *ModelWatcher* object enables an automation client to track changes in a particular model.

Note:

After your model has been loaded, you only create the *ModelWatcher* once. If you reload the model, or load another model, the created *ModelWatcher* is still valid.

ModelWatcher Attributes

Attribute	Type	Notes
ObjectType	ObjectType ^[1450]	Read only. Distinguishes objects referenced through a Dispatch interface.

ModelWatcher Methods

Methods	Type	Notes
GetReloadItem	ReloadType ^[1451]	The object that must be reloaded in order to see all changes is returned through the <i>Item</i> parameter. If there are no changes or the entire model must be reloaded, this value is returned as null (C#) or Nothing (VB). Calling this method clears the records so that the next time it is called the return values refer only to new changes. Parameters: <ul style="list-style-type: none"> Item: Object

Methods	Type	Notes
		Returns a value from the <i>ReloadType</i> enumeration that specifies which type of change, if any, has occurred.
PeekReloadItem	ReloadType <small> 1451 </small>	This method behaves identically to <i>GetReloadItem()</i> but does not clear the change record.

16.6.2.4.9 Package

public Class

A *Package* object corresponds to a Package element in the Enterprise Architect **Project Browser**. It is accessed either through the Repository *Models* collection (a Model is a special form of Package) or through the Package *Packages* collection. Note that a Package has an Element object as an attribute; this corresponds to an Enterprise Architect Package element in the *t_object* table and is used to associate additional information (such as scenarios and constraints) with the logical package. To set additional information for a package, reference the Element object directly. Also note that if you add a Package to a diagram, you should add an instance of the element (not the Package itself) to the *DiagramObjects* collection for a diagram.

Associated table in .EAP file: *t_package*

Package Attributes

Attribute	Type	Notes
Alias	<i>String</i>	Read only. Alias
BatchLoad	<i>Long</i>	Read/Write. Flag to indicate that the package is batch loaded during batch import from controlled packages. Not yet implemented.
BatchSave	<i>Long</i>	Read/Write. Boolean value to indicate whether the package is included in the batch XML export list or not.
CodePath	<i>String</i>	Read/Write. The path to where associated source code is found. Not currently used.
Connectors	Collection <small> 1466 </small>	Read only. Collection of connectors.
Created	<i>Date</i>	Read/Write. Date the package was created.
Diagrams	Collection <small> 1466 </small>	Read only. A collection of diagrams contained in this package.
Element	<i>Object</i>	Read only. The associated element object. Use to set element type information for a package, including Stereotype, Complexity, Alias, Author, Constraints and Scenarios.
Elements	Collection <small> 1466 </small>	Read only. A collection of elements that belong to this package.
Flags	<i>String</i>	Read/Write. Extended information about the package.
IsControlled	<i>Boolean</i>	Read/Write. Indicates if the package has been marked as <i>Controlled</i> .
IsModel	<i>Boolean</i>	Read only. Indicates if the package is a model or a package.
IsNamespace	<i>Boolean</i>	Read/Write. True is 'package is a Namespace root'. Use 0 and 1 to set False and True .

Attribute	Type	Notes
IsProtected	Boolean	Read/Write. Indicates if the package has been marked as <i>Protected</i> .
IsVersionControlled	Boolean	Read/Write. Indicates whether or not this package is under version control.
LastLoadDate	Date	Read/Write. The date XML was last loaded for the package.
LastSaveDate	Date	Read/Write. The date XML was last saved from the package.
LogXML	Boolean	Read/Write. Indicates if XMI export information is to be logged.
Modified	Date	Read/Write. Date the package was last modified.
Name	String	Read/Write. The name of the package.
Notes	String	Read/Write. Notes about this package.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Owner	String	Read/Write. The package owner when using controlled packages.
PackageGUID	Variant	Read only. The global Package ID. Valid across models.
PackageID	Long	Read only. The local Package ID number. Valid only in this model file.
Packages	Collection [1466]	Read only. A collection of contained packages that can be walked through.
ParentID	Long	Read/Write. The ID of the package that is the parent of this one. 0 indicates this package is a <i>model</i> (ie. it has no parent).
TreePos	Long	Read/Write. The relative position in the tree compared to other packages (use to sort packages).
UMLVersion	String	Read/Write. The UML version for XML export purposes.
UseDTD	Boolean	Read/Write. Indicates if a DTD is to be used when exporting XMI.
Version	String	Read/Write. The version of the package.
XMLPath	String	Read/Write. The path to where the XML is saved when using controlled packages.

Package Methods

Method	Type	Notes
FindObject(String DottedID)	LPDISPATCH	Returns a package, element, attribute or operation matching the parameter <i>DottedID</i> . Parameter: <ul style="list-style-type: none"> DottedID: String - is in the form <i>object.object.object</i> where <i>object</i> is replaced by the name of a package, element attribute or operation. Examples include MyNamespace.Class1, CStudent.m_Name, MathClass.DoubleInt(int) If the DottedID is not found, an error is returned: <i>Can't find matching object</i> .
GetLastError ()	String	Returns a string value describing the most recent error that

Method	Type	Notes
		<p>occurred in relation to this object.</p> <p>This function is rarely used as an exception is thrown when an error occurs.</p>
Update ()	<i>Boolean</i>	<p>Update the current package object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.</p> <p>Note that a package object also has an <i>element</i> component that must be taken into account. The package object contains information about the package attributes such as hierarchy or contents. The element attribute contains information about, for example, Stereotype, Constraints or Files - all the attributes of a typical element.</p>
VersionControlAdd (String ConfigGuid, String XMLFile, Bool KeepCheckedOut)	<i>Void</i>	<p>Places the package under version control, using the specified Version Control Configuration and the specified XML filename. Throws an exception if the operation fails. Use <i>GetLastError()</i> to retrieve error information.</p> <p>It is recommended that the package be saved using <i>Update()</i> before calling <i>VersionControlAdd()</i>, so that any outstanding changes are not lost.</p> <p>Parameters</p> <ul style="list-style-type: none"> • ConfigGuid: String - Name corresponding to the Unique ID of the version control configuration to use. • XMLFile: String - Name of the XML file to use for this package. This filename is relative to the Working Copy folder specified for the Config. • KeepCheckedOut: Boolean - Specify True to add to version control and keep package checked-out.
VersionControlCheckin (String Comment)	<i>Void</i>	<p>Perform checkin of the version controlled package. Throws an exception if the operation fails. Use <i>GetLastError()</i> to retrieve error information.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Comment: String - Log message that is added to the version controlled file's history (where applicable).
VersionControlCheckout (String Comment)	<i>Void</i>	<p>Removes version control from the package. Throws an exception if the operation fails. Use <i>GetLastError()</i> to retrieve error information.</p>
VersionControlGetStatus ()	<i>Long</i>	<p>Returns the version control status of the package. Throws an exception if the operation fails. Use <i>GetLastError()</i> to retrieve error information.</p> <p>Return value maps to the following enumerated type;</p> <p><i>enum EnumCheckOutStatus</i></p> <pre>{ csUncontrolled = 0, csCheckedIn, csCheckedOutToThisUser, csReadOnlyVersion,</pre>

Method	Type	Notes
		<pre> csCheckedOutToAnotherUser, csOfflineCheckedOutToThisUser, csOfflineNotCheckedOutToThisUser, csDeleted } </pre> <p><i>csUncontrolled</i> - Either unable to communicate with the version control provider associated with the package or the package file is unknown to the provider.</p> <p><i>csReadOnlyVersion</i> - Package is marked as read-only. An earlier revision of the package has been retrieved from version control.</p> <p><i>csOfflineCheckedOutToThisUser</i> - Indicates that the package was "checked out" by this user whilst disconnected from version control.</p> <p><i>csOfflineNotCheckedOutToThisUser</i> - Indicates that Enterprise Architect can not currently connect to the version control config and the package was not previously checked out to this user.</p> <p><i>csDeleted</i> - The package file has been deleted from version control.</p>
VersionControlRemove ()	<i>Void</i>	<p>Perform checkout of the version controlled package. Throws an exception if the operation fails. Use <i>GetLastError()</i> to retrieve error information.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Comment: String - Log message that is added to the version controlled file's history (where applicable).

16.6.2.4.10 ProjectIssues


public Class

A system-level Issue. Indicates a problem or risk associated with the system as a whole. Accessed using the Repository *Issues* collection.

Associated table in .EAP file: *t_issues*

ProjectIssues Attributes

Attribute	Type	Notes
Category	<i>String</i>	Read/Write. The category this issue belongs to.
Date	<i>Date</i>	Read/Write. Date created.
DateResolved	<i>Date</i>	Read/Write. Date issue resolved.
Name	<i>String</i>	Read/Write. Issue name (ie. the issue itself).
IssueID	<i>Long</i>	Read only. The ID of this issue.
Notes	<i>String</i>	Read/Write. Associated description of issue.
ObjectType	<i>ObjectType</i>	Read only. Distinguishes objects referenced through a Dispatch interface.

Attribute	Type	Notes
		
Owner	String	Read/Write. Owner of issue.
Priority	String	Read/Write. Issue priority. Generally should use Low, Medium or High.
Resolution	String	Read/Write. Description of resolution.
Resolver	String	Read/Write. Person resolving issue.
Severity	String	Read/Write. Issue severity. Should be marked as Low, Medium or High.
Status	String	Read/Write. Current issue status.

ProjectIssues Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Issue object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.



16.6.2.4.11 ProjectResource

public Class

A *Project Resource* is a named person who is available to work on the current project in any capacity. Accessed using the Repository *Resources* collection.

Associated table in .EAP file: *t_resources*

ProjectResource Attributes

Attribute	Type	Notes
Email	String	Email address.
Fax	String	Fax number.
Mobile	Variant	Mobile number if available.
Name	String	Name of resource.
Notes	String	A description if appropriate.
ObjectType	ObjectType 	Read only. Distinguishes objects referenced through a Dispatch interface.
Organization	Package  String	Organization resource associated with.
Phone1	Variant	Main phone.
Phone2	Variant	Alternative phone.
Roles	String	The roles this resource can play in the current project.

ProjectResource Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current Resource object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.12 PropertyType

public Class

A *PropertyType* object represents a defined property that can be applied to UML elements as a Tagged Value. Accessed using the Repository *PropertyTypes* collection. Each *PropertyType* corresponds to one of the predefined Tagged Values for the model.

Associated table in .EAP file: *t_propertytypes*

Author Attributes

Attribute	Type	Notes
Description	<i>String</i>	Read/Write. Short description for the property
Detail	<i>String</i>	Read/Write. Configuration information for the property
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Tag	<i>String</i>	Read/Write. Name of the property (Tag Name)

Author Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current <i>PropertyType</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.13 Reference

public Class

This Interface provides access to the various lookup tables within Enterprise Architect. Use the Repository *GetReferenceList()* method to get a handle to a list. Valid lists are:

- Diagram

- Element
- Constraint
- Requirement
- Connector
- Status
- Cardinality
- Effort
- Metric
- Scenario
- Status
- Test

Reference Attributes

Attribute	Type	Notes
Count	Short	Count of items in the list.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Type	String	The list type (eg. Diagram Types).

Reference Methods

Method	Type	Notes
GetAt (Short)	String	Get the item at the specified index. Parameters: <ul style="list-style-type: none"> • Index: Short - The index of the item to retrieve from the list.
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Refresh ()	Short	Refresh the current list and return the count of items.

16.6.2.4.14 Stereotype

public Class

The *Stereotype* element corresponds to a UML stereotype, which is an extension mechanism for varying the behavior and type of a model element. Use the Repository *Stereotypes* collection to add new elements and delete existing ones.

Associated table in .EAP file: *t_stereotypes*

Stereotype Attributes

Attribute	Type	Notes
AppliesTo	String	Read/Write. A reference to the stereotype <i>Base Class</i> , ie. which element it applies to.
MetafileLoadPath	String	Read/Write. Path to an associated metafile. The automation interface

Attribute	Type	Notes
		does not yet support loading metafiles. To do this you must use the Stereotype tab of the UML Types dialog in Enterprise Architect.
Notes	String	Read/Write. Notes about the stereotype.
Name	String	Read/Write. The stereotype name. Appears in the Stereotype drop list for elements that match the <i>AppliesTo</i> attribute.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
StereotypeGUID	String	Read/Write. Unique identifier for stereotype, generally set and maintained by Enterprise Architect.
Style	String	Read/Write. Additional style specifier for stereotype.
VisualType	String	Read/Write. Indicates an inbuilt visual style associated with a stereotype. Not currently implemented.

Stereotype Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current stereotype object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.15 Task

public Class

A Task is an entry in the System ToDo list. Accessed using the Repository *Tasks* collection.

Associated table in .EAP file: *t_tasks*

Task Attributes

Attribute	Type	Notes
ActualTime	Long	Read/Write. Time already expended on task, in hours, days or other units.
AssignedTo	String	Read/Write. Person this task is assigned to; ie. the responsible resource.
EndDate	Date	Read/Write. Date task scheduled to finish.
History	String	Read/Write. Memo field to hold, for example, task history or notes.
Name	Variant	Read/Write. Task name.
Notes	Variant	Read/Write. Description of the task.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Owner	String	Read/Write. The task owner.

Attribute	Type	Notes
Percent	Long	Read/Write. Percent the task is complete.
Phase	String	Read/Write. The phase of the project the task relates to.
Priority	String	Read/Write. Priority associated with this task.
StartDate	Date	Read/Write. Date task is to start.
Status	Variant	Read/Write. Current task status.
TaskID	Long	Read only. Local ID of task.
TotalTime	Long	Read/Write. The total expected time the task might run - in hours, days or some other unit.
Type	String	Read/Write. Sets or returns string representing the type.

Task Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Task object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.4.16 Term

public Class

A *Term* object represents one entry in the system glossary. Accessed using the Repository *Terms* collection.

Associated table in .EAP file: *t_glossary*

Term Attributes

Attribute	Type	Notes
Meaning	String	Read/Write. The description of the term; its meaning.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Term	String	Read/Write. The glossary item name.
TermID	Long	Read only. A local ID number to identify the term in the model.
Type	String	Read/Write. The type this term applies to (eg. business or technical).

Term Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.


Method	Type	Notes
Update ()	<i>Boolean</i>	Update the current Term object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5 Element

public Package

The *Element* package contains information about an element and its associated extended properties such as testing and project management information. An element is the basic item in an Enterprise Architect model. Classes, Use Cases and Components are all different types of UML element.

The diagram below illustrates the relationships between an *element* and its associated extended information. The related information is accessed through the collections owned by the element (eg. Scenarios and Tests). It also includes a full description of the element object (the basic model structural unit).



16.6.2.5.1 Constraint

public Class

A *Constraint* is a condition imposed on an element. Constraints are accessed through the Element *Constraints* collection

Associated table in .EAP file: *t_objectconstraints*

Constraint Attributes

Attribute	Type	Notes
Name	<i>String</i>	Read/Write. The name of the constraint (i.e. the constraint).
Notes	<i>String</i>	Read/Write. Notes about the constraint.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
ParentID	<i>Long</i>	Read only. The <i>ElementID</i> of the element to which this constraint applies.
Status	<i>String</i>	Read/Write. Current status.
Type	<i>String</i>	Read/Write. Constraint type.
Weight	<i>Long</i>	Read/Write. A weighting factor.

Constraint Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current <i>Constraint</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.2 Effort

public Class

An *Effort* is a named item with a weighting that can be associated with an element for purposes of building metrics about the model. Accessed through the Element *Efforts* collection.

Associated table in .EAP file: *t_objecteffort*

Effort Attributes

Attribute	Type	Notes
Name	<i>String</i>	Read/Write. The name of the effort.
Notes	<i>String</i>	Read/Write. Notes about the effort.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.

Attribute	Type	Notes
Type	String	Read/Write. The effort type.
Weight	Long	Read/Write. A weighting factor.

Effort Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Saves the effort to the model.

16.6.2.5.3 Element

public Class

An *Element* is the main modeling unit. It corresponds to (for example) Class, Use Case, Node or Component. You create new elements by adding to the Package *Elements* collection. Once you have created an element, you can add it to the *DiagramObjects* collection of a diagram to include it in the diagram.

Elements also have a collection of connectors. Each entry in this collection indicates a relationship to another element.

There are also some extended collections for managing additional information about the element, including things such as Tagged Values, Issues, Constraints and Requirements.

Associated table in .EAP file: *t_object*

Element Attributes

Attribute	Type	Notes
Abstract	String	Read/Write. Indicates if the element is Abstract (1) or Concrete (0).
ActionFlags	String	Read/Write. A structure to hold flags concerned with Action semantics.
Alias	String	Read/Write. An optional alias for this element.
Attributes	Collection ^[1468]	Read only. Collection of Attribute objects for current element. Use the AddNew and Delete functions to manage attributes.
AttributesEx	Collection ^[1468]	Read only. Collection of Attribute objects belonging to the current element and its parent elements.
Author	String	Read/Write. The element author (see the Repository: Authors ^[1453] list for more details).
BaseClasses	Collection ^[1468]	Read only. List of Base Classes for this element presented as a collection for convenience.
ClassifierID	Long	Deprecated. See <i>ClassifierID</i> .
ClassifierID	Long	Read/Write. ElementID of a Classifier associated with this element; that is, the base type. Only valid for instance type elements (eg. Object, Sequence).

Attribute	Type	Notes
ClassifierName	String	Read/Write. Name of associated Classifier (if any).
ClassifierType	String	Read only. Type of associated classifier.
Complexity	String	Read/Write. A complexity value indicating how difficult the element is. Can be used for metric reporting and estimation. Valid values are: 1 for Easy, 2 for Medium, 3 for Difficult.
Connectors	Collection ^[1466]	Read only. Returns a collection containing the connectors to other elements.
Constraints	Collection ^[1466]	Read only. Collection of Constraint ^[1481] objects.
ConstraintsEx	Collection ^[1466]	Read only. Collection of Constraint objects belonging to the current element and its parent elements.
Created	Date	Read/Write. The date the element was created.
CustomProperties	Collection ^[1466]	Read only. List of advanced properties for an element. The collection of advanced properties differs depending on element type; for example, an Action and an Activity have different advanced properties. Currently only editable from the user interface.
Diagrams	Collection ^[1466]	Read only. Returns a collection of sub-diagrams (child diagrams) attached to this element as seen in the tree view.
Difficulty	String	Read/Write. A difficulty level associated with this element for estimation/metrics; only useable for Requirement, Change and Issue element types, otherwise ignored. Valid values are: Low , Medium , High .
Efforts	Collection ^[1466]	Read only. Collection of Effort ^[1481] objects.
ElementGUID	String	Read only. A globally unique ID for this element; ie. unique across all model files. If you have to set this value manually, you should only do so when the element is first created, and make sure you format the GUID exactly as Enterprise Architect expects.
ElementID	Long	Read only. The local ID of the Element. Valid for this file only.
Elements	Collection ^[1466]	Read only. Returns a collection of child elements (sub-elements) attached to this element as seen in the tree view.
EmbeddedElements	Collection ^[1466]	Read only. List of elements that are embedded into this element, such as Ports, Parts, Pins and Parameter Sets.
EventFlags	String	Read/Write. A structure to hold a variety of flags to do with signals or events.
ExtensionPoints	String	Read/Write. Optional extension points for a Use Case as a comma-separated list.
Files	Collection ^[1466]	Read only. Collection of File ^[1486] objects.
GenFile	String	Read/Write. The file associated with this element for code generation and synchronization purposes. Can include macro expansion tags for local conversion to full path.
Genlinks	String	Read/Write. Links to other Classes discovered at code reversing time; Parents and Implements links only.
GenType	String	Read/Write. The code generation type; eg. Java, C++, C#, VBNet, Visual Basic, Delphi.

Attribute	Type	Notes
Header1	<i>Variant</i>	Read/Write. A user defined string for inclusion as header in the source files generated.
Header2	<i>Variant</i>	Read/Write. Same as for Header1 , but used in the CPP source file.
IsActive	<i>Boolean</i>	Read/Write. Boolean value indicating whether the element is active or not. 1 = True, 0 = False.
IsLeaf	<i>Boolean</i>	Read/Write. Boolean value indicating whether the element is in leaf node or not. 1 = True, 0 = False.
IsNew	<i>Boolean</i>	Read/Write. Boolean value indicating whether the element is new or not. 1 = True, 0 = False.
IsSpec	<i>Boolean</i>	Read/Write. Boolean value indicating whether the element is a specification or not. 1 = True, 0 = False.
Issues	Collection <small>[1466]</small>	Read only. Collection of Issue objects.
Locked	<i>Boolean</i>	Read/Write. Indicates if the element has been locked against further change.
MetaType	<i>String</i>	Read only: The element's domain-specific meta type, as defined by an applied stereotype from an MDG Technology.
Methods	Collection <small>[1466]</small>	Read only. Collection of Method objects for current element.
MethodsEx	Collection <small>[1466]</small>	Read only. Collection of Method objects belonging to the current element and its parent elements.
Metrics	Collection <small>[1466]</small>	Read only. Collection of Metric elements for current element.
MiscData	<i>String</i>	<p>Read only. This low-level property provides information about the contents of the PData fields. These database fields are not documented and developers must gain understanding of these fields through their own endeavors to use this property.</p> <p>MiscData is zero based, therefore:</p> <ul style="list-style-type: none"> • MiscData(0) corresponds to PDATA1 • MiscData(1) to PDATA2 <p>and so on.</p>
Modified	<i>Date</i>	Read/Write. The date the element was last modified.
Multiplicity	<i>String</i>	Read/Write. Multiplicity value for this element.
Name	<i>String</i>	Read/Write. The element name; should be unique within the current package.
Notes	<i>String</i>	Read/Write. Further descriptive text about the element.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
PackageID	<i>Long</i>	Read/Write. A local ID for the package containing this element.
ParentID	<i>Long</i>	Read/Write. If this element is a child of another, used to set or retrieve the <i>ElementID</i> of the other element. If not, returns 0 .
Partitions	Collection <small>[1466]</small>	Read Only. List of logical partitions into which an element can be divided. Only valid for elements that support partitions, such as Activities and States.

Attribute	Type	Notes
Persistence	String	Read/Write. The persistence associated with this element. Can be Persistent or Transient .
Phase	String	Read/Write. Phase this element scheduled to be constructed in. Any string value.
Priority	String	Read/Write. The priority of this element as compared to other project elements. Only applies to Requirement, Change and Issue types, otherwise ignored. Valid values are: Low , Medium and High .
Properties	Properties ^[1505]	Returns a list of specialized properties that apply to the element that might not be available using the automation model. The properties are purposely undocumented because of their obscure nature and because they are subject to change as progressive enhancements are made to them.
PropertyType	Long	Read/Write. The GUID of the type which defines either a Port or a Part.
Realizes	Collection ^[1466]	Read only. List of Interfaces realized by this element for convenience.
Requirements	Collection ^[1466]	Read only. Collection of Requirement ^[1490] objects.
RequirementsEx	Collection ^[1466]	Read only. Collection of Requirement ^[1490] objects belonging to the current element and its parent elements.
Resources	Collection ^[1466]	Read only. Collection of Resource ^[1491] objects for current element.
Risks	Collection ^[1466]	Read only. Collection of Risk ^[1492] objects.
RunState	String	Read/Write. The object's runstate list as a string.
Scenarios	Collection ^[1466]	Read only. Collection of Scenario ^[1492] objects for current element.
StateTransitions	Collection ^[1466]	Read only. List of State Transitions that an element can support. Applies in particular to Timing elements.
Status	String	Read/Write. Sets or gets the status, such as Proposed or Approved .
Stereotype	String	Read/Write. The primary element stereotype. This is the first of the list of stereotypes you can access using the <i>StereotypeEx</i> attribute.
StereotypeEx	String	Read/Write. All the applied stereotypes of the element in a comma-separated list.
StyleEx	String	Read/Write: Advanced style settings. Not currently used.
Subtype	Long	Read/Write. A numeric subtype that qualifies the Type ^[1486] of the main element. For example: <ul style="list-style-type: none"> • For Event: 0 = Receiver, 1 = Sender • For Class: 1 = Parameterised, 2 = Instantiated, 3 = Both, 0 = Neither, 17 = Association Class

Attribute	Type	Notes		
		<p>Note:</p> <p>If 17, because an Association Class has been created through the user interface, MiscData(3) will contain the ID of the related Association. As MiscData is read-only, you cannot create an Association Class through the Automation Interface.</p> <ul style="list-style-type: none"> For Note: 1 = Note linked to connector, 2 = Constraint linked to connector For StateNode: 100 = ActivityInitial, 101 = ActivityFinal For Activity: 0 = Activity, 8 = composite Activity (also set to 8 for other composite elements such as Use Cases) For Synchronization: 0 = Horizontal, 1 = Vertical. <p>Note that there are many more Types than indicated in the above examples.</p>		
Tablespace	<i>String</i>	Read/Write. Associated tablespace for a Table element.		
Tag	<i>String</i>	Read/Write. Corresponds to the Keywords field in the Enterprise Architect user interface. See the General Settings ^[369] topic.		
TaggedValues	Collection ^[1466] of type TaggedValue ^[1493]	Read only. Returns a collection of TaggedValue ^[1493] objects.		
TaggedValuesEx	Collection ^[1466]	Read only. Returns a collection of TaggedValue ^[1493] objects belonging to the current element and the elements specialized or realized by the current element.		
Tests	Collection ^[1466]	Read only. Collection of Test ^[1494] objects for current element.		
TreePos	<i>Long</i>	Read/Write. Sets or gets the tree position.		
Type	<i>String</i>	<p>Read/Write. The element type (eg. Class, Component).</p> <p>Note that Type is case sensitive inside Enterprise Architect and should be provided with an initial capital (proper case). Valid types are:</p> <table border="0"> <tr> <td> Action Activity ActivityPartition ActivityRegion Actor Artifact Association Boundary Change Class Collaboration Component Constraint Decision DeploymentSpecification DiagramFrame EmbeddedElement Entity </td> <td> InteractionOccurrence InteractionState Interface InterruptibleActivityRegion Issue Node Note Object Package Parameter Part Port ProvidedInterface Report RequiredInterface Requirement Screen Sequence </td> </tr> </table>	Action Activity ActivityPartition ActivityRegion Actor Artifact Association Boundary Change Class Collaboration Component Constraint Decision DeploymentSpecification DiagramFrame EmbeddedElement Entity	InteractionOccurrence InteractionState Interface InterruptibleActivityRegion Issue Node Note Object Package Parameter Part Port ProvidedInterface Report RequiredInterface Requirement Screen Sequence
Action Activity ActivityPartition ActivityRegion Actor Artifact Association Boundary Change Class Collaboration Component Constraint Decision DeploymentSpecification DiagramFrame EmbeddedElement Entity	InteractionOccurrence InteractionState Interface InterruptibleActivityRegion Issue Node Note Object Package Parameter Part Port ProvidedInterface Report RequiredInterface Requirement Screen Sequence			

Attribute	Type	Notes
		<p> EntryPoint Event ExceptionHandler ExitPoint ExpansionNode ExpansionRegion GUIElement InteractionFragment </p> <p> State StateNode Synchronization Text TimeLine UMLDiagram UseCase </p>
Version	<i>String</i>	Read/Write. The version of the element.
Visibility	<i>String</i>	Read/Write. The Scope of this element within the current package. Valid values are: Public , Private , Protected or Package .

Element Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	<p>Returns a string value describing the most recent error that occurred in relation to this object.</p> <p>This function is rarely used as an exception is thrown when an error occurs.</p>
GetLinkedDocument ()	<i>String</i>	<p>Returns a string value containing the element's linked document contents, in RTF format.</p> <p>If the element contains no linked document, an empty string is returned.</p>
GetRelationSet (EnumRelationSetType Type)	<i>String</i>	<p>Returns a string containing a comma-separated list of ElementIDs of directly- and indirectly-related elements based on the given type. See EnumRelationSetType^[1449].</p> <p>Recurses using the same relation type on all elements it finds, retrieving all dependencies and sub-dependencies of the current element; for example, <i>Object1</i> depends on <i>Object2</i>, which depends on <i>Object3</i>. Therefore this method returns <i>Object2</i> and <i>Object3</i>.</p> <p>To obtain only the direct relationships of the element, use the Connector^[1506] collection instead.</p>
GetStereotypeList ()	<i>String</i>	Returns a comma-separated list of stereotypes allied to this element.
LoadLinkedDocument (String Filename)	<i>Boolean</i>	Loads the RTF document from the specified file into the element's linked document.
Refresh ()	<i>Void</i>	Refresh the element features in the Project Browser window. Usually called after adding or deleting attributes or methods, when the user interface is required to be updated as well.
SaveLinkedDocument (String Filename)	<i>Boolean</i>	Saves the linked document for this element to the specified RTF file.
SetAppearance (long Scope, long Item, long Value)	<i>Long</i>	<p>Sets the visual appearance of the element.</p> <p>Scope: Scope of appearance set to modify</p> <p>0 – Local (Diagram-local appearance)</p>

Method	Type	Notes
		<p>1 – Base (Default appearance across entire model) <i>Item</i>: Appearance item to modify</p> <p>0 – Background color</p> <p>1 – Font Color</p> <p>2 – Border Color</p> <p>3 – Border Width</p> <p><i>Value</i>: Value to set appearance to.</p>
Update ()	Boolean	Update the current element object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.4 File

public Class

A *File* represents an associated file for an element. It is accessed through the Element *Files* collection.

Associated table in .EAP file: *t_objectfiles*

File Attributes

Attribute	Type	Notes
FileDate	String	Read/Write. The file date when entry is created.
Name	String	Read/Write. The file name can be a logical file or a reference to a web address (using <i>http://</i>)
Notes	String	Read/Write. Notes about the file.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Size	String	Read/Write. The file size.
Type	String	Read/Write. File type.

File Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current File object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.5 Issue (Maintenance)

public Class

An *Issue* is either a *Change* or a *Defect*, is associated with the containing element, and is accessed through the *Issues* collection of an element.

Associated table in .EAP file: *t_objectproblems*

Issue Attributes

Attribute	Type	Notes
DateReported	<i>Date</i>	Read/Write. Date issue reported.
DateResolved	<i>Date</i>	Read/Write. Date issue resolved.
ElementID	<i>Long</i>	Read/Write. ID of element associated with this issue.
Name	<i>String</i>	Read/Write. The Issue name - ie. the Issue itself.
Notes	<i>String</i>	Read/Write. Issue Description.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Priority	<i>String</i>	Read/Write. Issue priority. Generally should use Low , Medium and High .
Reporter	<i>String</i>	Read/Write. Person reporting issue.
Resolver	<i>String</i>	Read/Write. Person resolving issue.
ResolverNotes	<i>String</i>	Read/Write. Notes entered by resolver about resolution.
Severity	<i>String</i>	Read/Write. Issue severity. Should be marked as Low , Medium or High .
Status	<i>String</i>	Read/Write. The current status of the issue.
Type	<i>Variant</i>	Read/Write. Issue type - can be <i>Defect</i> or <i>Change</i> , <i>Issue</i> and <i>ToDo</i> .
Version	<i>String</i>	Read/Write. Version associated with issue. Note that this method is only available through a Dispatch interface. eg. Object ob = Issue; Print ob.Version;

Issue Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current Issue object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.6 Metric

public Class

A *Metric* is a named item with a weighting that can be associated with an element for purposes of building

metrics about the model. Accessed through the Element *Metrics* collection.

Associated table in .EAP file: *t_objectmetrics*

Metric Attributes

Attribute	Type	Notes
Name	String	Read/Write. The name of the metric.
Notes	String	Read/Write. Notes about this metric.
ObjectType	ObjectType <small> 1450 </small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Type	String	Read/Write. The metric type.
Weight	Long	Read/Write. A user defined weighting for estimation or metric purposes.

Metric Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Metric object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.7 Requirement

public Class

An *Element Requirement* object holds information about the responsibilities of an element in the context of the model. Accessed using the Element *Requirements* collection

Associated table in .EAP file: *t_objectrequires*

Requirement Attributes

Attribute	Type	Notes
Difficulty	String	Read/Write. Estimated difficulty to implement.
LastUpdate	Date	Read/Write. Date requirement last updated.
Name	String	Read/Write. The requirement itself.
Notes	String	Read/Write. Further notes about requirement.
ObjectType	ObjectType <small> 1450 </small>	Read only. Distinguishes objects referenced through a Dispatch interface.
ParentID	Long	Read only. The <i>ElementID</i> of the element to which this requirement applies.
Priority	String	Read/Write. Assigned priority of the requirement.
RequirementID	Long	Read only. A local ID for this requirement.

Attribute	Type	Notes
Stability	String	Read/Write. Estimated stability of the requirement.
Status	String	Read/Write. Current status of the requirement.
Type	String	Read/Write. Requirement type.

Requirement Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Requirement object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.8 Resource

public Class

An Element *Resource* is a named person/task pair with timing constraints and percent complete indicators. Use this to manage the work associated with delivering an Element.

Associated table in .EAP file: *t_objectresources*

Resource Attributes

Attribute	Type	Notes
ActualHours	Long	Read/Write. Time already expended on the task, in hours, days or other units.
DateEnd	Date	Read/Write. Expected end date.
DateStart	Date	Read/Write. Date to start work.
ExpectedHours	Long	Read/Write. The total expected time the task might run, in hours, days or other units.
History	String	Read/Write. Gets or sets history text.
Name	String	Read/Write. Name of resource (eg. person's name).
Notes	String	Read/Write. Descriptive notes.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
PercentComplete	Long	Read/Write. Current percent complete figure.
Role	String	Read/Write. Role they play in implementing the element.
Time	Long	Read/Write. Time expected; numeric indicating number of days.

Resource Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current Resource object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.9 Risk

public Class

A *Risk* object represents a named risk associated with an element and is used for project management purposes. Accessed through the Element *Risks* collection.

Associated table in .EAP file: *t_objectrisks*

Risk Attributes

Attribute	Type	Notes
Name	<i>String</i>	Read/Write. The risk.
Notes	<i>String</i>	Read/Write. Further notes describing the risk.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Type	<i>String</i>	Read/Write. The risk type associated with this element.
Weight	<i>Long</i>	Read/Write. A weighting for estimation or metric purposes.

Risk Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current Risk object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.10 Scenario

public Class

A *Scenario* corresponds to a Collaboration or Use Case instance. Each scenario is a path of execution through the logic of a Use Case. Scenarios can be added to using the Element *Scenarios* collection.

Associated table in .EAP file: *t_objectscenarios*

Scenario Attributes

Attribute	Type	Notes
Name	String	Read/Write. The Scenario name.
Notes	String	Read/Write. Description of the Scenario. Usually contains the steps to execute the scenario.
ObjectType	ObjectType <small>1450</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
ScenarioGUID	String	Read/Write. A unique ID for the scenario. Used to identify the scenario unambiguously within a model.
Type	String	Read/Write. The Scenario type (eg. <i>Basic Path</i>).
Weight	Long	Read/Write. Currently used to position scenarios in the scenario list (ie. <i>List Position</i>).
XMLContent	String	Read/Write. A structured field that can contain scenario details in XML format. <i>Not currently used</i> .

Scenario Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Scenario object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.11 TaggedValue

public Class

A *TaggedValue* is a named property and value associated with an element and is accessed through the *TaggedValues* collection.

Associated table in .EAP file: *t_objectproperties*

TaggedValue Attributes

Attribute	Type	Notes
ElementID	Long	Read/Write. The local ID of the associated element.
Name	String	Read/Write. Name of the property (Tag).
Notes	String	Read/Write. Further descriptive notes.
ObjectType	ObjectType <small>1450</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
PropertyGUID	String	Read/Write. A global ID for the property.
PropertyID	Long	Read only. A local ID for the property.
Value	String	Read/Write. The value assigned in this instance.

TaggedValue Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current TaggedValue object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.5.12 Test

public Class

A *Test* is a single Test Case applied to an element. Tests are added and accessed through the Element *Tests* collection.

Associated table in .EAP file: *t_objecttests*

Test Attributes

Attribute	Type	Notes
AcceptanceCriteria	<i>String</i>	Read/Write. The acceptance criteria for successful execution.
CheckedBy	<i>String</i>	Read/Write. Results confirmed by.
Class	<i>Long</i>	Read/Write. The test Class: 1 = Unit Test 2 = Integration Test 3 = System Test 4 = Acceptance Test 5 = Scenario Test.
DateRun	<i>Date</i>	Read/Write. Date last run.
Input	<i>String</i>	Read/Write. Input data.
Name	<i>String</i>	Read/Write. The test name
Notes	<i>String</i>	Read/Write. Detailed notes about test to be carried out.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
RunBy	<i>String</i>	Read/Write. Person conducting test.
Status	<i>String</i>	Read/Write. Current status of test.
TestResults	<i>Variant</i>	Read/Write. Results of test.
Type	<i>String</i>	Read/Write. The test type, such as Load or Regression.

Test Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object.


Method	Type	Notes
		This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Test object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6 Element Features

public Package

The *ElementFeatures* package contains descriptions of the model interfaces that enable access to operations and attributes, and their associated Tagged Values and constraints.

This diagram illustrates the components associated with element features. These include *Attributes* and *Methods*, and the associated constraints and Tagged Values related to them. It also includes the *Parameter* object that defines the arguments associated with an operation (method).



16.6.2.6.1 Attribute

public Class

An *attribute* corresponds to a UML Attribute. It contains further collections for constraints and Tagged Values. Attributes are accessed from the Element *Attributes* collection.

Associated table in .EAP file: *t_attribute*

Attribute Attributes

Attribute	Type	Notes
AllowDuplicates	<i>Boolean</i>	Read/Write. Indicates if duplicates are allowed in the collection. If the attribute represents a database column, this when set represents the Not Null option.
AttributeGUID	<i>String</i>	Read/Write. A globally unique ID for the current attribute. System generated.
AttributeID	<i>Long</i>	Read only. Local ID number of the attribute.
ClassifierID	<i>Long</i>	Read/Write. Classifier ID, if appropriate; indicates the base type associated with attribute, if not a primitive type.
Container	<i>String</i>	Read/Write. The container type.
Containment	<i>String</i>	Read/Write. Type of containment. Can be Not Specified, By Reference or By Value .
Constraints	Collection <small>[1466]</small>	Read only. A collection of <i>AttributeConstraint</i> objects. Used to access and manage constraints associated with this attribute.
Default	<i>String</i>	Read/Write. Initial value assigned to this attribute.
IsCollection	<i>Boolean</i>	Read/Write. Indicates if the current feature is a collection or not. If the attribute represents a database column, this when set represents a Foreign Key.
IsConst	<i>Boolean</i>	Read/Write. Flag indicating if the attribute is Const or not.
IsDerived	<i>Boolean</i>	Read/Write. Indicates if the attribute is derived (eg. a calculated value).
IsOrdered	<i>Boolean</i>	Read/Write. Indicates if a collection is ordered or not. If the attribute represents a database column, this when set represents a Primary Key.
IsStatic	<i>Boolean</i>	Read/Write. Indicates if the current attribute is a static feature or not. If the attribute represents a database column, this when set represents the Unique option.
Length	<i>String</i>	Read/Write. The attribute length, where applicable.
LowerBound	<i>String</i>	Read/Write. A value for the collection lower bound.
Name	<i>String</i>	Read/Write. The attribute name.
Notes	<i>String</i>	Read/Write. Further notes about this attribute.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
ParentID	<i>Long</i>	Read only. Returns the <i>ElementID</i> of the element that this attribute is a part of.
Pos	<i>Long</i>	Read/Write. Position of the attribute in the Class attribute list.
Precision	<i>String</i>	Read/Write. Precision value.

Attribute	Type	Notes
Scale	String	Read/Write. Scale value.
Stereotype	String	Read/Write. Sets or gets the stereotype for this attribute.
StereotypeEx	String	Read/Write. All the applied stereotypes of the attribute in a comma-separated list.
Style	String	Read/Write. Further style information.
StyleEx	String	Read/Write. Advanced style settings. Use with care.
TaggedValues	Collection <small>[1466]</small> of type AttributeTag <small>[1498]</small>	Read only. A collection of AttributeTag objects. Use to access and manage Tagged Values associated with this attribute.
TaggedValuesEx	Collection <small>[1466]</small>	Read only. Collection of TaggedValue objects belonging to the current attribute and the TaggedValuesEx property of its classifier.
Type	String	Read/Write. The attribute type (by name; also see ClassifierID).
UpperBound	String	Read/Write. A value for the collection upper bound.
Visibility	String	Read/Write. The scope of the attribute. Can be Private , Protected , Public or Package .

Attribute Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Updates the current attribute object after modifying or appending a new item. If false is returned, check the GetLastError function for more information.

16.6.2.6.2 AttributeConstraint

public Class

An *AttributeConstraint* is a constraint associated with the current Attribute.

Associated table in .EAP file: *t_attributeconstraints*

AttributeConstraint Attributes

Attribute	Type	Notes
AttributeID	Long	Read/Write. ID of the attribute this constraint applies to.
Name	String	Read/Write. The constraint.
Notes	String	Read/Write. Descriptive notes about constraint.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.

Attribute	Type	Notes
Type	String	Read/Write. Type of constraint.

AttributeConstraint Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>AttributeConstraint</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6.3 AttributeTag

public Class

An *AttributeTag* represents a Tagged Value associated with an attribute

Associated table in .EAP file: *t_attributetag*

AttributeTag Attributes

Attribute	Type	Notes
AttributeID	Long	Read/Write. Local ID of attribute associated with this Tagged Value.
Name	String	Read/Write. Name of tag.
Notes	String	Read/Write. Descriptive notes.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
TagGUID	String	Read/Write. A globally unique ID for this Tagged Value.
TagID	Long	Read only. Local ID to identify Tagged Value.
Value	String	Read/Write. Value associated with this tag.

AttributeTag Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>AttributeTag</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6.4 CustomProperties

public Collection

The *CustomProperties* collection contains 0 or more *Cust Properties* associated with the current element. These properties provide advanced UML configuration options, and must not be added to or deleted. The value of each property can be set.

Note:

The number and type of properties vary depending on the actual element.

CustomProperty


Attribute	Type	Notes
Name	String	Read-only. The CustomProperty name.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Value	String	Read/Write. The value associated with this custom property. Can be a string, the boolean values true or false , or an enumeration value from a defined list. The UML 2.1.1 specification in general provides information on enumeration kinds relevant here.

16.6.2.6.5 EmbeddedElements

public Collection

In UML 2.1 an element can have one or more embedded elements such as Ports, Pins, Parameters or ObjectNodes. These are attached to the boundary of the host element and cannot be moved off the element. They are owned by their host element. This collection gives easy access to the set of elements embedded on the surface of an element. Note that some embedded elements can have their own embedded element collection (eg. Ports can have interfaces embedded on them.)

The *EmbeddedElements* collection contains Element objects.



16.6.2.6.6 Method

public Class

A *method* represents a UML *operation*. It is accessed from the *Element Methods* collection and includes collections for parameters, constraints and Tagged Values

Associated table in .EAP file: *t_operation*

Method Attributes

Attribute	Type	Notes
Abstract	Boolean	Read/Write. Flag indicating if the method is abstract (1) or not (0).
Behavior	String	Read/Write. Some further explanatory behavior notes (eg. pseudocode). Note: In earlier releases of Enterprise Architect this attribute had the UK/ Australian spelling 'Behaviour'; this is still present for backwards compatibility, but please now use the 'Behavior' attribute for consistency.
ClassifierID	String	Read/Write. Classifier ID that applies to the <i>ReturnType</i> .
Code	String	Read/Write. Optional field to hold the method Code (used for the Initial Code field).
Concurrency	Variant	Read/Write. Concurrency type of method.

Attribute	Type	Notes
IsConst	Boolean	Read/Write. Flag indicating the method is Const .
IsLeaf	Boolean	Read/Write. Flag to indicate if the method is <i>Leaf</i> (cannot be overridden).
IsPure	Boolean	Read/Write. Flag indicating the method is defined as Pure in C++.
IsQuery	Boolean	Read/Write. Flag to indicate if the method is a query (ie. does not alter Class variables).
IsRoot	Boolean	Read/Write. Flag to indicate if the method is <i>Root</i> .
IsStatic	Boolean	Read/Write. Flag to indicate a static method.
IsSynchronized	Boolean	Read/Write. Flag indicating a Synchronized method call.
MethodGUID	String	Read/Write. A globally unique ID for the current method. System generated.
MethodID	Long	Read only. A local ID for the current method, only valid within this .EAP file.
Name	String	Read/Write. The method name.
Notes	String	Read/Write. Descriptive notes about the method.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Parameters	Collection <small>[1466]</small>	Read only. The <i>Parameters</i> collection for the current method. Use to add and access parameter objects for the current method.
ParentID	Long	Read only. An optional ID of an element that 'owns' this diagram; eg. a Sequence diagram owned by a Use Case.
Pos	Long	Read/Write. Specifies the position of the method within the set of operations defined for a Class.
PostConditions	Collection <small>[1466]</small>	Read only. PostConditions (constraints) as they apply to this method. Returns a <i>MethodConstraint</i> object of type post .
PreConditions	Collection <small>[1466]</small>	Read only. PreConditions (constraints) as they apply to this method. Returns a <i>MethodConstraint</i> object of type pre .
ReturnsArray	Boolean	Read/Write. Flag to indicate the return value is an array.
ReturnType	String	Read/Write. Return type for the method; can be a primitive data type or a Class or Interface type.
StateFlags	String	Read/Write. Some flags as applied to methods in State elements.
Stereotype	String	Read/Write. The method stereotype (optional).
StereotypeEx	String	Read/Write. All the applied stereotypes of the method in a comma-separated list.
Style	String	Read/Write. Extended style information about the method.
StyleEx	String	Read/Write. Advanced style settings. Not currently used.
TaggedValues	Collection of type MethodTag <small>[1502]</small>	Read only. <i>TaggedValues</i> collection for the current method. Accesses a list of <i>MethodTag</i> objects.
Throws	String	Read/Write. Exception information.
Visibility	String	Read/Write. The method scope: Public , Protected , Private or Package .

Method Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current method object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6.7 MethodConstraint

public Class

A *MethodConstraint* is a condition imposed on a method. It is accessed through either the Method *PreConditions* or Method *PostConditions* collection.

Associated table in .EAP file: *t_operationpres* and *t_operationposts*

MethodConstraint Attributes

Attribute	Type	Notes
MethodID	<i>Long</i>	Read/Write. The local ID of the associated method.
Name	<i>String</i>	Read/Write. The name of the constraint.
Notes	<i>String</i>	Read/Write. Descriptive notes about this constraint.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Type	<i>String</i>	Read/Write. The constraint type.

MethodConstraint Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the current <i>MethodConstraint</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6.8 MethodTag

public Class

A *MethodTag* is a Tagged Value associated with a method.

Associated table in .EAP file: *t_operationtag*

MethodTag Attributes

Attribute	Type	Notes
MethodID	Long	Read/Write. The ID of the associated method.
Name	String	Read/Write. The tag or name of the property.
Notes	String	Read/Write. Descriptive notes about this item.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
TagGUID	String	Read/Write. A unique ID for this Tagged Value.
TagID	Long	Read only. A unique ID for this Tagged Value.
Value	String	Read/Write. A value to apply to this tag.

MethodTag Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>MethodTag</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6.9 Parameter

public Class

A Parameter object represents a method argument and is accessed through the *Method Parameters* collection.

Associated table in .EAP file: *t_operationparams*

Parameter Attributes

Attribute	Type	Notes
Alias	String	Read/Write. An optional alias for this parameter.
ClassifierID	String	Read/Write. A ClassifierID for the parameter, if known.
Default	String	Read/Write. A default value for this parameter.
IsConst	Boolean	Read/Write. Flag indicating the parameter is <i>Const</i> (cannot be altered).
Kind	String	Read/Write. The parameter kind - in , inout , out , return .
Name	String	Read/Write. The parameter name; must be unique for a single method.
Notes	String	Read/Write. Descriptive notes.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
OperationID	Long	Read only. ID of the method associated with this parameter.

Attribute	Type	Notes
ParameterGUID	String	Read/Write. A globally unique ID for the current Parameter. System generated.
Position	Long	Read/Write. The position in the argument list.
Stereotype	String	Read/Write. The first stereotype of the parameter.
StereotypeEx	String	Read/Write. All the applied stereotypes of the parameter in a comma-separated list.
Style	String	Read/Write. Some style information.
StyleEx	String	Read/Write. Advanced style settings. Not currently used.
Type	Variant	Read/Write. The parameter type; can be a primitive type or defined classifier.

Parameter Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current Parameter object after modifying or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.6.10 Partitions

public Collection

A collection of internal element partitions (regions). This is commonly seen in Activity, State, Boundary, Diagram Frame and similar elements. Not all elements support partitions.

This collection contains a set of *Partition* elements. The set is read/write: information is not saved until the host element is saved, so ensure that you call the *Element.Save* method after making changes to a Partition.

Partition Attributes

Attribute	Type	Notes
Name	String	Read/Write. The partition name; can represent a condition or constraint in some cases.
Note	String	Read/Write. A free text note associated with this partition.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Operator	String	Read/Write. An optional operator value that specifies the partition type.
Size	String	Read/Write. Vertical or horizontal width of partition in pixels.

16.6.2.6.11 Properties

Properties

Properties Attributes

Attribute	Type	Notes
Count	Long	The number of properties that are available for this object.
ObjectType ^[1450]	ObjectType ^[1450]	Read only. Distinguishes objects referenced through a Dispatch interface.

Properties Methods

Method	Type	Notes
Item(Variant Index)	Property	Returns a property either by name or by zero-based integer offset into the list of properties.

Property

Property Attributes

Attribute	Type	Notes
Name	String	Read only. Identifies the property. The object to which the properties list applies can have an automation property with the same name, in which case the data accessed through Value is identical to that obtained through the automation property.
ObjectType ^[1450]	ObjectType ^[1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Type	PropType ^[1451]	Read only. Provides an indication of what sort of data is going to be stored by this property. This restriction can be further defined by the Validation attribute.
Validation	String	Read only. Optional string that is used to validate any data that is passed to the Value attribute. This string is used by the programmer at run time to provide an indication of what's expected, and by Enterprise Architect to ensure that the submitted data is appropriate.
Value	Variant	Read/write. The value of the property as defined in the other fields.

16.6.2.6.12 Transitions

public Collection

Applies only to *Timeline elements*. A Timeline element displays 0 or more state transitions at set times on its extent. This collection enables you to access the transition set. You can also access additional information by referring to the connectors associated with the Timeline, and by referencing messages passed between timelines. Note that any changes made to elements in this collection are only saved when the main element is saved.


Transition Attributes

Attribute	Type	Notes
DurationConstraint	String	Read/Write. A constraint on the time duration that the transition takes.
Event	String	Read/Write. Event (optional) that initiated transition.
Note	String	Read/Write. A free text note.
ObjectType	ObjectType <small>(1450)</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
TimeConstraint	String	Read/Write. A constraint on when the transition has to be complete by.
TxState	String	Read/Write. The state to transition to. Defined in the Timeline Properties dialog.
TxTime	String	Read/Write. The time that the transition occurs. Value depends on range set in diagram.

16.6.2.7 Connector Package

public Package

The *Connector* package details how connectors between elements are accessed and managed.



16.6.2.7.1 ConnectorConstraint

public Class

A *ConnectorConstraint* holds information about special conditions that apply to a connector. It is accessed through the Connector *Constraints* collection

Associated table in .EAP file: *t_connectorconstraints*

ConnectorConstraint Attributes

Attribute	Type	Notes
ConnectorID	Long	Read/Write. A local ID value (long) - system generated.
Name	String	Read/Write. The constraint name.

Attribute	Type	Notes
Notes	String	Read/Write. Notes about this constraint.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Type	String	Read/Write. The constraint type.

ConnectorConstraint Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs
Update ()	Boolean	Update the current <i>ConnectorConstraint</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.7.2 ConnectorEnd

public Class

A *ConnectorEnd* contains information about a single end of a connector. A *ConnectorEnd* is accessed from the connector as either the *ClientEnd* or *SupplierEnd*.

Associated table in .EAP file: derived from *t_connector*

ConnectorEnd Attributes

Attribute	Type	Notes
Aggregation	Long	Read/Write. Aggregation as it applies to this end. Valid values are: 0 = None 1 = Shared 2 = Composite.
Alias	String	Read/Write. An optional alias for this connector end.
AllowDuplicates	Boolean	Read/Write. For multiplicities greater than 1, indicates that duplicate entries are possible.
Cardinality	String	Read/Write. Cardinality associated with this end.
Constraint	String	Read/Write. A constraint that can be applied to this connector end.
Containment	String	Read/Write. Containment type applied to this connector end.
Derived	Boolean	Read/Write. Indicates that the value of this end is derived.
DerivedUnion	Boolean	Read/Write. Indicates the value of this role derived from the union of all roles that subset this.
End	String	Read only. The end this <i>ConnectorEnd</i> object applies to: <i>Client</i> or <i>Supplier</i> .
IsChangeable	String	Read/Write. Flag indicating whether this end is changeable or not. Values: frozen , addOnly or none .

Attribute	Type	Notes
IsNavigable	Boolean	Read/Write. Flag indicating this end is navigable from the other end.
Navigable	String	Read/Write. Indicates whether this role of an association is navigable from the opposite classifier. Three values are valid: <i>Navigable</i> , <i>Non-Navigable</i> and <i>Unspecified</i> .
ObjectType	ObjectType <small>[14507]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Ordering	Long	Read/Write. Ordering for this connector end.
OwnedByClassifier	Boolean	Read/Write. Indicates this association end corresponds to an attribute on the opposite end of the association.
Qualifier	String	Read/Write. A qualifier that can apply to connector end.
Role	String	Read/Write. The connector end role.
RoleNote	String	Read/Write. Notes associated with the role of this connector end.
RoleType	String	Read/Write. The role type applied to this end of the connector.
Stereotype	String	Read/Write. Sets or gets the stereotype for this connector end.
StereotypeEx	String	Read/Write. All the applied stereotypes of the connector end in a comma-separated list.
TaggedValues	Private:	Read only. Collection of RoleTag <small>[1512]</small> objects.
Visibility	String	Read/Write. Scope associated with this connector end. Valid types are: <i>Public</i> , <i>Private</i> , <i>Protected</i> and <i>Package</i> .

ConnectorEnd Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>ConnectorEnd</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.7.3 ConnectorObject

public Class

A *ConnectorObject* represents the various kinds of connectors between UML elements. It is accessed from either the *Client* or *Supplier* element, using the *Connectors* collection of that element. When creating a new connector you must assign it a valid type from the following list:

- Aggregation
- Association
- Collaboration
- Dependency
- Generalization
- Instantiation

- Nesting
- NoteLink
- Realisation
- Sequence
- Transition
- UseCase

Associated table in .EAP file: *t_connector*

Connector Attributes

Attribute	Type	Notes
Alias	String	Read/Write. An optional alias for this connector.
ClientEnd	ConnectorEnd <small>[1508]</small>	Read only. A pointer to the <i>ConnectorEnd</i> object representing the source end of the relationship.
ClientID	Long	Read/Write. <i>ElementID</i> of the element at the source end of this connector.
Color	Long	Read/Write. Sets the color of the connector.
ConnectorGUID	Variant	Read only. A globally unique ID for the current connector. System generated.
ConnectorID	Long	Read only. Local identifier for the current connector. System generated.
Constraints	Collection <small>[1466]</small>	Read only. Collection of constraint <small>[1481]</small> objects.
CustomProperties	Collection <small>[1466]</small>	Read only. Returns a collection of advanced properties associated with an element in the form of CustomProperty <small>[1499]</small> objects.
DiagramID	Long	Read/Write. The <i>DiagramID</i> of the connector.
Direction	String	Read/Write. Connector direction. Can be set to one of the following: <ul style="list-style-type: none"> • Unspecified • Bi-Directional • Source -> Destination • Destination -> Source
EventFlags	String	Read/Write. Structure to hold a variety of flags concerned with event signaling on messages.
IsLeaf	Boolean	Read/Write. Flag indicating connector is a <i>leaf</i> .
IsRoot	Boolean	Read/Write. Flag indicating connector is a <i>root</i> .
IsSpec	Boolean	Read/Write. Flag indicating connector is a specification.
MetaType	String	Read only: The connector's domain-specific meta type, as defined by an applied stereotype from an MDG Technology.
Name	String	Read/Write. The connector name.
Notes	String	Read/Write. Descriptive notes about the connector.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Properties	Properties <small>[1505]</small>	Returns a list of specialized properties that apply to the connector that might not be available using the automation model. The properties are purposely undocumented because of their obscure nature and because they are subject to change as progressive enhancements are made to them.

Attribute	Type	Notes
RouteStyle	Long	Read/Write. The route style.
SequenceNo	Long	Read/Write. The <i>SequenceNo</i> of the connector.
Stereotype	String	Read/Write. Sets or gets the stereotype for this connector end.
StereotypeEx	String	Read/Write. All the applied stereotypes of the connector in a comma-separated list.
StyleEx	String	Read/Write. Advanced style settings. Not currently used.
Subtype	String	Read/Write. A possible subtype to refine the meaning of the connector.
SupplierEnd	ConnectorEnd <small>d₁₅₀₈</small>	Read only. A pointer to the <i>ConnectorEnd</i> object representing the target end of the relationship.
SupplierID	Long	Read/Write. <i>ElementID</i> of the element at the target end of this connector.
TaggedValues	Collection	Read only. Collection of <i>ConnectorTag</i> objects.
TransitionAction	String	Read/Write. See the Transition <small>t₁₂₉₅</small> topic in the <i>Enterprise Architect User Guide</i> for appropriate values.
TransitionEvent	String	Read/Write. See the Transition <small>t₁₂₉₅</small> topic in the <i>Enterprise Architect User Guide</i> for appropriate values.
TransitionGuard	String	Read/Write. See the Transition <small>t₁₂₉₅</small> topic in the <i>Enterprise Architect User Guide</i> for appropriate values.
Type	String	Read/Write. Connector type. Valid types are held in the <i>t_connectortypes</i> table in the .EAP file.
VirtualInheritance	String	Read/Write. For <i>Generalization</i> , indicates if inheritance is virtual.
Width	Long	Read/Write. Specifies the width of the connector.

Connector Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>ConnectorObject</i> after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.7.4 ConnectorTag

public Class

A *ConnectorTag* is a Tagged Value for a connector and is accessed through the Connector *TaggedValues* collection.

Associated table in .EAP file: *t_connectortag*

ConnectorTag Attributes

Attribute	Type	Notes
ConnectorID	Long	Read/Write. The local ID of the associated connector.
Name	String	Read/Write. The tag or name.
Notes	String	Read/Write. Descriptive notes associated with this Tagged Value.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
TagGUID	String	Read/Write. A globally unique ID for this Tagged Value.
TagID	Long	Read only. A local ID to identify the Tagged Value.
Value	String	Read/Write. A value associated with the tag.

ConnectorTag Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>ConnectorTag</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.7.5 RoleTag

public Class

This interface provides access to the association Role Tagged Values. Each connector end has a *RoleTag* collection that can be accessed to add, delete and access the RoleTags.

In code you create something that resembles the following (where *con* is a Connector Object):

Code fragment for accessing a RoleTag in VB.NET:

```

client = con.ClientEnd
client.Role = "m_client"
client.Update()
tag = client.TaggedValues.AddNew("tag", "value")
tag.Update()
tag = client.TaggedValues.AddNew("tag2", "value2")
tag.Update()
client.TaggedValues.Refresh()
For idx = 0 To client.TaggedValues.Count - 1
    tag = client.TaggedValues.GetAt(idx)
    Console.WriteLine(tag.Tag)
    client.TaggedValues.DeleteAt(idx, False)
Next
tag = Nothing

```

RoleTag Attributes

Attribute	Type	Notes
BaseClass	String	Read/Write. Indicates the role end; set to ASSOCIATION_SOURCE or

Attribute	Type	Notes
		ASSOCIATION_TARGET.
ElementGUID	<i>String</i>	Read/Write. GUID of the connector with which this role tag is associated.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
PropertyGUID	<i>String</i>	Read/Write. A system generated GUID to identify the Tagged Value.
Tag	<i>String</i>	Read/Write. The actual tag name.
Value	<i>String</i>	Read/Write. The value associated with this tag.


RoleTag Methods

Method	Type	Notes
GetLastError ()	<i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	<i>Boolean</i>	Update the RoleTag after changes or on initial creation. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.8 Diagram Package

public Package

The *Diagram* package has information on a diagram and on *DiagramObjects* and *DiagramLinks*, which are the instances of elements within a diagram.



16.6.2.8.1 Diagram

public Class

A *Diagram* corresponds to a single Enterprise Architect diagram. It is accessed through the *Package Diagrams* collection and in turn contains a collection of diagram objects and diagram links. Adding to the *DiagramObjects* collection adds an element to the diagram (the element must already exist). When adding a new diagram, you must set the diagram type to a valid type; these are:

- Activity
- Analysis
- Component
- Custom
- Deployment
- Logical
- Sequence
- Statechart
- Use Case

Note:

Use the Analysis type for a Collaboration Diagram.

Associated table in .EAP file: *t_diagram*

Diagram Attributes

Attribute	Type	Notes
Author	<i>String</i>	Read/Write. The author.
CreatedDate	<i>Date</i>	Read/Write. The date the diagram was created.
cx	<i>Long</i>	Read/Write. The X dimension of the diagram (default is 800).
cy	<i>Long</i>	Read/Write. The Y dimension of the diagram (default is 1100).
DiagramGUID	<i>Variant</i>	Read/Write. A globally unique ID for this diagram.
DiagramID	<i>Long</i>	Read only. A local ID for the diagram.
DiagramLinks	Collection <small>[1466]</small>	Read only. A list of <i>DiagramLink</i> objects, each containing information about the display characteristics of a connector in a diagram. Note: A Diagram link is only created once a user modifies a connector in a diagram in some way. Until this condition has been met default values are used and the diagram link is not in use.
DiagramObjects	Collection <small>[1466]</small>	Read only. A collection of references to DiagramObjects <small>[1517]</small> . A <i>DiagramObject</i> is an instance of an element in a diagram, and includes size and display characteristics.
ExtendedStyle	<i>String</i>	Read/Write. An extended style attribute.
HighlightImports	<i>Boolean</i>	Read/Write. Flag to indicate elements from other packages should be highlighted.
IsLocked	<i>Boolean</i>	Read/Write. Flag indicating whether this diagram is locked or not.
MetaType	<i>String</i>	Read only: The diagram's domain-specific meta type, as defined by an MDG Technology
ModifiedDate	<i>Variant</i>	Read/Write. The date the diagram was last modified.
Name	<i>String</i>	Read/Write. The diagram name.
Notes	<i>String</i>	Read/Write. Set/retrieve notes for this diagram.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.

Attribute	Type	Notes
Orientation	String	Read/Write. Page orientation: P for Portrait or L for Landscape.
PackageID	Long	Read/Write. An ID of the package that this diagram belongs to.
ParentID	Long	Read/Write. An optional ID of an element that 'owns' this diagram; eg. a Sequence diagram owned by a Use Case.
Scale	Long	Read/Write. The zoom scale (default is 100).
SelectedConnector	Connector <small>[1509]</small>	Read/Write. The currently selected connector on this diagram. Null if there is no currently selected diagram.
SelectedObjects	Collection <small>[1466]</small>	Read only. Gets a collection representing the currently selected elements on the diagram. Can remove objects from this collection to deselect them, and add elements to the collection by passing the Object ID as a name to select them.
ShowDetails	String	Read/Write. Flag to indicate Diagram Details text should be shown.
ShowPackageContents	Boolean	Read/Write. Flag to indicate package contents should be shown in the current diagram.
ShowPrivate	Boolean	Read/Write. Flag to show or hide Private features.
ShowProtected	Boolean	Read/Write. Flag to show or hide Protected features.
ShowPublic	Boolean	Read/Write. Flag to show or hide Public features.
Stereotype	String	Read/Write. Sets or gets the stereotype for this diagram.
StyleEx	Long	Read/Write. Advanced style settings.
Swimlanes	String	Read/Write. Information on swimlanes contained in the diagram. Please note that this property is superseded by SwimlaneDef <small>[1519]</small> .
SwimlaneDef	SwimlaneDef <small>[1519]</small>	Read/Write. Information on swimlanes contained in the diagram.
Type	String	Read only. The diagram type. See the <i>t_diagramtypes</i> table in the .EAP file for more information.
Version	String	Read/Write. The version of the diagram.

Diagram Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
ReorderMessages ()	Void	Resets the display order of Sequence and Collaboration messages. Typically used after inserting or deleting messages in the diagram.
ShowAsElementList (bool ShowAsList, bool Persist)	Boolean	Toggles a diagram display between diagram format and Element List depending on the value of <i>ShowAsList</i> . If <i>Persist</i> is set, the display format is written to the database so the diagram always opens in that format (diagram or list). Otherwise, the display format falls back to the default (diagram) once the display is closed.
Update ()	Boolean	Updates the current Diagram Object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.8.2 DiagramLinks

public Class

A *DiagramLink* is an object that holds display information about a connector between two elements in a specific diagram. It includes, for example, the custom points and display appearance. Accessed from the Diagram [DiagramLinks](#)^[1515] collection.

Associated table in .EAP file: *t_diagramlinks*

DiagramLinks Attributes

Attribute	Type	Notes
ConnectorID	Long	Read/Write. The ID of the associated connector.
DiagramID	Long	Read/Write. The local ID for the associated diagram.
Geometry	String	Read/Write. The geometry associated with the current connector in this diagram.
InstanceID	Long	Read only attribute. Holds the link identifier for the current model.
IsHidden	Boolean	Read/Write. Flag to indicate if this item is hidden or not.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Path	String	Read/Write. The path of the connector in this diagram.
Style	String	Read/Write. Additional style information; eg. color, thickness.

DiagramLinks Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>DiagramLink</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

16.6.2.8.3 DiagramObjects

public Class

The *DiagramObjects* collection holds a list of element IDs and presentation information that indicates what is displayed in a diagram and how it is shown

Associated table in .EAP file: *t_diagramobjects*

DiagramObjects Attributes

Attribute	Type	Notes
Bottom	Long	Read/Write. The bottom position of the element.
DiagramID	Long	Read/Write. The ID of the associated diagram (long).

Attribute	Type	Notes
ElementID	Long	Read/Write. The <i>ElementID</i> of the object instance in this diagram.
InstanceID	Long	Read/Write. Read only attribute. Holds the link identifier for the current model.
Left	Long	Read/Write. The left position of the element.
ObjectType	ObjectType [1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Right	Long	Read/Write. The right position of the element.
Sequence	Long	Read/Write. The sequence position when loading into diagram (affects Z order). The Z-order is one-based and the lowest value is in the foreground.
Style	Variant	Write only (reading this value gives undefined results). Style information for this object. See Setting the Style [1518] below for more information.
Top	Long	Read/Write. The top position of the element.

DiagramObjects Methods

Method	Type	Notes
GetLastError ()	String	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
Update ()	Boolean	Update the current <i>DiagramObject</i> object after modification or appending a new item. If false is returned, check the <i>GetLastError</i> function for more information.

Setting The Style

The *Style* attribute is used for setting the appearance of a *DiagramObject*. It is set with a string value in the format:

```
BCol=n;BFol=n;LCol=n;LWth=n;
```

where:

- *BCol* = Background Color
- *BFol* = Font Color
- *LCol* = Line Color
- *LWth* = Line Width

The color value is a decimal representation of the hex RGB value, where Red=FF, Green=FF00 and Blue=FF0000. For example:

```
DiagObj.Style = "BCol=35723;BFol=9342520;LCol=9342520;LWth=1;"
```

The following code snippet shows how you might change the style settings for all of the objects in the current diagram, in this case changing everything to red.

```
For Each aDiagObj In aDiag.DiagramObjects
    aDiagObj.Style = "BCol=255;BFol=9342520;LCol=9342520;LWth=1;"
    aDiagObj.Update
    aRepos.ReloadDiagram aDiagObj.DiagramID
Next
```

16.6.2.8.4 SwimlaneDef

A *SwimlaneDef* object makes available attributes relating to a single row or column in a list of swimlanes.

Attribute	Type	Notes
Bold	<i>Boolean</i>	Read/Write. Show the title text in bold.
FontColor	<i>Long</i>	Read/Write. RGB color used to draw the titles.
HideClassifier	<i>Boolean</i>	Read/Write. Removes any classifier from title display.
HideNames	<i>Boolean</i>	Read/Write. Set to true to hide the swimlane titles.
LineColor	<i>Long</i>	Read/Write. RGB color used to draw swimlane borders.
LineWidth	<i>Long</i>	Read/Write. Width of line, in pixels, used to draw swimlanes. Valid values: 1, 2 or 3 .
Locked	<i>Boolean</i>	Read/Write. If set to true, disables user modification of the swimlanes via the diagram.
ObjectType	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.
Orientation	<i>String</i>	Read/Write. Indication of whether the swimlanes are vertical or horizontal.
ShowInTitleBar	<i>Boolean</i>	Read/Write. Enables vertical swimlane titles to be shown in title bar.
Swimlanes	Swimlanes <small>[1519]</small>	Read/Write. A list of individual swimlanes.

16.6.2.8.5 Swimlanes

A *Swimlanes* object is attached to a diagram's [SwimlaneDef](#) [1519] object and provides a mechanism to access individual swimlanes.

Swimlanes Attributes

Attribute	Type	Notes
Items	Swimlane <i>collection</i> <small>[1520]</small>	Read/Write. Access an individual swimlane. Parameters: <ul style="list-style-type: none"> Index: Object - Either a string representing the title text or an integer representing the zero-based index of the swimlane to delete. If the string matches more than one swimlane title, the first matching swimlane is returned.
ObjectType <small>[1450]</small>	ObjectType <small>[1450]</small>	Read only. Distinguishes objects referenced through a Dispatch interface.

Swimlanes Methods

Method	Type	Notes
Add (String, Long)	Swimlane <small>[1520]</small>	Adds a new swimlane to the end of the list. Returns a swimlane object representing the newly added entry. Parameters: <ul style="list-style-type: none"> Title: String - The title text that appears at the top of the swimlane. Can

Method	Type	Notes
		<p>be the same as an existing swimlane title.</p> <ul style="list-style-type: none"> Width: Long - The width of the swimlane in pixels.
Count ()	<i>Long</i>	Gives the number of swimlanes.
Delete (Object)	<i>Void</i>	<p>Deletes a selected swimlane.</p> <p>Parameter:</p> <ul style="list-style-type: none"> Index: Object - Either a string representing the title text or an integer representing the zero-based index of the swimlane to delete. <p>If the string matches more than one entry, only the first entry is deleted.</p>
DeleteAll ()	<i>Void</i>	Removes all swimlanes.
Insert (Long, String, Long)	Swimlane ^[1520]	<p>Inserts a swimlane at a specific position. Returns a swimlane object representing the newly added entry.</p> <p>Parameters:</p> <ul style="list-style-type: none"> Index: Long - The zero-based index of the existing Swimlane before which this new entry is inserted. Title: String - The title text which appears at the top of the swimlane. Can be the same as an existing swimlane title. Width: Long - The width of the swimlane in pixels.

16.6.2.8.6 Swimlane


A *Swimlane* object makes available attributes relating to a single row or column in a list of [swimlanes](#) ^[1519].

Attribute	Type	Notes
BackColor	<i>Long</i>	Read/Write. The swimlane is filled with this RGB color.
ClassifiedGuid	<i>String</i>	Read/Write. The GUID of the classifier Class. This can be obtained from the corresponding Element object via the <i>ElementGUID</i> property.
ObjectType ^[1450]	ObjectType ^[1450]	Read only. Distinguishes objects referenced through a Dispatch interface.
Title	<i>String</i>	Read/Write. Text at the head of the swimlane
Width	<i>Long</i>	Read/Write. The width of the swimlane in pixels.

16.6.2.9 Project Interface

public Package

The *Enterprise Architect.Project* interface. This is the XML-based interface to Enterprise Architect elements; it also includes some utility functions. You can get a pointer to this interface using the *Repository*. *GetProjectInterface* method.



16.6.2.9.1 Project

public Class

The Project interface can be accessed from the Repository using *GetProjectInterface()*. The returned interface provides access to the XML-based Enterprise Architect Automation Interface. Use this interface to get XML for the various internal elements and to run some utility functions to perform tasks such as load diagrams or run reports.

Note:

These methods all require input GUIDs in XML format; use [GUIDtoXML](#)^[1526] to change the Enterprise Architect GUID to an XML GUID.

Project Attributes

Attribute	Type	Notes
ObjectType	ObjectType ^[1450]	Read only. Distinguishes objects referenced through a Dispatch interface.

Project Methods

Method	Type	Notes
DoBaselineCompare (<i>String, String, String</i>)	<i>String</i>	Performs a Baseline comparison using the supplied package GUID and Baseline GUID (obtained in the result list from GetBaselines ^[1524]). Optionally you can include the connection string required to find the Baseline if it exists in a different model file. This method returns a log file of the status of all elements found and compared in the difference procedure. You can use this log information as input to DoBaselineMerge ^[1522] - automatically merging information from the Baseline. Parameters: <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of

Method	Type	Notes
		<p>the package to run the comparison on.</p> <ul style="list-style-type: none"> Baseline: String - the GUID (in XML format) of the Baseline to run the comparison on. ConnectionString: String - the location of the external .EAP file or DBMS to extract the Baseline from.
DoBaselineMerge (String, String, String, String)	String	<p>Performs a batch merge based on instructions contained in an XML file (<i>MergeInstructions</i>). You can supply an optional connection string if the Baseline is located in another model.</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to merge the Baseline into. Baseline: String - the GUID of the Baseline (in XML format) to merge into the package. MergeInstructions: String - the file containing the GUID of each differenced item from the XML difference log returned by DoBaselineCompare()¹⁵²¹. ConnectionString: String - the location of the EAP file or DBMS to get the Baseline from, if not in the same model as the package. <p>In the <i>MergeInstructions</i> file, each <i>MergeItem</i> node supplies the GUID of a differenced item from the XML difference log. As the merge is uni-directional and actioned in only one possible way, no additional arguments are required. Enterprise Architect chooses the correct procedure based on the Difference results.</p> <pre><Merge> <MergeItem guid="{XXXXXX}" /> <MergeItem guid="{XXXXXX}" /> </Merge></pre> <p>Alternatively, you can supply a single <i>MergeItem</i> with a GUID of <i>RestoreAll</i>. In this case, Enterprise Architect batch-processes ALL differences.</p> <pre><Merge> <MergeItem guid="RestoreAll" /> </Merge></pre>
EnumDiagramElements (String)	protected abstract: String	<p>Gets an XML list of all elements in a diagram.</p> <p>Parameters:</p> <ul style="list-style-type: none"> DiagramGUID: String - the GUID (in XML format) of the diagram to get elements for.
EnumDiagrams (String)	protected abstract: String	<p>Gets an XML list of all diagrams in a specified package.</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to list diagrams for.

Method	Type	Notes
EnumElements (String)	protected abstract: <i>String</i>	Gets an XML list of elements in a specified package. Parameters: <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to get a list of elements for.
EnumLinks (String)	protected abstract: <i>String</i>	Gets an XML list of links for a specified element. Parameters: <ul style="list-style-type: none"> ElementGUID: String - the GUID (in XML format) of the element to get all associated links for.
EnumPackages (String)	protected abstract: <i>String</i>	Gets an XML list of child packages inside a parent package. Parameters: <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the parent package.
EnumProjects ()	protected abstract: <i>String</i>	Gets a list of projects in the current file; corresponds to Models ^[1453] in <i>Repository</i> .
EnumViews ()	protected abstract: <i>String</i>	Enumerates the Views for a project. Returned as an XML document.
EnumViewEx (String)	protected abstract: <i>String</i>	Gets a list of Views in the current project. Parameters: <ul style="list-style-type: none"> ProjectGUID: String - the GUID (in XML format) of the project to get views for.
Exit ()	protected abstract: <i>String</i>	Exits the current instance of Enterprise Architect; this function is maintained for backward compatibility and should never be called. Enterprise Architect automatically exits when you are no longer using any of the provided objects.
ExportPackageXMI (String, XMIMType, Long, Long, Long, Long, String)	protected abstract: <i>String</i>	Exports XMI for a specified package. Parameters: <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to be exported. XMIMType: EnumXMIMType - specifies the XMI type and version information; see XMIMType Enum^[1457] for accepted values. DiagramXML: Long - true if XML for diagrams is required; accepted values: 0 = Do not export diagrams 1 = Export diagrams 2 = Export diagrams along with alternate images. DiagramImage: Long - the format for diagram images to be created at the same time; accepted values: -1=NONE 0=EMF 1=BMP 2=GIF 3=PNG

Method	Type	Notes
		<p>4=JPG.</p> <ul style="list-style-type: none"> FormatXML: Long - true if XML output should be formatted prior to saving. UseDTD: Long - true if a DTD should be used. FileName: String - the filename to output to.
GenerateClass (String)	<i>Boolean</i>	<p>Generates the code for a single Class.</p> <p>Parameters:</p> <ul style="list-style-type: none"> ElementGUID: String - the GUID (in XML format) of the element to generate. ExtraOptions: String - enables extra options to be given to the command; currently unused.
GeneratePackage (String, String)	<i>Boolean</i>	<p>Generates the code for all Classes within a package.</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to generate. ExtraOptions: String - enables extra options to be given to the command; currently enables: <ul style="list-style-type: none"> Generation of all subpackages (<i>recurse</i>) Force overwrite of all files (<i>overwrite</i>) and Specification to auto generate all paths (<i>dir</i>). <p>For example: recurse=1;overwrite=1;dir=C:\</p>
GenerateXSD (String, String, String, String)	<i>Boolean</i>	<p>Creates an XML schema for this GenerateXSD. Returns true on success.</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package. Filename: String - target filepath. Encoding: String - the XML encoding for the code page instruction. Options: String - unused.
GetBaselines (String,String)	<i>String</i>	<p>Returns a list (in XML format) of Baselines associated with the supplied package GUID. Optionally, you can provide a connection string to get Baselines from the same package, but located in a different model file (or DBMS).</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to get Baselines for. ConnectionString: String - the location of the EAP file or DBMS to get the Baselines from, if not in the same model as the package.
GetDiagram (String)	protected	Gets diagram details, in XML format.

Method	Type	Notes
	abstract: <i>String</i>	Parameters: <ul style="list-style-type: none"> DiagramGUID: <i>String</i> - the GUID (in XML format) of the diagram to get details for
GetElement (<i>String</i>)	protected abstract: <i>String</i>	Gets XML for the specified element. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element to retrieve XML for.
GetElementConstraints (<i>String</i>)	protected abstract: <i>String</i>	Gets constraints for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element.
GetElementEffort (<i>String</i>)	protected abstract: <i>String</i>	Gets efforts for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element .
GetElementFiles (<i>String</i>)	protected abstract: <i>String</i>	Gets metrics for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element .
GetElementMetrics (<i>String</i>)	protected abstract: <i>String</i>	Gets files for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element .
GetElementProblems (<i>String</i>)	protected abstract: <i>String</i>	Gets a list of issues (problems) associated with an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element.
GetElementProperties (<i>String</i>)	protected abstract: <i>String</i>	Gets Tagged values for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element.
GetElementRequirements (<i>String</i>)	protected abstract: <i>String</i>	Gets a list of requirements for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> -the GUID (in XML format) of the element .
GetElementResources (<i>String</i>)	protected abstract: <i>String</i>	Gets a list of resources for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: <i>String</i> - the GUID (in XML format) of the element .

Method	Type	Notes
GetElementRisks (String)	protected abstract: <i>String</i>	Gets a list of risks associated with an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: String - the GUID (in XML format) of the element.
GetElementScenarios (String)	protected abstract: <i>String</i>	Gets a list of scenarios for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: String - the GUID (in XML format) of the element.
GetElementTests (String)	protected abstract: <i>String</i>	Gets a list of tests for an element, in XML format. Parameters: <ul style="list-style-type: none"> ElementGUID: String - the GUID (in XML format) of the element .
GetLastError ()	protected abstract: <i>String</i>	Returns a string value describing the most recent error that occurred in relation to this object. This function is rarely used as an exception is thrown when an error occurs.
GetLink (String)	protected abstract: <i>String</i>	Gets connector details, in XML format. Parameters: <ul style="list-style-type: none"> LinkGUID: String - the GUID (in XML format) of the connector to get details of.
GUIDtoXML (String)	<i>String</i>	Changes an internal GUID to the form used in XML. Parameters: <ul style="list-style-type: none"> GUID: String - the Enterprise Architect style GUID to convert to XML format.
ImportDirectory (String, String, String, String)	<i>Boolean</i>	Imports a source code directory into the model. Parameters: <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to reverse engineer code into Language: String - specifies the language of the code to be imported DirectoryPath: String - specifies the path where the code is found on the computer ExtraOptions: String - enables extra options to be given to the command; currently enables import of source from all child directories (<i>recurse</i>) - for example: <i>recurse=1</i>.
ImportFile (String, String, String, String)	<i>Boolean</i>	Imports an individual file or binary module into the model, in a package per namespace style import. Parameters: <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the package to reverse engineer code into; this is expected to be a namespace root package

Method	Type	Notes
		<ul style="list-style-type: none"> Language: String - specifies the language of the code to be imported <p>Note:</p> <p>Use the value "DNPE" to import a binary module. This imports a .Net assembly or Java .class file, but not a .jar file.</p> <ul style="list-style-type: none"> Filename: String - specifies the path where the code or module is found on the computer ExtraOptions: String - enables extra options to be given to the command; currently unused.
ImportPackageXMI (String, String, Long, Long)	String	<p>Imports an XMI file at a point in the tree.</p> <p>Parameters:</p> <ul style="list-style-type: none"> PackageGUID: String - the GUID (in XML format) of the target package to import the XMI file into (or overwrite with the XMI file). Filename or XMLText: String - the name of the XMI file. <p>Note:</p> <p>If the String is of type <i>filename</i> it is interpreted as a source file, otherwise the String is imported as XML text.</p> <ul style="list-style-type: none"> ImportDiagrams: Long. StripGUID: Long - boolean value to indicate whether to replace the element UniqueIDs on import; if stripped, then a package could be imported twice into Enterprise Architect, as two different versions.
LayoutDiagram (String, Long)	Boolean	<p>Deprecated. it is recommended that <i>LayoutDiagramEx</i> is used instead.</p> <p>Calls the function to automatically layout a diagram in hierarchical fashion. It is only recommended for Class and Object diagrams.</p> <p>Parameters:</p> <ul style="list-style-type: none"> DiagramGUID: String - the GUID (in XML format) of the diagram to lay out. LayoutStyle: Long - always ignored.
LayoutDiagramEx (String, Long, Long, Long, Long, Boolean)	Boolean	<p>Calls the function to automatically layout a diagram in hierarchical fashion. It is only recommended for Class and Object diagrams.</p> <p>Parameters:</p> <ul style="list-style-type: none"> DiagramGUID: String - the GUID (in XML format) of the diagram to lay out. LayoutStyle: Long - the layout style. Iterations: Long - the number of layout iterations the

Method	Type	Notes
		<p>Layout process should take to perform cross reduction (Default value = 4).</p> <ul style="list-style-type: none"> • LayerSpacing: Long - the per-element layer spacing the Layout process shall use (Default value = 20). • ColumnSpacing: Long - the per-element column spacing the Layout process shall use (Default value = 20). • SaveToDiagram: Boolean - specifies whether or not Enterprise Architect should save the supplied layout options as default to the diagram in question. <p><i>LayoutStyle</i> accepts the following options (also see Layout a Diagram^[250] and ConstLayoutStyles Enum^[1448]):</p> <ul style="list-style-type: none"> • Default Options: <ul style="list-style-type: none"> IsDiagramDefault IsProgramDefault. • Cycle Removal Options: <ul style="list-style-type: none"> IsCycleRemoveGreedy IsCycleRemoveDFS. • Layering Options: <ul style="list-style-type: none"> IsLayeringLongestPathSink IsLayeringLongestPathSource IsLayeringOptimalLinkLength. • Initialize Options: <ul style="list-style-type: none"> IsInitializeNaive IsInitializeDFSOut IsInitializeDFSIn. • Crossing Reduction Option: <ul style="list-style-type: none"> IsCrossReduceAggressive. • Layout Options - Direction <ul style="list-style-type: none"> IsLayoutDirectionUp IsLayoutDirectionDown IsLayoutDirectionLeft IsLayoutDirectionRight.
LoadControlledPackage (String)	String	<p>Loads a package that has been marked and configured as controlled. The filename details are stored in the package control data.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • PackageGUID: String - the GUID (in XML format) of the package to load.
LoadDiagram (String)	protected abstract: Boolean	<p>Loads a diagram by its GUID.</p> <p>Parameter:</p> <ul style="list-style-type: none"> • DiagramGUID: String - the GUID (in XML format) of the diagram to load; if you retrieve the GUID using the Diagram interface, use the GUIDtoXML^[1526] function to convert it to XML format.

Method	Type	Notes
LoadProject (String)	protected abstract: <i>Boolean</i>	Loads an Enterprise Architect project file. Do not use this method if you have accessed the Project interface from the Repository, which has already loaded a file. Parameters: <ul style="list-style-type: none"> • FileName: String - the name of the project file to load.
PutDiagramImageOnClipboard (String, Long)	protected abstract: <i>Boolean</i>	Copies an image of the specified diagram to the clipboard. Parameters: <ul style="list-style-type: none"> • DiagramGUID: String - the GUID (in XML format) of the diagram to copy. • Type: Long - the file type. <ul style="list-style-type: none"> • If type = 0 then it is a metafile • If type = 1 then it uses the file type from the name extension (ie. .bmp, .jpg, .gif, .png, .tga)
PutDiagramImageToFile (String, String, Long)	protected abstract: <i>Boolean</i>	Saves an image of the specified diagram to file. Parameters: <ul style="list-style-type: none"> • DiagramGUID: String - the GUID (in XML format) of the diagram to save. • Filename: String - the name of the file to save the diagram into. • Type: Long - the file type. <ul style="list-style-type: none"> • If type = 0 then it is a metafile • If type = 1 then it uses the file type from the name extension (ie. .bmp, .jpg, .gif, .png, .tga)
ReloadProject ()	protected abstract: <i>Boolean</i>	Reloads the current project. This is a convenient method to refresh the current loaded project (in case of outside changes to the .EAP file).
RunReport (String, String, String)	protected abstract: <i>Void</i>	Runs a named RTF report. Parameters: <ul style="list-style-type: none"> • PackageGUID: String - the GUID (in XML format) of the package to run the report on. • TemplateName: String - the RTF report template to use. • FileName: String - the file name to store the generated report in.
RunHTMLReport (String, String, String, String, String)	<i>String</i>	Runs an HTML report (same as Documentation HTML Documentation on right-click of package in the Project Browser window). Parameters: <ul style="list-style-type: none"> • PackageGUID: String - the GUID (in XML format) of the package to run the report on. • ExportPath: String - the file name to store the generated report in.

Method	Type	Notes
		<ul style="list-style-type: none"> • ImageFormat: String. • Style: String. • Extension: String.
SaveControlledPackage (String)	<i>String</i>	<p>Saves a package that has been configured as a controlled package, to XML. Only the package GUID is required, Enterprise Architect picks the rest up from the package control information.</p> <p>Parameter:</p> <ul style="list-style-type: none"> • PackageGUID: String - the GUID (in XML format) of the package to save.
SaveDiagramImageToFile (String)	protected abstract: <i>String</i>	<p>Saves a diagram image of the current diagram to file.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • FileName: String - the filename of the image to save.
ShowWindow (Long)	protected abstract: <i>Void</i>	<p>Shows or hides the Enterprise Architect User Interface.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • Show: Long.
SynchronizeClass (String, String)	<i>Boolean</i>	<p>Synchronizes a Class with the latest source code.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • ElementGUID: String - the GUID (in XML format) of the element to update from code. • ExtraOptions: String - enables extra options to be given to the command; currently unused.
SynchronizePackage (String, String)	<i>Boolean</i>	<p>Synchronizes each Class in a package with the latest source code.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • PackageGUID: String - the GUID (in XML format) of the package containing the elements to update from code. • ExtraOptions: String - enables extra options to be given to the command; currently enables synchronization of all child packages (children) - for example: <i>children=1</i>.
TransformElement (String, String, String, String)	<i>Boolean</i>	<p>Transforms an element into a package.</p> <p>Parameters:</p> <ul style="list-style-type: none"> • TransformName: String - specifies the transformation that should be executed. • ElementGUID: String - the GUID (in XML format) of the element to transform. • TargetPackageGUID: String - the GUID (in XML format) of the package to transform into. • ExtraOptions: String - enables extra options to be given to the command; currently unused.

Method	Type	Notes
TransformPackage (String, String, String, String)	<i>Boolean</i>	Runs a transformation on the contents of a package. Parameters: <ul style="list-style-type: none"> • TransformName: String - specifies the transformation that should be executed. • SourcePackageGUID: String -the GUID (in XML format) of the package to transform. • TargetPackageGUID: String - the GUID (in XML format) of the package to transform into. • ExtraOptions: String - enables extra options to be given to the command; currently unused.
XMLtoGUID (String)	<i>String</i>	Changes a GUID in XML format to the form used inside Enterprise Architect. Parameters: <ul style="list-style-type: none"> • GUID: String - the XML style GUID to convert to Enterprise Architect internal format.

16.6.2.10 Code Samples

This topic contains various code examples indicating how to use the Automation Interface, written in VB Dot Net:

- [Open the Repository](#) ¹⁵³¹
- [Iterate Through a .EAP File](#) ¹⁵³²
- [Add and Manage Packages](#) ¹⁵³²
- [Add and Manage Elements](#) ¹⁵³³
- [Add a Connector](#) ¹⁵³⁴
- [Add and Manage Diagrams](#) ¹⁵³⁵
- [Add and Delete Attributes and Methods](#) ¹⁵³⁵
- [Element Extras](#) ¹⁵³⁶
- [Repository Extras](#) ¹⁵³⁸
- [Stereotypes](#) ¹⁵⁴⁰
- [Work with Attributes](#) ¹⁵⁴⁰
- [Work with Methods](#) ¹⁵⁴¹

16.6.2.10.1 Open the Repository

public Object

"An example of how to open an Enterprise Architect repository
"in VB.Net.

```
Public Class AutomationExample
```

```
"class level variable for Repository
Public m_Repository As Object
```

```
Public Sub Run()
    try
        "create the repository object
```



```

m_Repository = CreateObject("EA.Repository")

"open an EAP file
m_Repository.OpenFile("F:\Test\EAAuto.EAP")
"use the Repository in any way required
'DumpModel

"close the repository and tidy up
m_Repository.Exit()
m_Repository = Nothing

....catch e as exception
    Console.WriteLine(e)
End try
End Sub
end Class

```

16.6.2.10.2 Iterate Through a .EAP File

public Object

```

"Assume repository has already been opened.

"Start at the model level
Sub DumpModel()
    Dim idx as Integer
    For idx=0 to m_Repository.Models.Count-1
        DumpPackage("",m_Repository.Models.GetAt(idx))
    Next
End Sub

'output package name, then element contents, then process child packages
Sub DumpPackage(Indent as String, Package as Object)
    Dim idx as Integer
    Console.WriteLine(Indent + Package.Name)
    DumpElements(Indent + " ", Package)

    For idx = 0 to Package.Packages.Count-1
        DumpPackage(Indent + " ", Package.Packages.GetAt(idx))
    Next
End Sub

"dump element name
Sub DumpElements(Indent as String, Package as Object)
    Dim idx as Integer
    For idx = 0 to Package.Elements.Count-1
        Console.WriteLine(Indent + "::" + Package.Elements.GetAt(idx).Name)
    Next
End Sub

```

16.6.2.10.3 Add and Manage Packages

public Object

Example illustrating how to add a Model or a Package.

```

Sub TestPackageLifecycle

    Dim idx as integer
    Dim idx2 as integer
    Dim package as object
    Dim model as object
    Dim o as object

    "first add a new Model

```

```

model = m_Repository.Models.AddNew("AdvancedModel", "")
If not model.Update() Then
    Console.WriteLine(model.GetLastError())
End If

"refresh the models collection
m_Repository.Models.Refresh

"now work through models collection and add a package

For idx = 0 to m_Repository.Models.Count -1
    o = m_Repository.Models.GetAt(idx)
    Console.WriteLine(o.Name)
    If o.Name = "AdvancedModel" Then
        package = o.Packages.AddNew("Subpackage", "Nothing")
        If not package.Update() Then
            Console.WriteLine(package.GetLastError())
        End If

        package.Element.Stereotype = "system"
        package.Update

        "for testing purposes just delete the
        "newly created Model and its contents
        m_Repository.Models.Delete(idx)

    End If
Next

End Sub

```

16.6.2.10.4 Add and Manage Elements

public Object

```

"Add and delete elements in a package.

Sub ElementLifecycle

    Dim package as Object
    Dim element as Object

    package = m_Repository.GetPackageByID(2)
    element = package.elements.AddNew("Login to Website", "UseCase")
    element.Stereotype = "testcase"
    element.Update
    package.elements.Refresh()

    Dim idx as integer

    "note the repeated calls to "package.elements.GetAt"
    "in general you should make this call once and assign to a local
    "variable - in the example below, Enterprise Architect loads the element required
    "everytime a call is made - rather than loading once and keeping
    "a local reference

    For idx = 0 to package.elements.count-1
        Console.WriteLine(package.elements.GetAt(idx).Name)
        If (package.elements.GetAt(idx).Name = "Login to Website" and _
            package.elements.GetAt(idx).Type = "UseCase") Then
            package.elements.deleteat(idx, false)
        End If
    Next
End Sub

```

16.6.2.10.5 Add a Connector

public Object

```
"Add a connector and set values.

Sub ConnectorTest

    Dim source as object
    Dim target as object
    Dim con as object
    Dim o as object

    Dim client as object
    Dim supplier as object

    "use ElementID's to quickly load an element in this example
    "... you must find suitable ID's in your model

    source = m_Repository.GetElementByID(129)
    target = m_Repository.GetElementByID(169)

    con = source.Connectors.AddNew ("test link 2", "Association")

    "again- replace ID with a suitable one from your model
    con.SupplierID = 169

    If not con.Update Then
        Console.WriteLine(con.GetLastError)
    End If
    source.Connectors.Refresh

    Console.WriteLine("Connector Created")

    o = con.Constraints.AddNew ("constraint2", "type")
    If not o.Update Then
        Console.WriteLine(o.GetLastError)
    End If

    o = con.TaggedValues.AddNew ("Tag", "Value")
    If not o.Update Then
        Console.WriteLine(o.GetLastError)
    End If

    "use the client and supplier ends to set
    "additional information

    client = con.ClientEnd
    client.Visibility = "Private"
    client.Role = "m_client"
    client.Update
    supplier = con.SupplierEnd
    supplier.Visibility = "Protected"
    supplier.Role = "m_supplier"
    supplier.Update

    Console.WriteLine("Client and Supplier set")

    Console.WriteLine(client.Role)
    Console.WriteLine(supplier.Role)

End Sub
```

16.6.2.10.6 Add and Manage Diagrams

public Object

"An example of how to create a diagram and add an element to it.
 "Note the optional use of element rectangle setting using
 "left,right,top and bottom dimensions in AddNew call.

Sub DiagramLifeCycle

Dim diagram as object
 Dim v as object
 Dim o as object
 Dim package as object

Dim idx as Integer
 Dim idx2 as integer

package = m_Repository.GetPackageByID(5)

diagram = package.Diagrams.AddNew("Logical Diagram","Logical")
 If not diagram.Update Then
 Console.WriteLine(diagram.GetLastError)
 End if

diagram.Notes = "Hello there this is a test"
 diagram.update()

o = package.Elements.AddNew("ReferenceType","Class")
 o.Update

" add element to diagram - supply optional rectangle co-ordinates

v = diagram.DiagramObjects.AddNew("l=200;r=400;t=200;b=600;" ; "")
 v.ElementID = o.ElementID
 v.Update

Console.WriteLine(diagram.DiagramID)

End Sub

16.6.2.10.7 Add and Delete Attributes and Methods

public Object

Dim element as object
 Dim idx as integer
 Dim attribute as object
 Dim method as object

'just load an element by ID - you must
 'substitute a valid ID from your model
 element = m_Repository.GetElementByID(246)

"create a new method
 method = element.Methods.AddNew("newMethod", "int")
 method.Update
 element.Methods.Refresh

'now loop through methods for Element - and delete our addition
 For idx = 0 to element.Methods.Count-1
 method =element.Methods.GetAt(idx)
 Console.WriteLine(method.Name)
 If(method.Name = "newMethod") Then
 element.Methods.Delete(idx)

```
End if
Next

'create an attribute
attribute = element.attributes.AddNew("NewAttribute", "int")
attribute.Update
element.attributes.Refresh

'loop through and delete our new attribute
For idx = 0 to element.attributes.Count-1
  attribute =element.attributes.GetAt(idx)
  Console.WriteLine(attribute.Name)
  If(attribute.Name = "NewAttribute") Then
    element.attributes.Delete(idx)
  End If
Next
```

16.6.2.10.8 Element Extras

public Object

"Examples of how to access and use element extras, such as
"scenarios, constraints and requirements.

```
Sub ElementExtras
```

```
Dim element as object
Dim o as object
Dim idx as Integer
Dim bDel as boolean
bDel = true
```

```
try
  element = m_Repository.GetElementByID(129)

  'manage constraints for an element
  'demonstrate addnew and delete
  o = element.Constraints.AddNew("Appended","Type")
  If not o.Update Then
    Console.WriteLine("Constraint error:" + o.GetLastError())
  End if
  element.Constraints.Refresh
  For idx = 0 to element.Constraints.Count -1
    o = element.Constraints.GetAt(idx)
    Console.WriteLine(o.Name)
    If(o.Name="Appended") Then
      If bDel Then element.Constraints.Delete (idx)
    End if
  Next
```

```
  'efforts
  o = element.Efforts.AddNew("Appended","Type")
  If not o.Update Then
    Console.WriteLine("Efforts error:" + o.GetLastError())
  End if
  element.Efforts.Refresh
  For idx = 0 to element.Efforts.Count -1
    o = element.Efforts.GetAt(idx)
    Console.WriteLine(o.Name)
    If(o.Name="Appended") Then
      If bDel Then element.Efforts.Delete (idx)
    End if
  Next
```

```
  'Risks
```

```
o = element.Risks.AddNew("Appended","Type")
If not o.Update Then
  Console.WriteLine("Risks error:" + o.GetLastError())
End if
element.Risks.Refresh
For idx = 0 to element.Risks.Count -1
  o = element.Risks.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="Appended") Then
    If bDel Then element.Risks.Delete (idx)
  End if
Next

'Metrics
o = element.Metrics.AddNew("Appended","Change")
If not o.Update Then
  Console.WriteLine("Metrics error:" + o.GetLastError())
End if
element.Metrics.Refresh
For idx = 0 to element.Metrics.Count -1
  o = element.Metrics.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="Appended") Then
    If bDel Then element.Metrics.Delete (idx)
  End if
Next

'TaggedValues
o = element.TaggedValues.AddNew("Appended","Change")
If not o.Update Then
  Console.WriteLine("TaggedValues error:" + o.GetLastError())
End if
element.TaggedValues.Refresh
For idx = 0 to element.TaggedValues.Count -1
  o = element.TaggedValues.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="Appended") Then
    If bDel Then element.TaggedValues.Delete (idx)
  End if
Next

'Scenarios
o = element.Scenarios.AddNew("Appended","Change")
If not o.Update Then
  Console.WriteLine("Scenarios error:" + o.GetLastError())
End if
element.Scenarios.Refresh
For idx = 0 to element.Scenarios.Count -1
  o = element.Scenarios.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="Appended") Then
    If bDel Then element.Scenarios.Delete (idx)
  End if
Next

'Files
o = element.Files.AddNew("MyFile","doc")
If not o.Update Then
  Console.WriteLine("Files error:" + o.GetLastError())
End if
element.Files.Refresh
For idx = 0 to element.Files.Count -1
  o = element.Files.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="MyFile") Then
    If bDel Then element.Files.Delete (idx)
  End if
Next
```

```

'Tests
o = element.Tests.AddNew("TestPlan","Load")
If not o.Update Then
  Console.WriteLine("Tests error:" + o.GetLastError())
End if
element.Tests.Refresh
For idx = 0 to element.Tests.Count -1
  o = element.Tests.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="TestPlan") Then
    If bDel Then element.Tests.Delete (idx)
  End if
Next

'Defect
o = element.Issues.AddNew("Broken","Defect")
If not o.Update Then
  Console.WriteLine("Issues error:" + o.GetLastError())
End if
element.Issues.Refresh
For idx = 0 to element.Issues.Count -1
  o = element.Issues.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="Broken") Then
    If bDel Then element.Issues.Delete (idx)
  End if
Next

'Change
o = element.Issues.AddNew("Change","Change")
If not o.Update Then
  Console.WriteLine("Issues error:" + o.GetLastError())
End if
element.Issues.Refresh
For idx = 0 to element.Issues.Count -1
  o = element.Issues.GetAt(idx)
  Console.WriteLine(o.Name)
  If(o.Name="Change") Then
    If bDel Then element.Issues.Delete (idx)
  End if
Next

catch e as exception
  Console.WriteLine(element.Methods.GetLastError())
  Console.WriteLine(e)
End try

End Sub

```

16.6.2.10.9 Repository Extras

public Object

```

" Examples of how to access repository
" collections for system level information.

Sub RepositoryExtras

  Dim o as object
  Dim idx as integer

  'issues
  o = m_Repository.Issues.AddNew("Problem","Type")
  If(o.Update=false) Then
    Console.WriteLine (o.GetLastError())
  End if

```

```
o = nothing
m_Repository.Issues.Refresh
For idx = 0 to m_Repository.Issues.Count-1
  Console.WriteLine(m_Repository.Issues.GetAt(idx).Name)
  If(m_Repository.Issues.GetAt(idx).Name = "Problem") then
    m_Repository.Issues.DeleteAt(idx,false)
    Console.WriteLine("Delete Issues")
  End if
Next

"tasks
o = m_Repository.Tasks.AddNew("Task 1","Task type")
If(o.Update=false) Then
  Console.WriteLine ("error - " + o.GetLastError())
End if
o = nothing
m_Repository.Tasks.Refresh
For idx = 0 to m_Repository.Tasks.Count-1
  Console.WriteLine(m_Repository.Tasks.GetAt(idx).Name)
  If(m_Repository.Tasks.GetAt(idx).Name = "Task 1") then
    m_Repository.Tasks.DeleteAt(idx,false)
    Console.WriteLine("Delete Tasks")
  End if
Next

"GLOSSARY
o = m_Repository.Terms.AddNew("Term 1","business")
If(o.Update=false) Then
  Console.WriteLine ("error - " + o.GetLastError())
End if
o = nothing
m_Repository.Terms.Refresh
For idx = 0 to m_Repository.Terms.Count-1
  Console.WriteLine(m_Repository.Terms.GetAt(idx).Term)
  If(m_Repository.Terms.GetAt(idx).Term = "Term 1") then
    m_Repository.Terms.DeleteAt(idx,false)
    Console.WriteLine("Delete Terms")
  End if
Next

'authors
o = m_Repository.Authors.AddNew("Joe B","Writer")
If(o.Update=false) Then
  Console.WriteLine (o.GetLastError())
End if
o = nothing
m_Repository.Authors.Refresh
For idx = 0 to m_Repository.authors.Count-1
  Console.WriteLine(m_Repository.Authors.GetAt(idx).Name)
  If(m_Repository.authors.GetAt(idx).Name = "Joe B") then
    m_Repository.authors.DeleteAt(idx,false)
    Console.WriteLine("Delete Authors")
  End if
Next

o = m_Repository.Clients.AddNew("Joe Sphere","Client")
If(o.Update=false) Then
  Console.WriteLine (o.GetLastError())
End if
o = nothing
m_Repository.Clients.Refresh
For idx = 0 to m_Repository.Clients.Count-1
  Console.WriteLine(m_Repository.Clients.GetAt(idx).Name)
  If(m_Repository.Clients.GetAt(idx).Name = "Joe Sphere") then
    m_Repository.Clients.DeleteAt(idx,false)
    Console.WriteLine("Delete Clients")
  End if
Next
```



```
o = m_Repository.Resources.AddNew("Joe Worker","Resource")
If(o.Update=false) Then
    Console.WriteLine (o.GetLastError())
End if
o = nothing
m_Repository.Resources.Refresh
For idx = 0 to m_Repository.Resources.Count-1
    Console.WriteLine(m_Repository.Resources.GetAt(idx).Name)
    If(m_Repository.Resources.GetAt(idx).Name = "Joe Worker") then
        m_Repository.Resources.DeleteAt(idx,false)
        Console.WriteLine("Delete Resources")
    End if
Next
End Sub
```

16.6.2.10.10 Stereotypes

public Object

```
Sub TestStereotypes
    Dim o as object
    Dim idx as integer

    "add a new stereotype to the Stereotypes collection
    o = m_Repository.Stereotypes.AddNew("funky","class")
    If(o.Update=false) Then
        Console.WriteLine (o.GetLastError())
    End if
    o = nothing

    "make sure you refresh
    m_Repository.Stereotypes.Refresh

    "then iterate through - deleting our new entry in the process
    For idx = 0 to m_Repository.Stereotypes.Count-1
        Console.WriteLine(m_Repository.Stereotypes.GetAt(idx).Name)
        If(m_Repository.Stereotypes.GetAt(idx).Name = "funky") then
            m_Repository.Stereotypes.DeleteAt(idx,false)
            Console.WriteLine("Delete element")
        End if
    Next
End Sub
```

16.6.2.10.11 Work with Attributes

public Object

```
"An example of working with attributes.
Sub AttributeLifecycle
    Dim element as object
    Dim o as object
    Dim t as object
    Dim idx as Integer
    Dim idx2 as integer
    try
        element = m_Repository.GetElementByID(129)

        For idx = 0 to element.Attributes.Count -1
```

```

Console.WriteLine("attribute=" + element.Attributes.GetAt(idx).Name)

o = element.Attributes.GetAt(idx)
t = o.Constraints.AddNew("> 123","Precision")
t.Update()
o.Constraints.Refresh
For idx2 = 0 to o.Constraints.Count-1
    t = o.Constraints.GetAt(idx2)
    Console.WriteLine("Constraint: " + t.Name)
    If(t.Name="> 123") Then
        o.Constraints.DeleteAt(idx2, false)
    End if
Next

For idx2 = 0 to o.TaggedValues.Count-1
    t = o.TaggedValues.GetAt(idx2)
    If(t.Name = "Type2") Then
        Console.WriteLine("deleteing")
        o.TaggedValues.DeleteAt(idx2, true)
    End if
Next

t = o.TaggedValues.AddNew("Type2","Number")
t.Update
o.TaggedValues.Refresh
For idx2 = 0 to o.TaggedValues.Count-1
    t = o.TaggedValues.GetAt(idx2)
    Console.WriteLine("Tagged Value: " + t.Name)
Next

If(element.Attributes.GetAt(idx).Name = "m_Tootle") Then
    Console.WriteLine("delete attribute")
    element.Attributes.DeleteAt(idx, false)
End If

Next

catch e as exception
    Console.WriteLine(element.Attributes.GetLastError())
    Console.WriteLine(e)
End try
End Sub

```

16.6.2.10.12 Work with Methods

public Object

"An example of working with the Methods collection
"of an element - and with Method collections.

```

Sub MethodLifecycle

Dim element as object
Dim method as object
Dim t as object
Dim idx as Integer
Dim idx2 as integer

try
    element = m_Repository.GetElementByID(129)

    For idx = 0 to element.Methods.Count -1
        method = element.Methods.GetAt(idx)
        Console.WriteLine(method.Name)

        t = method.PreConditions.AddNew("TestConstraint","something")
    
```

```
If t.Update = false Then
    Console.WriteLine("PreConditions: " + t.GetLastError)
End if

method.PreConditions.Refresh
For idx2 = 0 to method.PreConditions.Count-1
    t = method.PreConditions.GetAt(idx2)
    Console.WriteLine("PreConditions: " + t.Name)
    If t.Name = "TestConstraint" Then
        method.PreConditions.DeleteAt(idx2,false)
    End If
Next

t = method.PostConditions.AddNew("TestConstraint","something")
If t.Update = false Then
    Console.WriteLine("PostConditions: " + t.GetLastError)
End if

method.PostConditions.Refresh
For idx2 = 0 to method.PostConditions.Count-1
    t = method.PostConditions.GetAt(idx2)
    Console.WriteLine("PostConditions: " + t.Name)
    If t.Name = "TestConstraint" Then
        method.PostConditions.DeleteAt(idx2, false)
    End If
Next

t = method.TaggedValues.AddNew("TestTaggedValue","something")
If t.Update = false Then
    Console.WriteLine("Tagged Values: " + t.GetLastError)
End if

For idx2 = 0 to method.TaggedValues.Count-1
    t = method.TaggedValues.GetAt(idx2)
    Console.WriteLine("Tagged Value: " + t.Name)
    If(t.Name= "TestTaggedValue") Then
        method.TaggedValues.DeleteAt(idx2,false)
    End If
Next

t = method.Parameters.AddNew("TestParam","string")
If t.Update = false Then
    Console.WriteLine("Parameters: " + t.GetLastError)
End if

method.Parameters.Refresh
For idx2 = 0 to method.Parameters.Count-1
    t = method.Parameters.GetAt(idx2)
    Console.WriteLine("Parameter: " + t.Name)
    If(t.Name="TestParam") Then
        method.Parameters.DeleteAt(idx2, false)
    End If
Next

method = nothing
Next
catch e as exception
    Console.WriteLine(element.Methods.GetLastError())
    Console.WriteLine(e)
End try

End Sub
```

16.7 MDG Technologies in SDK



The Model Driven Generation (MDG) Technologies enable Enterprise Architect users to access and use resources pertaining to a specific technology in Enterprise Architect. There are various options for an administrator or individual user to bring MDG Technologies into use with Enterprise Architect, as described in the [Enterprise Architect User Guide](#)^[460]. You should read the MDG Technology topics to understand how MDG Technologies are accessed and used within Enterprise Architect, especially the [Manage MDG Technologies](#)^[462] topic.

A further option is that Technology Developers can develop new MDG Technologies and deploy them to the project team as appropriate; this is described in the following topics:

- [Working With MTS Files](#)^[1553]
- [Create MDG Technologies](#)^[1543]
- [Deploy an MDG Technology](#)^[1554]
- [Add Icons and Logos in a Technology](#)^[1555]
- [Set a Model Validation Configuration Within a Technology](#)^[1555]
- [Incorporate Model Templates in a Technology](#)^[1555]

16.7.1 Create MDG Technologies

Using the MDG Technology Wizard, you can create MDG Technology files that can include [UML Profiles](#)^[1299], Code Modules, Patterns, Images and Tagged Value Types. To create an MDG Technology file, follow the steps below:

1. Select the **Tools | Generate MDG Technology File** menu option. The **MDG Technology Creation Wizard** screen displays.

Create new MDG Technology file

The Model Driven Generator (MDG) Technologies allow for a logical collection of resources pertaining to a specific technology to be bundled into one centralized location in Enterprise Architect.

With MDG Technologies the user has the option of granular importation of UML Profiles, UML Patterns, Code templates and Language types to be contained in a single, easy to access area contained in the Enterprise Architect Resources Window.

This wizard will guide you through the process of creating an MDG Technology file

< Back

Next >

Cancel

Help

2. Click on the **Next** button to proceed. The **MDG Technology Wizard** prompts you to:
 - Create an MDG Technology File by creating a new MDG Technology Selection (MTS) file
 - Create an MDG Technology File using an existing MTS file
 - Not use any MTS file.

MDG Technology Wizard - Use an MTS file

Specify the name and path of the MDG Technology Selections (MTS file) to use. You can open an existing MTS file and modify your previous customizations, or you can choose to create a new MTS file.

You can also choose not to use an MTS file at all for the creation of this

Don't use an MTS file for this technology

Create a new MTS file

Open an existing MTS file

Name and path of MTS to open:

Browse...

< Back

Next >


Cancel

Help

(An MTS file stores the selected options that you define during the creation of an MDG Technology File. If you use an MTS file, you can later modify it to add or remove specific items in the MDG Technology File. This is the recommended process.)

3. Select the appropriate MTS file option. Click on the **Next** button.

If you selected an MTS file, the **MDG Technology Wizard** prompts you to save the changes in the existing MTS file or into a new MTS file. This enables you to create a modification based on the existing MTS file, while preserving the original file.




4. Select the appropriate option and click on the **Next** button. The **MDG Technology Wizard - Create** screen displays.

5. Complete the fields on this screen as follows:

Option	Use to
Technology	Type the name of the MDG Technology.
Filename	Type or select the path and filename of the MDG Technology File (the file extension for this file is .xml).
ID	Type a reference for the MDG Technology File, up to 12 characters long.
Version	Type the version number of the MDG Technology File.
Notes	Type a short explanation of the functionality of the MDG Technology.
Select Items to be included in this Technology	Select the checkbox for each item to be included in the MDG Technology file.

6. The items selected in the **Select Items to be included in this Technology** panel run specific dialogs to enable selection of the specific items to be included in the MDG Technology. The methods used for selection of specific items are found in the following topics:
- [Add a Profile in the MDG Technology Wizard](#) ^[1547]
 - [Add a Pattern in the MDG Technology Wizard](#) ^[1548]
 - [Add Tagged Values in the MDG Technology Wizard](#) ^[1549]
 - [Add Code Modules in the MDG Technology Wizard](#) ^[1550]
 - [Add MDA Transforms in the MDG Technology Wizard](#) ^[1551]
 - [Add Images in the MDG Technology Wizard](#) ^[1552]
7. Click on the **Next** button. The **MDG Technology Wizard - Finish** screen displays, providing information on the items included in the MDG Technology File.



8. If you have used an MTS file and want to update it, select the **Save to MTS** checkbox.

9. If you are satisfied with the selection of items, click on the **Finish** button.

You can now [edit the MTS file](#)^[1553], if required, to add further items such as:


- Diagram Profiles
- Task Panes
- Model Search definitions
- Enterprise Architect UML Toolbox pages
- Model Views
- Icons and logos for the technology
- Model Validation configurations
- Model Templates.

To make the MDG Technology File accessible to an Enterprise Architect model, you must *add* the technology file path to the **MDG Technologies - Advanced** dialog. See the [Access Remote MDG Technologies](#)^[463] topic.

16.7.1.1 Add a Profile in the MDG Technology Wizard

When creating an MDG Technology file, you can include UML 2.1-compliant profiles. To use the Profiles section of the MDG Technology Wizard, follow the steps below:

1. Follow the steps in the [Creating MDG Technologies](#)^[1543] topic up to and including [Step 5](#)^[1546].
2. In the **Select Items to be included in this Technology** panel, select the **Profiles** checkbox. The **MDG Technology Wizard - Profile files selection** dialog displays.



3. In the **Directory** field, navigate to the directory containing the required Profile or Profiles.
4. To select each required Profile individually, highlight the Profile in the **Available Files** list and click on the --> button.

Alternatively, to select all available Profiles, click on the -->> button.

Note:


Make sure you include your [stereotypes profile](#) ^[1543].

5. Click on the **Next** button to proceed.

16.7.1.2 Add a Pattern in the MDG Technology Wizard

When creating an MDG Technology file, you can include Patterns. To use the Patterns section of the MDG Technology Wizard, follow the steps below:

1. Follow the steps in the [Creating MDG Technologies](#) ^[1543] topic up to and including [Step 5](#) ^[1546].
2. In the **Select Items to be included in this Technology** panel, select the **Pattern** checkbox. The **MDG Technology Wizard - Pattern files selection** dialog displays.



3. In the **Directory** field, navigate to the directory containing the required Pattern or Patterns.
4. To select each required Pattern individually, highlight the Pattern in the **Available Files** list and click on the --> button.


Alternatively, to select all available Patterns, click on the -->> button.

5. Click on the **Next** button to proceed.

16.7.1.3 Add Tagged Values in MDG Technology Wizard

When creating an MDG Technology file, you can include Tagged Value Types. To use the Tagged Value Types section of the MDG Technology Types Wizard, follow the steps below:

1. Follow the steps in the [Creating MDG Technologies](#) ^[1543] topic up to and including [Step 5](#) ^[1546].
2. In the **Select Items to be included in this Technology** panel, select the **Tagged Value Types** checkbox. The **MDG Technology Wizard - Tagged Value Types** dialog displays



3. To select each required Tagged Value Type individually, highlight the Tagged Value Type in the **Available Tagged Values** list and click on the --> button.


Alternatively, click on the -->> button to select all available Tagged Value Types.

4. Click on the **Next** button to proceed

16.7.1.4 Add Code Modules in MDG Technology Wizard

When creating an MDG Technology file, you can include Code Modules. To use the Code Modules section of the MDG Technology Wizard, follow the steps below:

1. Follow the steps in the [Creating MDG Technologies](#)^[1543] topic up to and including [Step 5](#)^[1548].
2. In the **Select Items to be included in this Technology** panel, select the **Code Modules** checkbox. The **MDG Technology Wizard - Code Modules** dialog displays.



3. Select the checkbox against each of the appropriate Code Modules (**Product**, **Data Types**, and **Code Templates**)
4. To select the **Code Options**, click on the [...] button against each required code option. This enables you to select an XML document that provides additional settings for the language that are not covered by the data types or code templates.

The root node of the XML document should be CodeOptions. The child nodes should be called CodeOption and should contain a *name* attribute. The supported code options are as follows:

Code Option	Description
DefaultExtension	The default extension when generating code.
ImplementationExtension	The extension used by Enterprise Architect to generate an implementation file.
ImplementationPath	The relative path from the source file to generate the implementation file.
PackagePathSeparator	The delimiter used to separate package names when using the packagePath macro from the code templates.
DefaultSourceDirectory	The default path where Enterprise Architect generates new files to.
Editor	The external editor used for editing source of this language.

An example of a valid code options file is shown below.


```
<CodeOptions>
<CodeOption name="DefaultExtension">.ext</CodeOption>
<CodeOption name="Editor">C:\Windows\notepad.exe</CodeOption>
</CodeOptions>
```

5. Click on the **Next** button to proceed.

16.7.1.5 Add MDA Transforms in MDG Technology Wizard

When creating an MDG Technology file, you can include the MDA Transforms that have been modified in the model. To use the Transform Modules section of the MDG Technology Wizard, follow the steps below:

1. Follow the steps in the [Creating MDG Technologies](#) ^[1543] topic up to and including [Step 5](#) ^[1546].
2. In the [Select Items to be included in this Technology](#) panel, select the **MDA Transforms** checkbox. The [MDG Technology Wizard - Transform Modules](#) dialog displays.




3. Click the checkbox against the template name of each required template that is present in the current model.
4. Click on the **Next** button to proceed.

16.7.1.6 Add Images in MDG Technology Wizard

When creating an MDG Technology file, you can include the images that have been imported into the model. To use the Image Selection section of the MDG Technology Wizard, follow the steps below:

1. Follow the steps in the [Create MDG Technologies](#) ^[1543] topic up to and including [Step 5](#) ^[1546].
2. In the [Select Items to be included in this Technology](#) section, select the **Images** checkbox. The [MDG Technology Wizard - Image Selection](#) dialog displays.



3. For each required model image available in the current model, select the checkbox next to the image name.
4. Click on the **Next** button to proceed.

16.7.2 Working with MTS Files

An MDG Technology Selection (.MTS) file stores the selected options that you define when creating an MDG Technology File using the MDG Technology Wizard. If you use a .MTS file, you can edit it to change the features selected when you generated the file, and to add or remove the advanced features described in this topic.

Create a .MTS File

To create a .MTS file, select the **Tools | Generate MDG Technology File** menu option to launch the MDG Technology Wizard, and work through the screens as described in [Create MDG Technologies](#)^[1543]. On the second page, select the **Create a new MTS file** option.

Advanced Options For Your .MTS File

Once you have created the .MTS file, you can add:

- [Diagram Profiles](#)^[1331]
- [Tasks Pane profiles](#)^[1332]
- Your own [Enterprise Architect UML Toolbox profiles](#)^[1326]
- [Model Search definitions](#)^[152]
- [Model Views](#)^[144]

Notes:

- Technology views do not store Favorite packages, only Views.
- If your exported views run searches that you have defined you must also include those searches in your MDG Technology.
- [Icons and logos for the technology](#)^[1555]
- [Model Validation configurations](#)^[1555]
- [Model Templates](#)^[1555]

Open the .MTS file in a text editor. To make it easier for you, you can copy the following lines and paste them into the file before the last line of the file (i.e. just before the </MDG.Selections> lines:

```
<ModelSearches file=""/>
<UIToolboxes directory="" files=""/>
<DiagramProfile directory="" files=""/>
<UITaskpanes directory="" files=""/>
<ModelViews file=""/>
```

(The code for the icons, logos, model validation configurations and model templates is provided in the corresponding sections, accessed via the links in the list above.)

You can, if necessary, have more than one line for each inclusion; for example, more than one *ModelSearch* or, if your profiles are in different locations, more than one *DiagramProfile*. For each inserted line:

- In the directory attributes, enter the full path of the folder in which your Toolbox Profiles, Diagram Profiles or Task Pane Profiles are kept
- In the file attributes, enter the filename of the Model Search XML file or Model View XML file
- In the files attributes, enter a comma-separated ordered list of profile XML filenames.

Save the .MTS file.

Update the MDG Technology

Again select the **Tools | Generate MDG Technology File** menu option, but this time on the second page select **Open an Existing MTS file** and specify the file path of the .MTS file you have updated. Click on **<Next>** until the wizard is finished. Your MDG Technology file is updated.

16.7.3 Deploy An MDG Technology

An MDG Technology can be deployed in one of two ways: as a file or from an Add-In.

Deploy From a File

To deploy your technology as a file, you have a number of choices:

- Copy it to a folder named MDGTechnologies, which you must create under your Enterprise Architect installation directory (by default this is C:\Program Files\Sparx Systems\EA. When you restart Enterprise Architect, your MDG Technology is deployed.
- Copy it to any folder in your file system, including network drives: use the Enterprise Architect **Settings | MDG Technologies...** menu option, press the **Advanced** button and add the folder to the Technologies path. This deployment method enables you to quickly and easily deploy a technology to all Enterprise Architect users on a LAN.
- Upload it to an internet or intranet location: use the Enterprise Architect **Settings | MDG Technologies...** menu option, press the **Advanced** button and add the URL to the Technologies path. This deployment method enables you to quickly and easily deploy a technology to an even wider group of Enterprise Architect users.

Deploy From an Add-in

To deploy your technology from an Add-In, you must write an [EA_OnInitializeTechnologies](#)^[1427] function. The following example is written in VB.Net:

```
Public Function EA_OnInitializeTechnologies(ByVal Repository As EA.Repository) As Object
    EA_OnInitializeTechnologies = My.Resources.MyTechnology
End Function
```

16.7.4 Icons and Logos for Technology

It is possible to define an icon and a logo for a technology. The icon is a 16x16 bitmap image that is shown in the list of technologies on the left of the **MDG Technologies** dialog. The logo is a 64x64 bitmap image that is shown in the display pane on the top-right corner of the **MDG Technologies** dialog.

To specify an icon and a logo, add icon and logo attributes in the <Technology> node of the MTS file. Then use the **MDG Technology Wizard** to rebuild the technology file, and finally re-deploy the technology file and re-start Enterprise Architect as described in [Working with MTS Files](#) ^[1553].

Below is an example of a <Technology> node showing the use of the icon and logo attributes:

```
<Technology id="AUTOSAR"
  name="AUTOSAR"
  version="0.4"
  notes="Support for modeling using the AUTOSAR standard."
  filename="Y:\Dev\Builds\AddIns\AUTOSAR\AUTOSAR.xml"
  alias="MDG Technology for AUTOSAR"
  icon="Y:\Dev\Builds\AddIns\AUTOSAR\Icons\icon.bmp"
  logo="Y:\Dev\Builds\AddIns\AUTOSAR\Icons\logo.bmp"/>
```

16.7.5 Define Model Validation Configuration

The **Model Validation Configuration** dialog can be opened using the **Project | Model Validation | Configure...** menu option. Using this dialog, you can choose which sets of validation rules are and are not executed when a user performs a validation. Rather than perform this configuration manually and potentially have to change the settings every time Enterprise Architect is started and a different technology is set active, you can define the configuration settings within the MTS file.

To specify a set of rules as a white-list (i.e. anything added to this list is turned ON), open your MTS file in a text editor and copy and paste the following <ModelValidation> block at the top level inside the <MDG.Selections> block:

```
<ModelValidation>
  <RuleSet name="BPMNRules"/> <!-- ruleset ID defined in the Project.DefineRuleCategory call -->
  <RuleSet name="MVR7F0001"/> <!-- notice you can turn on/off system rules as well! -->
</ModelValidation>
```

To specify a set of rules as a black-list (i.e. anything added to this list is turned OFF), open your MTS file in a text editor and copy and paste the following <ModelValidation> block at the top level inside the <MDG.Selections> block:

```
<ModelValidation isBlackList="true">
  <RuleSet name="BPMNRules"/>
  <RuleSet name="MVR7F0001"/>
</ModelValidation>
```

In the examples above, "BPMNRules" is the rule-set ID defined in the Project.DefineRuleCategory call - see [Project Interface](#) ^[1521] for details. "MVR7F0001" is one of Enterprise Architect's built-in rule-sets. These validation options are applied when you activate the appropriate technology. The global (default) technology has all rules turned on.

16.7.6 Incorporate Model Templates in a Technology

Enterprise Architect has a number of Model Templates that can be added into a model, either on creation of the model, or at any time by right-clicking a package in the **Project Browser** and selecting the **Add | Add Model using Wizard...** context menu option. You can create your own templates and include them in your MDG Technology. The first step is to create a template package and save it to the MTS file.

Open your MTS file in a text editor and copy and paste the following <ModelTemplates> block at the top level inside the <MDG.Selections> block:


```
<ModelTemplates>
  <Model name="Template Name"
    description="This is the description."
    location="MyTemplatePackage.xml"
    default="yes"
    icon = "34"
    filter= "Filter Name"/>
</ModelTemplates>
```


You can include as many <ModelTemplates> blocks as you have model templates. The attributes have the following meanings:

- **Model name:** The name of the model template as shown in the **Select model(s)** dialog, which displays when you create a new model or when you execute the **Add Model using Wizard** menu option.
- **description:** The text that is displayed in the **Select model(s)** dialog when the name is selected.
- **location:** Contains either the full name and path of the XML file that contains the XMI export of the model template package, or a file path or URL relative to the location of the MDG Technology file.
- **default:** Contains either **yes** indicating that the model template is checked by default, or **no** indicating that the model template is un-checked by default.
- **icon:** Contains an index to Enterprise Architect's base icons list. To show the appropriate view icon, use one of the following values: **29** = Use Case, **30** = Dynamic; **31** = Class; **32** = Component; **33** = Deployment; **34** = Simple.
- **filter:** If you have a large number of model templates, you can group them on the **Select model(s)** dialog by giving all the model templates in the same group the same filter name. The filter name given appears in the **Select from:** list box in the **Select model(s)** dialog.


Part

17

17 Glossary of Terms



This topic provides a detailed glossary for Enterprise Architect.



17.1 A

abstract class

A Class that cannot be directly instantiated.

Contrast: concrete class

abstraction

The essential characteristics of an entity that distinguish it from all other kinds of entities. An abstraction defines a boundary relative to the perspective of the viewer.

action

The specification of an executable statement that forms an abstraction of a computational procedure. An action typically results in a change in the state of the system, and can be realized by sending a message to an object or modifying a link or a value of an attribute.

action sequence

An expression that resolves to a sequence of actions.

action state

A state that represents the execution of an atomic action, typically the invocation of an operation.

activation

The execution of an action.

active class

A Class whose instances are active objects. When instantiated, an active Class controls its execution. Rather than being invoked or activated by other objects, it can operate standalone, and define its own thread of behavior.

See also: active object

activation

An object that owns a thread and can initiate control activity. An instance of active Class.

See also: active class, thread

activity

Defines the bounds for the structural organization that contains a set of basic or fundamental behaviors. It can be used to model procedural type application development for system design through to modeling business processes in organizational structures and workflow.

activity diagram

A diagram used to model procedural type application development for system design through to modeling business processes in organizational structures and workflow.

activity graph

A special case of a State Machine that is used to model processes involving one or more classifiers.

Contrast: state chart diagram

actor [class]

A coherent set of roles that users of Use Cases play when interacting with these Use Cases. An Actor has one role for each Use Case with which it communicates.

actual parameter

Synonym: argument

aggregate [class]

A Class that represents the 'whole' in an Aggregation (whole-part) relationship.

See also: aggregation

aggregation

A special form of Association that specifies a whole-part relationship between the Aggregate (whole) and a component part.

See also: composition

analysis

The part of the software development process whose primary purpose is to formulate a model of the problem domain. Analysis focuses what to do, design focuses on how to do it.

Contrast: design

analysis diagram

A diagram used to capture high level business processes and early models of system behavior and elements. It is less formal than some other diagrams, but provides a good means of capturing the essential business characteristics and requirements.

analysis time

Refers to something that occurs during an analysis phase of the software development process.

See also: design time, modeling time

architecture

The organizational structure and associated behavior of a system. An architecture can be recursively decomposed into parts that interact through interfaces, relationships that connect parts, and constraints for assembling parts. Parts that interact through interfaces include Classes, components and subsystems.

argument

A binding for a parameter that resolves to a run-time instance.

Synonym: actual parameter

Contrast: parameter

artifact

A physical piece of information that is used or produced by a software development process. Examples of Artifacts include models, source files, scripts, and binary executable files. An Artifact can constitute the implementation of a deployable component.

Synonym: product

Contrast: component

assembly

A connector that bridges the required interface of a component with the provided interface of a second component.

association

The semantic relationship between two or more classifiers that specifies connections among their

instances.

association class

A model element that has both Association and Class properties. An Association Class can be seen as an Association that also has Class properties, or as a Class that also has Association properties.

association end

The endpoint of an Association, which connects the Association to a classifier.

attribute

A feature within a classifier that describes a range of values that instances of the classifier can hold.

auxiliary class

A stereotyped Class that supports another more central or fundamental Class, typically by implementing secondary logic or control flow. Auxiliary Classes are typically used together with focus Classes, and are particularly useful for specifying the secondary business logic or control flow of components during design.

See also: focus

17.2 B

behavior

The observable effects of an operation or event, including its results.

behavioral diagram

A diagram that depicts the behavioral features of a system or business process. Behavioral diagrams include Activity diagrams, State Machine diagrams, Communication diagrams, Interaction Overview diagrams, Sequence diagrams, Timing diagrams and Use Case diagrams.

behavioral feature

A dynamic feature of a model element, such as an operation or method.

behavioral model aspect

A model aspect that emphasizes the behavior of the instances in a system, including their methods, collaborations, and state histories.

binary association

An association between two Classes. A special case of an n-ary association.

binding

The creation of a model element from a template by supplying arguments for the parameters of the template.

bookmark

A marker in a rich text document that enables you to link inner sections of a document into a master document (using Word insert file function).

boolean

An enumeration whose values are true and false.

boolean expression

An expression that evaluates to a boolean value.

boundary

1. A stereotyped Class that models some system boundary – typically a user interface screen. It is used in the conceptual phase to capture user interaction with the system at a screen level (or some other boundary interface type). It is often used in Sequence and Robustness (Analysis) diagrams. It is the View in the Model-View-Controller pattern.
2. A System Boundary element is used to delineate a particular part of the system.

17.3 C

C++

An object-oriented programming language based on the earlier 'C' language.

call

An action state that invokes an operation on a classifier.

cardinality

The number of elements in a set.

Contrast: multiplicity

CASE

Computer Aided Software Engineering. A tool designed for the purpose of modeling and building software systems.

child

In a Generalization relationship, the specialization of another element, the parent.

See also: subclass, subtype.

Contrast: parent

choice

A pseudo-state used to compose complex transitional paths, where the outgoing transition path is decided by dynamic, run-time conditions determined by the actions performed by the State Machine on the path leading to the choice.

class

A description of a set of objects that share the same attributes, operations, methods, relationships and semantics. A Class can use a set of interfaces to specify collections of operations it provides to its environment.

See also: interface

class diagram

A diagram that shows a collection of declarative (static) model elements, such as Classes, types, and their contents and relationships.

classification

The assignment of an object to a classifier.

See also: dynamic classification, multiple classification and static classification.

classifier

A mechanism that describes behavioral and structural features. Classifiers include interfaces, Classes, datatypes, and components.

client

A classifier that requests a service from another classifier.

Contrast: supplier

collaboration

The specification of how an operation or classifier, such as a Use Case, is realized by a set of classifiers and Associations playing specific roles used in a specific way. The Collaboration defines an interaction.

See also: interaction

collaboration diagram

Used pre - UML 2.0. Now called a Communication diagram.

collaboration occurrence

Uses an Occurrence to apply a pattern defined by a Collaboration to a specific situation.

combined fragment

A combined fragment reflects a piece or pieces of interaction (called interaction operands) controlled by an interaction operator, whose corresponding boolean conditions are known as interaction constraints. It appears graphically as a transparent window, divided by horizontal dashed lines for each operand.

comment

An annotation attached to an element or a collection of elements. A note has no semantics.

Contrast: constraint

communication diagram

A diagram that shows the interactions between elements at run-time in much the same manner as a Sequence diagram. However, Communication diagrams are used to visualize inter-object relationships, while Sequence diagrams are more effective at visualizing processing over time.

See also: collaboration diagram

compile time

Refers to something that occurs during the compilation of a software module.

See also: modeling time, run time

component

A modular, deployable, and replaceable part of a system that encapsulates implementation and exposes a set of interfaces. A Component is typically specified by one or more classifiers (eg., implementation Classes) that reside on it, and can be implemented by one or more artifacts (eg., binary, executable, or script files).

Contrast: artifact

component diagram

A diagram that shows the organizations and dependencies among Components.

composite [class]

A Class that is related to one or more Classes by a Composition relationship.

See also: composition

composite state

A State that consists of either concurrent (orthogonal) substates or sequential (disjoint) substates.

See also: substate

composite structure diagram

A diagram that reflects the internal collaboration of Classes, Interfaces, or Components to describe a functionality. Composite Structure diagrams are similar to Class diagrams, except that they model a specific usage of the structure.

composition

A form of Aggregation that requires that a part instance be included in at most one Composite at a time, and that the Composite object is responsible for the creation and destruction of the parts. Composition can be recursive.

Synonym: composite aggregation

concrete class

A Class that can be directly instantiated.

Contrast: abstract class

concurrency

The occurrence of two or more activities during the same time interval. Concurrency can be achieved by interleaving or simultaneously executing two or more threads.

See also: thread

concurrent substate

A substate that can be held simultaneously with other substates contained in the same composite State.

See also: composite state

Contrast: disjoint substate

connector

A logical link between model elements. Can be structural, dynamic or possessive.

constraint

1. A semantic condition or restriction. Certain constraints are predefined in the UML, others can be user defined. Constraints are one of three extensibility mechanisms in UML.

See also: tagged value, stereotype

2. A rule or condition that applies to some element. It is often modeled as a pre- or post- condition.

container

1. An instance that exists to contain other instances, and that provides operations to access or iterate over its contents.(for example, arrays, lists, sets).

2. A component that exists to contain other components.

containment hierarchy

A namespace hierarchy consisting of model elements, and the containment relationships that exist between them. A containment hierarchy forms a graph.

context

A view of a set of related modeling elements for a particular purpose, such as specifying an operation.

continuation

A Continuation is used in seq and alt combined fragments, to indicate the branches of continuation an operand follows.

control

A stereotyped Class that represents a controlling entity or manager. A Control organizes and schedules other activities and elements. It is the controller of the Model-View-Controller pattern.

control flow

A connector linking two nodes in an activity diagram. Control Flow connectors start a nodes activity when the preceding node's action is finished.

17.4 D

database schema

The description of a database structure. It defines tables and fields and the relationship between them.

datastore

An element used to define permanently stored data. A token of data that is stored in the Datastore is stored permanently. A token of data that comes out of the Datastore is a copy of the original data. The tokens imported are kept for the life of the Activity in which it exists.

datatype

A descriptor of a set of values that lack identity and whose operations do not have side effects. Datatypes include primitive pre-defined types and user-definable types. Pre-defined types include numbers, string and time. User-definable types include enumerations.

decision

An element of an Activity diagram that indicates a point of conditional progression: if a condition is true, then processing continues one way, if not, then another.

defining model [MOF]

The model on which a repository is based. Any number of repositories can have the same defining model.

delegate

A connector that defines the internal assembly of a component's external ports and interfaces. Using a Delegate connector wires the internal workings of the system to the outside world, by a delegation of

the external interfaces' connections.

delegation

The ability of an object to issue a message to another object in response to a message. Delegation can be used as an alternative to inheritance.

Contrast: inheritance

dependency

A relationship between two modeling elements, in which a change to one modeling element (the independent element) affects the other modeling element (the dependent element).

deployment

A type of Dependency relationship that indicates the deployment of an artifact onto a node or executable target.

deployment diagram

A diagram that shows the configuration of run-time processing nodes and the components, processes, and objects that live on them. Components represent run-time manifestations of code units.

See also: component diagrams

deployment specification

Specifies parameters guiding deployment of an artifact, as is common with most hardware and software technologies.

derived element

A model element that can be computed from another element, but that is shown for clarity or that is included for design purposes even though it adds no semantic information.

design

The part of the software development process whose primary purpose is to decide how the system is to be implemented. During design, strategic and tactical decisions are made to meet the required functional and quality requirements of a system.

design time

Refers to something that occurs during a design phase of the software development process.

See also: modeling time

Contrast: analysis time

development process

A set of partially ordered steps performed for a given purpose during software development, such as constructing models or implementing models.

diagram

A graphical presentation of a collection of model elements, most often rendered as a connected graph of arcs (relationships) and vertices (other model elements). UML supports the following diagrams: Class diagram, Object diagram, Use Case diagram, Sequence diagram, Communication diagram, State diagram, Activity diagram, Component diagram and Deployment diagram.

diagram gate

A simple graphical way to indicate the point at which messages can be transmitted into and out of Interaction Fragments.

diagram view

The workspace area where the UML diagrams are displayed.

disjoint substate

A substate that cannot be held simultaneously with other substates contained in the same composite State.

See also: composite state

Contrast: concurrent substate

distribution unit

A set of objects or components that are allocated to a process or a processor as a group. A distribution unit can be represented by a run-time composite or an Aggregate.

domain

An area of knowledge or activity characterized by a set of concepts and terminology understood by practitioners in that area.

dynamic classification

A semantic variation of Generalization in which an object can change its classifier.

Contrast: static classification

17.5 E

element

1. An atomic constituent of a model.
2. A model object of any type, such as Class, Component, Node or Object.

endpoint

Used in Interaction diagrams to reflect a lost message in sequence.

entity

A store or persistence mechanism that captures the information or knowledge in a system. It is the Model in the Model-View-Controller pattern.

entry action

An action executed upon entering a state in a State Machine regardless of the transition taken to reach that state.

entry point

Used to define where external states can enter a Sub Machine.

enumeration

A list of named values used as the range of a particular attribute type. For example, RGBColor = {red, green, blue}. Boolean is a predefined enumeration with values from the set {false, true}.

event

The specification of a significant occurrence that has a location in time and space. In the context of State diagrams, an event is an occurrence that can trigger a transition.

exception handler

An element that defines the group of operations to carry out when an exception occurs.

exit action

An action executed upon exiting a State in a State Machine regardless of the transition taken to exit that State.

exit point

Used in Sub Machine states and State Machines to denote the point where the machine is exited and the transition sourcing this exit point, for Sub Machines, is triggered. Exit points are a type of pseudo-state used in the State Machine diagram.

export

In the context of packages, to make an element visible outside its enclosing namespace.

See also: visibility

Contrast: export [OMA], import

expose interface

A toolbox icon that is a graphical way to depict the required and supplied interfaces of a Component, Class or Part.

expression

A string that evaluates to a value of a particular type. For example, the expression $(7 + 5 * 3)$ evaluates to a value of type number. A relationship from an extension Use Case to a base Use Case, specifying how the behavior defined for the extension Use Case augments (subject to conditions specified in the extension) the behavior defined for the base Use Case. The behavior is inserted at the location defined by the extension point in the base Use Case. The base Use Case does not depend on performing the behavior of the extension Use Case.

See also: extension point, include

extend

A connector used to indicate that an element extends the behavior of another. Extensions are used in Use Case models to indicate one Use Case (optionally) extends the behavior of another.

17.6 F

facade

A stereotyped package containing only references to model elements owned by another package. It is used to provide a 'public view' of some of the contents of a package.

feature

A property, like operation or attribute, that is encapsulated within a classifier, such as an Interface, a Class, or a Datatype.

final

A pseudo-state that indicates an end.

final state

A special kind of State signifying that the enclosing composite State or the entire State Machine is completed.

fire

To execute a State transition.

See also: transition

flow final

An element that depicts an exit from the system, as opposed to the Activity Final which represents the completion of the activity.

focus class

A stereotyped Class that defines the core logic or control flow for one or more auxiliary Classes that support it. Focus Classes are typically used together with one or more auxiliary Classes, and are particularly useful for specifying the core business logic or control flow of components during design.

See also: auxiliary

focus of control

A symbol on a Sequence diagram that shows the period of time during which an object is performing an action, either directly or through a subordinate procedure.

forward engineering

The process of generating source code from the UML model.

fork

Used in State Machine diagrams as pseudo-states. With respect to State Machine diagrams, a Fork pseudo-state signifies that its incoming transition comes from a single State, and it has multiple outgoing transitions.

framework

A stereotyped package containing model elements that specify a reusable architecture for all or part of a system. Frameworks typically include Classes, Patterns or templates. When frameworks are specialized for an application domain, they are sometimes referred to as Application frameworks.

See also: pattern

17.7 G

generalizable element

A model element that can participate in a Generalization relationship.

See also: generalization

generalization

A taxonomic relationship between a more general element and a more specific element. The more specific element is fully consistent with the more general element and contains additional information. An instance of the more specific element can be used where the more general element is allowed.

See also: inheritance

guard condition

A condition that must be satisfied in order to enable an associated transition to fire.

17.8 H

history state

There are two types of History pseudo-states defined in UML: shallow and deep History. A shallow History sub-state is used to represent the most recently active sub-state of a composite State. A deep History sub-state, in contrast, reflects the most recent active configuration of the composite State.

17.9 I

implementation

A definition of how something is constructed or computed. For example, a Class is an implementation of a type, a method is an implementation of an operation.

implementation class

A stereotyped Class that specifies the implementation of a Class in some programming language (eg., C++, Smalltalk, Java) in which an instance can not have more than one Class. An Implementation Class is said to realize a type if it provides all of the operations defined for the type with the same behavior as specified for the type's operations.

See also: type

implementation inheritance

The inheritance of the implementation of a more general element. Includes inheritance of the interface.

Contrast: interface inheritance

import

In the context of packages, a dependency that shows the packages whose Classes can be referenced within a given package (including packages recursively embedded within it).

Contrast: export

include

A relationship from a base Use Case to an inclusion Use Case, specifying how the behavior for the base Use Case contains the behavior of the inclusion Use Case. The behavior is included at the location that is defined in the base Use Case. The base Use Case depends on performing the behavior of the inclusion Use Case, but not on its structure (ie. attributes or operations).

See also: extend

inheritance

The mechanism by which more specific elements incorporate structure and behavior of more general elements related by behavior.

See also: generalization

initial state

A pseudo-state used to denote the default state of a composite State; there can be one initial vertex in each region of the composite State.

interaction diagrams

A group of diagrams including Timing Diagrams, Sequence Diagrams, Interaction Overview Diagrams and Communication Diagrams.

instance

An entity that has a unique identity, a set of operations that can be applied to it, and a state that stores the effects of the operations.

See also: object

interaction

A specification of how stimuli are sent between instances to perform a specific task. The interaction is defined in the context of a collaboration.

See also: collaboration

interaction diagram

A generic term that applies to several types of diagrams that emphasize object interactions. These include Communication diagrams and Sequence diagrams.

interaction occurrence

A reference to an existing interaction element. Interaction occurrences are visually represented by a frame, with **ref** in the frame's title space. The diagram name is indicated in the frame contents.

interaction overview diagram

A diagram that visualizes the cooperation between other Interaction diagrams to illustrate a control flow serving an encompassing purpose. As Interaction Overview diagrams are a variant of Activity diagrams, most of the diagram notation is similar, as is the process in constructing the diagram.

interface

A named set of operations that characterize the behavior of an element.

interface inheritance

The inheritance of the interface of a more general element. Does not include inheritance of the implementation.

Contrast: implementation inheritance

internal transition

A transition signifying a response to an event without changing the state of an object.

interrupt flow

An Enterprise Architect-defined toolbox icon used to define the exception handler and interruptible activity region concepts.

17.10 J

Java

A fully object-oriented, cross platform language based on elements from Smalltalk, C++ and other OO languages.

join

Used in State Machine diagrams and in Activity diagrams to synchronize multiple flows.

junction

Junction pseudo-states are used to design complex transitional paths. A Junction can be used to combine, or merge, multiple paths into a shared transition path or to split an incoming path into multiple paths.

17.11 L

layer

The organization of classifiers or packages at the same level of abstraction. A layer represents a horizontal slice through an architecture, whereas a partition represents a vertical slice.

Contrast: partition

lifeline

An individual participant in an interaction (i.e. Lifelines cannot have multiplicity). A Lifeline represents a distinct connectable element.

link

A semantic connector among a tuple of objects. An instance of an Association.

See also: association

link end

An instance of an Association end.

See also: association end

local path

A relative path on a local machine. enabling developers to store shared source code in machine specific directories, but still generate and synchronize code.

17.12 M

maintenance

The support of a software system after it is deployed.

manifest

A relationship that indicates that the artifact source embodies the target model element. Stereotypes can be added to Enterprise Architect to classify the type of manifestation of the model element.

message

Messages indicate a flow of information, or transition of control, between elements. Messages are used by Communication diagrams, Sequence diagrams, Interaction Overview diagrams and Timing diagrams.

message endpoint

An element that defines an endpoint of a Lifeline, such a State or Value Lifeline in a Timing diagram.

message label

Used for messages sent between Lifelines to make the diagram appear less cluttered. Labels with the same name indicate that a message can be interrupted.

metaclass

A Class whose instances are Classes. Metaclasses are typically used to construct metamodels.

metafile

A vector-based image format native to Windows. Supports high detail and excellent scaling. Typically used for saving diagram images for placement in documents. Comes in Placeable (an older format) and Enhanced (current standard format).

meta-metamodel

A model that defines the language for expressing a metamodel. The relationship between a meta-metamodel and a metamodel is analogous to the relationship between a metamodel and a model.

metamodel

A model that defines the language for expressing a model.

meta-object

A generic term for all meta-entities in a meta-modeling language. For example, meta-types, meta-classes, meta-attributes, and meta-associations.

Meta-Object Facility (MOF)

An Object Management Group (OMG) standard. MOF originated in the UML, when the OMG required a Meta-Modeling architecture to define the UML. MOF is designed as a four-layered architecture.

method

The implementation of an operation. It specifies the algorithm or procedure associated with an operation.

model [MOF]

An abstraction of a physical system with a certain purpose.

See also: physical system

Usage note: In the context of the MOF specification, which describes a meta-metamodel, the meta-metamodel is for brevity frequently referred to simply as the model.

model aspect

A dimension of modeling that emphasizes particular qualities of the metamodel. For example, the structural model aspect emphasizes the structural qualities of the metamodel.

model elaboration

The process of generating a repository type from a published model. Includes the generation of interfaces and implementations which enables repositories to be instantiated and populated based on, and in compliance with, the model elaborated.

model element [MOF]

An element that is an abstraction drawn from the system being modeled.

Contrast: view element; in the MOF specification model elements are considered to be meta-objects.

model library

A stereotyped package containing model elements that are intended to be reused by other packages. A model library differs from a profile in that a model library does not extend the metamodel using stereotypes and tagged definitions. A model library is analogous to a Class library in some programming languages.

modeling time

Refers to something that occurs during the modeling phase of the software development process. It includes analysis time and design time.

Usage note: When discussing object systems, it is often important to distinguish between modeling-time and run-time concerns.

See also: analysis time, design time

Contrast: run time

module

A software unit of storage and manipulation. Modules include source code modules, binary code modules, and executable code modules.

See also: component

MOF

Meta-Object Facility, an Object Management Group (OMG) standard. MOF originated in the UML, when the OMG required a Meta-Modeling architecture to define the UML. MOF is designed as a four-layered architecture.

multiple classification

A semantic variation of Generalization in which an object can belong directly to more than one classifier.

See also: static classification, dynamic classification

multiple inheritance

A semantic variation of Generalization in which a type can have more than one supertype.

Contrast: single inheritance

multiplicity

A specification of the range of enableable cardinalities that a set can assume. Multiplicity specifications can be given for roles within Associations, Parts within Composites, repetitions, and other purposes. Essentially a multiplicity is a (possibly infinite) subset of the non-negative integers.

Contrast: cardinality

multi-valued [MOF]

A model element with multiplicity defined whose Multiplicity Type:: upper attribute is set to a number greater than one. The term multi-valued does not pertain to the number of values held by, for example, an attribute or parameter at any point in time.

Contrast: single-valued

17.13 N

name

A string used to identify a model element.

namespace

A part of the model in which the names can be defined and used. Within a namespace, each name has a unique meaning.

See also: name

n-ary association

An Association among three or more Classes. Each instance of the Association is an n-tuple of values from the respective Classes.

Contrast: binary association

nesting

A connector used as an alternative membership notation to indicate nested members within an element; for example, a package that has nested members. The nested members of a package could also be shown inside the package rather than linked by the Nesting connector.

node

A classifier that represents a run-time computational resource, which generally has at least a memory and often processing capability. Run-time objects and components can reside on nodes.

17.14 O

object

An entity with a well-defined boundary and identity that encapsulates state and behavior. State is represented by attributes and relationships, behavior is represented by operations, methods, and State Machines. An Object is an instance of a Class.

See also: class, instance

object diagram

A diagram that encompasses objects and their relationships at a point in time. An Object diagram can be considered as a special case of a Class diagram or a Communication diagram.

See also: Class diagram, Communication diagram

object flow

A sub type of the State flow or transition. It implies the passing of an object instance between elements at run-time.

object flow state

A state in an activity graph that represents the passing of an object from the output of actions in one

State to the input of actions in another State.

object lifeline

A line in a Sequence diagram that represents the existence of an object over a period of time.

See also: sequence diagram

Object Management Group

The standards body responsible for the UML specification and management. Their website is www.omg.org - follow the links to the UML pages.

object toolbar

The main toolbar running down the center of Enterprise Architect from which you can select model elements to insert into diagrams. This is also known as the Enterprise Architect UML **Toolbox**.

occurrence

A relationship that indicates that a collaboration represents a classifier. An Occurrence connector is drawn from the collaboration to the classifier.

operation

A service that can be requested from an object to effect behavior. An operation has a signature, which could restrict the actual parameters that are possible.

17.15 P

package

1. A namespace, as well as an element that can be contained in other packages' namespaces.

Packages can own or merge with other packages, and their elements can be imported into a package's namespace.

2. A logical container of model elements. It groups elements and can also contain other packages.

The OMG UML specification (*UML Superstructure Specification, v2.1.1, p. 109*) states:

A package is used to group elements, and provides a namespace for the grouped elements.

A package is a namespace for its members, and may contain other packages. Only packageable elements can be owned members of a package. By virtue of being a namespace, a package can import either individual members of other packages, or all the members of other packages.

In addition a package can be merged with other packages.

Note that packages own model elements and are the basis for configuration control, storage and access control. Each element can be directly owned by a single package, so the package hierarchy is a strict tree. However, packages can reference other packages, modeled by using one of the stereotypes «import» and «access» of Permission dependency, so the usage network is a graph. Other kinds of dependencies between packages usually imply that one or more dependencies among the elements exist.

A package is shown as a large rectangle with a small rectangle (a 'tab') attached to the left side of the top of the large rectangle. It is the common folder icon.

package diagram

Used to reflect the organization of packages and their elements, and provide a visualization of their corresponding namespaces.

package import

A package import relationship is drawn from a source package to a package whose contents are imported. Private members of a target package cannot be imported.

package merge

Indicates a relationship between two packages whereby the contents of the target package are merged with those of the source package. Private contents of a target package are not merged.

parameter

The specification of a variable that can be changed, passed, or returned. A parameter can include a

name, type, and direction. Parameters are used for operations, messages, and events.

Synonym: formal parameter

Contrast: argument

parameterized element

The descriptor for a Class with one or more unbound parameters.

Synonym: template, parameterized class

parent

In a generalization relationship, the generalization of another element, the child.

See also: subclass, subtype

Contrast: child

part

A run-time instance of a Class or Interface.

participate

The connection of a model element to a relationship or to a reified relationship. For example, a Class participates in an Association, an Actor participates in a Use Case.

partition

1. activity graphs: A portion of an activity graph that organizes the responsibilities for actions.

See also: swim lane

2. architecture: A set of related classifiers or packages at the same level of abstraction or across layers in a layered architecture. A partition represents a vertical slice through an architecture, whereas a layer represents a horizontal slice.

Contrast: layer

pattern

A template collaboration.

persistent object

An object that exists after the process or thread that created it has ceased to exist.

physical system

1. The subject of a model.

2. A collection of connected physical units, which can include software, hardware and people, that are organized to accomplish a specific purpose. A physical system can be described by one or more models, possibly from different viewpoints.

Contrast: system

port

Defines the interaction between a classifier and its environment. Interfaces controlling this interaction can be depicted using the 'Expose Interface' toolbox icon.

postcondition

A constraint that must be true at the completion of an operation.

precondition

A constraint that must be true when an operation is invoked.

primitive type

A pre-defined basic datatype without any substructure, such as an integer or a string.

process

1. A heavyweight unit of concurrency and execution in an operating system.

Contrast: thread, which includes heavyweight and lightweight processes. If necessary, an implementation distinction can be made using stereotypes.

2. A software development process - the steps and guidelines by which to develop a system.

3. To execute an algorithm or otherwise handle something dynamically

profile

A stereotyped package that contains model elements that have been customized for a specific domain or purpose using extension mechanisms, such as stereotypes, tagged definitions and constraints. A profile can also specify model libraries on which it depends and the metamodel subset that it extends.

Project Browser window

The workspace window (top left) where the model contents are displayed in 'tree' format. Displays structures such as packages, diagrams and model elements.

projection

A mapping from a set to its subset.

property

A named value denoting a characteristic of an element. A property has semantic impact. Certain properties are predefined in the UML; others can be user defined.

See also: tagged value

pseudo-state

A vertex in a State Machine that has the form of a State, but doesn't behave as a State. Pseudo-states include initial and history vertices.

published model [MOF]

A model that has been frozen, and that becomes available for instantiating repositories and for support in defining other models. A frozen model's model elements cannot be hanged.

17.16 Q

qualifier

An Association attribute or tuple of attributes whose values partition the set of objects related to an object across an Association.

17.17 R

realize

A source object realizes the destination object. Realize is used to express traceability and completeness in the model – a business process or requirement is realized by one or more Use Cases which are in turn realized by some Classes which in turn are realized by a Component, and so on.

receive [a message]

The handling of a stimulus passed from a sender instance.

See also: sender, receiver

receive

An element used to define the acceptance or receipt of a request. Movement on to the next action occurs until it has received what is defined.

receiver [object]

The object handling a stimulus passed from a sender object.

Contrast: sender

reception

A declaration that a classifier is prepared to react to the receipt of a signal.

recursion

A type of message used in Sequence diagrams to indicate a recursive function.

reference

1. A denotation of a model element.
2. A named slot within a classifier that facilitates navigation to other classifiers.

Synonym: pointer

region

UML 2 supports both Expansion Regions and Interruptible Activity Regions. An Expansion Region defines the bounds of a region consisting of one or more sets of input collections, where an input collection is a set of elements of the same type. An Interruptible Activity Region contains Activity nodes - when a token leaves an interruptible region, this terminates all of the region's tokens and behaviors.

refinement

A relationship that represents a fuller specification of something that has already been specified at a certain level of detail. For example, a design Class is a refinement of an analysis Class.

relationship

A semantic connection among model elements. Examples of relationships include Associations and Generalizations.

repository

A facility for storing object models, interfaces, and implementations.

represents

A connector that indicates a Collaboration is used in a classifier. The connector is drawn from the Collaboration to its owning classifier.

requirement

A required feature, property, or behavior of a system.

responsibility

A contract or obligation of a classifier.

reuse

The use of a pre-existing artifact.

reverse engineering

The process of importing source code into the model as standard UML model elements (such as Classes, attributes and operations).

rich text format

A standard mark-up language for creating word processor documents, frequently associated with Microsoft Word.

robustness diagram

Enterprise Architect supports business process modeling extensions from the UML business process model profile. Robustness diagrams are used in the ICONIX Process - you can read more about this at www.sparxsystems.com/iconix/iconixsw.htm.

role

1. The named detail and rules associated with one end of an association. Can indicate name, constraints, multiplicity and collection details.
2. The named specific behavior of an entity participating in a particular context. A role can be static (eg. an Association end) or dynamic (eg. a Collaboration role).

role binding

The mapping between a Collaboration Occurrence's internal roles and the respective parts required to implement a specific situation. The associated parts can have properties defined to enable the binding to occur, and the collaboration to take place.

run time

The period of time during which a computer program executes.

Contrast: modeling time

17.18 S

scenario

1. A specific sequence of actions that illustrates behaviors. A scenario can be used to illustrate an interaction or the execution of a Use Case instance.

See also: interaction.

2. A sequence of operations carried out in some order to produce a known result. Can apply to Use Cases where it is the equivalent of a Sequence diagram, or to other objects to describe how they are used at run-time.

schema [MOF]

In the context of the MOF, analogous to a package that is a container of model elements. Schema corresponds to a MOF package.

Contrast: metamodel, package

self-message

Reflects a new process or method invoked within the calling Lifeline's operation. It is a specification of a message.

semantic variation point

A point of variation in the semantics of a metamodel. It provides an intentional degree of freedom for the interpretation of the metamodel semantics.

send [a message]

The passing of a stimulus from a sender instance to a receiver instance.

See also: sender, receiver

sender [object]

The object passing a stimulus to a receiver object.

Contrast: receiver

sequence diagram

A diagram that shows object interactions arranged in time sequence. In particular, it shows the objects participating in the interaction and the sequence of messages exchanged. Unlike a Communication (Collaboration) diagram, a Sequence diagram includes time sequences but does not include object relationships. A Sequence diagram can exist in a generic form (describes all possible scenarios) and in an instance form (describes one actual scenario). Sequence diagrams and Communication diagrams express similar information, but show it in different ways.

See also: communication diagram

signal

The specification of an asynchronous stimulus communicated between instances. Signals can have parameters.

signature

The name and parameters of a behavioral feature. A signature can include an optional returned parameter.

single inheritance

A semantic variation of Generalization in which a type can have only one supertype.

Synonym: multiple inheritance [OMA]

Contrast: multiple inheritance

single valued [MOF]

A model element with multiplicity defined is single valued when its Multiplicity Type: upper attribute is set to 1. The term single-valued does not pertain to the number of values held by, for example, an attribute or parameter at any point in time, since a single-valued attribute (for instance, with a multiplicity lower bound of zero) could have no value.

Contrast: multi-valued

specification

A declarative description of what something is or does.

Contrast: implementation

state

A condition or situation during the life of an object during which it satisfies some condition, performs some activity, or waits for some event.

Contrast: state [OMA]

state invariant

A condition applied to a Lifeline that must be fulfilled for the Lifeline to exist.

state machine

A behavior that specifies the sequences of States that an object or an interaction goes through during its life in response to events, together with its responses and actions.

state machine diagram

A diagram that illustrates how an element, often a Class, can move between States classifying its behavior, according to transition triggers, constraining guards, and other aspects of State Machine diagrams that depict and explain movement and behavior.

state chart

A diagram that shows a State Machine.

See also: state machine

state continuation

A symbol that serves two different purposes for Interaction diagrams - as State Invariants and as Continuations. A State Invariant is a condition applied to a Lifeline that must be fulfilled for the Lifeline to exist. A Continuation is used in seq and alt combined fragments to indicate the branches of continuation that an operand follows.

state lifeline

A State Lifeline follows discrete transitions between States, which are defined along the y-axis of the timeline. Any transition has optional attributes of timing constraints, duration constraints and observations.

static classification

A semantic variation of Generalization in which an object can not change classifier.

Contrast: dynamic classification

stereotype

A new type of modeling element that extends the semantics of the metamodel. Stereotypes must be based on certain existing types or Classes in the metamodel. Stereotypes can extend the semantics, but not the structure of pre-existing types and Classes. Certain stereotypes are predefined in the UML, others can be user defined. Stereotypes are one of three extensibility mechanisms in UML.

See also: constraint, tagged value

stimulus

The passing of information from one instance to another, such as raising a signal or invoking an operation. The receipt of a signal is normally considered an event.

See also: message

string

A sequence of text characters. The details of string representation depend on implementation, and can include character sets that support international characters and graphics.

structural diagram

A diagram that depicts the structural elements composing a system or function. These diagrams can reflect the static relationships of a structure, as do Class or Package diagrams, or run-time architectures, such as Object or Composite Structure diagrams. Structural diagrams include Class diagrams, Composite Structure diagrams, Component diagrams, Deployment diagrams, Object diagrams and Package diagrams.

structural feature

A static feature of a model element, such as an attribute.

structural model aspect

A model aspect that emphasizes the structure of the objects in a system, including their types, Classes, relationships, attributes and operations.

subactivity state

A State in an activity graph that represents the execution of a non-atomic sequence of steps that has some duration.

subclass

In a Generalization relationship, the specialization of another Class; the superclass.

See also: generalization

Contrast: superclass

submachine state

A State in a State Machine that is equivalent to a composite State but its contents are described by another State Machine.

subpackage

A package that is contained in another package.

substate

A State that is part of a composite State.

See also: concurrent state, disjoint state

subsystem

A grouping of model elements that represents a behavioral unit in a physical system. A subsystem offers interfaces and has operations. In addition, the model elements of a subsystem can be partitioned into specification and realization elements.

See also: package, physical system

subtype

In a Generalization relationship, the specialization of another type; the supertype.

See also: generalization

Contrast: supertype

superclass

In a Generalization relationship, the generalization of another Class; the subclass.

See also: generalization

Contrast: subclass

supertype

In a Generalization relationship, the generalization of another type; the subtype.

See also: generalization

Contrast: subtype

supplier

A classifier that provides services that can be invoked by others.

Contrast: client

swimlane

A partition on an Activity diagram for organizing the responsibilities for actions. Swimlanes typically correspond to organizational units in a business model.

See also: partition

synch

A State used for indicating that concurrent paths of a State Machine are synchronized. After bringing

the paths to a synch state, the emerging transition indicates unison.

synchronize code

The process of importing and exporting code changes to ensure the model and source code match

system

A top-level subsystem in a model.

Contrast: physical system

system boundary

An element used to delineate a particular part of the system.

17.19 T

table

A relational table (composed of columns).

tagged value

The explicit definition of a property as a name-value pair. In a Tagged Value, the name is referred to as the tag. Certain tags are predefined in the UML; others can be user defined. Tagged Values are one of three extensibility mechanisms in UML.

See also: constraint, stereotype

template

Synonym: parameterized element

terminate

A pseudostate indicating that upon entry of its pseudostate, the State Machine's execution ends.

thread [of control]

A single path of execution through a program, a dynamic model, or some other representation of control flow. Also, a stereotype for the implementation of an active object as lightweight process.

See also: process

time event

An event that denotes the time elapsed since the current state was entered.

See also: event

time expression

An expression that resolves to an absolute or relative value of time.

timing diagram

A diagram that defines the behavior of different objects within a time-scale, with visual depictions of those objects changing state and interacting over time.

toolbox

The main toolbar running down the center of Enterprise Architect, from which you can select model elements to insert into diagrams. This is also known as the Enterprise Architect UML **Toolbox** and the Object Toolbar.

top level

A stereotype of package denoting the top-most package in a containment hierarchy. The *topLevel* stereotype defines the outer limit for looking up names, as namespaces 'see' outwards. For example, *opTopLevelSubsystem* represents the top of the subsystem containment hierarchy.

trace

A dependency that indicates a historical or process relationship between two elements that represent the same concept without specific rules for deriving one from the other.

transient object

An object that exists only during the execution of the process or thread that created it.

transition

A relationship between two States indicating that an object in the first State performs certain specified actions and enters the second State when a specified event occurs and specified conditions are satisfied. On such a change of State, the transition is said to *fire*.

type

A stereotyped Class that specifies a domain of objects together with the operations applicable to the objects, without defining the physical implementation of those objects. A type can not contain any methods, maintain its own thread of control, or be nested. However, it can have attributes and associations. Although an object can have at most one implementation Class, it can conform to multiple different types.

See also: implementation class

Contrast: interface

type expression

An expression that evaluates to a reference to one or more types.

17.20 U

UML

The Unified Modeling Language, a notation and specification for modeling software systems in an Object-Oriented manner. You can read more about UML at the OMG home page or at our UML Tutorial

UML diagrams

Diagrams used to model different aspects of the system under development. They include various elements and connectors, all of which have their own meanings and purposes. UML 2.1 includes 13 diagrams: Use Case diagram, Activity diagram, State Machine diagram, Timing diagram, Sequence diagram, Interaction Overview diagram, Communication diagram, Package diagram, Class diagram, Object diagram, Composite Structure diagram, Component diagram and Deployment diagram.

UML toolbox

The main toolbar running down the center of Enterprise Architect from which you can select model elements to insert into diagrams. This is also known as the Enterprise Architect UML **Toolbox** and the Object Toolbar.

uninterpreted

A placeholder for a type or types whose implementation is not specified by the UML. Every uninterpreted value has a corresponding string representation.

See also: any [CORBA]

usage

A dependency in which one element (the client) requires the presence of another element (the supplier) for its correct functioning or implementation.

use

A link that indicates that one element requires another to perform some interaction. The Usage relationship does not specify how the target supplier is used, other than that the source client uses it in definition or implementation.

use case [class]

A UML model element that describes how a user of the proposed system interacts with the system to perform a discrete unit of work. It describes and signifies a single interaction over time that has meaning for the end user (person, machine or other system), and is required to leave the system in a complete state: either the interaction completed or was rolled back to the initial state.

See also: use case instance

use case diagram

A diagram that captures Use Cases and Actor interactions. It describes the functional requirements of the system, the manner in which outside things (Actors) interact at the system boundary, and the response of the system.

use case estimation

The technique of estimating project size and complexity based on the number of Use Cases and their difficulty.

use case instance

The performance of a sequence of actions being specified in a Use Case. An instance of a Use Case.

See also: Use Case class

use case model

A model that describes a system's functional requirements in terms of Use Cases.

utility

A stereotype that groups global variables and procedures in the form of a Class declaration. The utility attributes and operations become global variables and global procedures, respectively. A utility is not a fundamental modeling construct, but a programming convenience.

17.21 V

value

An element of a type domain.

value lifeline

A Lifeline that shows the Lifeline's state across the diagram, within parallel lines indicating a steady state. A cross between the lines indicates a transition or change in state.

vertex

A source or a target for a transition in a State Machine. A vertex can be either a State or a pseudo-state.

See also: state, pseudo-state

view

A projection of a model, which is seen from a given perspective or vantage point and omits entities that are not relevant to this perspective.

view element

An element that is a textual and/or graphical projection of a collection of model elements.

view projection

A projection of model elements onto view elements. A view projection provides a location and a style for each view element.

visibility

An enumeration whose value (public, protected, package or private) denotes how the model element to which it refers can be seen outside its enclosing namespace.

Visual Basic

A rapid application development programming language. Windows' only scripting language based on COM.

Index

- . -

.EMX 575
 .NET
 Debug Another Process 850
 Debug Assembly 837
 Debug CLR Versions 838
 Debug With COM Interop Process 848
 Debug, System Requirements 844
 Set Up Debug Session 837
 .UML2 575

- A -

Abstract 1131
 Complex Models 1199
 XSD Models 979
 Acceptance Testing 731
 Access
 Email 158
 Internet Search Engine 158
 MDG Technologies Remote From Enterprise Architect 463
 Web Site 158
 Acknowledgement
 CXImage Library 15
 Of Contributions 15
 Of Trademarks 14
 Print Listview 15
 Action
 Element 1154
 Expansion Node 1157
 Local Pre/Post Conditions 1159
 Notation 1155
 Operations 1155
 Pin 1158
 Update Operation 1155
 ActionScript
 Import, Reverse Engineering 767
 Modeling Conventions 810
 Options 790
 Versions Supported 790
 Activate
 MDG Technologies 462
 Activation
 End 1120
 Extend Down 1120
 Extend Up 1120
 Lower 1120
 Raise 1120
 Suppress 1120
 Activation Levels
 Of Lifeline Self Messages 1121
 Active
 Classes 1169
 State Configuration 1220
 Activity
 Diagram 1080
 Element 1160
 Elements and Connectors 114
 Group, Enterprise Architect UML Toolbox 114
 Notation 1161
 Parameter Nodes 1162
 Partition 1163, 1211
 Paste As Action 263
 Paste As Link 263
 Paste From Project Browser 263
 Process Element 1247
 Region Element 1218
 Structured 1226
 Activity Diagram
 Create Object From Attribute 341
 Object Flows 1289
 Operations 1155
 Activity Edge
 Connector 1271
 Activity Final
 Element 1191
 Activity Partition
 Element 1211
 Horizontal 1211
 Vertical 1211
 Actor
 Element 1164
 Adaptive Server Anywhere
 Data Repository, Connect To 538
 ODBC Driver, Set Up 509
 Repository, Create 524
 Upsize To 491
 Add
 Category to Discussion Forum 212

Add

Code Modules in MDG Technology Wizard 1550
 Connectors Between Locked Elements 646
 Connectors, Quick Start 28
 Diagram Properties Note 260
 Diagram to Project 248
 Diagram, Quick Start 27
 Element Changes 739
 Element Context Sub-Menu 62
 Element Defects 739
 Element Directly To Package 307
 Element Issues 739
 Element Tasks 739
 Element, Quick Start 27
 Enumeration Tags to Stereotypes 1310
 Expansion Region 1190
 Filters to Search 156
 Images in MDG Technology Wizard 1552
 Instance Variable 1209
 Interruptible Activity Region 1202
 Key 702
 License Key 702
 Line Points 406
 MDA Transforms in MDG Technology Wizard 1552
 Model to Project 484
 MS Word Table of Contents 1053
 MS Word Table of Figures 1054
 New Code Sections to Existing Features 809
 Note to Connector 403
 Note to Link 403
 Package Context Sub-Menu 59
 Package To Project 240
 Package, Quick Start 26
 Packages to Virtual Document 1068
 Pattern in MDG Technology Wizard 1548
 Pattern to Diagram 458
 Port to Element 1213
 Post to Discussion Forum 214
 Profile Connector to Diagram 442
 Profile in MDG Technology Wizard 1547
 Project Task 747
 Shape Script to Stereotype in Profile 1311
 Tagged Value Types in MDG Technology Wizard 1549
 Tagged Values 382
 Test Details 727
 Topic to Discussion Forum 213

UML Pattern to Diagram 458
 UML Profile Connector to Diagram 442
 Views 555
 Add And Delete Attributes
 Automation Interface Code Example 1535
 Add And Delete Methods
 Automation Interface Code Example 1535
 Add And Manage Diagrams
 Automation Interface Code Example 1535
 Add And Manage Elements
 Automation Interface Code Example 1533
 Add And Manage Packages
 Automation Interface Code Example 1532
 Add Connector
 Automation Interface Code Example 1534
 Add Stereotypes
 Automation Interface Code Example 1540
 Add to Project Clipboard
 Menu Option 69
 Add-In
 And Enterprise ArchitectDeadlocks (.NET) 1389
 COM Interoperability 1389
 Concurrent Method Calls 1389
 Connect To 97
 Create 1386
 Create, Define Menu Items 1387
 Deploy 1388
 Disable 1390
 Display Help On 97
 Enable 1390
 Events 1392
 Holding State Information 1389
 Manage 1390
 Manager 1390
 Menu 97
 Pre-2004 1389
 Re-entrancy 1389
 Register 707
 Run Functions From Tasks Pane 1334
 Search 153, 1391
 Search Data 1392
 Submenu 97
 Tasks 1386
 Visual Basic Issues 1389
 Add-In Event
 EA_Connect 1393
 EA_Disconnect 1393

- Add-In Event
 - EA_GetMenuItems 1394
 - EA_GetmenuState 1394
 - EA_MenuClick 1395
 - EA_OnOutputItemClicked 1396
 - EA_OnOutputItemDoubleClicked 1397
 - EA_ShowHelp 1397
- Add-In Model
 - Add-In Event, EA_Connect 1393
 - Add-In Event, EA_Disconnect 1393
 - Add-In Event, EA_GetMenuItems 1394
 - Add-In Event, EA_GetMenuState 1394
 - Add-In Event, EA_MenuClick 1395
 - Add-In Event, EA_OnOutputItemClicked 1396
 - Add-In Event, EA_OnOutputItemDoubleClicked 1397
 - Add-In Event, EA_ShowHelp 1397
 - Add-In Event, Overview 1392
 - Add-In Tasks 1386
 - Benefits 1385
 - Broadcast Event, EA_FileClose 1399
 - Broadcast Event, EA_FileOpen 1398
 - Broadcast Event, EA_OnInitialize_Technologies 1427
 - Broadcast Event, EA_OnPostTransform 1414
 - Broadcast Event, EA_OnRetrieveModelTemplate 1426
 - Broadcast Events 1398
 - Compartment Events 1415
 - Compartment Events, EA_GetCompartmentData 1415
 - Compartment Events, EA_QueryAvailableCompartments 1415
 - Context Item Events 1411
 - Context Item Events, EA_OnContextItemChanged 1411, 1413
 - Context Item Events, EA_OnContextItemDoubleClicked 1412
 - Create Add-In 1386
 - Create Add-In, Tricks and Traps 1389
 - Create Custom View 1427
 - Custom View 1427
 - EA_Connect 1393
 - EA_Disconnect 1393
 - EA_FileClose 1399
 - EA_FileOpen 1398
 - EA_GetCompartmentData 1415
 - EA_GetMenuItems 1394
 - EA_GetMenuState 1394
 - EA_MenuClick 1395
 - EA_OnContextItemChanged 1411, 1413
 - EA_OnContextItemDoubleClicked 1412
 - EA_OnDeleteTechnology 1410
 - EA_OnEndValidation 1418
 - EA_OnImportTechnology 1411
 - EA_OnInitialize_Technologies 1427
 - EA_OnInitializeUserRules 1417
 - EA_OnOutputItemClicked 1396
 - EA_OnOutputItemDoubleClicked 1397
 - EA_OnPostNewAttribute 1407
 - EA_OnPostNewConnector 1407
 - EA_OnPostNewElement 1406
 - EA_OnPostNewMethod 1408
 - EA_OnPostNewPackage 1409
 - EA_OnPostTransform 1414
 - EA_OnPreDeleteConnector 1400
 - EA_OnPreDeleteDiagram 1401
 - EA_OnPreDeleteElement 1400
 - EA_OnPreDeletePackage 1401
 - EA_OnPreDeleteTechnology 1409
 - EA_OnPreNewAttribute 1404
 - EA_OnPreNewConnector 1403
 - EA_OnPreNewElement 1402
 - EA_OnPreNewMethod 1404
 - EA_OnPreNewPackage 1405
 - EA_OnRetrieveModelTemplate 1426
 - EA_OnRunAttributeRule 1420
 - EA_OnRunConnectorRule 1420
 - EA_OnRunDiagramRule 1419
 - EA_OnRunElementRule 1419
 - EA_OnRunMethodRule 1421
 - EA_OnRunPackageRule 1419
 - EA_OnRunParameterRule 1421
 - EA_OnStartValidation 1418
 - EA_QueryAvailableCompartments 1415
 - EA_ShowHelp 1397
 - Interface 1385
 - Introduction 1385
 - MDG Add-Ins 1428
 - MDG Add-Ins, MDG Events 1428
 - MDG Events, MDG_BuildProject 1429
 - MDG Events, MDG_Connect 1429
 - MDG Events, MDG_Disconnect 1430
 - MDG Events, MDG_GetConnectedPackages 1431
 - MDG Events, MDG_GetProperty 1431
 - MDG Events, MDG_Merge 1432

Add-In Model	
MDG Events, MDG_NewClass	1433
MDG Events, MDG_PostGenerate	1434
MDG Events, MDG_PostMerge	1435
MDG Events, MDG_PreGenerate	1436
MDG Events, MDG_PreMerge	1436
MDG Events, MDG_PreReverse	1437
MDG Events, MDG_RunExe	1437
MDG Events, MDG_View	1438
Model Validation Broadcasts	1417
Model Validation Broadcasts, EA_OnEndValidation	1418
Model Validation Broadcasts, EA_OnInitializeUserRules	1417
Model Validation Broadcasts, EA_OnRunAttributeRule	1420
Model Validation Broadcasts, EA_OnRunConnectorRule	1420
Model Validation Broadcasts, EA_OnRunDiagramRule	1419
Model Validation Broadcasts, EA_OnRunElementRule	1419
Model Validation Broadcasts, EA_OnRunMethodRule	1421
Model Validation Broadcasts, EA_OnRunPackageRule	1419
Model Validation Broadcasts, EA_OnRunParameterRule	1421
Model Validation Broadcasts, EA_OnStartValidation	1418
Model Validation Example	1422
Post-New Events	1406
Post-New Events, EA_OnPostNewAttribute	1407
Post-New Events, EA_OnPostNewConnector	1407
Post-New Events, EA_OnPostNewElement	1406
Post-New Events, EA_OnPostNewMethod	1408
Post-New Events, EA_OnPostNewPackage	1409
Pre-Deletion Events	1399
Pre-Deletion Events, EA_OnPreDeleteConnector	1400
Pre-Deletion Events, EA_OnPreDeleteDiagram	1401
Pre-Deletion Events, EA_OnPreDeleteElement	1400
Pre-Deletion Events, EA_OnPreDeletePackage	1401
Pre-New Events	1402
Pre-New Events, EA_OnPreNewAttribute	1404
Pre-New Events, EA_OnPreNewConnector	1403
Pre-New Events, EA_OnPreNewElement	1402
Pre-New Events, EA_OnPreNewMethod	1404
Pre-New Events, EA_OnPreNewPackage	1405
Search Data, XML Format	1392
Technology Events	1409
Technology Events, EA_OnDeleteTechnology	1410
Technology Events, EA_OnImportTechnology	1411
Technology Events, EA_OnPreDeleteTechnology	1409
Administrator	
Security Permissions	632
Advanced	
Settings for Element	370
Tag Management	380
Advanced (Element)	
Submenu	81
Aggregate	
Connection	1257
Aggregation Link Form	1257
Align	
Elements	315
Alignment	
Submenu	82
All Permissions	
Dialog, User Security	637
View, User Security	637
Alternative Image	
For Element	272
In Diagram	272
Select	272
Stereotype	454
Analysis	
Diagram	1141
Elements and Connectors	118
Group, Enterprise Architect UML Toolbox	118
Stereotypes	1236
ANSI C	791, 811
Apache Tomcat	
Server Configuration	854
Server, Debugging	850
Service Configuration	855
App Object	
Automation Interface	1448

- Appearance
 - Connectors Context Menu Section 401
 - Element Context Menu 302
 - Element, Set Default 320
- Appearance (Element)
 - Submenu 82
- Application Workspace 37
- Apply
 - RTF Report Filter (Legacy) 1041
 - Stereotype to Dependency Relationship 1265
 - Stereotype to Element 450
 - Stereotype to UML Construct 450
 - User Lock 648
- Argument
 - For Operation Parameter 346
- Arrange
 - Connectors 404
- Artifact
 - Element 1165
- ASA
 - Data Repository, Connect To 538
 - ODBC Driver, Set Up 509
 - Repository, Create 524
 - Upsize To 491
- ASP .NET
 - Debug 845
- Assembly
 - Connector 1258
 - Debug 837
- Assign
 - Information to Tagged Values 178
 - People To Changes 745
 - People To Defects 745
 - Tagged Values To An Item 177
- Associate
 - Connector 1258
- Associated Files
 - Elements 378
- Association
 - Class 1246
 - Class Connector 1259
 - Details 416
 - Link New Class to Existing Association 1260
 - N-Ary 1246
 - Properties 416
 - Specialisation, Set Up 413
- Attach
 - Note to Link 403
- Attribute
 - Add And Delete, Automation Interface Code Example 1535
 - Add to Element 362
 - Automation Interface, ElementFeatures Package 1496
 - Constraints 336
 - Copy Between Elements 327
 - Create 330
 - Create Object From 341
 - Definition 330
 - Detail 335
 - Dialog 330, 333
 - Edit Keyword 359
 - Edit Name, In-Place Editor 357
 - Edit Scope 359
 - Edit Stereotype 358
 - General Tab 333
 - Inherited, Display 339
 - Inherited, Show 257
 - Introduction 330
 - Message Part, WSDL 996
 - Modify 330
 - Move Between Elements 328
 - Private, Icon 56
 - Protected, Icon 56
 - Show On Diagram 257
 - Supported By XML Element Node 446
 - Supported in UML Profile 446
 - Supported Stereotype In UML Profiles 1316
 - Supported, Create Composite Elements 1320
 - Supported, Define Child Diagram Types 1319
 - Supported, Metatype in UML Profiles 1316
 - Tagged Values 337
 - Work With, Automation Interface Code Example 1540
- AttributeConstraint
 - Automation Interface, ElementFeatures Package 1497
- AttributeTag
 - Automation Interface, ElementFeatures Package 1498
- Audit
 - Scope 653
- Audit History Tab
 - Description 660
 - How to Display 660
 - On Output Window 139, 181
- Audit Options

- Audit Options
 - All 654
 - Connectors Audited 654
 - Core Structural 654
 - Custom 654
 - Elements Audited 654
 - Maintenance 654
- Audit View
 - Audit Changes 657
 - Controls 657
 - Custom Time Periods 657
 - Display Database Changes 657
 - Filter by Time 657
 - Mode, Advanced 657
 - Mode, Raw 657
 - Mode, Standard 657
 - Performance Problems 661
 - Refresh 657
 - Search 657
 - Slow Loading 661
 - Slow Navigation 661
 - Sort 657
- Auditing
 - Alternative To Differencing 662
 - And RTF Reporting 651
 - Audit Tree 655
 - Display Audit Results 655
 - Enable 653
 - How to Invoke 652
 - Include Reverse Engineering 653
 - Include XMI Export 653
 - Include XMI Import 653
 - Introduction 651
 - Large Deletion Issue 661
 - Level, Core 654
 - Level, Extended 654
 - Level, Standard 654
 - Performance Issues 661
 - Quick Start 652
 - Record Display 655
 - Reverse Engineering Issue 661
 - Settings 652, 653
 - Use Database Timestamp 653
 - XMI Import Issue 661
- Auditing Settings
 - Clear Logs 653
 - Load Logs 653
 - Save Logs 653
- Author
 - Attributes 1465
 - Define 673
 - From Windows Active Directory 673
 - Methods 1465
- Author Collection
 - Automation Interface Repository 1465
- Autohide
 - Windows 162
- Autolayout
 - Diagram 250
 - Options 250
- Automation Interface
 - App Object 1448
 - Attribute, ElementFeatures Package 1496
 - AttributeConstraint, ElementFeatures Package 1497
 - AttributeTag, ElementFeatures Package 1498
 - Available Resources 1445
 - Call Executables From Enterprise Architect 1439
 - Call from Enterprise Architect 1443
 - Code Example, Add And Delete Attributes 1535
 - Code Example, Add And Delete Methods 1535
 - Code Example, Add And Manage Diagrams 1535
 - Code Example, Add And Manage Elements 1533
 - Code Example, Add And Manage Packages 1532
 - Code Example, Add Connector 1534
 - Code Example, Add Stereotypes 1540
 - Code Example, Iterate Through EAP File 1532
 - Code Example, Open The Repository 1531
 - Code Example, Use Element Extras 1536
 - Code Example, Use Repository Extras 1538
 - Code Example, Work With Attributes 1540
 - Code Example, Work With Methods 1541
 - Code Examples, Introduction 1531
 - Connect From Borland Delphi 7.0 1439
 - Connect From Java 1439
 - Connect From MS C# 1439
 - Connect From MS Visual Basic 6.0 1439
 - Connect to 1439
 - Connector Object, Connector Package 1509
 - Connector Package Diagram 1506
 - ConnectorConstraint, Connector Package 1507

- Automation Interface
 - ConnectorEnd, Connector Package 1508
 - ConnectorTag, Connector Package 1511
 - ConstLayoutStyles Enum 1449
 - Constraint, Element Package 1481
 - CustomProperties Collection, ElementFeatures Package 1499
 - Diagram Package 1513
 - Diagram, Diagram Package 1514
 - DiagramLinks, Diagram Package 1517
 - DiagramObjects, Diagram Package 1517
 - Effort, Element Package 1481
 - Element Package Diagram 1479
 - Element Package, File 1488
 - Element, Element Package 1482
 - ElementFeatures Package Diagram 1495
 - EmbeddedElements Collection, ElementFeatures Package 1499
 - Enumerations 1449
 - EnumRelationSetType Enum 1449
 - Examples 1439
 - Examples and Tips 1442
 - Introduction 1439
 - Issue, Element Package 1489
 - MDGMenus Enum 1450
 - Method, ElementFeatures Package 1500
 - MethodConstraint, ElementFeatures Package 1502
 - MethodTag, ElementFeatures Package 1502
 - Metric, Element Package 1489
 - Model 1445
 - ObjectType Enum 1450
 - Package 1445
 - Parameter, ElementFeatures Package 1503
 - Partitions Collection, ElementFeatures Package 1504
 - Project Interface 1520
 - Project, Project Interface 1521
 - Properties, ElementFeatures Package 1505
 - Property ElementFeatures Package 1505
 - PropType Enum 1451
 - Reference 1445
 - ReloadType Enum 1451
 - Repository 1453
 - Repository Package 1452, 1470
 - Repository, Author Collection 1465
 - Repository, Client Collection 1465
 - Repository, Collection Class 1466
 - Repository, Datatype 1467
 - Repository, EventProperties 1468
 - Repository, EventProperty 1469
 - Repository, ModelWatcher 1469
 - Repository, ProjectIssues 1473
 - Repository, ProjectResource 1474
 - Repository, PropertyType 1475
 - Repository, Reference 1475
 - Repository, Stereotype 1476
 - Repository, Task 1477
 - Repository, Term 1478
 - Requirement, Element Package 1490
 - Resource, Element Package 1491
 - Risk, Element Package 1492
 - RoleTag, Connector Package 1512
 - Scenario, Element Package 1492
 - Set Up Visual Basic 1441
 - Swimlane, Diagram Package 1520
 - SwimlaneDef, Diagram Package 1519
 - Swimlanes, Diagram Package 1519
 - TaggedValue, Element Package 1493
 - Test, Element Package 1494
 - Transitions Collection, ElementFeatures Package 1505
 - Using 1439
 - VB GetObject Support 1448
 - XMIType Enum 1451
 - Autosize
 - Elements, As Group 261
 - Available Resources
 - Automation Interface 1445
- ## - B -
- Base Project
 - Copy 543
 - New 543
 - Baseline
 - And Differences, Overview 662
 - Considerations 662
 - Create 665
 - Delete 663
 - Export 663
 - Import 663
 - Load From Alternative Model 663
 - Manage 663
 - Merge With Current Model, Overview 662
 - Model 662
 - Overview 662

- Baseline
 - Scenarios 662
 - Versions 665
- BaseModel Script
 - InnoDB 500
 - MyISAM 500
- Basic
 - Element, Fork 1193, 1195
 - Element, Join 1193, 1196
 - Elements 1154
 - UML Elements 1154
- Batch Generate
 - RTF Resource Documents, Automatically 1031
 - RTF Resource Documents, Manually 1031
- Batch XMI
 - Export 583
 - Import 584
- Behavioral Diagram
 - Elements 1151
 - Overview 1080
- Bend
 - Connector at Cursor 406
- Bezier Lines 406
- Binary Module
 - Import, Reverse Engineering 770
- Binding
 - WSDL Diagram 994
 - WSDL Element 994
- Bitmap Image
 - In Diagrams 272
- Blue Exclamation Mark 649
- Bookmark
 - Insert In RTF Template 1024
 - Multiple Elements 760
 - Triangle 760
- Bookmark Selected
 - Menu Option 69
- Bookmarks
 - For RTF Report 1051
 - Packages as 1051
- Boundary
 - Element 1237
 - Element Settings 385
 - Element, Create 1237
 - Object Settings 385
 - Properties 385
- BPMN
 - 1.3 473
 - 1.4 473
 - Concepts 473
 - Connectors 473
 - Core Toolbox Page 473
 - Diagram 473
 - Disable 473
 - Elements 473
 - MDG Technology 473
 - Relationships 473
 - Types Toolbox Page 473
- Branch
 - Check In 625
- Branching Macros
 - Code Template Syntax 1377
- Breakpoint
 - Add to Code 861
 - Delete All 862
 - Delete Single 862
 - Disable 862
 - Enable 862
 - Overview 860
 - States 860
- Broadcast Event
 - Add-In Model 1398
 - EA_FileClose 1399
 - EA_FileOpen 1398
 - EA_OnInitialize_Technologies 1427
 - EA_OnPostTransform 1414
 - EA_OnRetrieveModelTemplate 1426
- Browser
 - Element 171
- Build and Run 825
 - Build Script, Create 829
 - Debug With Enterprise Architect 844
 - Deploy Script, Create New 840
 - Manage Compile Scripts 828
 - Package Context Sub-Menu 60
 - Record a Debug Session 873
 - Run Script, Create New 832
 - Sequence Diagram 873
 - Source Code Configuration 826
 - Submenu 75
 - Unit Test Script, Create New 830
 - Unit Testing 885
- Build Script
 - Create 829
 - Dialog 828

- Build Script
 - Recursive 839
 - Sequence Tab 840
 - Built-In
 - Diagram Types 1332
 - Transformations 939
 - Business
 - Analysis 42
 - Analyst, Project Role 226
 - Model Template 42
 - Modeling, Stereotypes 1238
 - Process Model 42
 - Business Modeling
 - Business Process Outline 479
 - Events 478
 - Example 475
 - Goals 478
 - Information 477
 - Inputs 477
 - Outputs 478
 - Process Element 476
 - Process Modeling Notation 476
 - Processes 475
 - Resources 477
 - Traceability 479
 - Business Process
 - Outline 479
 - Business Process Modeling Notation (BPMN) 473
- C -**
- C
 - Code Generation 791
 - Import, Reverse Engineering 768
 - Modeling Conventions 811, 812
 - Object Oriented Programming 812
 - C#
 - Import, Reverse Engineering 768
 - Modeling Conventions 813
 - Options 792
 - Transformation 939
 - C++
 - Code Generation 793
 - Import, Reverse Engineering 768
 - Modeling Conventions 814
 - Modeling Conventions, CLI Extensions 816
 - Modeling Conventions, Managed 816
 - Options 793
 - Calibration
 - Of Project Factors 711
 - Call
 - Automation Interface From Enterprise Architect 1443
 - Message 1277
 - Camel Case
 - Naming Format 966
 - Capture State Transitions
 - Debugger Sequence Tab Option 879
 - Cardinality
 - Define 694
 - Category
 - Add to Discussion Forum 212
 - Central Buffer Node
 - Element 1166
 - Chaining Transformations 936
 - Change
 - Aggregation Link Form 1257
 - Connector Source or Target 405
 - Connector Type 405
 - Diagram Type 256
 - Element 742
 - Element Type 314
 - Tracking 651
 - Change Conflicts
 - Resolve 571
 - Change Element
 - Hide Stereotype Letter 743
 - Show Stereotype Letter 743
 - Character Set
 - Set Up For RTF Report 1036
 - Set Up For RTF Report (Legacy) 1048
 - Check
 - Data Integrity 546
 - Model Integrity 546
 - Project Integrity 546
 - UML Syntax, Option 192
 - Check Constraint
 - Create 915
 - What Is? 915
 - Check In
 - Branch 625
 - Explanation 595
 - Offline Packages 617
 - Packages Online 625
 - Project Browser Icon 625
 - Check Out

- Check Out
 - Explanation 595
 - Packages Offline 617, 625
 - Project Browser Icon 625
- Checked In Package
 - Icon 56
- Checked Out Package
 - Icon 56
- Child
 - Confirm Element As Parent 312
- Child Element
 - Paste Object As 261
- Choice
 - Element 1166
- Class
 - Active Classes 1169
 - Connectors 1131
 - Create As Procedure 911
 - Create As Stored Procedure 909
 - Created In Transform, Connect To 964
 - Diagram 1131
 - Element 1167
 - Elements 1131
 - Elements and Connectors 108
 - Elements, Imported 930
 - Group, Enterprise Architect UML Toolbox 108
 - Make Into Association Class 1260
 - Members, Show/Hide On Diagram 286
 - Model Template 45
 - Parameterized Classes (Templates) 1169
 - Reset Options 802
 - Show Realised Interfaces On Diagram 276
 - Source Code Generation 773
 - View 555
- Class Diagram
 - Edit Elements 81
- CLASSGUID
 - Add-In Hidden Field 1391
- Classifier
 - Drop As Link 264
 - Drop As New Instance 264
 - Item Conveyed 1269
 - Properties 1136
 - Set 383
 - Use 383
- Classifiers
 - Of Objects 383
- CLASSTYPE
 - Add-In Hidden Field 1391
- Clean
 - Project 546
- Clear All Bookmarks
 - Menu Option 69
- Clear Project Clipboard
 - Menu Option 69
- Clear Selection
 - Menu Option 69
- CLI Extensions
 - C++ Modeling Conventions 816
- Client
 - Define 679
- Client Collection
 - Automation Interface Repository 1465
- Close Project
 - Menu Option 64
- CLR Versions
 - Debug .NET 838
- Code
 - Synchronize 808
- Code Engineering
 - And MDG Link 771
 - Broad View Of 23
 - Build and Run 825, 844
 - Build and Run, Manage Compile Scripts 828
 - Build and Run, Source Code Configuration 826
 - Build and Run, Unit Testing 885
 - Build Script, Create 829
 - Code, Reverse Engineer 764
 - Debug With Enterprise Architect 844
 - Deploy Script, Create New 840
 - Eclipse 771
 - Element Context Menu Option 302
 - Generate Code For Single Class 774
 - Generate Group of Classes 775
 - Generate Package 776
 - Generate Package Source Code 776
 - Generate Source Code 773
 - Introduction 763
 - Namespaces 778
 - Package Contents, Update 777
 - Package Context Sub-Menu 60
 - Referenced XML Schema 984
 - Reverse Engineer Source Code 764
 - Run Script, Create New 832
 - Set Up Debug Session 834
 - Settings 779

- Code Engineering
 - Settings, Attribute/Operation Options 783
 - Settings, Code Generation
 - Constructor/Destructor Options 782
 - Settings, Code Page for Source Editing 784
 - Settings, General Code Options 779
 - Settings, Import Component Types 781
 - Settings, Source Code Options 780
 - Synchronization 764
 - Synchronize Model and Code 771
 - Synchronize Package Tree 777
 - UML Profile for XSD 972
 - Unit Test Script, Create New 830
 - Update Package Contents 777
 - Visual Studio.NET 771
 - With Enterprise Architect 23
 - XML Schema 970
 - XML Schema (XSD), Default UML to XSD Mappings 980
 - XML Schema, Abstract XSD Models 979
 - XML Schema, Generate XSD 981
 - XML Schema, Import XSD 984
 - XML Schema, Model XSD 970
 - XSD 970
 - XSD Datatype Packages 978
- Code Generation
 - Language Options, C 791
 - Language Options, C++ 793
 - Toolbar 128
- Code Language
 - Set Default 128
- Code Sections
 - Synchronize 809
- Code Template
 - Base Templates 804
 - Default Templates 1383
 - Editor 807
 - Editor, Add New Stereotyped Templates 1384
 - Editor, Create Templates For Custom Languages 1384
 - Editor, Custom Templates, Create 1382
 - Editor, In SDK 1381
 - Framework, In SDK 1361
 - Framework, Overview 803
 - Overview 803
 - Syntax, Introduction 1361
 - Syntax, Literal Text 1362
 - Syntax, Macros 1362
 - Syntax, Template Substitution Macros 1362
 - Syntax, Variables 1380
- Code Templates
 - Export 1385
 - Import 1385
- Codepage
 - Set Up For RTF Report 1036
 - Set Up For RTF Report (Legacy) 1048
- Collaboration
 - Diagram 1124
 - Diagram, In Color 1126
 - Element 1171
 - Elements and Connectors, Now Communication 111
 - Message 1282
- Collaboration Occurrence
 - Element 1172
- Collaborative Development 785
- Collection Class
 - Automation Interface Repository 1466
- Color Coded External Requirements 426
- Color Query
 - Shape Scripts 1346
- Column
 - Create in Data Modeling 898
- COM Interop
 - Debug .NET 848
- Combine
 - Windows In One Frame 160
- Combined Fragment
 - Create 1175
 - Element 1173
 - Interaction Operator 1176
- Common
 - Connectors 107
 - Elements 107
 - Group, Enterprise Architect UML Toolbox 107
 - Relationships 107
- Communication
 - Colors 202
 - Diagram 1124
 - Diagram, In Color 1126
 - Elements and Connectors 111
 - Group, Enterprise Architect UML Toolbox 111
 - Message 1281
 - Message, Create 1281
 - Message, Properties 1281, 1282
 - Message, Sequence 1282
- Communication Path

- Communication Path
 - Connector 1261
- Compact
 - A Project .EAP File 553
- Compare
 - Data 550
 - DDL With Database 919
 - Models 550
 - Projects, Instructions 550
 - Projects, Why? 550
 - Utility 662
- Compare Utility 665
 - Context Menu 669
 - Keyboard Options 669
 - Merge Options 669
 - Options 666
 - Output 667
 - Tab 667
 - Toolbar 669
- Compartment
 - Constraint 386
 - Element 386
 - Maintenance 386
 - Responsibility 386
 - Tag 386
 - Testing 386
- Compartment Events
 - Add-In Model 1415
 - EA_GetCompartmentData 1415
 - EA_QueryAvailableCompartments 1415
- Compile Scripts
 - Manage in Build and Run 828
- Compiled 21 April 2008 3
- Component
 - Diagram 1137
 - Element 1179
 - Elements and Connectors 114
 - Group, Enterprise Architect UML Toolbox 114
 - Model Template 46
 - View 555
- Compose
 - Connector 1261
- Composite
 - Elements 1239
 - Elements and Connectors 110
 - Foreign Key 903
 - Group, Enterprise Architect UML Toolbox 110
 - State 1219, 1220
 - State Regions 1086
- Composite Element
 - Paste From Project Browser 263
- Composite Elements
 - Metaclass, Create With Supported Attributes 1320
- Composite Structure Diagram 1134
- Composition
 - Hierarchy 431
- Compress
 - Timeline 1112
 - Transition 1112
- Concept
 - BPMN 473
 - Mind Mapping 467
- Concurrent Method Calls
 - In Add-Ins 1389
- Conditional Substitution
 - Field Substitution Macros, Code Template Syntax 1363
- Configuration
 - Apache Tomcat Server 854
 - JBOSS Server 853
 - Tomcat Server 854
 - Tomcat Service 855
- Configure
 - Controlled Packages with XMI 580
 - Local Options 187
 - Model Validation 560
 - Packages 580
 - Version Control, Subversion 611
- Configure Timeline Dialog
 - States Tab 1105
 - Transitions Tab 1106
- Confirm
 - Parent Element 312
- Connect
 - Elements 402
 - Objects 402
 - To ASA Data Repository 538
 - To Automation Interface 1439
 - To Data Repository 528
 - To MSDE Server Data Repository 540
 - To MySQL Data Repository 529
 - To Oracle 10g Data Repository 534
 - To Oracle 11g Data Repository 534
 - To Oracle 9i Data Repository 534
 - To PostgreSQL Data Repository 536

- Connect
 - To Progress OpenEdge Data Repository 540
 - To SQL Server Data Repository 531
- Connections
 - In Discussion Forum 220
 - Window 172
- Connector
 - Activity Edge 1271
 - Add Between Locked Elements 646
 - Add Note 403
 - Add, Automation Interface Code Example 1534
 - Add, Quick Start 28
 - Advanced, Menu Section 400
 - Aggregate 1257
 - Appearance 401
 - Arrange 404
 - Assembly 1258
 - Associate 1258
 - Association Class 1259
 - Bend At Cursor 406
 - BPMN 473
 - Change Source or Target 405
 - Change Type 405
 - Characteristics, Edit 400
 - Communication Path 1261
 - Compose 1261
 - Connector 1262
 - Constraints 418
 - Context Menu 398
 - Control Flow 1263
 - Create Between Elements 409
 - Create From Project Browser 409
 - Create From UML Toolbox 100
 - Create In MDA-Style Transform 964
 - Create Using Quick Linker 186
 - Custom Properties 297
 - Custom Properties, Set Value 400
 - Data Flow 468
 - Delegate 1264
 - Delete 409
 - Dependency 1265
 - Deployment 1266
 - Destination Role 421
 - Details 416
 - Display Options 201
 - Edit 413
 - Extend 1266
 - Generalize 1267
 - Hide/Show 401
 - Include 1267
 - Information Flow 1268
 - In-place Editing 413
 - Insert Bends Using Quick Linker 186
 - Interrupt Flow 1271
 - Labels, Edit 413
 - Locked 646
 - Manifest 1271
 - Message 1272
 - Move 404
 - Multiplicity 419
 - Nesting 1287
 - Notelink 1288
 - Notes 168
 - Object Flow 1288
 - Occurrence 1290
 - Overview 1255
 - Package Import 1290
 - Package Merge 1291
 - Pkg Import 1290
 - Pkg Merge 1291
 - Properties 416
 - Properties Menu 399
 - Realize 1292
 - Representation 1294
 - Represents 1294
 - Reverse Direction 413
 - Role Binding 1293
 - Role, Context Menu 398
 - Self-Message 1276
 - Shape Script Properties 1347
 - Source Role Properties 419
 - Styles 401
 - Tagged Value, Use 1307
 - Target Role Properties 421
 - Tasks 402
 - To Class Created In Transform 964
 - Trace 1295
 - Transform 964
 - Transition 1295
 - Type Specific Menu Section 400
 - Type, Change 405
 - Use 1297
 - Visibility 401, 411, 414
 - What Is a? 1255
 - Working With 398

- Connector Object
 - Automation Interface, Connector Package 1509
- Connector Package
 - Connector Object, Automation Interface 1509
 - ConnectorConstraint, Automation Interface 1507
 - ConnectorEnd, Automation Interface 1508
 - ConnectorTag, Automation Interface 1511
 - RoleTag, Automation Interface 1512
- Connector Package Diagram
 - Automation Interface 1506
- Connector Styles
 - Auto Routing 406
 - Custom 406
 - Direct 406
 - Line Style 406
 - Set 406
- ConnectorConstraint
 - Automation Interface, Connector Package 1507
- ConnectorEnd
 - Automation Interface, Connector Package 1508
- ConnectorTag
 - Automation Interface, Connector Package 1511
- ConstLayoutStyles Enum
 - Automation Interface 1449
- Constraint
 - Automation Interface, Element Package 1481
 - Compartment, Element 386
 - Element 374
 - In Connector 418
 - Inherited, Show 257
 - Note, Element 1207
 - On States, Debugger Generation Of Sequence Diagrams 883
 - Operators On 883
 - Profile 1308
 - Status Type, Define 684
 - Stereotype 1308
 - Type, Define 683
- Constraints
 - Of Attributes 336
- Contents
 - Package Context Sub-Menu 61
 - Table, MS Word, Add 1053
- Context Element
 - Highlight 326
- Context Item Events
 - Add-In Model 1411
 - EA_OnContextItemChanged 1411, 1413
 - EA_OnContextItemDoubleClicked 1412
- Context Menu
 - Connector 398
 - Connector Role 398
 - Diagram 246
 - Diagram, Project Browser 63
 - Discussion Forum 218
 - Element 294
 - Element, Multiple Selection 304
 - Element, Project Browser 61
 - Linked Document Editor 392
 - Method 63
 - Model 56
 - Model Views 142
 - Package 58
- Continuation
 - Element 1223
- Control
 - Create 1240
 - Element 1240
- Control Flow
 - Connector 1263
- Control Macros
 - Code Template Syntax 1377
- Controlled Package
 - Batch Export to XMI 583
 - Batch Import from XMI 584
 - Load 583
 - Menu, XMI 579
 - Recovery 585
 - Version Control 585
 - With XMI 578
- Convert
 - Linked Element to Local Copy 327
 - Names In MDA Transforms 966
- CONVERT_NAMES 966
- CONVERT_TYPE 966
- Convey
 - Information Item 1269
- Copy
 - Attributes Between Elements 327
 - Base Project 543
 - Diagram Image to Clipboard 255
 - Diagram Image to Disk 255

- Copy
 - Diagram, Deep 257
 - Diagram, Shallow 257
 - Element On Diagram 254
 - Metafile from Clipboard to Diagram 255
 - Model 66
 - Operations Between Elements 327
 - Packages Between Projects 551
 - RTF Bookmark To Clipboard 59, 63
- Copyright Notice 11
- Co-Region Notation 1273
- Corporate Edition 7
- Correcting Words 223
- Corrupt EAP file 554
- Create
 - A UI Control Element 1252
 - Adaptive Server Anywhere Repository 524
 - Add-In 1386
 - Baselines 665
 - Boundary Element 1237
 - Build Script 829
 - Check Constraint 915
 - Columns in Data Modeling 898
 - Combined Fragment 1175
 - Communication Messages 1281
 - Connector Using Quick Linker 186
 - Control Element 1240
 - Custom Tagged Values 1360
 - Custom View, Add-In Model 1427
 - Data Repository 516
 - Deploy Script 840
 - Design Master 569
 - Diagram 248
 - Diagram Automatically 240
 - Diagram From Linked Document 394
 - Document Artifact 391
 - Documents 1000
 - Element From Linked Document 394
 - Element Template 325
 - Elements 306
 - Entity 1241
 - Favorites Folder, Model View 141, 142
 - Foreign Key 903
 - Hidden Submenu 1327
 - HTML Report 1072
 - Index (Data Modeling) 915
 - Link Between Elements 409
 - Linked Document Template 395
 - MDG Technologies 1543
 - Model 488
 - Model Files Discussion 542
 - MSDE Server Repository 527
 - MySQL Repository 516
 - New Element Using Quick Linker 184
 - Notes 319
 - Oracle 10g Server Repository 521
 - Oracle 11g Server Repository 521
 - Oracle 9i Server Repository 521
 - Pattern 456
 - PostgreSQL Repository 522
 - Predefined Reference Data Tagged Value Type 1358
 - Primary Key 901
 - Profiles 1302
 - Progress OpenEdge Repository 528
 - Project 24, 488
 - Project File 484
 - Properties 338
 - Relationship Using Matrix 436
 - Replicas 569
 - Requirements 424
 - Rich Text Format Report (Enhanced Generator) 1002
 - Root Node, Model View 141, 142
 - RTF Report (Enhanced Generator) 1002
 - RTF Style Template 1006
 - RTF Style Template (Legacy) 1045
 - Run Script 832
 - Search Definition 153
 - Sequence Diagram in Debug Session 877
 - Sorted Lookup Table 915
 - SQL Server Repository 519
 - State Machine For Sequence Diagram Generation, Debugger 882
 - Structured Tags 1355
 - Table in Data Modeling 892
 - Tasks Pane Profiles 1332
 - Text 319
 - Timing Diagram 1098
 - Timing Message 1285
 - Toolbox Profile in MDG Technology 1327
 - Trigger Operation 915
 - UML Pattern 456
 - UML Profiles 1302
 - Unit Test Script 830
 - View 913
 - Views Folder, Model View 141, 142

- Create
 - Views, Model View 141, 142
 - Cross Reference
 - Between EMX Files 576
 - Delete 310
 - Set for Element 310
 - Use In Element 310
 - CSV
 - Export 585, 587
 - Import 585, 589
 - Preserve Hierarchy 585
 - Specifications 585
 - CTF
 - In SDK 1361
 - Overview 803
 - Current Connector
 - Toolbar 131
 - Current Element
 - Toolbar 130
 - Custom
 - Diagram 1143, 1145, 1146, 1148
 - Diagram Types 1331
 - Elements and Connectors 119
 - Group, Enterprise Architect UML Toolbox 119
 - Layout 205
 - Model 1143
 - Stereotypes 1300
 - Custom Background
 - For Diagram, Create Using Image Manager 274
 - Custom Language
 - Create Templates For in Code Template Editor 1384
 - Settings, RTF Report Generation 1036
 - Custom Properties
 - Dialog 297
 - For Connectors 297
 - For Elements 297
 - Custom Tagged Values
 - Create 1360
 - Custom Template
 - Create From Project 488
 - Custom View
 - Add-In Model 1427
 - Customize
 - Commands 86
 - Diagram Appearance 278
 - Dialog 85
 - Keyboard Shortcuts 93
 - Menus 96
 - Options 97
 - RTF Language 1036
 - RTF Language (Legacy) 1048
 - Toolbars 87
 - Tools 89
 - Visible Elements 318
 - Window 85
 - CustomProperties Collection
 - Automation Interface, ElementFeatures Package 1499
 - CVS
 - Remote Repository 602
 - Version Control Options 601, 605
 - Version Control With Local Repositories 605
- D -**
- Dashed Border
 - On Element 312
 - Data
 - Compare 550
 - Export 697
 - Import 698
 - Integrity 546
 - Integrity Check 546
 - Integrity, Run SQL Patches 548
 - Model Template 45
 - Data Flow
 - Concepts 468
 - Connector 468
 - Diagram 468
 - Element 468
 - MDG Technology 468
 - Relationship 468
 - Toolbox Page 468
 - Data Management
 - Project Compare 84
 - Project Integrity 84
 - Project Transfer 84
 - Submenu (Tools) 84
 - Data Modeling
 - Check Constraint 915
 - Compare DDL With Database 919
 - Create Columns 898
 - Create Table 892
 - Data Model Diagram 891

- Data Modeling
 - Data Type Conversion Procedures 922
 - DBMS Conversion Procedure Package 923
 - DBMS Data Types 925
 - DDL 917
 - Elements and Connectors 125
 - Foreign Keys 903
 - Generate DDL 917
 - Generate DDL for a Package 919
 - Group, Enterprise Architect UML Toolbox 125
 - Index 915
 - Introduction 890
 - ODBC 917
 - Primary Key 901
 - Primary Key Extended Properties 902
 - Profile 890
 - Set MySQL Table Type 895
 - Set Table Owner 895
 - Set Table Properties 893
 - Sorted Lookup Table 915
 - SQL 917
 - Stored Procedure 908
 - Trigger Operation 915
- Data Repository
 - Adaptive Server Anywhere, Connect To 538
 - Connect To 484, 528
 - Create 516
 - MSDE Server, Connect To 540
 - MySQL, Connect To 529
 - Oracle 10g, Connect To 534
 - Oracle 11g, Connect To 534
 - Oracle 9i, Connect To 534
 - PostgreSQL, Connect To 536
 - Progress OpenEdge, Connect To 540
 - SQL Server, Connect To 531
- Data Source
 - Select 929
- Data Transfer
 - Between Repositories 548
 - Compare Projects, Instructions 550
 - Compare Projects, Why? 550
 - Copy Packages Between Projects 551
 - Transfer Project Data 549
 - Upsize to MySQL 500
- Data Type
 - Add 695
 - Code 695
 - Conversion Procedures 922
- DBMS 925
 - Definition 578
 - Delete 695
 - Extend 695
 - Modify 695
 - Programming Language 695
- Database
 - Compare Package DDL With 919
 - Design 890
 - Model Template 45
 - Schema, Diagram 1149
 - Schema, Import 890
 - Set Default 128
 - Supported 890
 - View 913
- Database Administrator
 - Project Role 235
- Database Engineering
 - Submenu 76
- Database Repository
 - Connect To 489
 - Create 489
 - Set Up 489
- Database Table
 - Select From ODBC Data Source 930
- Datastore
 - Element 1180
- Datatype
 - Automation Interface Repository 1467
- DBMS
 - Conversion Procedures 922
 - Data Type Conversion Procedures 922
- DBMS Conversion
 - Mapper 923
 - Procedure 923
 - Table Conversion Between DBMS Types 923
- DDL
 - Compare With Database 919
 - Data Modeling 917
 - Default Script Editor 781
 - Generate For Package 919
 - Generate For Table 917
 - Transformation 941
- Debug
 - .NET 844
 - .NET Assembly 837
 - .NET CLR Versions 838
 - .NET With COM Interop Process 848

- Debug
 - Another .NET Process 850
 - ASP .NET 845
 - Enable Capture Of State Transitions In Sequence Diagram 881
 - Invoke Methods 870
 - Java 844
 - Java Web Servers 850, 855
 - Platforms 844
 - Set Up Session 834
 - System Requirements 844
 - Toolbar 857
 - Under Windows Vista 844
 - Variables 865
 - With Enterprise Architect 834, 844
 - Workbench Window 859
- Debug Workbench Window
 - Breakpoints Tab 860
- Debug Session
 - Generate Sequence Diagram From 871
 - Java Setup 835
 - Microsoft Native Setup 839
 - Record Automatically For Thread 876
 - Record For Method 873
 - Record Manually For Thread 875
 - Recording Markers 876
 - Set Up For Java 835
 - Set Up For Microsoft Native 839
 - Trace Marking 876
- Debug Workbench Window
 - Local Variables 862
 - Output 864
 - Recording History 864
 - Stack Tab 863
 - Workbench 865
- Debugger
 - Capture State Transitions, Sequence Tab Option 879
 - Create State Machine For Sequence Diagram Generation 882
 - Enable Filter, Sequence Tab Option 841
 - Filters 841
 - Inspect Variables at Run-Time 859
 - Record Arguments To Function Calls, Sequence Tab Option 843
 - Record Calls To External Modules, Sequence Tab Option 843
 - Run-Time Inspection 859
 - Sequence Tab Options 840
 - System Requirements 844
 - To Sequence Diagram 873
 - Using 855
 - Wildcard in Filter 841
- Decision
 - Element 1180
- Deep Copy
 - Of Diagram 257
- Default
 - Code Language, Set 128
 - Database, Set 128
- Default Behaviour
 - Project Browser 53
- Default Diagram
 - Model 79
 - Model, Make 286
 - User 79
- Default Fonts
 - Model 199
 - Set 199
 - User 199
- Default Hours
 - Estimation 716
 - Per Adjusted Use Case Point 716
 - Project Management 716
 - Rate 716
 - Settings 716
- Default Templates
 - Override in Code Template Editor 1383
- Default Tools
 - Toolbar 127
- Default UML to XSD Mappings 980
- Defaults and User Settings
 - Options Dialog 187
- Defect
 - Add 742
 - Element 742
 - Hide Stereotype Letter 742
 - Show Stereotype Letter 742
- Define
 - Author 673
 - Clients 679
 - Clipboard Format 189
 - Email Exchange Server 189
 - File Directory 189
 - Foreign Key Name Template 907
 - Home Web Site 189
 - Internet Search Engine 189

- Define
 - Resources 678
 - Roles 676
 - Run-Time Variable 1209
 - Stereotype As Metatype 1317
 - Stereotype Constraints 1308
 - Validation Configuration For MDG Technology 1555
- Define Menu Items
 - Create Add-In 1387
- Defined Environment Types 713
- Delegate
 - Connector 1264
- Delete
 - Connectors 409
 - Connectors, Quick Start 30
 - Diagram 253
 - Diagrams, Quick Start 30
 - Element Changes 739
 - Element Defects 739
 - Element From Diagram 317
 - Element from Model 317
 - Element From Project Browser 317
 - Element Issues 739
 - Element Tasks 739
 - Elements, Impact of Auditing 661
 - Elements, Quick Start 30
 - Instance Variable 1209
 - Item In Discussion Forum 216
 - Line Points 406
 - Linked Document 394
 - Linked Document Template 395
 - Locks 642
 - Package 242
 - Package From Virtual Document 1069
 - Packages, Quick Start 30
 - Project Task 747
 - Relationship 376
 - Relationship Using Matrix 436
 - RTF Style Template 1006
 - Views 557
 - Workbench Variables 869
- Delete Selected Element(s)
 - Menu Option 69
- Deletion
 - And Auditing 661
- Delphi
 - Import, Reverse Engineering 768
 - Modeling Conventions 817
 - Options 794
 - Properties 795
- Demonstration
 - Of Enterprise Architect 37
- Denote Lifecycle of an Element 1117
- Dependency
 - Connector 1265
 - Relationship, Apply Stereotype 1265
 - Report 432, 1059
- Deploy
 - Add-In 1388
- Deploy Script
 - Create 840
- Deployment
 - Connector 1266
 - Diagram 1139
 - Elements and Connectors 115
 - Group, Enterprise Architect UML Toolbox 115
 - Model Template 47
 - View 555
- Deployment and Rollout
 - Project Role 233
- Deployment Spec
 - Element 1182
- Design
 - Patterns 455
- Design Master 545, 568
 - Create 569
- Desktop Edition 7
 - Upsize From 489
- Destination Role 421
- Developer
 - Project Role 230
- Device
 - Element 1183
- Diagram
 - Activity 1080
 - Add And Manage, Automation Interface Code Example 1535
 - Add Profile Connector 442
 - Add To Project 248
 - Add, Quick Start 27
 - Alias 281
 - Alternative Image For Element 272
 - Analysis 1141
 - Appearance Options, Connectors 285
 - Appearance Options, Diagram Tab 281

- Diagram
- Appearance Options, Element 282
 - Appearance Options, Features 284
 - Appearance Options, General 279
 - Appearance Options, Set 278
 - Attribute Details, Show 284
 - Automatic Layout 250
 - Automation Interface, Diagram Package 1514
 - Behavior Options 194
 - Behavioral, Overview 1080
 - BPMN 473
 - Change Type 256
 - Class 1131
 - Collaboration 1124
 - Communication 1124
 - Component 1137
 - Composite Structure 1134
 - Connector Appearance Options 285
 - Connector Notation, Show 285
 - Context Menu 246
 - Context Menu, Project Browser 63
 - Copy Image to Clipboard 255
 - Copy Metafile From Clipboard 255
 - Copy, Deep 257
 - Copy, Shallow 257
 - Create 248
 - Create Automatically 240
 - Create Custom Background, Using Image Manager 274
 - Create From Linked Document 394
 - Creator 279
 - Custom 1143, 1145, 1146, 1148
 - Customize Appearance 278
 - Data Flow 468
 - Database Schema 1149
 - Define Child Type, Supported Attributes 1319
 - Delete 253
 - Delete Element From 317
 - Delete Multiple Elements From 317
 - Deployment 1139
 - Details Note 260, 281
 - Display Options 192
 - Divide Between Pages In RTF Reprt 281
 - Drag & Drop Elements From Project Browser 264
 - Drag Package Onto 241
 - Duplicate 257
 - Element Appearance Options 282
 - Element Compartments, Show/Hide 282
 - Element Stereotypes, Show 282
 - Element, Copy 254
 - Extended 1079, 1141
 - Feature Return Types, Show 284
 - Feature Stereotypes, Show 284
 - Features Appearance Options 284
 - Increase Display Size 197, 243
 - Interaction 1096
 - Interaction Overview 1127
 - Introduction 243
 - Layout 250
 - Legend 287
 - Lock 277
 - Logical 1131
 - Maintenance 1146
 - Make Model Default 286
 - Menu 79
 - Mind Mapping 467
 - Move Elements 312
 - Navigation Hotkeys 254
 - Note 260
 - Notes 279
 - Notes, Show/Hide 192
 - Object 1133
 - Open From Shortcut 66
 - Overview 1079
 - Package 1130
 - Page Setup 192
 - Pan And Zoom 183
 - Paste 257
 - Place Related Elements On Current 265
 - Print Page Footer 281
 - Print Page Header 281
 - Profiles 1331
 - Properties Note, Add 260
 - Properties, Set 278
 - Property Strings, Show 285
 - Redo Last Action 278
 - Relationships, Show 285
 - Rename 254
 - Requirements 1145
 - Robustness 1150
 - Rotate Image In RTF Report 281
 - RTF Document Options 281, 1003
 - Save As Pattern 456
 - Save Profile 1315
 - Sequence 1115

- Diagram
 - Set Page Size 290
 - Show As Element List 246
 - Show Element List As 139
 - Show/Hide Package Contents 242
 - State 1084
 - State Machine 1084
 - Stereotype 279
 - Structural 1129
 - Swimlanes 266
 - Swimlanes Matrix 269
 - Table Owner, Show 282
 - Tabs 135
 - Tasks, General 248
 - Timing 1096
 - Toolbar 130
 - Types 1079
 - Types, Built In 1332
 - Types, Custom 1331
 - Undo Last Action 278
 - Use Case 1082
 - User Interface 1148
 - Version 279
 - View 136
 - View Last 278
 - View Next 278
 - Working With 243
 - WSDL Binding 994
 - WSDL Message 993
 - WSDL Overview 988
 - WSDL Port Type 993
 - WSDL Service 991
 - WSDL Types 988
- Diagram Gate
 - Element 1183
- Diagram Only Report 1060
- Diagram Package
 - Automation Interface 1513
 - Diagram, Automation Interface 1514
 - DiagramLinks, Automation Interface 1517
 - DiagramObjects, Automation Interface 1517
 - Swimlane, Automation Interface 1520
 - SwimlaneDef, Automation Interface 1519
- Diagram Profile
 - Define In MTS File 1553
- DiagramLinks
 - Automation Interface, Diagram Package 1517
- DiagramObjects
 - Automation Interface, Diagram Package 1517
- Dialog
 - Set Attribute 1156
 - Set Feature 1156
 - Set Operation 1156
- Dictionary
 - User (Spell Checker) 223
- Diff
 - Utility 662
- Diff Utility 665
- Differencing
 - Facility 665
 - Output 667
 - With Baselines 665
- Direct Substitution
 - Field Substitution Macros, Code Template Syntax 1363
- Directory Structure
 - Import, Reverse Engineering 766
- Disable
 - Add-Ins 1390
 - BPMN 473
 - Data Flow Diagrams 468
 - ICONIX Process 470
 - MDG Technologies 462
 - Mind Mapping 467
 - Security 632
- Disconnect
 - Controlled Package 581
- Discussion Forum
 - Access From Shortcut 66
 - Add Element Links 218
 - Add New Category 212
 - Add New Post 214
 - Add New Topic 213
 - Context Menu 218
 - Copy Path to Clipboard 219
 - Delete Item 216
 - Edit a Post 215
 - Forum Connections 220
 - Forum Options 219
 - Hyperlink To 1243
 - Introduction 210
 - Message Dialog 217
 - Options 219
 - Overview of Components 211
 - Reply To Post 215
- Display

- Display
 - Attributes, Inherited 257
 - Constraints, Inherited 257
 - Element Properties, Shape Scripts 1347
 - Full Screen 99
 - Inherited Attributes 339
 - Inherited Operation 354
 - Operations, Inherited 257
 - Requirements, Inherited 257
 - Tagged Values, Inherited 257
 - Display Options
 - Connector 201
 - Diagram 192
 - Element 197
 - Link 201
 - Relationship 201
 - Display Size
 - Diagram, Increase 197
 - Distributed Development
 - Replication 567
 - XMI Import/Export 567
 - Dock Windows
 - Navigation Compass 160
 - Dockable Windows 164
 - Document
 - Enterprise Architect Content 1000
 - Exclude Packages 1000
 - HTML 1000
 - Linking 389
 - Projects 1000
 - Resource, RTF Generator (Enhanced) 1031
 - Rich Text Format 1000
 - RTF 1000
 - Single Element, RTF (Legacy) 1039
 - WSDL Element 990
 - Document Artifact
 - Element 1184
 - Document Options
 - RTF Generator, From Diagram (Enhanced) 1003
 - RTF Generator, From Diagram (Legacy) 1003
 - Documentation
 - Elements 1064
 - Group, Enterprise Architect UML Toolbox 1064
 - HTML 1072
 - Package Context Sub-Menu 59
 - Reports 59
 - Rich Text Format 1001
 - RTF 1001
 - Submenu 74
 - Domain
 - Model Template 44
 - Download
 - GoF Pattern 458
 - Drag
 - Elements From Project Browser Onto Diagram 264
 - Objects From Project Browser Onto Diagram 264
 - Package Onto Diagram 241
 - Drawing Methods
 - Shape Scripts 1343
 - Drop
 - Classifiers As Links 264
 - Classifiers As New Instances 264
 - Elements From Project Browser Onto Diagram 264
 - Objects From Project Browser Onto Diagram 264
 - DTD 578
 - Duplicate
 - Diagram 257
 - Duration
 - Constraint 1277
 - Constraint Between Messages 1277
 - Observation 1277
 - Dynamic View 555
- E -**
- EA_Connect
 - Add-In Event 1393
 - EA_Disconnect
 - Add-In Event 1393
 - EA_FileClose
 - Broadcast Events, Add-In Model 1399
 - EA_FileOpen
 - Broadcast Events, Add-In Model 1398
 - EA_GetCompartmentData
 - Compartment Events, Add-In Model 1415
 - EA_GetMenuItems
 - Add-In Event 1394
 - EA_GetMenuState
 - Add-In Event 1394
 - EA_MenuClick
 - Add-In Event 1395

- EA_OnContextItemChanged
 - Context Item Events, Add-In Model 1411
- EA_OnContextItemDoubleClicked
 - Context Item Events, Add-In Model 1412
- EA_OnDeleteTechnology
 - Technology Events, Add-In Model 1410
- EA_OnEndValidation
 - Model Validation Broadcasts, Add-In Model 1418
- EA_OnImportTechnology
 - Technology Events, Add-In Model 1411
- EA_OnInitialize_Technologies
 - Broadcast Events, Add-In Model 1427
- EA_OnInitializeUserRules
 - Model Validation Broadcasts, Add-In Model 1417
- EA_OnNotifyContextItemModified
 - Context Item Events, Add-In Model 1413
- EA_OnOutputItemClicked
 - Add-In Event 1396
- EA_OnOutputItemDoubleClicked
 - Add-In Event 1397
- EA_OnPostNewAttribute
 - Post-New Events, Add-In Model 1407
- EA_OnPostNewConnector
 - Post-New Events, Add-In Model 1407
- EA_OnPostNewElement
 - Post-New Events, Add-In Model 1406
- EA_OnPostNewMethod
 - Post-New Events, Add-In Model 1408
- EA_OnPostNewPackage
 - Post-New Events, Add-In Model 1409
- EA_OnPostTransform
 - Broadcast Events, Add-In Model 1414
- EA_OnPreDeleteConnector
 - Pre-Deletion Events, Add-In Model 1400
- EA_OnPreDeleteDiagram
 - Pre-Deletion Events, Add-In Model 1401
- EA_OnPreDeleteElement
 - Pre-Deletion Events, Add-In Model 1400
- EA_OnPreDeletePackage
 - Pre-Deletion Events, Add-In Model 1401
- EA_OnPreDeleteTechnology
 - Technology Events, Add-In Model 1409
- EA_OnPreNewAttribute
 - Pre-New Events, Add-In Model 1404
- EA_OnPreNewConnector
 - Pre-New Events, Add-In Model 1403
- EA_OnPreNewElement
 - Pre-New Events, Add-In Model 1402
- EA_OnPreNewMethod
 - Pre-New Events, Add-In Model 1404
- EA_OnPreNewPackage
 - Pre-New Events, Add-In Model 1405
- EA_OnRetrieveModelTemplate
 - Broadcast Events, Add-In Model 1426
- EA_OnRunAttributeRule
 - Model Validation Broadcasts, Add-In Model 1420
- EA_OnRunConnectorRule
 - Model Validation Broadcasts, Add-In Model 1420
- EA_OnRunDiagramRule
 - Model Validation Broadcasts, Add-In Model 1419
- EA_OnRunElementRule
 - Model Validation Broadcasts, Add-In Model 1419
- EA_OnRunMethodRule
 - Model Validation Broadcasts, Add-In Model 1421
- EA_OnRunPackageRule
 - Model Validation Broadcasts, Add-In Model 1419
- EA_OnRunParameterRule
 - Model Validation Broadcasts, Add-In Model 1421
- EA_OnStartValidation
 - Model Validation Broadcasts, Add-In Model 1418
- EA_QueryAvailableCompartments
 - Compartment Events, Add-In Model 1415
- EA_ShowHelp
 - Add-In Event 1397
- EABase
 - As Source 543
 - Project 36
 - Project File 488
- EAExample File 486
- EAP File
 - As Project Database 484
 - Corrupt 554
 - Iterate Through, Automation Interface Code Example 1532
- ECF
 - Value 713
 - Weighting 713
- Edit

- Edit
 - Attribute Name, In-Place Editor 357
 - Element Name, In-Place Editor 357
 - Linked Document Template 396
 - Linked Documents 392
 - Menu 69
 - Operation Name, In-Place Editor 357
 - Pattern Default 458
 - Post in Discussion Forum 215
 - RTF Style Template 1006
 - Test Details 727
- Editions
 - Corporate 7
 - Desktop 7
 - Floating Licence 7
 - Of Enterprise Architect 7
 - Professional 7
 - Standalone 7
- Effort
 - Attributes 1481
 - Automation Interface, Element Package 1481
 - Methods 1481
- Effort Management 718
- Effort Types
 - Define 722
 - Global 722
 - Non-Global 718
- EJB
 - Entity Bean Transformations 946
 - Session Bean Transformations 946
- Element
 - Action 1154
 - Activity 1160
 - Activity Final 1191
 - Activity Partition 1211
 - Activity Region 1218
 - Actor 1164
 - Add And Manage, Automation Interface Code Example 1533
 - Add Attribute 362
 - Add Directly To Package 307
 - Add Operation 362
 - Add Supporting Diagrams and Elements 298
 - Add To Favorites 299
 - Add To Profile 1303
 - Add, Quick Start 27
 - Advanced Settings 370
 - Align 315
 - Alternative Image 272
 - Appearance 320
 - Appearance, Context Menu Option 302
 - Artifact 1165
 - Associated Files 378
 - Attribute Scope, Edit 359
 - Attributes Option 302
 - Author 369
 - Auto Counters 308
 - Auto Element Naming 308
 - Automation Interface, Element Package 1482
 - Autosize Group 261
 - Basic Elements 1154
 - Behavioral Diagram 1151
 - Boundary 1237
 - Boundary, Settings 385
 - BPMN 473
 - Browser 171
 - Cardinality 371
 - Central Buffer Node 1166
 - Change 742, 743
 - Change Type 314
 - Changes 738
 - Changes, Add/Modify/Delete 739
 - Child Validation 562
 - Choice 1166
 - Class 1167
 - Code Engineering Menu Option 302
 - Collaboration 1171
 - Collaboration Occurrence 1172
 - Combined Fragment 1173
 - Compartments 386
 - Complexity 369
 - Component 1179
 - Composite 1239
 - Concurrency 371
 - Constraint Note 1207
 - Constraints 374
 - Context Menu 294
 - Context Menu, Add Submenu 298
 - Context Menu, Add Sub-Menu 62
 - Context Menu, Features 302
 - Context Menu, Find Submenu 299
 - Continuation 1223
 - Continutaion 1223
 - Control 1240
 - Create 306
 - Create Child Diagram 248

Element

- Create From Linked Document 394
- Create From UML Toolbox 100
- Create Link From Project Browser 409
- Create With Quick Linker 184
- Custom Properties 297
- Customize Visible 318
- Dashed Border On 312
- Data Flow 468
- Datastore 1180
- Decision 1180
- Default Element Template 325
- Defect 742
- Defects 738
- Defects, Add/Modify/Delete 739
- Delete 317
- Deployment Spec 1182
- Details 371
- Device 1183
- Diagram Gate 1183
- Display Depth 255
- Display Options 197
- Document Artifact 1184
- Documentation 1064
- Drag & Drop Onto Diagram From Project Browser 264
- Edit Attribute Keyword 359
- Edit Attribute Stereotype 358
- Edit Item Tasks 356
- Edit Name, In-Place Editor 357
- Edit Operation Parameter Keyword 360
- Edit Operation Parameter Kind 361
- Edit Operation Stereotype 358
- Embedded 300
- Endpoint 1185
- Entity 1241
- Entry Point 1186
- Enumeration 1186
- Event 1242
- Exception 1187
- Execution Environment 1187
- Exit Point 1190
- Expansion Region 1188
- Expose Interface 1191
- External Requirements 373
- Feature 1242
- Flow Final 1192
- Font, Set 82
- Fork 1193, 1195
- Fragment 1173
- General Properties 369
- General Settings 369
- History 1197
- Hyperlink 1243
- Information Item 1199
- Initial 1199
- In-place Editor Options 356
- Insert Maintenance Feature 364
- Insert Operation Parameter 363
- Insert Related Elements 298
- Insert Testing Features 366
- Instance 1208
- Interaction Occurrence 1200
- Interface 1200
- Internal Requirements 372
- Interruptible Activity Region 1201
- Issue 742
- Issues 738
- Issues, Add/Modify/Delete 739
- Join 1193, 1196
- Junction 1203
- Keywords 369
- Legend 287
- Lifecycle 1117
- Lifeline 1204
- Linked, Convert To Local Copy 327
- Lock 646
- Lock Indicators 649
- Locked, Add Connector To 646
- Maintenance 738
- Master Document 1064
- Menu 80
- Merge 1180
- Merge Node 1204
- Mind Mapping 467
- Model Document 1064
- Move Between Packages 313
- Move in Diagrams 312
- Multiple Selection 304
- N-Ary Association 1246
- New 306
- Node 1206
- Note 1207
- Notes 168, 319
- Object 1208
- Occurrence 1200

Element	Show Usage	310
Operation Scope, Edit	Signal	1219
Operations Option	Size	316
Other	State	1219
Package	State Invariant	1223, 1225
Part	State Lifeline	1222
Partition	State Machine	1228
Paste As Link	State/Continuation	1223
Paste As New	Status	369
Paste From Clipboard As Metafile	Stereotype	369
Paste From Project Browser	Structured Activity	1226
Phase	Sub-Activity	1160, 1226
Place Related On Current Diagram	Submachine State	1219, 1228
Port	Superimposition	255
Postconditions	Synch	1229
Preconditions	System Boundary	1229
Primitive	Table	1251
Process	Tagged Values	379
Project Browser	Tasks	306, 738
Properties	Tasks, Add/Modify/Delete	739
Properties Dialog, Changes and Defects	Template Package	325
Properties, Edit From Package	Template Parameters	371
Properties, Links	Template, Default Element	325
Receive	Templates And Profiles	325, 438
Receive Event	Terminate	1230
Recursion	Test Scripts Compartment	736
Region	Text	319
Region, Expansion	Toolbar	129
Region, Interruptible Activity	Transformation	935
Relationship, Delete	Trigger	1231
Relationship, Hide	Type	296
Relationship, Show	UI Control	1251
Requirement	UML	1150
Requirements	Use Case	1231
Resize	Use Cross references	310
Responsibilities	Use Extras, Automation Interface Code Example	1536
Scenario	User Interface	1251
Screen	Value Lifeline	1234
Send	Version	369
Send Event	Visibility	371
Sequence	Visibility Options	200
Set Cross References	Work On From Element List	137
Set Default Appearance	Working With	292
Set Element Template Package	WSDL Binding	994
Set Feature Visibility	WSDL Message	993
Set Font	WSDL Namespace	988
Set Parent	WSDL Service	991
Shape Script Properties		

- Element
 - WSDL, Document 990
 - WSDL, Port Type 993
 - Z Order 255
- Element Features
 - Operations 341
- Element List
 - Context Menu Options 139
 - Description 137
 - Generate RTF Report 1002
 - Options 139
 - Show As Diagram 139
 - Show Diagram As 246
 - Was Report View 137
 - Work On Elements 139
- Element Package, Automation Interface
 - Constraint 1481
 - Diagram 1479
 - Effort 1481
 - Element 1482
 - File 1488
 - Issue 1489
 - Metric 1489
 - Requirement 1490
 - Resource 1491
 - Risk 1492
 - Scenario 1492
 - TaggedValue 1493
 - Test 1494
- Element Templates
 - And Profiles 1299
- ElementFeatures Package, Automation Interface
 - Attribute 1496
 - AttributeConstraint 1497
 - AttributeTag 1498
 - CustomProperties Collection 1499
 - Diagram 1495
 - EmbeddedElements Collection 1499
 - Method 1500
 - MethodConstraint 1502
 - MethodTag 1502
 - Parameter 1503
 - Partitions Collection 1504
 - Properties 1505
 - Property 1505
 - Transitions Collection 1505
- Elements
 - Maintenance 738
- Email
 - Access Within Enterprise Architect 158
 - Exchange Server, Define Default 189
- Embedded Elements
 - Dialog 300
 - Element Context Submenu 300
 - Window 300
- EmbeddedElements Collection
 - Automation Interface, ElementFeatures Package 1499
- EMX
 - File Cross References 576
 - File Import 576
- Enable
 - Add-Ins 1390
 - MDG Technologies 462
 - Security 632
- Enable Filter
 - Debugger Sequence Tab Option 841
- Encrypt Password
 - Prior To Release 7.1 Of Enterprise Architect 643
- Encrypt Password (Repository)
 - At Release 7.1 Of Enterprise Architect 66, 69
- End User License Agreement 11
- Endpoint
 - Element 1185
- Engineering
 - Forward 230
 - Reverse 230
 - Round Trip 230
- Enterprise Architect
 - Add-In Model 1385
 - Code Engineering With 23
 - Connectors 1255
 - Demonstration 37
 - Dockable Windows 164
 - Editions, Differences Between 7
 - Editor 781
 - Example Project File 486
 - Feedback Pages 3
 - Formal Statements 10
 - Fundamental Processes 20
 - Glossary 1558
 - Help 9
 - How To Use 3
 - Install 16
 - Key Features 4

Enterprise Architect	
Main Menu	64
Modeling With	238
Object Model, Introduction	1439
Online User Guide	3
Order	15
Pricing And Purchasing	15
Project Files, Open a Project	486
Project, What Is A?	485
Register Full License	17
Replication Merge Rules	568
SDK, Introduction	1299
Start	36
Start Page	39
Support	9, 10
Tools And Features	36
Trial Version	15
User Interface	37
Using	36
What Can I Do With It?	5
What is Enterprise Architect?	4
Working With	20
Workspace Status Bar	133
Enterprise Architect UML Toolbox	100
Activity Group	114
Analysis Group	118
Class Group	108
Common Group	107
Communication Group	111
Component Group	114
Composite Group	110
Custom Group	119
Data Modeling Group	125
Deployment Group	115
Documentation Group	1064
Interaction Group	112
Maintenance Group	121
MDG Technology Groups	464
Metamodel Group	117
Object Group	109
Profile Group	116
Requirement Group	120
Shortcut Menu	105
State (Machine) Group	113
Timing Group	112
Use Case Group	108
User Interface Group	121
WSDL Group	124
XML Schema Group	125
Enterprise Java Beans	946
Entity	
Create	1241
Element	1241
Entry Point	
Element	1186
Enumeration	
Automation Interface	1449
ConstLayoutStyles	1449
Element	1186
EnumRelationSetType	1449
Literal	1186
MDGMenus	1450
ObjectType	1450
PropType	1451
ReloadType	1451
XMIType	1451
Enumeration Elements	
Add to Profiles	1310
EnumRelationSetType Enum	
Automation Interface	1449
Environment Complexity Factor	
Definition	713
Estimate Project Size	714
Estimation	713
Value	713
Weighting	713
Estimation	691
Default Hours	716
Environment Complexity Factors	713
Of Project Factors	711
Of Project Size	714
Of Project Timescale	711
Technical Complexity Factors	711
Event	
Element	1242
Receive	1242
Send	1242
EventProperties	
Automation Interface Repository	1468
EventProperty	
Automation Interface Repository	1469
Examples and Tips	
Automation Interface	1442
Exception	
Element	1187
Exclamation Mark	

Exclamation Mark
 Blue 649
 Red 649

Exclude
 Package in RTF Report 1047

Execution Environment
 Element 1187

Exit
 Menu Option 64

Exit Point
 Element 1190

Expansion Region
 Add 1190
 Element 1188

Export
 Code Templates 1385
 Data 697
 MOF To XMI 631
 Profile 1313
 Reference Data 697
 Reference Data, Introduction 696
 RTF Style Template 1006
 To Rational Rose 572, 573, 578
 To XMI 573
 UML Profile 1313
 Version Controlled Model Branch 620
 XMI, Batch 583

Export Diagrams
 To RTF Document 1060

Expose Interface
 Element 1191

Extend
 Connector 1266
 Sequence Element Activation 1120
 UML Toolbox Connectors 1330
 UML Toolbox Elements 1329

Extended Stereotypes 1235

Extended UML Diagrams 1141

Extension Points
 Use Case 1232

External
 Requirements 373, 424
 Requirements, Color Coded 426

External Tools
 Open 91
 Pass Parameters To 92

- F -

Favorites
 Add To Resources Window 168
 Delete From Resources Window 168
 Drag Objects Into 140, 143
 Folder, Resources Window 168
 Model Views Folder 140
 View Properties In Resources Window 168

FDD Methodology 1242

Feature
 As Attribute 330
 As Operation 341
 Element 1242

Feature Driven Design Methodology 1242

Feature Visibility
 Attributes 257
 Customize 257
 Inherited 257
 Operations 257
 Set 257
 Suppress 257

Features
 Of Enterprise Architect 4

Feedback Pages 3

Field Substitution Macros
 Access Data from Attributes 1363
 Access Data from Classes 1363
 Access Data from Operations 1363
 Access Data from Packages 1363
 Access Data from Parameters 1363
 Conditional Substitution 1363
 Direct Substitution 1363

Fields and Conditions
 In Search 158

File
 Element Package, Automation Interface 1488
 Hyperlink To 1243
 Menu 64

Filters
 Add to Search 156
 Search 149

Find
 Element In All Diagrams 299
 Element In Project Browser 299
 Submenu 299

Find in Project

- Find in Project
 - Dialog, Simple 149
 - Menu Option 69
 - Results 144
 - Firebird 890
 - Floating Licence
 - Version of Corporate Edition 7
 - Flow Final
 - Element 1192
 - Font
 - Set For Element Text 304
 - Fonts
 - Set Model Default 199
 - Set User Default 199
 - Footer
 - Insert In RTF Template 1024
 - Footers
 - Add To RTF Document 1055
 - Foreign Key
 - Composite 903
 - Create 903
 - Description 903
 - Name Template, Define 907
 - Foreign Language Translation
 - RTF Report Generation 1036
 - Fork
 - Element 1193, 1195
 - Pseudo-State 1193, 1195
 - Fork/Join
 - Element 1193
 - Formal Statements 10
 - Format
 - Toolbar 131
 - Forward Engineering 230
 - Initial Code in Operations 351
 - Introduction 763
 - Fragment
 - Element 1173
 - Frame
 - Combine Windows In 160
 - Remove Windows From 160
 - Free Sorting
 - On Project Browser 53
 - Full Screen
 - Display Option 99
 - Fully Qualified Tagged Value
 - Show In Element Compartment 257
 - Function
 - Keys 206
 - Macros, Code Template Syntax 1374
- G -
- Garden Of Eden Style 983
 - General
 - Options 189
 - Ordering, Sequence Diagram Messages 1279
 - Types, Dialog 681
 - Generalization
 - Link, Override Parent Operations 353
 - Sets 410
 - Generalize
 - Connector 1267
 - Generate
 - Global Element For Global ComplexTypes 981
 - Global Element In XSD 983
 - Report on Elements 137
 - Report on Project 137
 - Rich Text Format Report (Legacy) 1045
 - RTF Document from Resources (Enhanced) 1031
 - RTF Document from Resources (Legacy) 1048
 - RTF Report (Legacy) 1045
 - RTF Report from Element List 137
 - RTF Report From Virtual Document 1071
 - Sequence Diagram From Method 873
 - Sequence Diagram in Debug Session 871
 - WSDL 997
 - XML Schema For Referenced Packages 981
 - XML Schema, For Child Packages 981
 - XSD 981
 - Generate HTML Report Dialog 1073
 - Generate RTF Documentation
 - From Model Search 144
 - Generate RTF Documentation Dialog
 - Options 1004
 - Generate RTF Report
 - Update Links in Word 1058
 - Generate Source Code
 - Overview 773
 - Get
 - Project Custom Colors 322
 - Getting Started
 - Add License Key 702
 - Installing Enterprise Architect 16

- Getting Started
 - License Information 702
 - License Management 701
 - Quick Start Guide to Enterprise Architect 20
 - Register Enterprise Architect 17
 - Registration Key 702
 - Start Enterprise Architect 36
 - Upgrade Existing License 705
 - With MOF 629
 - Global Element
 - Generate For Global ComplexTypes 981
 - Generate In XSD 983
 - Import XSD 986
 - Global Elements
 - Import 984
 - Global Risks 724
 - Glossary
 - A 1558
 - Add Item, Glossary Dialog 754
 - B 1560
 - C 1561
 - D 1563
 - Delete Item, Glossary Dialog 754
 - Dialog 754
 - E 1565
 - F 1566
 - G 1567
 - H 1567
 - I 1567
 - J 1568
 - L 1569
 - M 1569
 - Modify Item, Glossary Dialog 754
 - N 1571
 - O 1571
 - Of Terms 1558
 - P 1572
 - Q 1574
 - R 1574
 - Report 757
 - Report Output Sample 758
 - S 1576
 - T 1579
 - U 1580
 - V 1581
 - Glossary Detail Dialog
 - Add Item 755
 - Delete Item 755
 - Modify Item 755
 - GoF Pattern
 - Download 455, 458
 - Group Lock
 - Identify Owner 650
 - Group Login 638
 - Group of Four Pattern
 - Download 455
 - Guillemets 453
- ## - H -
- Header
 - Insert In RTF Template 1024
 - Headers
 - Add To RTF Document 1055
 - Help
 - Add-In 97
 - Display On Add-Ins 97
 - File Formats 10
 - For Tagged Values 178
 - Index Tab 9
 - Menu 100
 - Release Date 10
 - Search Tab 9
 - Systems 9
 - Tasks Pane Topics 182
 - Topic, Hyperlink To 1243
 - Version Details 10
 - Hidden Submenu
 - Create 1327
 - Hide
 - Connectors, All Diagrams 411
 - Connectors, Requirements Element 411
 - Connectors, Single Diagram 411
 - Labels 412
 - Package Contents 242
 - Relationship 376
 - Toolbox 100
 - Hide/Show
 - Connector Labels 401
 - Connectors 401
 - Hierarchy
 - Composition 431
 - Requirements 431
 - Type 309
 - Window 173
 - Highlight

Highlight

Context Element 326

History

Element 1197

Hotkeys

Diagram Navigation 254

Hourly Rate 716

HTML

Documentation 1000, 1072

Generate HTML Report Dialog 1073

Quick Start, Generate Report 1072

Report 1000, 1072

Report, Create 1072

Hyperlink

As Sub Activities 1243

Diagrams 1243

Element 1243

In Linked Document 393

Insert In RTF Template 1024

To Discussion Forum 1243

To Element From Linked Document 393

To External Files 1243

To Help Topics 1243

To Internet Facilities 1243

To Matrix Profiles 1243

To Model Search 1243

- | -

Icon

Attribute Private 56

Attribute Protected 56

Checked In Package 56

Checked Out Package 56

For MDG Technologies 1555

Namespace Root Package 56

Operation Private 56

Operation Protected 56

Version Controlled Package 56

ICONIX

Disable 470

Elements 470

Layout 470

MDG Technology 470

Process 470

Relationships 470

Roadmap 470

UML Toolbox Pages 470

Icons

For Toolbox Items, Assign 1328

Image

Change Linked to Embedded 1050

Diagram, Copy to Disk 255

Diagram, Save to File 255

Handling, RTF 1050

Print Scaled 289

Refresh 272

Scale To Page Size 289

Select Alternative 272

Store in Enterprise Architect 272

Use From Image Library 274

Image Library

Import 274

Image Manager

Create Custom Diagram Background 274

Select Alternative Image For Element 272

Use 272

Implementation

Of Requirements 431

Implementation Report 1061

Target Types 1062

Import

ActionScript, Reverse Engineering 767

Binary Module, Reverse Engineering 770

C#, Reverse Engineering 768

C, Reverse Engineering 768

C++, Reverse Engineering 768

Code Templates 1385

Component Types 781

Data 698

Database Schema from ODBC 926

DDL Schema from ODBC 926

Delphi, Reverse Engineering 768

Directory Structure, Reverse Engineering 766

EMX files 576

From XMI 575

Global Elements 984

Handle Classes Not Found 771

Image Library 274

Java, Reverse Engineering 768

MDA-Style Transforms 936

MDG Technologies 461

MOF From XMI 631

Pattern 458

PHP, Reverse Engineering 769

Python, Reverse Engineering 769

- Import
 - Reference Data 698
 - Reference Data, Introduction 696
 - Referenced XML Schema 984
 - RTF Style Template 1006
 - Scenario as Test 732
 - Scenarios From Package 732
 - Source Code, Reverse Engineering 765, 771
 - Test From Other Element 734
 - UML Pattern 458
 - UML Profiles 440
 - UML2 files 576
 - VB.Net, Reverse Engineering 770
 - Version Controlled Model Branch 621
 - Visual Basic, Reverse Engineering 769
 - WSDL 997
 - XMI 584
 - XSD 984
- Import/Export
 - Package Context Sub-Menu 61
 - Submenu 78
- Imported Class Elements 930
- Inbuilt Stereotypes 1235
- Include
 - Connector 1267
 - Package in RTF Report 1047
- Increase Text Display Size 164
- Index
 - Create in Data Modeling 915
 - What Is? 915
- Indicator
 - Locked Element 649
- Information Flow
 - Connector 1268
 - Realized 1270
- Information Item
 - Conveyed 1269
 - Element 1199
- Inherited Attributes
 - Display 339
- Inherited Feature
 - Show 257
- Inherited Operation
 - Display 354
- Inherited Port
 - Manage 1213
- Initial
 - Element 1199
 - Initial Code
 - Operations Properties 351
- Inline Features
 - Submenu 81
- Inline Sequence Elements 1124
- InnoDB
 - BaseModel Script 500
- In-place Editor
 - Connector Labels 413
 - Edit Attribute Keyword 359
 - Edit Attribute Name 357
 - Edit Attribute Scope 359
 - Edit Attribute Stereotype 358
 - Edit Element Name 357
 - Edit Operation Name 357
 - Edit Operation Parameter Keyword 360
 - Edit Operation Parameter Kind 361
 - Edit Operation Scope 359
 - Edit Operation Stereotype 358
 - Element Item Tasks 356
 - Element Options 356
 - Insert Attribute to Element 362
 - Insert Maintenance Feature 364
 - Insert Operation Parameter 363
 - Insert Operation to Element 362
 - Insert Testing Feature 366
- Insert
 - Attribute to Element 362
 - Bookmarked RTF into Word 1051
 - Boundary Element 385
 - Diagram Properties Note 260
 - Linked Elements 298
 - Maintenance Feature in Element 364
 - Operation to Element 362
 - Related Elements 298
 - Testing Features in Element 366
- Install
 - Enterprise Architect 16
- Instance
 - Define Behavior On Creation, Supported Attributes 1318
 - Paste Object As 261
- Instance Classifier
 - Set 384
- Integration Testing
 - Display Details 729
- Integrity
 - Of Model Data 546

- Integrity
 - Of Project Data 546
 - Integrity Check 546
 - Interaction
 - Diagram 1096
 - Elements and Connectors 112
 - Group, Enterprise Architect UML Toolbox 112
 - Interaction Occurrence
 - Element 1200
 - Interaction Operator
 - Combined Fragment 1176
 - Interaction Overview
 - Diagram 1127
 - InterBase
 - Tables 890
 - Interface
 - Element 1200
 - Expose Element 1191
 - Provided 1191
 - Required 1191
 - Set For Element 309
 - Source Code Generation 773
 - Intermediary Language
 - MDA-Style Transforms 959
 - Internal Binding
 - PIM to PSM 933
 - Internal Editor 781
 - Internal Requirement 427
 - Internet Facilities
 - Hyperlink To 1243
 - Internet Search Engine
 - Access Within Enterprise Architect 158
 - Define Default 189
 - Interrupt Flow
 - Connector 1271
 - Interruptible Activity Region
 - Add 1202
 - Element 1201
 - Interval Bar 1108
 - Introduction
 - Copyright Notice 11
 - Enterprise Architect Key Features 4
 - Help File Formats 10
 - License Agreement 11
 - Order Enterprise Architect 15
 - Support 10
 - To Code Engineering 763
 - To Diagrams 243
 - To Enterprise Architect 4
 - To Enterprise Architect SDK 1299
 - To Forward Engineering 763
 - To Quick Linker 184, 1321
 - To Reverse Engineering 763
 - To Round-trip Engineering 763
 - To Shape Scripts 1338
 - To Synchronization 763
 - To Tagged Value Types 1354
 - To UML Objects 1150
 - To User Guide 3
 - Trademarks 14
 - Invoke Methods
 - Debugging 870
 - Issue
 - Add 742, 751
 - Automation Interface, Element Package 1489
 - Delete 751
 - Element 742
 - Modify 751
 - Issues
 - Model 748
 - Project 748
 - Report, Generate 748
 - Issues Report
 - Sample Output 752
 - Via Project Issues Tab 752
 - Iterate Through EAP File
 - Automation Interface Code Example 1532
- J -**
- Java
 - Debug, Attach to VM 836
 - Debug, System Requirements 844
 - Import, Reverse Engineering 768
 - Modeling Conventions 818
 - Modeling Conventions, AspectJ Extensions 819
 - Options 798
 - Set Up Debug Session 835
 - Transformation, MDA-Style Transform 949
 - Web Servers, Debugging 850
 - JBOSS
 - Server Configuration 853
 - Server, Debugging 850
 - Join
 - Element 1193, 1196

Join
Pseudo-State 1193, 1196

Junction
Element 1203

JUnit Transformation
MDA-Style Transform 950

- K -

Keyboard
Accelerator Map 206
Shortcuts 206
Shortcuts, Customize 93

Keystore
Troubleshooting 704

Keywords
For RTF Report (Legacy) 1048

- L -

Label
Alignment 276
Bold 276
Connector 276
Connector, Hide/Show 401
Direction 276
Element 276
Hide 276, 412
Menu 276
Set Color 276
Show 412
Show And Hide In Toolbox 103
Visibility 412
Visibility On Sequence Messages 1123

Labels
Display Under Toolbar Icons 87

Language
Adjust in RTF (Legacy) 1048
Adjust in RTF Report 1036
Custom, Create Templates For in Code
Template Editor 1384
For Spell Check 223
Macros 786
Options 790
Options, C 791
Options, C++ 793

Layout

Custom 205
Default Desktop 205
Diagram 250
ICONIX 470
Of Sequence Diagrams 1118

Legend
Add To Diagram 287
Add To State Machine Table 1094
Edit 287
Element 287
Remove From State Machine Table 1094
Style 287

Level Numbering
Show 58

License
Agreement 11
Information 702
Management 701

Lifecycle
Of An Element 1117

Lifeline
Activation Levels 1121
Element 1204
Self-Message Hierarchy 1121
Termination 1117

Limitations
Of XMI 578

Line
Angles, Tidy 406
Bend At Cursor 406
Bezier 406
Straighten At Cursor 406
Supress Segments 406

Line Points
Add 406
Delete 406
Toggle 406

Link
Add Note 403
Create Between Elements 409
Create From Project Browser 409
Display Options 201
Paste Object As 261
Repeat 129
Selection 129

Link Notes
To Element Feature 388
To Internal Documentation 388

- Linked Document
 - Create 389
 - Create Diagram From 394
 - Create Document Artifact 391
 - Create Element From 394
 - Create For UML Element 392
 - Delete 394
 - Edit 392
 - Editor Context Menu 392
 - Hyperlink 393
 - Introduction 389
 - Replace 394
 - To UML Element 392
 - Linked Document Template
 - Assign to Group 395
 - Create 395
 - Delete 395
 - Edit 396
 - Modify 395
 - Linked Element
 - Convert To Local Copy 327
 - Linked Image
 - Change to Embedded 1050
 - Linked Requirements
 - Window 173
 - Links
 - Window 172
 - Linux-Crossover
 - Using Subversion With Enterprise Architect Under 610
 - List Macro
 - Code Template Syntax 1377
 - Load
 - Controlled Package 583
 - Report Templates (Legacy) 1047
 - Local
 - Directories 786
 - Options, Configure 187
 - Path Dialog 786
 - Paths 785
 - Pre/Post Conditions 1159
 - Local Variables
 - Debug Workbench Window 862
 - Lock
 - Connector 642
 - Delete 642
 - Delete, User level 650
 - Diagram, Security Off 277
 - Element 642
 - Element, Security Off 302
 - Identify Owner 650
 - Manage 642
 - Manage, User-Level 650
 - Model Elements 646
 - Packages 647
 - View 642
 - View, User Level 650
 - Locked Element
 - Add Connectors 646
 - Indicators 649
 - Logical
 - Diagram 1131
 - Model 45
 - Login
 - Group 638
 - Multiple Under One ID 638
 - Logo
 - For MDG Technologies 1555
- M -**
- Macro
 - Branching 1377
 - Code Template Syntax 1377
 - Control 1377
 - CONVERT_NAMES 966
 - CONVERT_TYPE 966
 - Field Substitution, Code Template Syntax 1363
 - Function, Code Template Syntax 1374
 - Language 786
 - List 1377
 - PI 1377
 - Preprocessor 786
 - REMOVE_PREFIX 966
 - Synchronization 1377
 - Tagged Value, Code Template Syntax 1373
 - Template Substitution, Code Template Syntax 1362
 - TRANSFORM_CLASSIFIER 967
 - TRANSFORM_CURRENT 966
 - TRANSFORM_REFERENCE 964, 967
 - Macros
 - Code Template Syntax 1362
 - Main Menu 64
 - Maintain

- Maintain
 - Groups 638
 - Security Users 634
- Maintenance
 - Compartment, Element 386
 - Diagram 1146
 - Dialog 688
 - Elements 738
 - Elements and Connectors 121
 - Feature, Insert in Element 364
 - Group, Enterprise Architect UML Toolbox 121
 - Model Template 50
 - Of Element Properties 739
 - Problem Types 688
 - Script, Show In Compartments 740
 - Support 739
 - Testing Types 690
 - Workspace 738
- Make Same
 - Submenu 82
- Manage
 - Add-Ins 1390
 - Baselines 663
 - Bookmarks 760
 - Inherited Ports 1213
 - Locks 642
 - MDG Technologies 462
 - Models 482
 - Models, Tasks In 22
 - Redefined Ports 1213
 - User-Level Locks 650
 - Views 555
 - Views, Add Views 555
 - Views, Delete 557
 - Views, Rename 556
- Manage .EAP File
 - Submenu 84
- Managed C++
 - Modeling Conventions 816
- Manifest
 - Connector 1271
- Manual Version Control
 - With XMI 585
- Mapper
 - Data Type Conversion Procedures 922
- Masked Tag Type 1356
- Master Document
 - Element 1064
 - Element, Create 1065
 - Overview, Virtual Document 1064
 - Tagged Values 1065
- Matrix
 - Swimlanes 269
- Matrix Profile
 - Hyperlink To 1243
- MDA Transform
 - Built-In 933
 - Overview 933
- MDA-Style Transform
 - Build In Transformation 939
 - C# Transformation 939
 - Chaining Transformations 936
 - Convert Names 966
 - Convert Types 966
 - Create Connectors 964
 - Cross References 967
 - DDL Transformation 941
 - EJB Transformations 946
 - Import Transforms 936
 - Intermediary Language 959
 - Java Transformation 949
 - JUnit Transformation 950
 - NUnit Transformation 952
 - Specify Classifiers 967
 - Transform Connectors 964
 - Transform Duplicate Information 966
 - Transform Elements 935
 - Transformation Templates 937
 - Write Transformations 958
 - WSDL Transformation 954
 - XSD Transformation 955
- MDG Add-Ins
 - Add-In Model 1428
 - MDG Events 1428
 - MDG_BuildProject 1429
 - MDG_Connect 1429
 - MDG_Disconnect 1430
 - MDG_GetConnectedPackages 1431
 - MDG_GetProperty 1431
 - MDG_Merge 1432
 - MDG_NewClass 1433
 - MDG_PostGenerate 1434
 - MDG_PostMerge 1435
 - MDG_PreGenerate 1436
 - MDG_PreMerge 1436
 - MDG_PreReverse 1437

- MDG Add-Ins
 - MDG_Run_Exe 1437
 - MDG_View 1438
- MDG Events
 - Add-In Model 1428
 - MDG_BuildProject 1429
 - MDG_Connect 1429
 - MDG_Disconnect 1430
 - MDG_GetConnectedPackages 1431
 - MDG_GetProperty 1431
 - MDG_Merge 1432
 - MDG_NewClass 1433
 - MDG_PostGenerate 1434
 - MDG_PostMerge 1435
 - MDG_PreGenerate 1436
 - MDG_PreMerge 1436
 - MDG_PreReverse 1437
 - MDG_Run_Exe 1437
 - MDG_View 1438
- MDG Technologies
 - Access, Remote From Enterprise Architect 463
 - Activate 462
 - And Resources Window 464
 - BPMN 460
 - Create 1543
 - Data Flow Diagrams 460
 - Define Validation Configuration 1555
 - Deploy From Add-In 1554
 - Deploy From File 1554
 - Disable 462
 - Enable 462
 - Iconix 460
 - Icons 1555
 - Import 461
 - In SDK 1543
 - Incorporate Model Template 1555
 - Introduction 460
 - Link for Downloads 460
 - Logos 1555
 - Manage 462
 - Mind Mapping 460
 - Toolbox Groups 464
- MDG Technology
 - Active, Automatically Pinned Pages 103
- MDG Technology (Integrated)
 - BPMN 473
 - Data Flow Diagram 468
- ICONIX Process 470
- Mind Mapping 467, 473
- MDG Technology Wizard
 - Add Code Modules 1550
 - Add Images 1552
 - Add MDA Transforms 1552
 - Add Pattern 1548
 - Add Profile 1547
 - Add Tagged Value Types 1549
 - Create Technologies 1543
- MDG_BuildProject
 - Add-In Model 1429
- MDG_Connect
 - Add-In Model 1429
- MDG_Disconnect
 - Add-In Model 1430
- MDG_GetConnectedPackages
 - Add-In Model 1431
- MDG_GetProperty
 - Add-In Model 1431
- MDG_Merge
 - Add-In Model 1432
- MDG_NewClass
 - Add-In Model 1433
- MDG_PostGenerate
 - Add-In Model 1434
- MDG_PostMerge
 - Add-In Model 1435
- MDG_PreGenerate
 - Add-In Model 1436
- MDG_PreMerge
 - Add-In Model 1436
- MDG_PreReverse
 - Add-In Model 1437
- MDG_Run_Exe
 - Add-In Model 1437
- MDG_View
 - Add-In Model 1438
- MDGMenus Enum
 - Automation Interface 1450
- Member Variables
 - Inspect During Debugging 859
- Menu
 - Add-Ins 97
 - Context 37
 - Customiize 96
 - Diagram 79
 - Diagram Context 246

- Menu
 - Edit 69
 - Element 80
 - Element Context 294
 - Enterprise Architect 159
 - File 64
 - Help 100
 - Items, Define in Add-In 1387
 - Label 276
 - Main 64
 - Other Windows 70
 - Project 73
 - Settings 98
 - Snap to Grid 70
 - Tear Off 163
 - Toolbars 70
 - Tools 83
 - View 70
 - Visual Layouts 70
 - Visual Styles 70
 - Window 99
- Menu Option
 - Close Project 64
 - Exit 64
 - New Project 64
 - Open Project 64
 - Open Source File 64
 - Page Setup 64
 - Print 64
 - Print Preview 64
 - Print Setup 64
 - Reload Current Project 64
 - Save Project As 64
- Merge
 - Baseline With Current Model, Overview 662
 - Element 1180, 1204
 - Node 1204
 - Options, Compare Utility 669
- Message
 - Calls 1277
 - Collaboration 1282
 - Communication 1281
 - Connector 1272
 - Create 1281
 - Create on Timing Diagram 1285
 - Endpoint 1205
 - General Ordering, Sequence Diagram 1279
 - Label 1205
 - Scope 422
 - Self Message 1276
 - Sequence 1273
 - Sequence Communication 1282
 - Sequence Diagram, Self Message 1276
 - Sequence, Examples 1280
 - Sequence, Label Visibility 1123
 - Sequencing 1282
 - Source and Target 422
 - Timing Diagram 1284
 - WSDL Diagram 993
 - WSDL Element 993
- Message Part
 - WSDL Attribute 996
- Meta Object Facility
 - Introduction 627
- Metaclass
 - Add To Profile 1303
- Metafile
 - Copy From Clipboard To Diagram 255
- META-INF Package 946
- Metamodel
 - Elements and Connectors 117
 - Group, Enterprise Architect UML Toolbox 117
- Method
 - Add And Delete, Automation Interface Code Example 1535
 - Automation Interface, ElementFeatures Package 1500
 - Context Menu 63
 - Generate Sequence Diagram 873
 - Record Debug Session For 873
 - Show Parameters On Diagram 286
 - Work With, Automation Interface Code Example 1541
- MethodConstraint
 - Automation Interface, ElementFeatures Package 1502
- Methodology
 - FDD 1242
 - Feature-Driven Design 1242
- MethodTag
 - Automation Interface, ElementFeatures Package 1502
- Metric
 - Automation Interface, Element Package 1489
- Metric Types
 - Define 723
 - Global 723

- Metric Types
 - Non-Global 720
- Metrics 691
- Metrics And Estimation
 - Default Hour Rate 716
 - ECF 713
 - Effort Types 722
 - Environment Complexity Factors 713
 - For An Element 720
 - Metric Types 723
 - Risk Types 724
 - TCF 711
 - Technical Complexity Factors 711
- Microsoft Native
 - Set Up Debug Session 839
- Microsoft Word
 - Special Considerations 1053
 - Use In RTF Documentation 1050
- Migration
 - From UML 1.3 546
 - To UML 2.0 546
- Mind Mapping
 - Concept 467
 - Diagram 467
 - Disable 467
 - Elements 467
 - MDG Technology 467
 - Relationship 467
 - Toolbox Page 467
- MiscData 1482
- Model
 - Add to Project 484
 - Automation Interface 1445
 - Context Menu 56
 - Data Integrity 546
 - Databases 890
 - Default Diagram, Make 286
 - Default Fonts 199
 - Delete Element From 317
 - Delete Multiple Elements From 317
 - Glossary 753
 - Integrity Check 546
 - Integrity, Run SQL Patches 548
 - Issues 748
 - Manage 22
 - Pattern 488
 - Profile, Swimlanes Matrix 269
 - Sharing 565
 - Shortcut 66
 - Templates, Incorporate In A Technology 1555
 - Transformation 935
 - WSDL 987
 - WSDL, Binding 994
 - WSDL, Document 990
 - WSDL, Message 993
 - WSDL, Message Part 996
 - WSDL, Namespace 988
 - WSDL, Port Type 993
 - WSDL, Port Type Operation 995
 - WSDL, Service 991
 - XSD 970
- Model Branch
 - Apply Version Control 619
 - Export 620
 - Import 621
- Model Changes
 - Auditing 651
 - Record 651
- Model Context Menu
 - Root Node Package Control Submenu 57
- Model Document
 - Add Packages 1068
 - Change Package Sequence 1069
 - Delete a Package 1069
 - Document Order 1069
 - Element 1064
 - Element, Create 1067
 - Generate Documentation 1071
 - Model Search Sequence 1069
 - Move Package Attributes Between Elements 1069
 - Overview, Virtual Document 1064
 - Sequence of Model Document Elements 1069
 - Sequence of Package Attributes 1069
 - Tagged Values 1067
- Model Driven Achitecture
 - Overview 933
- Model File
 - Connect to ASA Data Repository 538
 - Connect to Data Repository 528
 - Connect To MSDE Server Data Repository 540
 - Connect to MySQL Data Repository 529
 - Connect To Oracle 10g Data Repository 534
 - Connect To Oracle 11g Data Repository 534
 - Connect To Oracle 9i Data Repository 534

Model File

- Connect to PostgreSQL Data Repository 536
- Connect To Progress OpenEdge Data Repository 540
- Connect to SQL Server Data Repository 531
- Create Adaptive Server Anywhere Repository 524
- Create Data Repository 516
- Create Model 488
- Create Model Files Discussion 542
- Create MSDE Server Repository 527
- Create MySQL Repository 516
- Create Oracle 10g Server Repository 521
- Create Oracle 11g Server Repository 521
- Create Oracle 9i Server Repository 521
- Create PostgreSQL Repository 522
- Create Progress OpenEdge Repository 528
- Create SQL Server Repository 519
- Enterprise Architect Project Files 484
- Open Model Files Discussion 542
- Set Up Adaptive Server Anywhere ODBC Driver 509
- Set Up Database Model Files 489
- Set Up MySQL ODBC Driver 503
- Set Up ODBC Driver 502
- Set Up PostgreSQL ODBC Driver 506
- Set Up Progress OpenEdge ODBC Driver 514

Model Glossary

- Add Item, Glossary Detail Dialog 755
- Add Item, Glossary Dialog 754
- Delete Item, Glossary Detail Dialog 755
- Delete Item, Glossary Dialog 754
- Glossary Dialog 754
- Glossary Report 757
- Modify Item, Glossary Detail Dialog 755
- Modify Item, Glossary Dialog 754
- Project Glossary Tab 755

Model Maintenance (.EAP)

- Compact a Project 553
- Introduction 553
- Rename a Project 553
- Repair a Project 554

Model Management

- Add-Ins 482
- Auditing 482
- Automation Interface 482
- Baselines And Differences 482
- Introduction 482
- Model Files 482

- Project Data Transfer 482
- Project Discussion Forum 482
- Project Sharing 482
- Replication 482
- User Security 482
- Version Control 482

Model Pattern

- Introduction 41
- Select 24

Model Search

- Access From Add-In 147, 1391
- Access From MTS File 147
- Access From Shortcut 66, 147
- Add Filters 156
- Create Search Definition 153
- Define In MTS File 1553
- Export Search Definitions 149
- External Access 147
- Generate RTF Documentation 144
- Generate RTF Report 1002
- Hyperlink To 147, 1243
- Options 144
- Process Results of Search 144
- To Populate Model Views 143
- Use 147
- View 144

Model Template

- Business Process 42
- Class 45
- Component 46
- Database 45
- Deployment 47
- Domain 44
- Introduction 41
- Maintenance 50
- Project 50
- Testing 49
- Use Case 43

Model Transformations

- Submenu 76

Model Validation

- Configure 560
- Define Configuration For MDG Technology 1555
- Element Composition Rule 562
- Object Constraint Language 558
- OCL 558
- OCL Conformance Rule 562

- Model Validation
 - Property Validity Rule 562
 - Rule, Element Composition 562
 - Rule, OCL Conformance 562
 - Rule, Property Validity 562
 - Rule, Well Formedness 561
 - Rules 561
 - Submenu 76
 - Well Formedness Rule 561
- Model Validation Broadcasts
 - Add-In Model 1417
 - EA_OnEndValidation 1418
 - EA_OnInitializeUserRules 1417
 - EA_OnRunAttributeRule 1420
 - EA_OnRunConnectorRule 1420
 - EA_OnRunDiagramRule 1419
 - EA_OnRunElementRule 1419
 - EA_OnRunMethodRule 1421
 - EA_OnRunPackageRule 1419
 - EA_OnRunParameterRule 1421
 - EA_OnStartValidation 1418
 - Model Validation Example 1422
- Model Views
 - Context Menu Options 142
 - Define In MTS File 1553
 - Define Search 143
 - Delete (Context Menu) 142
 - Delete (Toolbar) 141
 - Export As XML 143
 - Favorites 140
 - Favorites Folder, Create (Context Menu) 142
 - Favorites Folder, Create (Toolbar) 141
 - Import As XML 143
 - Move Objects Between Views 143
 - Move Objects Into Favorites 143
 - My Views 140
 - Operations 143
 - Properties 143
 - Refresh (Toolbar) 141
 - Root Node, Create (Context Menu) 142
 - Root Node, Create (Toolbar) 141
 - Technology-Defined 140
 - Toolbar Options 141
 - Use Objects In Views And Favorites 143
 - View, Create (Context Menu) 142
 - View, Create (Toolbar) 141
 - Views 140
 - Views Folder, Create (Context Menu) 142
 - Views Folder, Create (Toolbar) 141
 - Window 140
- Model Violations
 - Examples 558
- Model Wizard
 - Add Model 488
 - Quick Start 24
 - Use To Create Model 488
- Modeling
 - The Business Process 475
 - With Enterprise Architect 238
 - With UML 22
- Modeling Conventions 809
 - ActionScript 2 and 3 810
 - ANSI C 811
 - C 811
 - C# 813
 - C, Object Oriented Programming 812
 - C++ 814
 - C++, Managed 816
 - C++/CLI Extensions 816
 - Delphi 817
 - Java 818
 - Java AspectJ Extensions 819
 - Object Oriented Programming in C 812
 - PHP 820
 - Python 820
 - VB.Net 821
 - Visual Basic 822
- Models Collection 1453
- Model-View-Controller Pattern 1240
- ModelWatcher
 - Automation Interface Repository 1469
- Modify
 - Element Changes 739
 - Element Defects 739
 - Element Issues 739
 - Element Tasks 739
 - Linked Document Template 395
 - Project Task 747
 - Relationship Using Matrix 436
 - RTF Style Template (Legacy) 1045
 - Tagged Values 177
- MOF
 - Export To XMI 631
 - Getting Started 629
 - Import From XMI 631
 - Introduction 627

- MOF
 - Primitive 1214
 - Move
 - Attributes Between Elements 328
 - Connectors 404
 - Connectors, Quick Start 28
 - Diagrams, Quick Start 28
 - Elements between Packages 313
 - Elements in Diagrams 312
 - Elements, Quick Start 28
 - Internal Responsibility to External Requirement 428
 - Objects Between Packages 313
 - Operations Between Elements 328
 - Package Contents Up Or Down 53
 - Packages, Quick Start 28
 - Submenu 82
 - MS Jet
 - Database As Model Repository 489
 - MS Word
 - Update RTF Report Links 1058
 - Use In RTF Documentation 1050
 - MS Word Tables
 - Apply Styles 1056
 - Manipulate 1056
 - Resize 1056
 - MSDE
 - Server Data Repository, Connect To 540
 - Server Repository, Create New 527
 - Upsize To 494
 - MTS File
 - Advanced Options 1553
 - Create 1553
 - Incorporate Diagram Profile 1553
 - Incorporate Model Search 1553
 - Incorporate Model View 1553
 - Incorporate Task Pane Profile 1553
 - Incorporate Toolbox Profile 1553
 - Working With 1553
 - Multi-page Diagram
 - Print 289
 - Multiple Login
 - Under One User ID 638
 - Multiple Select
 - Items From Project Browser 262
 - Multiple Stereotype
 - Restrict Application Of 1318
 - Multiplicity 44
 - Explanation 419
 - MVC Pattern 1240
 - MyISAM
 - BaseModel Script 500
 - MySQL
 - Create Repository 516
 - Data Repository, Connect to 529
 - ODBC Driver, Set Up 503
 - Table Type, Set 895
 - Upsize To 500
- N -**
- Namespace
 - Clear 778
 - Dialog 778
 - Explanation 778
 - List 778
 - Locate in Project Browser 778
 - Root 778
 - Root Package Icon 56
 - Set 778
 - WSDL Element 988
 - Naming Format
 - Camel Case 966
 - Pascal Case 966
 - Spaced 966
 - Underscored 966
 - N-Ary
 - AssociationElement 1246
 - Navigate
 - Diagram 183
 - Navigation
 - Hotkeys, For Diagram 254
 - Navigation Compass 160
 - Nested Version Control Packages 618
 - Nesting
 - Connector 1287
 - New Code Sections
 - Add to Existing Features 809
 - New Project
 - Menu Option 64
 - New Search Query 153
 - New Structured Activity Dialog 1226
 - Node
 - Element 1206
 - Notation
 - Co-Region 1273

Notation

Process Modeling 476

Note

Add to Link/Connector 403

Element 1207

Element, Create 319

For Connector 168

For Element 168

Link To Element Feature 388

Link to Internal Documentation 388

Tab 168

Window 168

Notelink

Connection 1288

Numeric Range Generator

Timeline Element States 1105

NUnit Transformation

MDA-Style Transform 952

- O -

Object

Appearance, Options 197

Attributes 959

Base Type, Set 384

Classes 959

Classifiers 383

Columns 959

Connector 376

Create From Attribute 341

Definition 959

Diagram 1133

Element 1208

Elements and Connectors 109, 1133

Group, Enterprise Architect UML Toolbox 109

Instance 1208

Links 376

Move Between Packages 313

Multiplicity 419

Operations 959

Packages 959

Parameters 959

Properties 368, 959

Relationships 376

Scenario 377

State, Set 1209

Tables 959

Transformation 959

Type 959

Type, Change for Element 314

Object Constraint Language

Model Validation 558

Model Validation Rules for Conformance 562

Object Flow

Connector 1288

In Activity Diagrams 1289

Object Oriented Programming

C Code Generation For UML Model 812

Limitations 812

ObjectType Enum

Automation Interface 1450

Occurrence

Connector 1290

Element 1200

OCL

Model Validation 558

OCL Constraints

Attribute 562

Element 562

Feature 562

Model Validation Rules for Conformance 562

Relationship 562

ODBC

Data Modeling 917

Driver, Set Up 502

ODBC Data Source

Select 929

Offline

Checkout 617

Version Control 617

Online Resources

Access From Tasks Pane 182

Submenu 100

Open

External Tools 91

Model Files Discussion 542

Package From Project Browser 240

Package Within Diagram 256

Report in Microsoft Word 1050

Open Project

Menu Option 64

Open Repository

Automation Interface Code Example 1531

Open Source File

Menu Option. 64

Operation

- Operation
 - Add to Element 362
 - Appearance 341
 - As Action 1155
 - Behavior, Initial Code 351
 - Copy Between Elements 327
 - Definition 341
 - Dialog, Behavior tab 349
 - Dialog, General Tab 343
 - Dialog, Post Tab 352
 - Dialog, Pre Tab 352
 - Display Inherited Operation 354
 - Edit Name, In-Place Editor 357
 - Edit Parameter Kind 361
 - Edit Scope 359
 - Edit Stereotype 358
 - Element Feature 341
 - Inherited, Show 257
 - Introduction 341
 - Move Between Elements 328
 - Override Parent Operations 353
 - Parameter Keyword, Edit 360
 - Parameter, By Reference 348
 - Parameter, Insert in Element 363
 - Parameter, Tagged Values 347
 - Parameters 346
 - Private, Icon 56
 - Properties, Behavior 349
 - Properties, Constraints 352
 - Properties, General 343
 - Properties, Initial Code 351
 - Properties, Postconditions 352
 - Properties, Preconditions 352
 - Protected, Icon 56
 - Show on Diagram 257
 - Tagged Values 352
 - WSDL Port Type Operation 995
- Operators
 - On Constraints 883
- Option
 - View 136
- Options
 - ActionScript 790
 - C# 792
 - C++ 793
 - Communication Colors 202
 - Compare Utility 666
 - Customize 97
 - Delphi 794
 - Diagram Behavior 194
 - Diagram Settings 192
 - Element Visibility 200
 - General Settings 189
 - Java 798
 - Local, Configure 187
 - Object Appearance 197
 - PHP 798
 - Python 799
 - Reset For A Class 802
 - Sequence Diagrams 196
 - Standard Colors 191
 - VB.Net 801
 - Visual Basic 800
 - Visual Styles 206
 - XML Specifications 204
- Oracle
 - Package, Create 900
 - Sequence Options, DDL For Packages 919
 - Sequence Options, DDL For Table 917
 - Tables, Set Properties 896
 - Tables, Tagged Values 896
 - Upsize To 496
- Oracle 10g
 - Server Repository, Create 521
- Oracle 11g
 - Data Repository, Connect To 534
 - Server Repository, Create 521
- Oracle 9i
 - Server Repository, Create 521
- Oracle10g
 - Data Repository, Connect To 534
- Oracle9i
 - Data Repository, Connect To 534
- Order
 - Enterprise Architect 15
 - Package Contents 53
- Ordering
 - General, Sequence Diagram Messages 1279
- Other Elements 1235
- Other Views
 - Toolbar 133
- Other Windows
 - Submenu 71
- Output Tab
 - Debug Workbench Window 864
- Output Window 181

Override

- Default Toolbox 1328
- Implementation 353
- Parent Operations 353

- P -

Package

- Add And Manage, Automation Interface Code Example 1532
- Add Element Directly 307
- Add To Project 240
- Add, Quick Start 26
- Apply Version Control To Model Branch 619
- As RTF Bookmark 1051
- Automation Interface 1445
- Automation Interface Repository 1470
- Batch Export to XMI 583
- Batch Import from XMI 584
- Body, For Oracle 900
- Check In 625
- Check Out 625
- Comparison, Example 667
- Configuration 580
- Context Menu 58
- Control, Menu 579
- Control, Remove 581
- Copy Between Projects 551
- Create Diagram 248
- Create Oracle Packages 900
- CSV Import/Export Specification 585
- Delete 242
- Diagram 1130
- Drag Onto Diagram 241
- Element 1210
- Export 578
- Export Version Controlled Model Branch 620
- Hide Contents 242
- Icon Overlays 56
- Import 578
- Import Version Controlled Model Branch 621
- Load 583
- Lock 647
- META-INF 946
- Move Element Between 313
- Move Objects Between 313
- Nested in Version Control 618
- Open From Diagram 256

- Open From Project Browser 240
- Profile 1302
- Rename 241
- Review Version Control History 624
- Save 582
- Save Profile 1315
- Show Contents 242
- Specification, For Oracle 900
- Synchronize Contents 777
- Tasks 239
- Update Contents 777
- Version Control 590
- Working With 239
- XML 578
- Package Import
 - Connector 1290
- Package Merge
 - Connector 1291
- Package Scenarios
 - Import As Test Scenarios 732
- Package Status
 - Update 759
- Page
 - Footer, Print on Diagram 281
 - Header, Print on Diagram 281
 - Setup, Menu Option 64
- Page Size
 - Set For Diagram 290
- Pan
 - Diagram View 291
- Pan and Zoom
 - Diagram 183
 - Window 183
- Parameter
 - Automation Interface, ElementFeatures Package 1503
 - Operation, by Reference 348
 - Show Details On Diagram 286
 - Type Inout 348
- Parameter Kind
 - Edit for Element Operation 361
- Parameterized Classes (Templates) 1169
- Parameters Dialog
 - Operations 346
- Parent
 - Confirm Element As Parent 312
 - Set For Element 309
- Part

- Part
 - Element 1211
 - Represent On Sequence Diagram 1124
 - Partition
 - Activity 1211
 - Element 1211
 - Horizontal 1211
 - Vertical 1211
 - Partitions Collection
 - Automation Interface, ElementFeatures Package 1504
 - Pascal Case
 - Naming Format 966
 - Pass
 - Parameters to External Tools 92
 - Password
 - Administrator Change 644
 - Administrator Set 644
 - Security, Change 634
 - User Change 644
 - Password Encryption
 - Prior To Release 7.1 Of Enterprise Architect 643
 - Password Encryption (Repository)
 - At Release 7.1 Of Enterprise Architect 66, 69
 - Paste
 - Activity As Action 263
 - Activity As Link 263
 - Composite Elements 263
 - Diagram Into Package 257
 - Element From Project Browser 261
 - Multiple Items As Child 262
 - Multiple Items As Instance 262
 - Multiple Items As Link 262
 - Multiple Items From Project Browser 262
 - Object As Child 261
 - Object As Link 261
 - Object As New Instance 261
 - Paste Elements
 - As Link 70
 - As New 70
 - From Clipboard As Metafile 70
 - Menu Option 69
 - Submenu 70
 - Patches
 - SQL, Run 548
 - Pattern
 - Action, Modify 458
 - Actions 456
 - Create from Diagram 456
 - Default, Change 458
 - Design 455
 - GoF 455
 - GoF, Download 458
 - Group of Four 455
 - Import Into Model 458
 - In Resources View 456
 - Model-View-Controller 1240
 - MVC 1240
 - Save 456
 - Save from Diagram 456
- PDATA 1482
 - People
 - As Project Resources 678
 - Assign To Changes 745
 - Assign To Defects 745
 - Dialog 672
 - Settings 673
 - Permission List
 - User Security 640
 - PHP
 - Import, Reverse Engineering 769
 - Modeling Conventions 820
 - Options 798
 - PI Macro
 - Code Template Syntax 1377
 - PIM
 - Internal Bindings 933
 - Pin
 - End Point 131
 - Start Point 131
 - Toolbox Pages 103
 - Pkg Import
 - Connection 1290
 - Pkg Merge
 - Connector 1291
 - Platform Naming Conventions 966
 - Platform Specific Model 933
 - Platform-Independent Model 933
 - Port
 - Add To Element 1213
 - Element 1212
 - Inherited 1213
 - Redefined 1213
 - Represent On Sequence Diagram 1124
 - Port Type

- Port Type
 - WSDL Diagram 993
 - WSDL Element 993
- Port Type Operation
 - WSDL 995
- Position Elements 82
- Post
 - Add to Discussion Forum 214
 - Edit in Discussion Forum 215
 - Reply To in Discussion Forum 215
- PostgreSQL
 - Data Repository, Connect To 536
 - ODBC Driver, Set Up 506
 - Repository, Create 522
 - Upsize To 495
- Post-New Events
 - Add-In Model 1406
 - EA_OnPostNewAttribute 1407
 - EA_OnPostNewConnector 1407
 - EA_OnPostNewElement 1406
 - EA_OnPostNewMethod 1408
 - EA_OnPostNewPackage 1409
- Pre/Post Conditions 1159
- Predefined Reference Data
 - Tagged Value 1357
 - Tagged Value Type, Create 1358
- Predefined Tag Type
 - Assign to Stereotype 1306
 - Define 1306
- Predefined Tagged Value Type
 - Arguments 1356
 - Filters 1356
- Pre-Deletion Events
 - Add-In Model 1399
 - EA_OnPreDeleteConnector 1400
 - EA_OnPreDeleteDiagram 1401
 - EA_OnPreDeleteElement 1400
 - EA_OnPreDeletePackage 1401
- Pre-New Events
 - Add-In Model 1402
 - EA_OnPreNewAttribute 1404
 - EA_OnPreNewConnector 1403
 - EA_OnPreNewElement 1402
 - EA_OnPreNewMethod 1404
 - EA_OnPreNewPackage 1405
- Preserve Hierarchy
 - CSV Specification 585
- Primary Key
 - Complex 901
 - Create 901
 - Description 901
 - Extended Properties 902
 - Name Template 901
 - Simple 901
- Primitive
 - Element 1214
 - MOF 1214
- Print
 - Menu Option 64
 - Multi-page Diagrams 289
 - Page Footer on Diagram 281
 - Page Header on Diagram 281
 - Preview, Menu Option 64
 - Project Issues 749
 - Scaled Image 289
 - Setup, Menu Option 64
 - Task List 746
- Print Preview
 - Display 65
 - Multiple Pages 65
- Private Key
 - Add 702
- Private Model
 - In Version Control 619
- Problem Type
 - Define 688
- Procedure Class 911
- Process
 - Element 476, 1247
 - Model Template 42
 - Modeling 42
- Process Modeling Notation 476
- Professional Edition 7
 - Upsize From 489
- Profile
 - Add Elements 1303
 - Add Enumeration Elements 1310
 - Add Metaclasses 1303
 - Add Shape Script 1311
 - Add Stereotypes 1303
 - And Element Templates 325, 438, 1299
 - Constraints 1308
 - Create 1302
 - Elements and Connectors 116
 - Example File 447
 - Export 1313

- Profile
 - Group, Enterprise Architect UML Toolbox 116
 - Import 440
 - Import from XML 438, 1299
 - Package 1302
 - References 444
 - Save From Diagram 1315
 - Save From Package 1315
 - Stereotype 1302
 - Stereotypes 438, 1299, 1320
 - Tags 1305
 - Toolbox 1326
 - Use 440
 - Work With 1302
 - Zachman 269
- Profile Connector
 - Add to Diagram 442
- Progress OpenEdge
 - Data Repository, Connect To 540
 - ODBC Driver, Set Up 514
 - Server Repository, Create 528
 - Upsize To 492
- Project
 - Administration, Security Permissions 632
 - Author 673
 - Browser 51
 - Clean 546
 - Clients 679
 - Compact .EAP File 553
 - Comparison, Why? 550
 - Configure 488
 - Data Integrity 546
 - Data, Transfer 549
 - EABase 36
 - Estimation 231, 711
 - Explorer 51
 - File, EABase 488
 - Glossary 169, 753
 - Integrity Check 546
 - Integrity, Run SQL Patches 548
 - Issues 169, 748
 - Manager 231
 - Menu 73
 - Metrics 711
 - Model Template 50
 - Open Existing 484
 - Recover 546
 - Rename .EAP File 553
 - Repair A Project .EAP File 554
 - Resources 678
 - Roles 676
 - Share On Network Drive 567
 - Share, DBMS Repository 566
 - Share, Network Drive 566
 - Share, Replication 566
 - Statistics, View 73
 - Structure 238
 - Tasks 32, 169
 - Timescale Estimation 711
 - Toolbar 127
 - Transfer 500
 - View 51
 - What Is A? 485
- Project Branch
 - Check In 625
- Project Browser
 - Collapse Contents 61
 - Default Behaviour 53
 - Exclamation Marks 649
 - Expand Contents 61
 - Free Sorting 53
 - Hide And Show 51
 - Icon Overlays 56
 - Introduction 51
 - Move Items Within 51
 - Order Package Contents 51
 - Reload Current Package 61
 - Reset Sort Order 61
 - Selective Collapse of Packages 51
 - Show Stereotypes 53
 - Views 51
- Project Custom Colors
 - Get 322
 - Set 322
- Project Discussion Forum
 - Introduction 210
- Project Factor Calibration 711
- Project File
 - Create 484
 - Example 486
 - Open 486
- Project Glossary
 - Add Item, Glossary Detail Dialog 755
 - Add Item, Glossary Dialog 754
 - Delete Item, Glossary Detail Dialog 755
 - Delete Item, Glossary Dialog 754

- Project Glossary
 - Glossary Dialog 754
 - Glossary Report 757
 - Modify Item, Glossary Detail Dialog 755
 - Modify Item, Glossary Dialog 754
 - Project Glossary Tab 755
- Project Indicators
 - Risk Types 724
- Project Interface
 - Automation Interface 1520
 - Project 1521
- Project Issue
 - Add 751
 - Delete 751
 - Dialog 749
 - Modify 751
 - Print List 749
 - Record 749
 - Report, Via Project Issues Dialog 751
 - Report, Via Project Issues Tab 752
 - Tab 749
- Project Management
 - Default Hours 716
 - Effort Management 718
 - Effort Types 722
 - Environment Complexity Factors 713
 - Introduction 710
 - Metric Types 723
 - Metrics 720
 - Resource Allocation 717
 - Resource Report 720
 - Risk Management 719
 - Risk Types 724
 - Technical Complexity Factors 711
 - Window 180, 716
- Project Manager
 - Project Role 231
- Project Role
 - And Enterprise Architect 226
 - Business Analyst 226
 - Database Administrator 235
 - Deployment and Rollout 233
 - Developer 230
 - Project Manager 231
 - Software Architect 228
 - Software Engineer 229
 - Technology Developer 234
 - Tester 232
- Project Search
 - Add Filters 156
 - Conditions 158
 - Create Search Definition 153
 - Fields 158
 - Search Definitions 149
 - Simple 149
 - Use the Model Search 147
- Project Task
 - Add 747
 - Delete 747
 - List 746
 - Modify 747
 - Tab, Print List 746
- ProjectIssues
 - Automation Interface Repository 1473
- ProjectResource
 - Automation Interface Repository 1474
- Properties
 - Automation Interface, ElementFeatures Package 1505
 - Connector, Menu Section 399
 - Create 338
 - Element 368
 - Element Context Menu 296
 - Element, Advanced 370
 - Element, Associated Files 378
 - Element, Connectors 376
 - Element, Constraints 374
 - Element, Details 371
 - Element, External Requirements 373
 - Element, General 369
 - Element, Internal Requirements 372
 - Element, Links 376
 - Element, Relationships 376
 - Element, Requirements 372
 - Object 368
 - Of Classifiers 1136
 - Of Requirements 430
 - Window 165
- Properties Note
 - Diagram 260
- Property
 - Automation Interface, ElementFeatures Package 1505
- Property Validation
 - Attribute 562
 - Element 562

Property Validation
 Feature 562
 Relationship 562
 PropertyType
 Automation Interface Repository 1475
 PropType Enum
 Automation Interface 1451
 Proxy
 (Shortcut) File 66
 Pseudo-State
 Fork 1193, 1195
 Join 1193, 1196
 Used in State Machine Diagram 1087
 PSM 933
 Purchase
 Enterprise Architect 15
 Python
 Import, Reverse Engineering 769
 Modeling Conventions 820
 Options 799

- Q -

Qualified Association 1215
 Qualifier
 Association Property 1215
 Query Builder
 Search Definition 153
 Quick Add
 Tagged Values 382
 Quick Linker 402
 Connector Names 1325
 Create Connector 186
 Create New Element 184
 Default Settings, Hide 1325
 Definition Format 1321
 Element Names 1325
 Example 1323
 Introduction 184, 1321
 Quick Start
 Add Connector to Elements 28
 Add Diagram to Package 27
 Add Element to Diagram 27
 Add Package to Project 26
 Auditing 652
 Create a Project 24
 Define Connector Properties 31
 Define Element Properties 31

Delete Project Components 30
 Generate HTML Report 1072
 Generate RTF Report 1002
 Guide To Enterprise Architect 20
 Move Project Components 28
 Project Tasks 32
 Save Project Changes 31

- R -

Rational Rose
 And XMI 572
 Export to 578
 Rational Software Architect
 Models 576
 Rational Software Modeler 575
 Realization Link
 Override Parent Operations 353
 Realize
 Connector 1292
 Realized Interfaces
 For Class, Show on Diagram 276
 Receive
 Element 1217
 Event 1242
 Recent Model
 Remove 40
 Record
 Automatic Debug Session For Thread 876
 Debug Session 873
 Manual Debug Session For Thread 875
 Thread, Automatic 873
 Thread, Manual 873
 Record Arguments To Function Calls
 Debugger Sequence Tab Option 843
 Record Calls To External Modules
 Debugger Sequence Tab Option 843
 Recording History
 Tab in Debug Workbench Window 864
 Recording Markers
 Set In Debug Session 876
 Recover
 Controlled Package 585
 Project 546
 Rectangle Notation
 Element Menu Option 296
 For Use Cases 1233
 Recursion

- Recursion
 - Element 1293
- Recursive Builds 839
- Red Exclamation mark 649
- Red Triangle 760
- Redefined Port
 - Manage 1213
- Redo
 - Last Action, Diagram Edits 278
- Re-entrancy
 - In Add-Ins 1389
- Reference
 - Automation Interface 1445
 - Automation Interface Repository 1475
- Reference Data 671
 - Cardinality 694
 - Clients 679
 - Constraint Status Types 684
 - Constraint Types 683
 - Estimation 691
 - Export 697
 - Export, Introduction 696
 - General Types 681
 - Import 698
 - Import, Introduction 696
 - Maintenance 688
 - Metrics 691
 - People 672
 - Problem Types 688
 - Project Author 673
 - Requirement Types 685
 - Resources 678
 - Roles 676
 - Scenario Types 686
 - Status Types 682
 - Stereotypes 691
 - Tagged Value Types 693
 - Testing Types 690
 - UML Types 691
- Referenced XML Schema
 - Import 984
- Refresh
 - Image 272
- Region
 - Composite State 1086
 - Element 1218
 - Expansion, Element 1188
 - Interruptible Activity, Element 1201
 - On Composite State 1220
 - State Machine 1086
- Register
 - Add-Ins 707
 - Enterprise Architect 17
- Registration Key
 - In License Information 702
- Related Elements
 - Place On Current Diagram 265
- Relationship
 - BPMN 473
 - Create Using Relationship Matrix 436
 - Data Flow 468
 - Delete 376
 - Delete Using Relationship Matrix 436
 - Display Options 201
 - Hide 376
 - Mind Mapping 467
 - Modify Using Relationship Matrix 436
 - Show 376
 - Visibility 414
 - Window 172
- Relationship Matrix
 - Access 434
 - Access From Shortcut 66
 - Create Relationship 436
 - Delete Relationship 436
 - Export to CSV 437
 - Introduction 432
 - Link Direction 435
 - Link Type 435
 - Modify Relationship 436
 - Open 434
 - Options 436
 - Print Matrix 437
 - Profiles 438
 - Set Element Type 435
 - Set Link Direction 435
 - Set Link Type 435
 - Set Source Package 433
 - Set Target Package 433
- Reload Current Project
 - Menu Option 64
- ReloadType Enumeration
 - Automation Interface 1451
- Remove
 - Package Control 581
 - Recent Model 40

- Remove
 - Replication 570
- REMOVE_PREFIX 966
- Rename
 - A Project .EAP File 553
 - Diagram 254
 - Package 241
 - Views 556
- Re-Order
 - Messages 1282
- Repair
 - A Project .EAP File 554
- Repeat Links 129
- Replace
 - Linked Document 394
- Replica
 - Create 569
 - Synchronize 570
 - Upgrade 571
- Replication
 - Change Collisions 568
 - Disable 568
 - Introduction 568
 - Merge Rules 568
 - Remove 570
 - Using 568
- Reply
 - To Post In Discussion Forum 215
- Report
 - Dependency 432, 1059
 - HTML 1000, 1072
 - Implementation 1061
 - Open In Microsoft Word 1050
 - Project Issues, Via Project Issues Dialog 751
 - Project Issues, Via Project Issues Tab 752
 - Rich Text Format 1000, 1001
 - RTF 1000, 1001
 - Testing Details 735
- Report Templates
 - Load (Legacy) 1047
- Report View
 - Now Element List 137
- Repository
 - Adaptive Server Anywhere, Create 524
 - Attributes 1453
 - Author Collection 1465
 - Automation Interface 1453
 - Client Collection 1465
 - Collection Class 1466
 - Connect To 489
 - Create 489
 - Datatype 1467
 - Encrypt Password 66, 69
 - EventProperties 1468
 - EventProperty 1469
 - Methods 1453
 - ModelWatcher 1469
 - MSDE Server, Create 527
 - Open, Automation Interface Code Example 1531
 - Package 1470
 - Package, Automation Interface 1452
 - Progress OpenEdge, Create 528
 - ProjectIssues 1473
 - ProjectResource 1474
 - PropertyType 1475
 - Reference 1475
 - Set Up Database 489
 - Stereotype 1476
 - Task 1477
 - Term 1478
 - Transfer Data Between 548
 - Use Extras, Automation Interface Code Example 1538
- Representation
 - Connector 1294
- Represents
 - Connector 1294
- Requirement
 - Automation Interface, Element Package 1490
 - Convert From Responsibility 428
 - Element 424, 1248
 - Elements and Connectors 120
 - External 424
 - Group, Enterprise Architect UML Toolbox 120
 - Hide Stereotype Letter 424, 1248
 - Hierarchy 431
 - Inherited, Show 257
 - Internal 427
 - Link To Attribute Via Object 341
 - Properties 430
 - Show Stereotype Letter 424, 1248
- Requirement Type
 - Define 685
- Requirements
 - Analysis 42

- Requirements
 - Create 424
 - Diagram 1145
 - Element, Hide/Show Connectors 411
 - External 373
 - Functional 372
 - Implementation 431
 - Internal 372
 - Linked 173
 - Management 42
 - Management, Overview 423
 - Model Template 42
 - Modeling 42
 - Non-Functional 372
 - Template 42
 - Window 173
- Reset Options
 - For A Class 802
- Reset Sort Order
 - In Project Browser 28
- Resize
 - Element 316
- Resolve Change Conflicts
 - Between Replicas 571
- Resource
 - Allocation 717
 - And Tasking Details Dialog 720
 - Automation Interface, Element Package 1491
 - Management 231
 - Report 720
- Resource Document
 - RTF Generator (Enhanced) 1031
 - RTF, Batch Generate Reports 1031
- Resource Management 716
 - Effort Types 722
 - Metric Types 723
 - Risk Types 724
- Resources
 - Define 678
 - Window 166
 - Window, And MDG Technologies 464
 - Window, Favorites Folder 168
- Resources View
 - Of Patterns 456
- Resourcing Metrics & Risks 180
- Responsibilities
 - Internal 372
- Responsibility 427
 - Compartment, Element 386
 - Move to External Requirement 428
- Reverse Connector 413
- Reverse Engineering 230
 - And Auditing 661
 - And MDG Link 771
 - Directory Structure 766
 - Eclipse 771
 - Handling Classes Not Found During Import 771
 - Import ActionScript 767
 - Import Binary Module 770
 - Import C 768
 - Import C# 768
 - Import C++ 768
 - Import Delphi 768
 - Import Java 768
 - Import PHP 769
 - Import Python 769
 - Import Source Code 765, 771
 - Import VB.Net 770
 - Import Visual Basic 769
 - Initial Code in Operations 351
 - Introduction 763
 - ODBC Data Sources 926
 - Source Code, Import Directory Structure 766
 - Synchronize Model and Code 771
 - Visual Studio.NET 771
- Review
 - Package Version Control History 624
- Rich Text Format
 - Copy Bookmark To Clipboard 59
 - Document 1001
 - Report 1001
- Rich Text Format Generator
 - Enhanced 1004
 - Legacy 1037
- Rich Text Format Report
 - Apply Filter (Legacy) 1041
 - Diagram Format (Legacy) 1042
 - Diagram Only 1060
 - Dialog (Legacy) 1037, 1039
 - Element-Level 1002
 - Exclude Elements (Legacy) 1041
 - Exclude Objects (Legacy) 1041
 - Exclude Package 1047
 - Generate (Enhanced) 1002
 - Generate (Legacy) 1037, 1045

- Rich Text Format Report
 - Generate from Element List 137
 - Generate, Quick Start 1002
 - Include Glossary (Legacy) 1043
 - Include Issues (Legacy) 1043
 - Include Package 1047
 - Include Tasks (Legacy) 1043
 - Object Selections (Legacy) 1044
 - Options (Legacy) 1043
 - Save as RTF Document (Enhanced) 1031
 - Save as RTF Document (Legacy) 1048
 - Set Main Properties (Legacy) 1040
 - Single Element (Legacy) 1039
 - Templates (Legacy) 1045
 - Through Element List 1002
 - Through Model Search 1002
 - Wizard (Legacy) 1039
- Rich Text Notes
 - In Legacy RTF Generator Reports 1037
 - Keyboard Shortcuts 134
 - Toolbar Options 134
- Risk
 - Automation Interface, Element Package 1492
 - Management 231, 719
- Risk Types
 - Define 724
 - Global 724
 - Non-Global 719
- Roadmap
 - ICONIX 470
- Robustness Diagram 1150
- Role
 - Define 676
 - Tagged Values 422
- Role Binding
 - Connector 1293
- RoleTag
 - Automation Interface, Connector Package 1512
- Rollback Change
 - Options 669
- Root Node 57
- Round-Trip Engineering 230
 - Introduction 763
- RSA
 - Models 576
 - XMI 575
- RSM 575
- RTF
 - Copy Bookmark To Clipboard 59, 63
 - Documentation 1000, 1001
 - Documentation, Other 1059
 - Report 1000, 1001
- RTF Document
 - Footers, Add 1055
 - Headers, Add 1055
- RTF Document Options
 - RTF Generator (Enhanced) 281
 - RTF Generator (Legacy) 281
- RTF Generator
 - Document Options (Enhanced) 281
 - Document Options (Legacy) 281
 - Document Options, From Diagram (Enhanced) 1003
 - Document Options, From Diagram (Legacy) 1003
 - Enhanced 1004
 - Legacy 1037
- RTF Report
 - Advanced Options 1033
 - Apply Filter (Legacy) 1041
 - Bookmarks 1051
 - Custom Language Settings 1036
 - Custom Language Settings (Legacy) 1048
 - Diagram Format (Legacy) 1042
 - Diagram Only 1060
 - Document Options (Enhanced Generator) 1033
 - Element-Level 1002
 - Exclude Elements (Legacy) 1041
 - Exclude Objects (Legacy) 1041
 - Exclude Package 1047
 - Generate (Enhanced) 1002
 - Generate (Legacy) 1037, 1045
 - Generate from Element List 137
 - Generate, Quick Start 1002
 - Include Glossary (Legacy) 1043
 - Include Issues (Legacy) 1043
 - Include Package 1047
 - Include Tasks (Legacy) 1043
 - Keywords (Legacy) 1048
 - Object Selections (Legacy) 1044
 - Options (Legacy) 1043
 - Quick Start 1002
 - Save as RTF Document (Enhanced) 1031
 - Save as RTF Document (Legacy) 1048
 - Set Main Properties (Legacy) 1040

- RTF Report
 - Single Element (Legacy) 1039
 - Switch Generator 1033
 - Templates (Legacy) 1045
 - Through Element List 1002
 - Through Model Search 1002
 - Update Links in MS Word 1058
 - Wizard (Legacy) 1039
 - Word Substitution 1035
 - RTF Style Editor (Legacy) 1045
 - RTF Style Template
 - Create 1006
 - Delete 1006
 - Edit 1006
 - Export To Reference File 1006
 - Import From Reference File 1006
 - RTF Style Template Editor
 - Add Content 1011
 - Bookmarks 1024
 - Character Formatting 1020
 - Character Styles 1020
 - Child Sections 1013
 - Columns 1028
 - Commands 1015
 - Copy Text 1018
 - Cut And Paste 1018
 - Delete Text 1018
 - Description (Enhanced) 1008
 - Drawing Objects 1030
 - Edit Picture 1020
 - Export As RTF Document 1017
 - File Options 1017
 - Fonts 1020
 - Footers 1024
 - Frames 1030
 - Headers 1024
 - Highlight Text 1018
 - Hyperlinks 1024
 - Import RTF Document 1017
 - Move Text 1018
 - Page Breaks 1023
 - Page Columns 1028
 - Page Mode 1019
 - Paragraph Formatting 1022
 - Paragraph Styles 1022
 - Paste External Objects 1018
 - Picture Embed 1020
 - Picture Frame 1030
 - Picture Link 1020
 - Print Options 1017
 - Redo Edit 1015
 - Repagination 1023
 - Revert To Previous Copy 1017
 - Save File 1017
 - Search and Replace Options 1031
 - Sections 1028
 - Select Model Elements 1009
 - Select Text 1018
 - Show Headers & Footers 1019
 - Style Sheets 1029
 - Tab Support (Enhanced) 1023
 - Table Commands 1025
 - Table of Contents 1029
 - Tabular Sections 1011
 - Text Frame 1030
 - Text Scrolling 1016
 - Undo Edit 1015
 - View Options 1019
 - Zoom 1019
 - RTF Templates Tab (Enhanced) 1006
 - Rules & Scenarios
 - Window 173
 - Run
 - SQL Patches 548
 - Run Script
 - Create 832
 - Run-Time
 - Inspection 859
 - Variable, Define 1209
 - Run-Time State
 - Add Instance Variable 1209
 - Delete Instance Variable 1209
 - Introduction 1208
- S -**
- Save
 - Changes 31
 - Controlled Package 582
 - Diagram 31
 - Diagram as UML Pattern 456
 - Diagram Image to File 255
 - Package with XMI 582
 - Profile From Diagram Context 1315
 - Profile From Package Context 1315

- Save
 - RTF Report As RTF Document (Enhanced) 1031
 - RTF Report As RTF Document (Legacy) 1048
 - UML Pattern 456
- Save As
 - Copy 66
 - Shortcut 66
- Save Project As
 - Menu Option 64
- Scale
 - Image To Page Size 289
- SCC
 - Providers Dialog 597
 - Version Control Options 597
 - Version Control, Upgrade for Enterprise Architect 4.5 600
- Scenario
 - Automation Interface, Element Package 1492
 - Element 377
 - Object 377
 - Testing 731
 - Type, Define 686
 - Use Case 1119
- Schema
 - Database, Import From ODBC 926
 - DDL, Import From ODBC 926
 - Diagram 1149
- Screen
 - Element 1249
- SDK
 - Enterprise Architect 1299
- Search
 - A Package 147
 - Add-In 1391
 - Conditions 158
 - Definitions 149
 - Definitions, New 153
 - Definitions, Predefined 155
 - Element Features 149
 - Fields 158
 - Filters 149
 - List, Predefined Searches 155
 - Model 149
 - Project 149
 - Project, Create Search Definition 153
 - Query, New 153
 - Results, Process 144
 - Simple 149
 - The Model Search 147
- Search Data Parameter
 - Add-In Search 1392
- Search Filters
 - Add to Search 156
- Search Model
 - Dialog 149
- Search Project
 - Add Filters 156
 - Use the Model Search 147
- Security
 - Basics 631
 - Change Password 634, 644
 - Disable 632
 - Enable 632
 - Maintain Groups 638
 - Maintain Users 634
 - Policy 633
 - Re-enable 632
 - Reset Password 644
 - Set Password 644
 - Submenu 77
 - Tasks 631
 - User Permission List 640
 - What is User Security? 631
- Security Group Permissions 639
- Select
 - Alternative Image 272
 - ODBC Data Source 929
 - Spelling Language 223
 - Stereotypes 451
 - Tables From ODBC Source 930
- Select All
 - Menu Option 69
- Select Attribute Type
 - Dialog 333
- Select By Type
 - Menu Option 69
- Self-Message 1276
 - Hierarchy 1121
- Send
 - Element 1218
 - Event 1242
- Sequence
 - Communication Messages 1282
 - Element 1119
 - Element, Activation 1120

- Sequence
 - Elements and Connectors 112
 - Message 1273
 - Message, Change Timing Details 1277
 - Message, Label Visibility 1123
 - Message, Timing Details 1277
 - Messages, Examples 1280
 - Oracle, DDL Options 917
 - Oracle, DDL Options For Packages 919
- Sequence Diagram 1115
 - Constraints On States, Debugger Generation Of Diagrams 883
 - Create After Recording Debug Session 877
 - Create in Debug Session 873
 - Display Options 196
 - Enable Capture Of State Transitions in Debug Session 881
 - Generate From Automatic Debug Record 876
 - Generate From Manual Debug Record 875
 - Generate From Method 873
 - Generate in Debug Session 871
 - Layout 1118
 - Messages, Self Message 1276
 - Show Transitions In State, Overview 879
 - State Transition Options, Generate From Debug 877
 - Top Margin, Change 1124
- Sequence Element
 - Inline 1124
- Sequence Tab
 - Build Script Options 840
 - Debugger Options 840
- Server
 - Apache Tomcat, Debugging 850
 - JBOSS, Debugging 850
 - Tomcat, Debugging 850
- Server Configuration
 - JBOSS 853
 - Tomcat 854
- Server Repository
 - Create for Oracle 10g 521
 - Create for Oracle 9i 521
- Service
 - WSDL Diagram 991
 - WSDL Element 991
- Service Configuration
 - Tomcat 855
- Service Oriented Architecture 970
- Set
 - Association Specialization 413
 - Collection Classes 788
 - Connector Visibility 414
 - Default Diagram, Model 286
 - Default Tree Behavior 53
 - Diagram Appearance Options 278
 - Diagram Appearance Options, Visible Class Members 286
 - Diagram Page Size 290
 - Diagram Properties 278
 - Element Classifier 458
 - Element Cross-References 310
 - Element Parent 309
 - Feature Visibility 257
 - Font For Element Text 304
 - Group Permissions 639
 - Instance Classifier 384
 - Interfaces 309
 - Main RTF Report Properties (Legacy) 1040
 - Message Source and Target 422
 - Object Base Type 384
 - Object State 1209
 - Parents 309
 - Project Custom Colors 322
 - Relationship Visibility 414
 - Time Range, Timing Diagram 1098
 - Timeline Start Position, State Lifeline Element 1099
- Set Attribute Dialog 1156
- Set Feature Dialog 1156
- Set Feature Visibility
 - Element Context Menu Option 302
- Set Operation Dialog 1156
- Set Up
 - Adaptive Server Anywhere ODBC Driver 509
 - Database Model Files 489
 - Debug Session 834, 837
 - For .NET 837
 - MySQL ODBC Driver 503
 - ODBC Driver 502
 - PostgreSQL ODBC Driver 506
 - Progress OpenEdge ODBC Driver 514
 - Single Permissions 637
 - User Groups 636
- Settings
 - Author 673
 - Cardinality 694
 - Clients 679

- Settings
 - Constraint Status Types 684
 - Constraint Types 683
 - Default Hours 716
 - Effort Types 722
 - Environment Complexity Factors 713
 - Estimation 691
 - General Types 681
 - Maintenance 688
 - Menu 98, 671
 - Metric Types 723
 - Metrics 691
 - People 672, 678
 - Problem Types 688
 - Project Author 673
 - Project Resources 678
 - Requirement Types 685
 - Risk Types 724
 - Roles 676
 - Scenario Types 686
 - Status Types 682
 - Stereotypes 691
 - Tagged Value Types 693
 - Technical Complexity Factors 711
 - Template Package 325
 - Testing Types 690
 - UML Types 691
- Shallow Copy
 - Of Diagram 257
- Shape Editor 692, 1354
- Shape Scripts
 - Add to Profile 1311
 - Arithmetical Operations 1350
 - Assign to Stereotype 1338
 - Change Font Of Text 1350
 - Color Queries 1346
 - Comments 1350
 - Conditional Branching 1346
 - Custom Shapes 1338
 - Display Element Properties 1347
 - Drawing Methods 1343
 - Example Shape Scripts 1351
 - Fonts 1350
 - Getting Started 1338
 - Introduction 1338
 - Looping 1350
 - Miscellaneous 1350
 - Properties, Connector 1347
 - Properties, Element 1347
 - Query Methods 1347
 - Reserved Names, Connectors 1349
 - Reserved Names, Elements 1349
 - Shape Attributes 1342
 - Shape Editor 692, 1354
 - Stereotypes 1338
 - String Manipulation 1350
 - Subshape Layout 1349
 - Syntax Grammar 1341
 - Terminate Execution 1350
 - Variable Declarations 1350
 - Without Stereotypes 1350
 - Writing Scripts 1341
- Share
 - An Enterprise Architect Project 566
 - Project on Network Drive 567
- Shared Key
 - Add 702
 - Issues 704
- Shared Model
 - In Version Control 619
- Shortcut
 - Menu, Enterprise Architect UML Toolbox 105
- Shortcut To
 - Diagram 66
 - Discussion Forum 66
 - Model 66
 - Model Search 66
 - Relationship Matrix 66
- Show
 - Connectors, All Diagrams 411
 - Connectors, Requirements Element 411
 - Connectors, Single Diagram 411
 - Duplicate Tagged Values 179
 - Element Stereotype 452
 - Element Usage 310
 - Feature Stereotype 452
 - Labels 412
 - Level Numbering 58
 - Package Contents 242
 - Relationship 376
 - Toolbox 100
 - Use Case Arrowhead 414
- Show Status Colors on Diagrams
 - Menu Option 426
- Show/Hide
 - Connectors 401

Show/Hide	
Labels	401
Signal	
Element	1219
Simple View	555
Single Permissions	
Set Up	637
Single User	786
Size	
Element	316
Submenu	82
Snap To Grid	
Submenu	71
SOA	970
SOAP Binding	994
Software Architect	
Project Role	228
Software Development Kit	
Enterprise Architect	1299
Software Engineer	
Project Role	229
Software Product License Agreement	11
Sort Order	
Project Browser, Reset	28
Sorted Lookup Table	
Create in Data Modeling	915
Source	
Set for Message	422
Source Code	
Add New Features And Elements	809
Configuration, Build and Run	826
Control	590
Editor	170
Import, Reverse Engineering	765
Internal Editor Options	781
Viewer	170
Source Code Engineering	
Submenu	74
Source Code Engineering (Element)	
Submenu	82
Source Code Generation	
Class	773
Interface	773
Overview	773
Source Object	
Multiplicity	419
Source Role	
Details	419
Space Evenly	
Submenu	82
Sparx Systems Website	9
Specialize Association	413
Spell Check	
Correct Words	223
Dictionary	223
Introduction	221
Language	223
Perform	221
SQL	
Custom Searches	153
Data Modeling	917
Editor	153
Patches, Run	548
Search, SELECT Statements	153
Server Data Repository, Connect To	531
Server Repository, Create	519
SQL Server	
Desktop Engine, Upsize To	494
Upsize To	498
Stack	
Debug Workbench Window	863
Standard Colors	
Options	191
Standard Element Stereotypes	453
Start	
Application	36
Enterprise Architect	36
Start Page	39
Quick Start	24
State	
Add to State Lifeline Element	1100
Chart	1084
Composite	1219, 1220
Constraints, Debugger Generation Of Sequence Diagrams	883
Delete on State Lifeline Element	1100
Diagram	1084
Edit on State Lifeline Element	1100
Element	1219
In Timeline Element	1105
Locate in State Machine Diagram	1095
Locate in State Machine Table	1095
Simple	1219
State Machine Table Conventions	1095
State (Machine)	
Elements and Connectors	113

- State (Machine)
 - Group, Enterprise Architect UML Toolbox 113
- State Invariant
 - Element 1223, 1225
- State Lifeline
 - Element 1222
- State Lifeline Element
 - Add State 1100
 - Add Transition 1101
 - Change Transition Time 1101
 - Define Name 1099
 - Delete State 1100
 - Delete Transition 1101
 - Edit State 1100
 - Edit Transition 1101
 - Merge Transitions 1101
 - Move Transition 1101
 - Set Timeline Start Position 1099
 - Sizing and Scale 1099
 - Synchronize Transition 1101
- State Machine
 - Create For Sequence Diagram Generation In Debugger 882
 - Diagram 1084
 - Element 1228
 - Regions 1086
 - Table 1088
- State Machine Diagram
 - Locate State in State Machine Table 1095
 - Locate Transition in State Machine Table 1095
 - Locate Trigger in State Machine Table 1095
- State Machine Table
 - Add States 1092
 - Add Substates 1092
 - Add Triggers 1093
 - Cell Color 1089
 - Cell Enumeration 1089
 - Cell Highlights 1089
 - Cell Size 1089
 - Change Position 1092
 - Change Size 1092
 - Change Transitions 1093
 - Conventions 1095
 - Description 1088
 - Format 1088
 - Insert Transitions 1093
 - Legend, Add 1094
 - Legend, Remove 1094
- Locate State in State Machine Diagram 1095
- Locate Transition in State Machine Diagram 1095
- Locate Trigger in State Machine Diagram 1095
- Operations, Overview 1091
- Options 1089
- Remove Substates 1094
- Reposition States 1094
- Reposition Substates 1094
- Reposition Triggers 1094
- State-Next State 1088
- State-Trigger 1088
- Table Format 1089
- Trigger-State 1088
- State Region
 - Composite 1086
- State Transitions
 - Enable Capture In Sequence Diagram, Debug Session 881
 - Recorded In Debugger, Overview 879
- State/Continuation
 - Element 1223
- Status Bar
 - Enterprise Architect Workspace 133
- Status Type
 - Color 682
 - Define 682
 - For Different Elements 682
- Stereotype
 - Add Shape Script in Profile 1311
 - Add To Profile 1303
 - Add, Automation Interface Code Example 1540
 - Analysis 1236
 - And Metafiles 448
 - Apply to Dependency Relationship 1265
 - Automation Interface Repository 1476
 - Business Modeling 1238
 - Custom 1300
 - Define As Metatype 1317
 - Definition 448
 - Dialog 1300
 - Element, Table 1251
 - Extended 1235
 - Inbuilt 1235
 - Multiple, Restrict Application Of 1318
 - Predefined Tag Types 1306
 - Profiles 1320
 - Selector 451

- Stereotype
 - Settings 691
 - Show on Project Browser 53
 - Standard Element 453
 - Tagged Values in Profile 1305
 - Tags for Supported Attributes 1306
 - Tags, Define 1305
 - UML Description 448
 - View 913
 - Visibility 452
 - With Alternative Images 454
 - XSD in UML Profile 972
- Store
 - Image in Enterprise Architect 272
- Stored Procedure
 - As Individual Class 911
 - As Operation of Container Class 909
 - Class 909
 - Create Class As 909
 - Define Stereotype 909
 - Definition 908
 - Operation Parameters 909
- Straighten
 - Line at Cursor 406
- Structural Diagrams 1129
- Structured Activity
 - Conditional Node 1226
 - Element 1226
 - Loop Node 1226
 - Nested 1226
 - Node 1226
 - Sequential Node 1226
 - Simple Composite 1226
- Structured Tags
 - Create 1355
- Style
 - For Connectors 401
- Sub-Activity
 - Element 1160, 1226
- Submachine State
 - Element 1219, 1228
- Submenu
 - Add-In 97
 - Advanced (Element) 81
 - Alignment 82
 - Appearance (Element) 82
 - Build And Run 75
 - Data Management 84
 - Database Engineering 76
 - Documentation 74
 - Hidden, Create 1327
 - Import/Export 78
 - Inline Features 81
 - Make Same 82
 - Model Transformations 76
 - Model Validation 76
 - Move 82
 - Online Resources 100
 - Other Windows 71
 - Package Context, Add 59
 - Package Context, Build And Run 60
 - Package Context, Code Engineering 60
 - Package Context, Contents 61
 - Package Context, Documentation 59
 - Package Context, Import/Export 61
 - Paste Elements 70
 - Security 77
 - Size 82
 - Snap to Grid 71
 - Source Code Engineering 74
 - Source Code Engineering (Element) 82
 - Space Evenly 82
 - Toolbars 71
 - Version Control 78
 - Visual Layouts 71
 - Visual Styles 71
 - Web Services 77
 - XML Schema 77
 - Zoom 291
 - Z-Order 82
- Sub-State 1220
- Substitute Words
 - In RTF Report (Legacy) 1048
- Substitution
 - Conditional 1363
 - Direct 1363
 - Macro 1347
- Subtype
 - Relationship 410
- Subversion
 - Configure Version Control 611
 - Documentation 608
 - Executables 608
 - Repository URLs 608
 - Setting Up 608
 - TortoiseSVN 613

- Subversion
 - Using With Enterprise Architect Under Linux Crossover 610
 - Version Control Options 608
 - Version Control, Create Local Working Copy 610
 - Version Control, Create Repository Subtree 609
 - Sunmenu
 - Manage .EAP File 84
 - Support
 - For Registered Users 10
 - For Trial Users 10
 - Supported
 - Stereotype Attribute Tags 1306
 - Tagged Values For Stereotypes 1306
 - Tags in UML Profiles 444
 - Supported Attribute
 - By XML Element Node 446
 - In UML Profiles 446
 - Metatype, in UML Profiles 1316
 - Stereotype, In UML Profiles 1316
 - Supported Attributes
 - Create Composite Elements 1320
 - Define Behavior On Creating Instance 1318
 - Define Child Diagram Types 1319
 - Suppress
 - Line Segments 406
 - SwimlaneDef
 - Automation Interface, Diagram Package 1519
 - Swimlanes
 - And Matrix Dialog, Matrix Tab 269
 - Automation Interface, Diagram Package 1519, 1520
 - Manage 266
 - Matrix, Model Profile 269
 - On Diagram 266
 - Switch RTF Generator 1033
 - Sybase
 - ASA 890
 - ASE 890
 - Sybase Adaptive Server Anywhere
 - ODBC Driver, Set Up 509
 - Upsize To 491
 - Synch
 - Element 1229
 - Synchronization 568
 - Intial Code in Operations 351
 - Introduction 763
 - Macros, Code Template Syntax 1377
 - Synchronize
 - Code 808
 - Existing Code Sections 809
 - Replicas 570
 - UML Profile Tags and Constraints 443
 - Syntax Check
 - For UML, Option 192
 - System
 - Tabs 169
 - Testing 730
 - Users 634
 - Window 169
 - System Boundary
 - Element 1229
 - System Requirements
 - For Debug 844
 - System Window
 - Add Item, Glossary Detail Dialog 755
 - Delete Item, Glossary Detail Dialog 755
 - Modify Item, Glossary Detail Dialog 755
 - Project Glossary Tab 755
 - Project Issues Tab 749
 - Project Tasks Tab 746
- T -
- Tab
 - Audit History in Output Window 181
 - Diagram 135
 - Tab Support
 - RTF Style Template Editor (Enhanced) 1023
 - Table
 - Detail 1251
 - Element 1251
 - Properties 1251
 - Set Owner 895
 - Set Properties 893
 - State Machine 1088
 - Table Of Contents
 - MS Word, Add 1053
 - Table Of Figures
 - MS Word, Add 1054
 - Tag
 - Compartment, Element 386
 - Filters 1356
 - Management, Advanced 380
 - Profile 1305

- Tag Type
 - Masked 1356
 - Predefined, Assign to Stereotype 1306
- Tagged Value
 - Add 382
 - Assign Information To 178
 - Assign To Item 177
 - Connector, Use 1307
 - Element 379
 - Filters 1356
 - For Oracle Tables 896
 - Fully Qualified, Show 257
 - Fully-Qualified Value 174
 - In UML Profiles 441
 - Inherited, Show 257
 - Macros, Code Template Syntax 1373
 - Model Components 174
 - Modify 174, 177
 - Of Attributes 337
 - Operation Parameters 347
 - Operations 352
 - Predefined Reference Data 1357
 - Quick Add 382
 - Show Duplicates 179
 - Supported For UML Profile Stereotypes 444
 - Toolbar 174
 - Types 693
 - Types Of Value Field 177
 - View 174
 - Window 174
- Tagged Value Type
 - Introduction 1354
 - Predefined 1356
 - Predefined Reference Data, Create 1358
- TaggedValue
 - Automation Interface, Element Package 1493
- Target
 - Set For Message 422
 - Types 1062
- Target Role 421
- Task
 - Automation Interface Repository 1477
 - Completion 717
 - Details 747
- Task Pane Profile
 - Define In From MTS File 1553
- Tasks Pane 9
 - Allocate Toolbox To Contexts 1336
- Commands, Built In 1334
- Contexts, Define 1335
- Getting Started 182
- Incorporate In MDG Technology 1337
- Named Contexts 1335
- Profiles, Create 1332
- Run Add-In Functions From 1334
- Save Profile 1337
- Toolboxes, Define 1333
- Tools 182
- Window 182
- TCF
 - Value 711
 - Weighting 711
- Team Development 565
- Team Foundation Server
 - Version Control Options 614
- Tear Off Menus 163
- Technical Complexity Factor
 - Estimate Project Size 714
 - Value 711
 - Weighting 711
- Technology Developer
 - Project Role 234
- Technology Events
 - Add-In Model 1409
 - EA_OnDeleteTechnology 1410
 - EA_OnImportTechnology 1411
 - EA_OnPreDeleteTechnology 1409
- Template
 - Editor In SDK 1381
 - Editor, Code Templates 807
 - Element 438
 - Model, Incorporate In A Technology 1555
 - Package, Settings 325
 - Parameterized Classes 1169
- Templates
 - Transformation, Default 959
- Term
 - Automation Interface Repository 1478
- Terminate
 - Element 1230
- Test
 - Automation Interface, Element Package 1494
 - Cases 728
 - Documentation 737
 - Import From Other Element 734
 - Model Template 49

- Test
 - Report 737
 - Result Output 737
 - Script Output 737
- Test Details Dialog 727
- Test Scripts
 - Compartment 736
- Tester
 - Project Role 232
- Testing
 - Acceptance 731
 - Compartment, Element 386
 - Import Element Scenarios 732
 - Import Package Scenarios 732
 - Integration 729
 - Model Template 49
 - Overview 726
 - Report, Create 1063
 - Scenario 731
 - Support 726
 - System 730
 - Type, Define 690
 - Unit 728
 - Window 726
 - Workspace 726
- Testing Details Report 735
- Testing Feature
 - Insert in Element 366
- Text
 - Element, Create 319
- TFS
 - Version Control Options 614
- Tidy Line Angles 406
- Time Event 1217
- Time Interval
 - Compress 1108, 1112
 - Copy and Paste 1112
 - Create 1108
 - Delete 1108
 - Description 1108
 - Move 1108
 - Operations 1112
 - Resize 1108
 - Select 1108
 - Transitions 1112
- Time Range
 - Set For Timing Diagram 1098
- Timeline Element States
 - Add Via Configure Timeline Dialog 1105
 - Delete via Configure Timeline Dialog 1105
 - Edit Via Configure Timeline Dialog 1105
 - Maintain 1105
 - Numeric Range Generator 1105
- Timeline Range
 - Set For Timing Diagram 1098
- Timing
 - Constraint 1277
 - Details, Change 1277
 - Elements and Connectors 112
 - Group, Enterprise Architect UML Toolbox 112
 - Message 1284
 - Message, Create 1285
 - Observation 1277
- Timing Diagram
 - Add Value Lifeline Element 1103
 - Connectors 1096
 - Create 1098
 - Edit 1099
 - Edit Value Lifeline Element 1103
 - Elements 1096
 - Example 1096
 - Set Time Range 1098
- Tomcat
 - Server, Configuration 854
 - Server, Debugging 850
 - Service Configuration 855
- Toolbar
 - Add Commands 86
 - Code Generation 128
 - Current Connector 131
 - Current Element 130
 - Customize 87
 - Debug 857
 - Default Tools 127
 - Diagram 130
 - Display Labels 87
 - Element 129
 - Format 131
 - Other Views 133
 - Project 127
 - Rich Text Notes 134
 - Submenu 71
 - UML Elements 129
 - Workspace 126
 - Workspace Views 132
- Toolbox

- Toolbox
 - Connectors For Extending 1330
 - Customize 1326
 - Elements For Extending 1329
 - Items, Assign Icons For 1328
 - Override Default 1328
 - Page Attributes 1327
 - Pages That Can be Overridden 1329
 - Profile, Create in MDG Technology 1327
 - Profiles 1326
 - Shortcut Menu 105
 - Tasks Pane, Define 1333
- Toolbox Profiles
 - Define In MTS File 1553
- Tools Menu 83
- Top Margin
 - Sequence Diagram, Change 1124
- Topic
 - Add to Discussion Forum 213
- TortoiseSVN
 - In Version Control 613
- Trace
 - Connector 1295
- Trace Marking
 - In Debug Session 876
- Trademarks 14
- Transfer
 - Project Data Between Repositories 549
- Transform
 - Duplicate Information 966
 - Elements, MDA-Style Transforms 935
 - Model, MDA-Style Transforms 935
 - Names 966
 - Objects 959
- TRANSFORM_CLASSIFIER
 - Macro 967
- TRANSFORM_CURRENT
 - Macro 966
- TRANSFORM_REFERENCE
 - Macro 964, 967
- Transformation 933
 - Build In, MDA-Style Transform 939
 - C# 939
 - Write 958
- Transformation Template
 - Modify 937
 - Transfer Between Models 936
- Transformation Templates
 - Default 959
- Transition
 - Add to State Lifeline Elements 1101
 - Add Via Configure Timeline Dialog 1106
 - Change 1093
 - Change Time, State Lifeline Element 1101
 - Connector 1295
 - Delete on State Lifeline Element 1101
 - Delete Via Configure Timeline Dialog 1106
 - Edit in Time Intervals 1112
 - Edit on State Lifeline Elements 1101
 - Edit Via Configure Timeline Dialog 1106
 - Guard 1295
 - Highlight Associated Trigger or State 1093
 - Insert In State Machine Table 1093
 - Locate in State Machine Diagram 1095
 - Locate in State Machine Table 1095
 - Merge on State Lifeline Element 1101
 - Move on State Lifeline Elements 1101
 - Properties 1295
 - State Machine Table Conventions 1095
 - Trigger 1295
- Transitions Collection
 - Automation Interface, ElementFeatures Package 1505
- Translation
 - RTF Report Generation 1036
- Tree Style Hierarchy
 - Create 415
 - Set Default Link Style+ 415
- Trial Version
 - Of Enterprise Architect 15
- Triangle
 - Red 760
- Tricks and Traps
 - Create Add-In 1389
- Trigger
 - Create in State Machine Table 1093
 - Create in Transition Properties 1295
 - Element 1231
 - For Transition 1295
 - Locate in State Machine Diagram 1095
 - Locate in State Machine Table 1095
 - State Machine Table Conventions 1095
- Trigger Operation
 - Create 915
 - What Is? 915
- Type

- Type
 - Element Context Menu 296
 - Hierarchy 309
- Type Specific Menu Section
 - Connector 400
- U -**
- UI Control
 - Element 1251
 - Element, Create 1252
- UML
 - 1.3 546, 572, 573, 575
 - 1.4 573, 575, 1126
 - 1.5 197
 - 2.0 575
 - 2.0 Migration 546
 - Basic Elements 1154
 - Connectors 1255
 - Data Modeling Profile 890
 - Definition 1078
 - DTD 578
 - Elements 1150
 - Mappings to XSD 980
 - Modeling With 22
 - Models Under Single Root 576
 - Pattern 455
 - Syntax Checking Option 192
- UML Behavioral Diagram
 - Overview 1080
- UML Diagrams 1079
 - Extended 1141
 - Introduction 243
- UML Element
 - Behavioral Diagram Elements 1151
 - Structural Diagram Elements 1152
 - Toolbar 129
- UML Pattern
 - Actions 456
 - Add to Diagram 458
 - Create from Diagram 456
 - In Resources View 456
 - Save 456
 - Save from Diagram 456
- UML Profile
 - And Element Templates 438, 1299
 - Create 1302
 - Example File 447
 - Export 1313
 - Import 440
 - Import from XML 438, 1299
 - Save From Diagram 1315
 - Save From Package 1315
 - Stereotypes 438, 1299
 - Structure 445
 - Synchronize Tagged Values and Constraints 443
 - Work With 1302
 - XSD, Stereotypes 972
- UML Profile Connector
 - Add to Diagram 442
- UML Resources
 - Patterns 455, 458
- UML Syntax Compliance
 - Turn Off 560
- UML Toolbox
 - Activity Group 114
 - Analysis Group 118
 - Appearance Options 103
 - BPMN Group 473
 - Class Group 108
 - Collapse Page 100
 - Common Group 107
 - Communication Group 111
 - Component Group 114
 - Composite Group 110
 - Create Elements And Connectors 100
 - Custom Group 119
 - Data Flow Diagram Group 468
 - Data Modeling Group 125
 - Deployment Group 115
 - Documentation Group 1064
 - Expand Page 100
 - Hide Labels 103
 - Hide Toolbox 100
 - ICONIX Group 470
 - Interaction Group 112
 - Maintenance Group 121
 - MDG Technology Groups 464
 - Metamodel Group 117
 - Mind Mapping Group 467
 - Object Group 109
 - Pin Pages 103
 - Profile Group 116
 - Requirement Group 120
 - Set Toolbox Visibility 103

- UML Toolbox
 - Shortcut Menu 105
 - Show Labels 103
 - Show Toolbox 100
 - State (Machine) Group 113
 - Timing Group 112
 - Unpin Pages 103
 - Use Case Group 108
 - User Interface Group 121
 - WSDL Group 124
 - XML Schema Group 125
- UML Types
 - Cardinality 694
 - Dialog 691
 - Stereotypes 691
 - Tagged Values 693
- UML_EA.DTD 578
 - File 575
- UML2
 - File Import 576
- Unadjusted Use Case Points 714
- Undo
 - Edit Menu 69
 - Last Action, Diagram Edits 278
- Unified Modeling Language 1078
- Unit Test
 - Run 886
- Unit Test Script
 - Create 830
- Unit Testing 728
 - Create Build and Test Scripts 885
 - Define Tests 885
 - In Build and Run 885
 - Record Test Results 887
 - Set Up 885
- Unlock
 - Connector 642
 - Element 642
- Unpin
 - Toolbox Pages 103
- Update
 - Package Status 759
- Upgrade
 - Existing License (v. 6.5 and earlier) 705
 - Existing License (v. 7.0+) 705
 - Model 544, 545
 - Models, Upgrade Wizard 544
 - Project 544
 - Replicas 545, 571
 - Wizard 544
- Upsize
 - From Desktop and Professional editions 489
 - To MySQL 500
 - To Oracle 496
 - To PostgreSQL 495
 - To Progress OpenEdge 492
 - To SQL Server 498
 - To SQL Server Desktop Engine (MSDE) 494
 - To Sybase Adaptive Server Anywhere (ASA) 491
- Use
 - Classifiers 383
 - Connector 1297
 - Enterprise Architect, Application Workspace 37
 - Pattern 458
 - Profiles 440
 - Spell Checker 221
- Use Case
 - Arrowhead, Show 414
 - Diagram 1082
 - Element 1231
 - Elements and Connectors 108
 - Extension Points 1232
 - Group, Enterprise Architect UML Toolbox 108
 - Keyword 714
 - Metrics 711
 - Metrics Dialog 714
 - Model Template 43
 - Phase 714
 - Points, Unadjusted 714
 - Rectangle Notation 1233
 - Scenarios 1119
 - View 555
- Use Element Extras
 - Automation Interface Code Example 1536
- Use Repository Extras
 - Automation Interface Code Example 1538
- User
 - Default Fonts 199
 - Directory 673
 - Groups 634
 - Lock, Apply 648
 - Settings 786
- User Dictionary 223
- User Forum 10

- User Interface
 - Components 37
 - Control Element 1251
 - Diagram 1148
 - Element 1251
 - Elements and Connectors 121
 - Group, Enterprise Architect UML Toolbox 121
 - Screen Prototype 1249
 - User Lock
 - Identify Owner 650
 - Indicators 649
 - User Security
 - Basics 631
 - Disable 632
 - Enable 632
 - Maintain Groups 638
 - Maintain Users 634
 - Policy 633
 - Re-enable 632
 - Tasks 631
 - What is User Security? 631
 - User Security Groups
 - Set Up 636
 - Using Enterprise Architect 36
 - Arranging Windows and Menus 159
 - Autohide Windows 162
 - Dock Windows 160
 - Navigation Compass 160
 - Remove Recent Models 40
 - Start Page 39
 - Tear Off Menus 163
 - Utility
 - Compare 662
 - Diff 662
 - UUCP 714
- V -**
- Validation
 - Of Diagram 558
 - Of Element 558
 - Of Model, Configure 560
 - Of Model, Configure For MDG Technology 1555
 - Of Package 558
 - Rules, Model 561
 - Validation, Properties
 - Attribute 562
 - Element 562
 - Feature 562
 - Relationship 562
 - Validation, Well Formedness
 - Attribute 561
 - Diagram 561
 - Element 561
 - Feature 561
 - Relationship 561
 - Value Lifeline Element 1234
 - Add States 1103
 - Add To Timing Diagram 1103
 - Add Transitions 1103
 - Change Transition Time 1103
 - Delete Transitions 1103
 - Edit Transitions 1103
 - Sizing and Scale 1103
 - States 1103
 - Transitions 1103
 - Variable
 - Debug 865
 - Definitions, Code Template Syntax 1380
 - Definitions, Examples 1380
 - References, Code Template Syntax 1381
 - References, Examples 1381
 - VB
 - Set Up In Automation Interface 1441
 - VB.Net
 - Import, Reverse Engineering 770
 - Modeling Conventions 821
 - Options 801
 - Version Control 578
 - Apply To Model Branch 619
 - Check In and Check Out Packages 625
 - Configuration 591, 593, 621
 - Configuration, Add Previously-Defined 623
 - Configure in Subversion 611
 - CVS Options 601, 605
 - CVS Remote Repository 602
 - Export Model Branch 620
 - Import Model Branch 621
 - Include Other Users' Packages 622
 - Introduction 590
 - Manual, With XMI 585
 - Menu 595
 - Offline 617
 - Private Model 619
 - Reference 593

- Version Control 578
 - Review Version Control History 624
 - SCC Options 597
 - SCC, Providers Dialog SCC, Providers Dialog 597
 - SCC, Upgrade for Enterprise Architect 4.5 600
 - Set Up 591
 - Settings 593
 - Setup Menu 593
 - Shared Model 619
 - Specify Private or Shared Models 619
 - Submenu 78
 - Subversion Options 608
 - Subversion, Create Local Working Copy 610
 - Subversion, Create New Repository Subtree 609
 - Subversion, Setting Up 608
 - Subversion, TortoiseSVN 613
 - Subversion, Using With Enterprise Architect Under Linux Crossover 610
 - TFS Options 614
 - Use Nested Version Control Packages 618
 - Using 592
 - Version Controlled Package
 - Icon 56
 - View
 - Class 913
 - Create 913
 - Database 913
 - Element List 137
 - Last Diagram 278
 - Locks 642
 - Menu 70
 - Next Diagram 278
 - Project Statistics 73
 - Stereotype 913
 - Submenus 71
 - View Options 136
 - Diagram View 136
 - Element List 137
 - Views
 - Add 555
 - Class 555
 - Component 555
 - Delete 557
 - Deployment 555
 - Dynamic 555
 - Manage 555
 - Rename 556
 - Simple 555
 - Use Case 555
 - Virtual Document
 - Add Packages 1068
 - Change Package Sequence 1069
 - Create Master Document For 1065
 - Create Model Document For 1067
 - Delete a Package 1069
 - Document Order 1069
 - Generate RTF Report From 1071
 - Introduction 1064
 - Master Document Element 1064
 - Model Document Element 1064
 - Model Search Sequence 1069
 - Move Package Attributes Between Elements 1069
 - Sequence of Model Document Elements 1069
 - Sequence of Package Attributes 1069
 - Tagged Values For Master Document 1065
 - Tagged Values For Model Document 1067
 - Visible Class Members
 - Set Diagram Appearance Options 286
 - Visible Elements
 - Customize 318
 - Visual
 - Layout 70, 71, 205
 - Styles 70, 71
 - Styles, Options 206
 - Visual Basic
 - Connect To Automation Interface 1439
 - Import, Reverse Engineering 769
 - Modeling Conventions 822
 - Options 800
 - Set Up In Automation Interface 1441
 - Visual Layouts
 - Submenu 71
 - Visual Styles
 - Submenu 71
 - Visualise Package Arrangement 230
 - VM
 - Attach to in Java Debug 836
- W -**
- W3C XML
 - Technologies, Introduction 970
 - Web
 - Stereotypes 1253

- Web
 - Style Templates 1074
 - Templates 1074
- Web Browser
 - Home Website, Access 158
 - Internet Email, Access 158
 - Web Search Engine, Access 158
- Web Page
 - Prototype 1249
- Web Server
 - Java 850
- Web Service Definition Language 987
- Web Services
 - Submenu 77
- Web Services (WSDL) 987
 - Generate WSDL 997
 - Import WSDL 997
 - Model WSDL 987
 - Model WSDL, Binding 994
 - Model WSDL, Document 990
 - Model WSDL, Message 993
 - Model WSDL, Message Part 996
 - Model WSDL, Namepaces 988
 - Model WSDL, Port Type 993
 - Model WSDL, Port Type Operation 995
 - Model WSDL, Service 991
- Web Site
 - Access Any 158
 - Access Home 158
 - Home, Define Default 189
 - Sparx Systems 9
- Well Formedness Validation
 - Attribute 561
 - Diagram 561
 - Element 561
 - Feature 561
 - Relationship 561
- What Can I Do?
 - With Enterprise Architect 5
- What Is
 - A Check Constraint? 915
 - A Connector? 1255
 - A Foreign Key? 903
 - A Pattern? 455
 - A Primary Key? 901
 - A Stored Procedure? 908
 - A Trigger Operation? 915
 - An Index? 915
 - Enterprise Architect? 4
 - User Security? 631
 - XMI? 572
- What Is A
 - Project? 485
- Window
 - Autohide 162
 - Combine In Frame 160
 - Connections 172
 - Debug Workbench 859
 - Dockable 160
 - Element Browser 171
 - Enterprise Architect 159
 - Hierarchy 173
 - Linked Requirements 173
 - Links 172
 - Menu 99
 - Model Views 140
 - Notes 168
 - Output 181
 - Pan And Zoom 183
 - Project Management 180
 - Properties 165
 - Relationships 172
 - Remove From Frame 160
 - Requirements 173
 - Resources 166
 - Rules & Scenarios 173
 - System 169
 - Tagged Value 174
 - Tasks Pane 182
- Windows
 - Authentication 634
 - Service, Apache Tomcat 855
- Word
 - Special Considerations 1053
- Word Substitution
 - RTF Report Generation 1035
- Work With
 - Enterprise Architect 20
- Work With Attributes
 - Automation Interface Code Example 1540
- Work With Methods
 - Automation Interface Code Example 1541
- Workbench
 - Create Variables 867
 - Debug Workbench Window 865
 - Supported Platforms 865

Workbench

- Variable Arguments 867
- Variable Constructors 867
- Variables, Create 867
- Variables, Delete 869
- Variables, Description 865
- Variables, Requirements 865

Worker

- Stereotyped Classes 1254

Working

- With MDG Technologies 464
- With UML Connectors 398
- With UML Elements 292

Workspace

- Toolbars 126

Workspace Views

- Toolbar 132

WSDL

- Binding Diagram 994
- Binding Element 994
- Document Element 990
- Elements and Connectors 124
- Group, Enterprise Architect UML Toolbox 124
- Import 997
- Message Diagram 993
- Message Element 993
- Model 987
- Namespace Element 988
- Overview Diagram 988
- Port Type Diagram 993
- Port Type Element 993
- Port Type Operation 995
- Service Diagram 991
- Service Element 991
- Transformation 954
- UML Toolbox Pages 987
- Web Services 987

WSDL Support

- Introduction 987

- X -

XMI

- Export 572, 573
- Export MOF To 631
- Import 572, 575
- Import And Auditing 661
- Import MOF From 631

Limitations 578

Manual Version Control 585

Specifications 572

UML DTD 578

XMIType Enum

Automation Interface 1451

XML

Import Referenced Schema 984

Package 578

Pattern File 455, 456

Specifications, Options 204

Technologies, Introduction 970

XML Schema

Elements and Connectors 125

Generate In Garden Of Eden Style 983

Group, Enterprise Architect UML Toolbox 125

Submenu 77

UML Profile for XSD 972

XSD 970

XSD

Abstract Models 979

Datatype Packages 978

Generate 981

Import 984

Import, Global Element Behaviour 986

Model 970

Transformation 955

XML Schema 970

XSDany 972

XSDattribute 972

XSDattributeGroup 972

XSDchoice 972

XSDcomplexType 972

XSDelement 972

XSDgroup 972

XSDrestriction 972

XSDschema 972

XSDsequence 972

XSDsimpleType 972

XSDtopLevelAttribute 972

XSDtopLevelElement 972

XSDunion 972

- Z -

Z Order

Elements 255

Zachman

Zachman
 Profile 269

Zoom
 Diagram View 291
 Submenu 291

Z-Order
 Submenu 82

Enterprise Architect 7.1 User Guide
www.sparxsystems.com